


# E20\_50cm | Macucú 50 cm


flag: manually adjusted

t0 t1

CH4 (ppb)



CO2 (ppm)




# E20\_80cm | Macucú 80 cm


t1 = 5.0 min, t2 = — min into flux

● t0 ● t1

CH4 (ppb)



CO2 (ppm)




NE14\_40cm | Ingá 40 cm


flag: manually adjusted

t0 t1 t2

CH4 (ppb)




CO2 (ppm)



# NE59\_40cm | Uruçurana 40 cm

flag: manually adjusted t1 not above t0 (short window / low flux?)

t0 t1 t2




# NW46a\_40cm | Mata Mata folha miuda 40 cm


t1 = 5.0 min, t2 = — min into flux

t0 t1

CH4 (ppb)




CO2 (ppm)



# NW46a\_80cm | Mata Mata folha miuda 80 cm

flag: manually adjusted

t0 t1




# S14b\_40cm | Ripeira 40 cm


t1 = 5.0 min, t2 = — min into flux

t0 t1

CH4 (ppb)




CO2 (ppm)



# S14b\_80cm | Ripeira 80 cm

t1 = 5.0 min, t2 = — min into flux

t0 t1






# SW61\_160cm | Seringal 160 cm


flag: manually adjusted t1 not above t0 (short window / low flux?)

t0 t1

CH4 (ppb)



CO2 (ppm)




# SW61\_40cm | Seringal 40 cm


flag: manually adjusted

t0 t1

CH4 (ppb)



CO2 (ppm)




# SW61\_80cm | Seringal 80 cm


flag: manually adjusted t1 not above t0 (short window / low flux?)

● t0 ● t1

CH<sub>4</sub> (ppb)



CO<sub>2</sub> (ppm)




# W10\_40cm | Seringa Barriguda 40 cm


t1 = 5.0 min, t2 = — min into flux

● t0 ● t1

CH4 (ppb)




CO2 (ppm)



# W10\_70cm | Seringa Barriguda 70 cm

t1 = 5.0 min, t2 = — min into flux

t0 t1




# W23a\_40cm | Caraipé 40 cm


t1 = 5.0 min, t2 = — min into flux

t0 t1

CH<sub>4</sub> (ppb)



CO<sub>2</sub> (ppm)



time relative to chamber closure (min)

# W23a\_80cm | Caraipé 80 cm

t1 = 5.0 min, t2 = — min into flux

t0 t1

