TEST REPORT - NARA OTOSIS (BLOCK BODY, S45C)

Member IMC Group

Header

Customer No.	4698
Product Line	1 - Parting
Industry	R4 - Pressure Control Systems
Test Date (DD/MM/YYYY)	02/12/2025
Test Reason	1 - Productivity
Stage	3 - Completed
Test Result	1 - Positive
Branch	BUSAN

Machine Information

Type	3 - Turning Machine
Brand & Model	DOOSAN
Adaptation	
Max. RPM	1,800

Cutting Condition

	Actual	Proposal 1	Proposal 2	Proposal 3	Proposal 4	Proposal 5
Manufacturer	215 - YG1	1 - Iscar				
Tool	DDJNR 2525M-15	CR THDN-10-IQ				
Insert	DNMG150608-MG YG214	TIGER 1008Y-IQ IC808				
Carbide Grade	YG214	IC808				
Width of Cut (mm)	-	10				
Major Diameter (mm)	346	346				
Secondary Diameter (mm)	**251**	**251**				
Depth of Cut (mm)	47.5	47.5				
Cutting Speed (m/min)	180.0	165.2				
Max. RPM						
Major Feed (mm/rev)	0.2	0.32				
Secondary Feed (mm/rev)						
Parts per Cutting Edge	30	50				
Reason for Stopping the Test	2 - Wear	2 - Wear				
No. of Corners Tested						
No. of Edges per Insert						
Remark		THBN 53K-10-IQ SGTBU 32C-14				

Material & Fixture

Part Name	BLOCK BODY
Raw Material	3 - Casting
Group	4 - Non-alloy steel and cast steel, free cutting steel
Std. Code	8 - JIS
Material	S45C
Hardness	
Unit	
Rigidity	1 - Stable

Test Result

1. 가공성 양호
2. 경쟁사 대비 생산성 700%이상 향상
- OP10, OP20 이원화 및 기존 R TYPE, L TYPE TURNING 가공 공정 --> GROOVING 단일 공정으로 전환
3. 공구수명 40% 향상
4. TOOL BLOCK, BLADE, ADAPTER, INSERT 전량 전환판매 및 추가 주문완료

TEST REPORT - NARA OTOSIS (BLOCK BODY, S45C)

Member IMC Group

TEST REPORT - NARA OTOSIS (BLOCK BODY, S45C)

Member IMC Group