




1. Background

Figure 20 is a multi-series line chart showing **average berthing time (hours)** by month from January to October 2025 for ten major U.S. ports. Each port is represented by a distinct color and/or line style. The y-axis ranges from 0 to 80 hours; the x-axis shows monthly points from January 2025 through October 2025. Ports highlighted include Los Angeles, Long Beach, Tacoma, New York & New Jersey, Houston, Oakland, Savannah, Virginia, Charleston, and Jacksonville.

PASS

2. Text Contrast

Axis labels, tick labels, month labels, and port callouts use dark gray or black on a white background, providing strong contrast and meeting WCAG AA requirements for normal text. Approximate Contrast Scores: Computed WCAG Contrast Ratios (Figure 20, approximate): • Dark Blue Line vs White: 4.2 • Teal Dashed Line vs White: 3.3 • Yellow Dashed Line vs White: 1.9 • Black Line vs White: 19.1 • Axis/Label Text (Dark Gray/Black) vs White: 10.0+ (All values are approximations based on sampled RGB values.) The lighter line colors (e.g., yellow) are used only for **data strokes**, not for text, so lower contrast there does not violate ADA text contrast rules.

PASS

3. Graphic (Slice) Contrast

Each port's time series uses a distinct color and/or line style (solid, dashed, dotted) plus labeled callouts. This redundancy (color + style + labels) improves distinguishability between lines, even where colors are similar. The background grid lines are light enough not to compete with data, yet still visible for reference.

PASS

4. Color-Blind Safety

Because each port is encoded with both **color and line style**, the chart remains interpretable under common color-vision deficiencies. Key ports (e.g., Los Angeles, Long Beach, Tacoma, Savannah, Virginia, Charleston, Jacksonville) are additionally annotated with text callouts and arrows, providing a non-color means of identification.

PASS

5. OCR / Text Size

Axis titles, tick labels, month labels, and port names in callouts are all large enough to be captured by OCR tools. No text is drawn directly on top of dense data regions; the callouts use leader lines to connect labels to lines, which supports clean OCR extraction and screen-reader narration.

PASS

6. Blur & DPI

The lines and callouts appear crisp and continuous at the current resolution. For congressional or archival use, exporting the original chart at ≥ 300 DPI is recommended to ensure that narrow line styles and small arrowheads remain sharp and free of aliasing when printed.

PASS

7. Alt Text Recommendation

“ Line chart titled ‘ Average Berthing Time by Port, January–October 2025. ’ The chart plots monthly average berthing time in hours for ten major U.S. ports: Los Angeles, Long Beach, Tacoma, New York & New Jersey, Houston, Oakland, Savannah, Virginia, Charleston, and Jacksonville. Los Angeles, Long Beach, and Tacoma consistently have the ****highest berthing times****, mostly between 55 and 70 hours. New York & New Jersey and Houston form a middle tier between roughly 40 and 55 hours. Oakland and Savannah trend in the 30–40-hour range, while Virginia, Charleston, and Jacksonville maintain the ****shortest berthing times****, generally between 10 and 25 hours. Across all ports, berthing times fluctuate modestly month-to-month, with slight increases toward October 2025 for several West Coast ports. ”

PASS