

SAFETY DATA SHEET

Version 8.16
Revision Date 2026.01.01
Print Date 2026.01.15
Date of first issue 2021.03.31
Product Number Millipore - 1.09204

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- a. Product name : Giemsa's azur eosin methylene blue solution for microscopy
- Product Number : 1.09204
- Catalogue No. 109204
- Brand : Millipore
- b. Recommended use of the chemical and restrictions on use : **Identified uses**
In vitro diagnostic reagent, Reagent for analysis
Uses advised against
This product is not intended for consumer use.
- c. Company : 씨그마알드리치코리아(유)
서울특별시 강남구 테헤란로 508,
3층 (대치동, 해성2빌딩)
- Telephone :
Fax :
Emergency Phone # : +(44)-870-8200418 (CHEMTREC (GB))
+(353)-19014670 (CHEMTREC Ireland)
001-803-017-9114 (CHEMTREC India)

SECTION 2: Hazards identification**a. GHS Classification**

Flammable liquids (Category 2)
Acute toxicity, Oral (Category 3)
Acute toxicity, Inhalation (Category 3)
Acute toxicity, Dermal (Category 3)
Specific target organ toxicity - single exposure (Category 1)

b. GHS-Labeling

Pictogram



Signal word

Danger

Hazard Statements

H225	Highly flammable liquid and vapour.
H301 + H311 + H331	Toxic if swallowed, in contact with skin or if inhaled.
H370	Causes damage to organs.

Precautionary Statements

Prevention

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.
P240	Ground and bond container and receiving equipment.
P241	Use explosion-proof electrical/ ventilating/ lighting equipment.
P242	Use non-sparking tools.
P243	Take action to prevent static discharges.
P260	Do not breathe mist or vapours.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response

P301 + P310 + P330	IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Rinse mouth.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304 + P340 + P311	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor.
P308 + P311	IF exposed or concerned: Call a POISON CENTER/ doctor.
P361 + P364	Take off immediately all contaminated clothing and wash it before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage

P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.

Disposal

P501	Dispose of contents/ container according to waste-related laws
------	--

c. Other hazards which do not result in classification

none

SECTION 3: Composition/information on ingredients

3b Mixtures

Component		Classification	Concentration
Methanol			
CAS-No.	67-56-1	Flam. Liq. 2; Acute Tox. 3; STOT SE 1; H225, H301, H331, H311, H370 Concentration limits: >= 10 %: STOT SE 1, H370; 3 - < 10 %: STOT	>= 45 - < 50 %
EC-No.	200-659-6		
Index-No.	603-001-00-X		

		SE 2, H371;	
glycerine			
CAS-No.	56-81-5		>= 45 - < 50 %
EC-No.	200-289-5		
diethylammonium chloride			
CAS-No.	660-68-4	Acute Tox. 4; Acute Tox. 3;	< 1 %
EC-No.	211-541-9	Skin Corr./Irrit. 1A; 1; Skin Sens. 1; STOT SE 3; H302, H332, H311, H314, H318, H317, H335	
Eosin G			
CAS-No.	17372-87-1	2; Skin Sens. 1; H319,	< 1 %
EC-No.	241-409-6	H317	

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

a. In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

b. In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

c. If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

d. If swallowed

After swallowing: fresh air. Make victim drink ethanol (e.g. 1 drinking glass of a 40% alcoholic beverage). Call a doctor immediately (mention methanol ingestion). Only in exceptional cases, if no medical care is available within one hour, induce vomiting (only in fully conscious persons) and make victim drink ethanol again (approx. 0.3 ml of a 40% alcoholic beverage/kg body weight/hour).

e. Most important acute symptoms/effects

No data available

Most important delayed symptoms/effects

No data available

f. Notes to physician

No data available

General advice

First aiders need to protect themselves. Show this safety data sheet to the doctor in attendance.

SECTION 5: Firefighting measures

a. Suitable extinguishing media

Water Foam Carbon dioxide (CO₂) Dry powder

Extinguishing media which shall not be used for safety reasons

For this substance/mixture no limitations of extinguishing agents are given.

b. Specific hazards arising from the chemical

Mixture with combustible ingredients. Fire may cause evolution of: Acrolein Pay attention to flashback. Vapours are heavier than air and may spread along floors. Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive mixtures with air at ambient temperatures.

c. Special protective actions for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

a. Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert.

b. Environmental precautions

Do not let product enter drains. Risk of explosion.

c. Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

SECTION 7: Handling and storage

a. Precautions for safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

b. Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorised persons.

Recommended storage temperature see product label.

c. Storage class

Storage class (TRGS 510): 3: Flammable liquids

SECTION 8: Exposure controls/personal protection

a. Control parameters

Components	CAS-No.	Value	Control parameters	Basis
Methanol	67-56-1	TWA	200 ppm	KR OEL

Remarks	Substances designated by 'Skin' may be absorbed into the bloodstream through the skin, mucous membrane and eye and contribute to the overall effect. (Skin notation does not apply to the skin irritant)			
Methanol	67-56-1	STEL	250 ppm	KR OEL
	Substances designated by 'Skin' may be absorbed into the bloodstream through the skin, mucous membrane and eye and contribute to the overall effect. (Skin notation does not apply to the skin irritant)			
Methanol	67-56-1	TWA	200 ppm	KR PEL
Methanol	67-56-1	STEL	250 ppm	KR PEL
glycerine	56-81-5	TWA	10 mg/m3	KR OEL

b. Appropriate engineering controls

No data available

c. Personal protective equipment

Respiratory protection

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Hand protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: butyl-rubber

Minimum layer thickness: 0.7 mm

Break through time: 480 min

Material tested: Butoject® (KCL 898)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact

Material: Viton®

Minimum layer thickness: 0.70 mm

Break through time: 120 min

Material tested: Vitoject® (KCL 890 / Aldrich Z677698, Size M)

Eye protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin and body protection

Flame retardant antistatic protective clothing.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

SECTION 9: Physical and chemical properties

a. Appearance	
Form	liquid
Color	blue
b. Odor	of methanol
c. Odor Threshold	No data available
d. pH	6.0 - 8.2 at 20 °C - (undiluted)
e. Melting point	No data available
f. Initial boiling point	> 65 °C at 1.013 hPa
g. Flash point	ca.18 °C
h. Evaporation rate	No data available
i. Flammability (solid, gas)	No data available
j. Lower explosion limit	5.5 %(V) - Methanol
Upper explosion limit	44 %(V) - Methanol
k. Vapor pressure	No data available
l. Water solubility	soluble
m. Relative vapour density	No data available
n. Density	0.99 g/cm ³ at 20 °C
o. Partition coefficient: n- octanol/water	No data available
p. Autoignition temperature	ca.455 °C
q. Decomposition temperature	No data available
r. Viscosity, dynamic	No data available
Viscosity, kinematic	No data available
s. Molecular weight	No data available

SECTION 10: Stability and reactivity

a. Chemical stability

No data available

b. Possibility of hazardous reactions

Risk of explosion with:

Oxidizing agents

perchloric acid

perchlorates

salts of oxyhalogenic acids

chromium(VI) oxide

halogen oxides

nitrogen oxides

nonmetallic oxides

chromosulfuric acid

chlorates

hydrides

zinc diethyl

Halogens

Magnesium

hydrogen peroxide

Nitric acid

peroxi compounds

Nitriles

Exothermic reaction with:

acid halides

Acid anhydrides

Reducing agents

Acids

Oxides of phosphorus

chromium(VI) oxide

phosphorus halides

Acetic anhydride

with

phosphorous oxichloride

Generates dangerous gases or fumes in contact with:

Alkaline earth metals

Alkali metals

Risk of ignition or formation of inflammable gases or vapours with:

potassium permanganate

calcium hypochlorite

Oxides of phosphorus

Fluorine

with

Lead oxides

Generates dangerous gases or fumes in contact with:

Alkaline earth metals

Alkali metals

c. Conditions to avoid

Warming.

d. Incompatible products

various plastics, Aluminium, zinc alloys, Magnesium

e. Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides

Thermal decomposition

No data available

SECTION 11: Toxicological information**11.1 Information on toxicological effects****Mixture****Acute toxicity**

Acute toxicity estimate Oral - 201.44 mg/kg

(Calculation method)

Acute toxicity estimate Inhalation - 4 h - 6.24 mg/l - vapour (Calculation method)

Acute toxicity estimate Dermal - 600.08 mg/kg

(Calculation method)

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

Mixture may cause an allergic skin reaction.

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

Mixture causes damage to organs. - Eyes, Central nervous system

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Additional Information

Systemic effects:

acidosis

drop in blood pressure

agitation, spasms

inebriation

Dizziness

Drowsiness

Headache

Impairment of vision

Blindness

narcosis

Coma

Symptoms may be delayed.

Damage to:

Liver

Kidney

Cardiac

Irreversible damage of the optical nerve.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Components

Methanol

Acute toxicity

Acute toxicity estimate Oral - 100.1 mg/kg

(Expert judgement)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Symptoms: Nausea, Vomiting

Acute toxicity estimate Inhalation - 4 h - 3.1 mg/l - vapour

(Expert judgement)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Symptoms: Irritation symptoms in the respiratory tract.

Acute toxicity estimate Dermal - 300.1 mg/kg

(Expert judgement)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation

Remarks: (ECHA)

Remarks: Drying-out effect resulting in rough and chapped skin.

Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation

Remarks: (ECHA)

Respiratory or skin sensitization

Sensitisation test: - Guinea pig

Result: negative

(OECD Test Guideline 406)

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Test Type: Ames test

Test system: Salmonella typhimurium

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster lung cells

Result: negative

Method: OECD Test Guideline 474

Species: Mouse - male and female - Bone marrow

Result: negative

Carcinogenicity

Did not show carcinogenic effects in animal experiments.

Reproductive toxicity

Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

Causes damage to organs. - Eyes, Central nervous system

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Acute oral toxicity - Nausea, Vomiting

Acute inhalation toxicity - Irritation symptoms in the respiratory tract.

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

glycerine

Acute toxicity

LD50 Oral - Rat - female - 27,200 mg/kg

Remarks: (ECHA)

LC50 Inhalation - Rat - male and female - 4 h - > 5,850 mg/l - aerosol

Remarks: (ECHA)

LD50 Dermal - Guinea pig - male and female - 56,750 mg/kg

Remarks: (ECHA)

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 24 h

Remarks: (ECHA)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation - 7 Days

Remarks: (ECHA)

Respiratory or skin sensitization

Local lymph node assay (LLNA) - Mouse

Result: negative

(OECD Test Guideline 429)

Germ cell mutagenicity

Test Type: Ames test

Test system: *S. typhimurium*

Result: negative

Remarks: (IUCLID)

Test Type: In vitro mammalian cell gene mutation test
Test system: Chinese hamster ovary cells
Result: negative
Test Type: sister chromatid exchange assay
Test system: Chinese hamster ovary cells
Result: negative
Test Type: unscheduled DNA synthesis assay
Test system: rat hepatocytes
Result: negative
Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster ovary cells
Result: negative

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

Aspiration hazard

No data available

diethylammonium chloride

Acute toxicity

LD50 Oral - Rat - male - 540 mg/kg

(OECD Test Guideline 401)

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the oesophagus and the stomach.

LC50 Inhalation - Rat - female - 4 h - 17.3 mg/l - vapour

(OECD Test Guideline 403)

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract

LD50 Dermal - Rabbit - male - 582 mg/kg

Remarks: (ECHA)

Skin corrosion/irritation

Skin - Rabbit

Result: Corrosive - 3 min

Remarks: (ECHA)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes serious eye damage.

(OECD Test Guideline 405)

Remarks: Causes serious eye damage.

Respiratory or skin sensitization

- Guinea pig

Result: positive
(OECD Test Guideline 406)

Germ cell mutagenicity

Test Type: In vitro mammalian cell gene mutation test

Test system: Mouse lymphoma test

Result: negative

Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium

Result: negative

Remarks: The value is given in analogy to the following substances: diethylamine

Method: OECD Test Guideline 474

Species: Mouse - male and female

Result: negative

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation. - Respiratory Tract

Acute oral toxicity - If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the oesophagus and the stomach.

Acute inhalation toxicity - mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Eosin G

Acute toxicity

LD50 Oral - Rat - female - > 2,000 mg/kg

(OECD Test Guideline 423)

Inhalation: No data available

LD50 Dermal - Rat - female - > 2,000 mg/kg

(OECD Test Guideline 402)

Skin corrosion/irritation

Skin - Rat

Result: No skin irritation - 24 h

(OECD Test Guideline 402)

Serious eye damage/eye irritation

Eyes - Human

Result: Causes serious eye irritation. - 6 h

(OECD Test Guideline 492)

Respiratory or skin sensitization

Patch test: - Human

Result: positive

Remarks: (ECHA)

Germ cell mutagenicity

No data available

Test Type: Ames test
Test system: Salmonella typhimurium
Result: negative

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

SECTION 12: Ecological information

12.1 Toxicity

Mixture

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

Discharge into the environment must be avoided.

Components

Methanol

Toxicity to fish	flow-through test LC50 - Lepomis macrochirus (Bluegill) - 15,400.0 mg/l - 96 h (US-EPA)
Toxicity to daphnia and other aquatic invertebrates	semi-static test EC50 - Daphnia magna (Water flea) - 18,260 mg/l - 96 h (OECD Test Guideline 202)
Toxicity to algae	static test ErC50 - Pseudokirchneriella subcapitata (green algae) - ca. 22,000.0 mg/l - 96 h (OECD Test Guideline 201)
Toxicity to bacteria	static test IC50 - activated sludge - > 1,000 mg/l - 3 h (OECD Test Guideline 209)
Toxicity to fish(Chronic toxicity)	NOEC - Oryzias latipes (Orange-red killifish) - 7,900 mg/l - 200 h Remarks: (External MSDS)

glycerine

Toxicity to fish static test LC50 - Oncorhynchus mykiss (rainbow trout) -
54,000 mg/l - 96 h
Remarks: (ECHA)

diethylammonium chloride

Toxicity to fish semi-static test LC50 - Oryzias latipes - > 100 mg/l - 96 h
(OECD Test Guideline 203)

Toxicity to daphnia
and other aquatic
invertebrates static test EC50 - Daphnia magna (Water flea) - 58.4 mg/l - 48
h
(OECD Test Guideline 202)
Remarks: The value is given in analogy to the following
substances: diethylamine

Toxicity to algae static test ErC50 - Pseudokirchneriella subcapitata - 50.86 mg/l
- 72 h
(OECD Test Guideline 201)

 static test NOEC - Pseudokirchneriella subcapitata - 15.4 mg/l
- 72 h
(OECD Test Guideline 201)

Toxicity to daphnia
and other aquatic
invertebrates(Chronic
toxicity) semi-static test NOEC - Daphnia magna (Water flea) - 4.2 mg/l
- 21 d
(OECD Test Guideline 211)
Remarks: The value is given in analogy to the following
substances:
The value is given in analogy to the following substances:
diethylamine

Eosin G

Toxicity to fish LC50 - Oryzias latipes (Orange-red killifish) - 1,200 mg/l - 48 h
Remarks: (ECOTOX Database)

Toxicity to daphnia
and other aquatic
invertebrates static test EC50 - Daphnia magna (Water flea) - > 100 mg/l -
48 h
(OECD Test Guideline 202)

Toxicity to algae static test ErC50 - Desmodesmus subspicatus (green algae) -
51.3 mg/l - 72 h
(OECD Test Guideline 201)

Toxicity to bacteria NOEC - Bacteria - 100 mg/l - 250 min
Remarks: (ECHA)

SECTION 13: Disposal considerations

a. Disposal methods

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14: Transport information

IMDG

UN number: 1230 Class: 3 (6.1) Packing group: II EMS-No: F-E, S-D
Proper shipping name: METHANOLSOLUTION

Marine pollutant :no

IATA

UN number: 1230 Class: 3 (6.1) Packing group: II
Proper shipping name: MethanolSOLUTION

SECTION 15: Regulatory information

a. Regulation under the Occupational Safety and Health Act

Harmful Substances Required Permission for Manufacture - Not applicable

Harmful Substances Prohibited from Manufacturing - Not applicable

Harmful Agents to be kept below Occupational Exposure Limits - Methanol,CAS 67-56-1 - glycerine,CAS 56-81-5

Harmful Agents Required to be kept below Permission Levels

Chemical name	CAS-No.
Methanol	67-56-1

Controlled Substances Subject to Environment Monitoring - Methanol,CAS 67-56-1

Controlled Substances Subject to Health Examination - Methanol,CAS 67-56-1

Hazardous Substances Subject to Process Safety Management (PSM) Reporting Obligation

Chemical name/Classification	Manufacturing or handling quantity	Storage quantity
Flammable liquids	5,000 kg	200,000 kg

Hazardous substances requiring management - Methanol,CAS 67-56-1

Special Management Materials - Not applicable

Occupational exposure limit substances - Please refer to chapter 8

b. Act on the Registration and Evaluation, etc. of Chemical Substances, Chemicals Control Act

Toxic Chemicals - Methanol,CAS 67-56-1

Restricted Chemicals - Not applicable

Prohibited Chemicals - Not applicable

Accident Precaution Chemicals - Not applicable

c. Dangerous Substances Safety Management Act

Flammable liquids, Type 1 petroleums -Water soluble liquid

d. Wastes Control Act

Follow article 13 of the act to dispose the product waste

e. Other regulations

KECI Number

Not in compliance with the inventory

Aromatic Stain

CAS-No.
531-55-5

SECTION 16: Other information

a. List of references

b. Issuing date: 2021.03.31

c. Version: 8.16 Revision Date 2026.01.01

e. Further information

Text of H-code(s) and R-phrases(s) mentioned in Section 3

H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H370	Causes damage to organs.
H371	May cause damage to organs.

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.
Copyright 2025 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.