

Ejercicio 7 - Seguimiento getNumHojas

Código

```
return getNumHojas(current.izq) + getNumHojas(current.dch);
```


①

②

if (current == null) return 0;


if (current.izq == null && current.dch == null) return 1;

}
③



X

Current	current.izq	current.dch	linea
#(5)	#(1)	#(15)	1 2 3
#(1)	null	null	3
#(15)	#(12)	#(17)	1 2 3
#(12)	#(8)	null	1 2 3
#(8)	null	#(10)	1 2 3
null	?	?	3
#(10)	null	null	3
null	?	?	3
#(17)	null	null	3



return -> 1 + 2 = 3 //


Ejercicio 7 - Seguimiento getNumNodosInternos()

Código

```

if (current == null) return 0;
int count = current.izq != null ? 1 : 0;
return count + getNumNodosInternos(current.izq) + getNumNodosInternos(current.dch);
}

```



count = 4

return 1+3=4 //

↑
Resultado find.

Current	current.izq	current.dch	count	linea
#(15)	#(1)	#(15)	1	1, 2, 3
#(1)	null	null	0	1, 2, 3
null	-	-	-	3
null	-	-	-	3
#(15)	#(12)	#(17)	1	1, 2, 3
#(12)	#(8)	null	1	1, 2, 3
#(8)	null	#(10)	1	1, 2, 3
null	-	-	-	3
#(10)	null	null	0	1, 2, 3
null	-	-	0	3
null	-	-	0	3
null	-	-	0	3
#(17)	null	null	0	1, 2, 3
null	-	-	0	3
null	-	-	0	3

