

Team Presentation





Juan Pablo Rincon



Julián Gómez



Miguel Correa




Mauricio Toro





Algorithm Design








Algorithm to build a binary decision tree using *CART*. In this example, we show a model to predict whether or not to go shopping, according to weather.




Node Splitting





As an example, this split is based on the condition "punt_ingles > 50."

For this case weighhed Gini impurity is 0.38.



As an example, this split is based on the condition "Fam_numlibros == "0 A 10 LIBROS"."

For this case weighhed Gini impurity is 0.48.








Create the table in Powerpoint. Do not copy pixelated screenshots from the technical report please!

	Time Complexity	Memory Complexity
Training the model	O(N ² *M*2 ^M)	O(N*M*2 ^M)
Testing the Model	O(N*M)	O(1)

Time and memory complexity of the (In this semester, one could be CART, ID3, C4.5... please choose) algorithm. (Please explain what do N and M mean in this problem. PLEASE DO IT!

Explain the tables in your own words








Decision-Tree Model









A binary decision tree to predict Saber Pro scores based on the results of Saber 11. Violet nodes represent those with a high probability of success, green medium probability and red a low probability of success.

Create the Figure in Powerpoint. Do not copy pixelated screenshots from the technical report please!

Most Relevant Features



Social Studies



English




Gender





Use an icon for each feature!

Is it ethical to make a model that predicts academic success based on gender?















Evaluation Metrics



Explain Accuracy too... In the same manner

If possible, avoid equations for simple concepts that can be explained through diagrams







Create the table in Powerpoint. Do not copy pixelated screenshots from the technical report please!

	Training data set	Testing data set
Accuracy	0.8	0.62
Precision	0.6	0.55
Recall	0.76	0.61


Evaluation metrics using a training dataset of 135,000 students and test dataset of 45,000 students.







Include another HD picture related to the example that you modeled in the decision tree













Create the plots in Excel. Do not copy pixelated screenshots from the technical report please!





















Include the citation of the report in arXiv and link

C. Patiño-Forero, M. Agudelo-Toro, and M. Toro. Planning system for deliveries in Medellín. ArXiv e-prints, Nov. 2016. Available at: https://arxiv.org/abs/1611.04156



Include a screenshot



arXiv.org > cs > arXiv:1611.04156

Computer Science > Data Structures and Algorithms

[Submitted on 13 Nov 2016]

Planning system for deliveries in Medellín

Catalina Patiño-Forero, Mateo Agudelo-Toro, Mauricio Toro

Here we present the implementation of an application capable of planning the shortest delivery route in the city of Medellín, Colombia. We discuss the different approaches to this problem which is similar to the famous Traveling Salesman Problem (TSP), but differs in the fact that, in our problem, we can visit each place (or vertex) more than once. Solving this problem is important since it would help people, especially stores with delivering services, to save time and money spent in fuel, because they can plan any route in an efficient way.

5 pages, 9 figures Comments:

Data Structures and Algorithms (cs.DS) Subjects:

ACM classes: F.2.0; G.2.2

Cite as: arXiv:1611.04156 [cs.DS]

(or arXiv:1611.04156v1 [cs.DS] for this version)



