

Operator	Meaning	Example
+	Add two operands or unary plus	$x + y + 2$
-	Subtract right operand from the left or unary minus	$x - y - 2$
*	Multiply two operands	$x * y$
/	Divide left operand by the right one (always results into float)	$x / y$
%	Modulus - remainder of the division of left operand by the right	$x \% y$ (remainder of $x/y$ )
//	Floor division - division that results into whole number adjusted to the left in the number line	$x // y$
**	Exponent - left operand raised to the power of right	$x ** y$ (x to the power y)

```

x = 15
y = 4

# Output: x + y = 19
print('x + y =', x+y)

# Output: x - y = 11
print('x - y =', x-y)

# Output: x * y = 60
print('x * y =', x*y)

# Output: x / y = 3.75
print('x / y =', x/y)

# Output: x // y = 3
print('x // y =', x//y)

# Output: x ** y = 50625
print('x ** y =', x**y)

```

```

1 x = 15
2 y = 4
3
4 # Output: x + y = 19
5 print('x + y =',x+y)
6
7 # Output: x - y = 11
8 print('x - y =',x-y)
9
10 # Output: x * y = 60
11 print('x * y =',x*y)
12
13 # Output: x / y = 3.75
14 print('x / y =',x/y)
15
16 # Output: x // y = 3
17 print('x // y =',x//y)
18
19 # Output: x ** y = 50625
20 print('x ** y =',x**y)

```

```

x + y = 19
x - y = 11
x * y = 60
x / y = 3.75
x // y = 3
x ** y = 50625
>>>

```

Operator	Meaning	Example
>	Greater than - True if left operand is greater than the right	<code>x &gt; y</code>
<	Less than - True if left operand is less than the right	<code>x &lt; y</code>
==	Equal to - True if both operands are equal	<code>x == y</code>
!=	Not equal to - True if operands are not equal	<code>x != y</code>
>=	Greater than or equal to - True if left operand is greater than or equal to the right	<code>x &gt;= y</code>
<=	Less than or equal to - True if left operand is less than or equal to the right	<code>x &lt;= y</code>

```
x = 10
y = 12

# Output: x > y is False
print('x > y is',x>y)

# Output: x < y is True
print('x < y is',x<y)

# Output: x == y is False
print('x == y is',x==y)

# Output: x != y is True
print('x != y is',x!=y)

# Output: x >= y is False
print('x >= y is',x>=y)

# Output: x <= y is True
print('x <= y is',x<=y)
```

 Get

```
x > y is False
x < y is True
x == y is False
x != y is True
x >= y is False
x <= y is True
```

### Example 3: Logical Operators in Python

```
x = True
y = False

print('x and y is',x and y)

print('x or y is',x or y)

print('not x is',not x)
```

[Run Code >>](#)

## Output

```
x and y is False
x or y is True
not x is False
```

bit by bit, hence the name.

For example, 2 is `10` in binary and 7 is `111`.

**In the table below:** Let `x` = 10 (`0000 1010` in binary) and `y` = 4 (`0000 0100` in binary)

Operator	Meaning	Example
<code>&amp;</code>	Bitwise AND	<code>x &amp; y = 0</code> ( <code>0000 0000</code> )
<code> </code>	Bitwise OR	<code>x   y = 14</code> ( <code>0000 1110</code> )
<code>~</code>	Bitwise NOT	<code>~x = -11</code> ( <code>1111 0101</code> )
<code>^</code>	Bitwise XOR	<code>x ^ y = 14</code> ( <code>0000 1110</code> )
<code>&gt;&gt;</code>	Bitwise right shift	<code>x &gt;&gt; 2 = 2</code> ( <code>0000 0010</code> )
<code>&lt;&lt;</code>	Bitwise left shift	<code>x &lt;&lt; 2 = 40</code> ( <code>0010 1000</code> )

## Assignment operators

Assignment operators are used in Python to assign values to variables.

`a = 5` is a simple assignment operator that assigns the value 5 on the right to the variable `a` on the left.

There are various compound operators in Python like `a += 5` that adds to the variable and later assigns the same. It is equivalent to `a = a + 5`.

Operator	Example	Equivalent to
=	x = 5	x = 5
+=	x += 5	x = x + 5
-=	x -= 5	x = x - 5
*=	x *= 5	x = x * 5
/=	x /= 5	x = x / 5
%=	x %= 5	x = x % 5
//=	x //= 5	x = x // 5
**=	x **= 5	x = x ** 5
&=	x &= 5	x = x & 5
=	x  = 5	x = x   5
^=	x ^= 5	x = x ^ 5
>>=	x >>= 5	x = x >> 5
<<=	x <<= 5	x = x << 5

## Special operators

Python language offers some special types of operators like the identity operator or the membership operator. They are described below with examples.

### Identity operators

`is` and `is not` are the identity operators in Python. They are used to check if two values (or variables) are located on the same part of the memory. Two variables that are equal does not imply that they are identical.

Operator	Meaning	Example
is	True if the operands are identical (refer to the same object)	x is True
is not	True if the operands are not identical (do not refer to the same object)	x is not True

#### Example 4: Identity operators in Python

```
x1 = 5
y1 = 5
x2 = 'Hello'
y2 = 'Hello'
x3 = [1,2,3]
y3 = [1,2,3]

# Output: False
print(x1 is not y1)

# Output: True
print(x2 is y2)

# Output: False
print(x3 is y3)
```

[Run Code »](#)

#### Output

```
False
True
False
```

Here, we see that `x1` and `y1` are integers of the same values, so they are equal as well as identical. Same is the case with `x2` and `y2` (strings).

But `x3` and `y3` are lists. They are equal but not identical. It is because the interpreter locates them separately in memory although they are equal.

## Membership operators

`in` and `not in` are the membership operators in Python. They are used to test whether a value or variable is found in a sequence (string, list, tuple, set and dictionary).

In a dictionary we can only test for presence of key, not the value.

Operator	Meaning	Example
<code>in</code>	True if value/variable is found in the sequence	<code>5 in x</code>
<code>not in</code>	True if value/variable is not found in the sequence	<code>5 not in x</code>

### Example #5: Membership operators in Python

```
x = 'Hello world'
y = {1:'a',2:'b'}

# Output: True
print('H' in x)

# Output: True
print('hello' not in x)

# Output: True
print(1 in y)

# Output: False
print('a' in y)
```

[Run Code >>](#)

METODOS POSSIVEIS PARA STRINGS – ALGUNS PODEM RECEBER ARGUMENTOS ADICIONAIS

```
my_string = "sebastian thrun"
```

```
my_string.
```

<code>capitalize()</code>	<code>encode()</code>	<code>format()</code>	<code>isalpha()</code>	<code>islower()</code>	<code>istitle()</code>
<code>casefold()</code>	<code>endswith()</code>	<code>format_map()</code>	<code>isdecimal()</code>	<code>isnumeric()</code>	<code>isupper()</code>
<code>center()</code>	<code>expandtabs()</code>	<code>index()</code>	<code>isdigit()</code>	<code>isprintable()</code>	<code>join()</code>
<code>count()</code>	<code>find()</code>	<code>isalnum()</code>	<code>isidentifier()</code>	<code>isspace()</code>	<code>ljust()</code>

```
>>> my_string.islower()
True
>>> my_string.count('a')
2
>>> my_string.find('a')
3
```

## ARITHMETIC OPERATORS

SYMBOL	OPERATION
+	addition
-	subtraction
*	multiplication
/	division
**	exponentiation
%	modulo
//	integer division

## ASSIGNMENT OPERATORS


SYMBOL	EXAMPLE	EQUIVALENT
=	<code>x = 2</code>	<code>x = 2</code>
+=	<code>x += 2</code>	<code>x = x + 2</code>
-=	<code>x -= 2</code>	<code>x = x - 2</code>
...		

and many more!

## COMPARISON OPERATORS

SYMBOL	OPERATION
<	less than
>	greater than
<=	less than or equal to
>=	greater than or equal to
==	equal to
!=	not equal to

## LOGICAL OPERATORS

KEYWORD	OPERATION
	
and	evaluates if both sides are true
or	evaluates if at least one side is true
not	inverses a boolean type