

Panel ID : 3500-CP-0018

Panel Description : Mercury Retort Power Distribution Panel No. 3

Project ID : 9232521362

Customer Name : Minera Gold Fields Salares Norte Ltda

Plant Name : Salares Norte - Refinery

Supply Voltage : 400VAC /3Ø /50Hz

Control voltage : 120VAC

1	SUPVIGKA	THILS	14/05/2026	Initial Release
Rev	Drawn	Appr.	Appr. Date	Specific Description of Change
Project Cover Sheet				Project no. 9232521362
Scale:		Control and Instrumentation		Language Rev.:
Mercury Retort Power Distribution Panel No. 3				
Salares Norte - Refinery				
Minera Gold Fields Salares Norte Ltda				
Mat.:	Weight:	Welds: ISO-E	ISO-E 	Sheet =REFY / 1
			Replacing:	Next Sheet &EAB/1
	Property of FLSmidth A/S. This drawing contains confidential, proprietary, and/or trade secret information of FLSmidth A/S. This drawing and/or the information contained therein, may only be used for the limited purposes of evaluating proposals or installing, operating or maintaining FLSmidth® equipment. Disclosure, distribution, duplication, modification, or other use of this drawing and/or the information therein is not permitted without the prior written permission of FLSmidth A/S. © FLSmidth A/S. All rights reserved.			
	No.: 1001244897			Content Rev.: 1








Table of contents

Chapter	Sheet	Document type	Page description	Date
	+CP02/1	Title page / cover sheet	Project Cover Sheet	14-05-2026
	+CP02/1	Table of contents	List of Documents	14-05-2026
	+CP02/1	Symbol overview	Symbol overview : IEC_symbol	13-05-2026
	+CP02/2	Symbol overview	Symbol overview : IEC_single_symbol	13-05-2026
	+CP02/3	Graphic	Color Codes for Wires	08-05-2026
	+CP02/4	Graphic	General Specification	08-05-2026
	+CP02/1	Model view	Panel layout	14-05-2026
	+CP02/2	Model view	Panel layout	14-05-2026
	+CP02/3	Model view	Panel layout	14-05-2026
	+CP02/4	Graphic	Nameplate Main Control Panel	14-05-2026
	+CP02/1	Schematic single-line	SLD	14-05-2026
	+CP02/2	Schematic single-line	SLD	14-05-2026
	+CP02/3	Schematic multi-line	SCHEMATIC	14-05-2026
	+CP02/4	Schematic multi-line	SCHEMATIC	14-05-2026
	+CP02/5	Schematic multi-line	SCHEMATIC	14-05-2026
	+CP02/6	Schematic multi-line	Heating Element 1 Control Circuit	14-05-2026
	+CP02/7	Schematic multi-line	Heating Element 2 Control Circuit	14-05-2026
	+CP02/8	Schematic multi-line	Heating Element 3 Control Circuit	14-05-2026
	+CP02/9	Schematic multi-line	Control Circuit	14-05-2026
	+CP02/10	Schematic multi-line	Control Circuit	14-05-2026
	+CP02/1	Summarized parts list	Part List	14-05-2026
	+CP02/2	Summarized parts list	Part List	14-05-2026
	+CP02/1	Parts list	List of Assemblies	14-05-2026
	+CP02/2	Parts list	List of Assemblies	14-05-2026
	+CP02/3	Parts list	List of Assemblies	14-05-2026

Symbol overview

IEC_symbol








F25_001

NO contact		VFD		
NC contact		Motor overload switch three-pole		
Coil		Transformer, 4 connection points		
Terminal		Three-phase motor		
24VDC power supply				
Overload relay				
Circuit breaker				
Double circuit breaker				

Symbol overview

IEC_symbol

F25_001

Three-phase motor			
Overload relay			
Double circuit breaker			
Motor overload switch three-pole			
Transformer			
Power NO contact			
VFD			

Color Codes for Conductors:

Main-Single Phase Circuit Power AC:

Circuits at line voltage AC :	Brown
Grounded AC neutrals:	Blue
Equipment ground wires:	Yellow/Green.

Control Circuit AC:

Circuits at line voltage AC :	Brown,Black or Gray, Choose 1
Grounded AC neutrals:	Blue
Equipment ground wires:	Yellow/Green.

Control Circuit DC:

Circuits on DC Positive: Red
DC Common: Black

Color Codes for Phase

Phase A	Brown
Phase B	Black
Phase C	Gray
Neutral	Blue
Ground	Yellow/Green

	0	1	2	3	4	5	6	7	8	9
A										
B										
C										
D										
E										
F										
G										

Storage

Temperature -5°C TO 60°C
Humidity 0 to 75% non-condensing


Operating

Temperature -40 To +27°C
Humidity 20 to 90% non-condensing
Altitude above sea level 409m ASL
Class and protection NEMA 4


Mat.:	Weight:	Welds: ISO-E	ISO-E 	Sheet =REFY / 4
-------	---------	--------------	---	-----------------

General Specification	Replacing:	Next Sheet &ETC/1
-----------------------	------------	-------------------

	Property of FLSmidth A/S. This drawing contains confidential, proprietary, and/or trade secret information of FLSmidth A/S. This drawing and/or the information contained therein, may only be used for the limited purposes of evaluating proposals or installing, operating or maintaining FLSmidth® equipment. Disclosure, distribution, duplication, modification, or other use of this drawing and/or the information therein is not permitted without the prior written permission of FLSmidth A/S. © FLSmidth A/S. All rights reserved.	
	No.: 1001244897	Content Rev.: 1



Top view




Enclosure




Front

Right Side




Bottom View


Mat.:	Weight:	Welds: ISO-E	ISO-E	Sheet	=REFY / 1
Panel layout		Replacing:		Next Sheet	2
FLS		Property of FLSmidth A/S. This drawing contains confidential, proprietary, and/or trade secret information of FLSmidth A/S. This drawing and/or the information contained therein, may only be used for the limited purposes of evaluating proposals or installing, operating or maintaining FLSmidth® equipment. Disclosure, distribution, duplication, modification, or other use of this drawing and/or the information therein is not permitted without the prior written permission of FLSmidth A/S. © FLSmidth A/S. All rights reserved.			
No.: 1001244897		Content Rev.: 1			




Left Side



Front



Right Side




Bottom View


86.7" X 78" X 24.12"
(2200mm x 2000 mm x 616 mm)

NOTE: CABLE ENTRY-BOTTOM

Mat.:	Weight:	Welds: ISO-E	ISO-E	Sheet	=REFY / 2
Panel layout			Replacing:	Next Sheet	3
FLS		Property of FLSmidth A/S. This drawing contains confidential, proprietary, and/or trade secret information of FLSmidth A/S. This drawing and/or the information contained therein, may only be used for the limited purposes of evaluating proposals or installing, operating or maintaining FLSmidth® equipment. Disclosure, distribution, duplication, modification, or other use of this drawing and/or the information therein is not permitted without the prior written permission of FLSmidth A/S. © FLSmidth A/S. All rights reserved.			
No.: 1001244897		Content Rev.: 1			



Front



Front

4"
[110mm]

-U90

FLS

Tag No. : 3500-CP-0018

Type : Mercury Retort Power Distribution Panel No. 3

Order : 9232521362

Instructions : 1001244897

Power : 400VAC /3Ø /50Hz

3"
[73mm]

-U91

!

DANGER

High voltage.

Turn power off before servicing.

-U92

DANGER

LOCK-OUT / TAG-OUT
POWER BEFORE SERVICING,
REPAIRING, CLEANING
OR RETOOLING EQUIPMENT

TEST

L1 / S1

TEST

L2 / S2

TEST

L3 / S3

RESET P.B

S1


RESET P.B

S2


RESET P.B


S3


Mat.:	Weight:	Welds: ISO-E	ISO-E	Sheet	=REFY / 4
Nameplate Main Control Panel			Replacing:	Next Sheet	&EFS/1
FLS		Property of FLSmidth A/S. This drawing contains confidential, proprietary, and/or trade secret information of FLSmidth A/S. This drawing and/or the information contained therein, may only be used for the limited purposes of evaluating proposals or installing, operating or maintaining FLSmidth® equipment. Disclosure, distribution, duplication, modification, or other use of this drawing and/or the information therein is not permitted without the prior written permission of FLSmidth A/S. © FLSmidth A/S. All rights reserved.			
No.: 1001244897		Content Rev.: 1			





Mat.:	Weight:	Welds: ISO-E	ISO-E	Sheet	=REFY / 1
SLD		Replacing:		Next Sheet	2
FLS		Property of FLSmith A/S. This drawing contains confidential, proprietary, and/or trade secret information of FLSmith A/S. This drawing and/or the information contained therein, may only be used for the limited purposes of evaluating proposals or installing, operating or maintaining FLSmith® equipment. Disclosure, distribution, duplication, modification, or other use of this drawing and/or the information therein is not permitted without the prior written permission of FLSmith A/S. © FLSmith A/S. All rights reserved.			
No.:		1001244897			
		Content Rev.:			1




















	0	1	2	3	4	5	6	7	8	9																																																																																																																																																		
A	* Denotes Item Supplied by FLS # Denotes Item Supplied by Panel Vendor along with this Panel List of Parts <table><tr><th>Quantity</th><th>Designation</th><th>Type number</th><th>Manufacturer</th><th>Supply</th></tr><tr><td>3</td><td>PLS special busbars E-Cu</td><td>3516000</td><td>Rittal</td><td></td></tr><tr><td>3</td><td>AF265-30-11-13 Contactor</td><td>1SFL547002R1311</td><td>ABB</td><td></td></tr><tr><td>3</td><td>CAL19-11,Auxiliary contact block for contactors AF116...AF370</td><td>1SFN010820R1011</td><td>ABB</td><td></td></tr><tr><td>1</td><td>AF65-30-11-11 Block Contactor</td><td>1SBL387001R1111</td><td>ABB</td><td></td></tr><tr><td>1</td><td>AF38-30-11-11 24-60V50/60HZ 20-60VDC Contactor</td><td>1SBL297001R1111</td><td>ABB</td><td></td></tr><tr><td>1</td><td>TF65-60 Thermal Overload Relay</td><td>1SAZ811201R1006</td><td>ABB</td><td></td></tr><tr><td>1</td><td>TF42-5.7 Thermal Overload Relay</td><td>1SAZ721201R1038</td><td>ABB</td><td></td></tr><tr><td>1</td><td>Power supply unit</td><td>2910105</td><td>Phoenix Contact</td><td></td></tr><tr><td>1</td><td>HVAC - Wall-mounted cooling unit Blue e+ chemical Rated operating voltage: 110 V - 240 V, 1~, 50 Hz/60 Hz, 380 V - 480 V, 3~, 50 Hz/60 Hz, Total cooling output L35 L35/50 Hz: 1,21 kW</td><td>3188945</td><td>Rittal</td><td></td></tr><tr><td>3</td><td>W5-S210, Measuring CT Din= 210 mm</td><td>B911735</td><td>Bender</td><td></td></tr><tr><td>3</td><td>RCM420-D-1, Residual Current Monitor, Supply voltage US : AC 16...72 V / DC 9.6...94 V</td><td>B74014001</td><td>Bender</td><td></td></tr><tr><td>3</td><td>Red flush complete illum pushbutton Ø22 spring return 1NO+1NC 24V</td><td>XB4BW34B5</td><td>Schneider Electric</td><td></td></tr><tr><td>6</td><td>Legend holder 30 x 40 mm with legend 8 x 27 mm unmarked</td><td>ZBZ32</td><td>Schneider Electric</td><td></td></tr><tr><td>1</td><td>Miniature Circuit Breaker - S200 - 2P - C - 32 A</td><td>2CDS252001R0324</td><td>ABB</td><td></td></tr><tr><td>13</td><td>End clamp</td><td>3022218</td><td>Phoenix Contact</td><td></td></tr><tr><td>4</td><td>Miniature Circuit Breaker ST201M-C5 Miniature Circuit Breaker C-Char., 10kA, 5A, 1P</td><td>2CDS271334R0054</td><td>ABB</td><td></td></tr><tr><td>2</td><td>Miniature Circuit Breaker - ST201M-C20, 10kA, 20A, 1P</td><td>2CDS271334R0204</td><td>ABB</td><td></td></tr><tr><td>1</td><td>Miniature Circuit Breaker - ST201M-C10, 10kA, 10A, 1P</td><td>2CDS271334R0104</td><td>ABB</td><td></td></tr><tr><td>3</td><td>Circuit Breaker XT5H 400 TMA 300-3000 3p FF UL</td><td>1SDA102519R1</td><td>ABB</td><td></td></tr><tr><td>8</td><td>Circuit-breaker component adaptor</td><td>9342550</td><td>Rittal</td><td></td></tr><tr><td>1</td><td>Circuit Breaker XT2H 160 TMA 160-1600 3p F F</td><td>1SDA067604R1</td><td>ABB</td><td></td></tr><tr><td>1</td><td>XT1H 125 TMF 15-500 3p F F UL/CSA</td><td>1SDA074694R1</td><td>ABB</td><td></td></tr><tr><td>1</td><td>Circuit Breaker XT2H 160 TMA 80-800 3p F F</td><td>1SDA067601R1</td><td>ABB</td><td></td></tr><tr><td>2</td><td>AUX 1Q 24Vdc XT1...XT4</td><td>1SDA066423R1</td><td>ABB</td><td></td></tr><tr><td>1</td><td>MCCB XT2H 160 MF 8,5 Im=120 3p F F</td><td>1SDA067773R1</td><td>ABB</td><td></td></tr><tr><td>1</td><td>XT1H 125 MCP In=3 3p F F UL/CSA</td><td>1SDA074724R1</td><td>ABB</td><td></td></tr><tr><td>1</td><td>MCCB XT7H 1000 Ekip Dip LS/I In=1000A 3p F F</td><td>1SDA100891R1</td><td>ABB</td><td></td></tr><tr><td>1</td><td>Heavy duty rotary mechanisms, shafts and pistol handles</td><td>KXT7MRHEST</td><td>ABB</td><td></td></tr></table>										Quantity	Designation	Type number	Manufacturer	Supply	3	PLS special busbars E-Cu	3516000	Rittal		3	AF265-30-11-13 Contactor	1SFL547002R1311	ABB		3	CAL19-11,Auxiliary contact block for contactors AF116...AF370	1SFN010820R1011	ABB		1	AF65-30-11-11 Block Contactor	1SBL387001R1111	ABB		1	AF38-30-11-11 24-60V50/60HZ 20-60VDC Contactor	1SBL297001R1111	ABB		1	TF65-60 Thermal Overload Relay	1SAZ811201R1006	ABB		1	TF42-5.7 Thermal Overload Relay	1SAZ721201R1038	ABB		1	Power supply unit	2910105	Phoenix Contact		1	HVAC - Wall-mounted cooling unit Blue e+ chemical Rated operating voltage: 110 V - 240 V, 1~, 50 Hz/60 Hz, 380 V - 480 V, 3~, 50 Hz/60 Hz, Total cooling output L35 L35/50 Hz: 1,21 kW	3188945	Rittal		3	W5-S210, Measuring CT Din= 210 mm	B911735	Bender		3	RCM420-D-1, Residual Current Monitor, Supply voltage US : AC 16...72 V / DC 9.6...94 V	B74014001	Bender		3	Red flush complete illum pushbutton Ø22 spring return 1NO+1NC 24V	XB4BW34B5	Schneider Electric		6	Legend holder 30 x 40 mm with legend 8 x 27 mm unmarked	ZBZ32	Schneider Electric		1	Miniature Circuit Breaker - S200 - 2P - C - 32 A	2CDS252001R0324	ABB		13	End clamp	3022218	Phoenix Contact		4	Miniature Circuit Breaker ST201M-C5 Miniature Circuit Breaker C-Char., 10kA, 5A, 1P	2CDS271334R0054	ABB		2	Miniature Circuit Breaker - ST201M-C20, 10kA, 20A, 1P	2CDS271334R0204	ABB		1	Miniature Circuit Breaker - ST201M-C10, 10kA, 10A, 1P	2CDS271334R0104	ABB		3	Circuit Breaker XT5H 400 TMA 300-3000 3p FF UL	1SDA102519R1	ABB		8	Circuit-breaker component adaptor	9342550	Rittal		1	Circuit Breaker XT2H 160 TMA 160-1600 3p F F	1SDA067604R1	ABB		1	XT1H 125 TMF 15-500 3p F F UL/CSA	1SDA074694R1	ABB		1	Circuit Breaker XT2H 160 TMA 80-800 3p F F	1SDA067601R1	ABB		2	AUX 1Q 24Vdc XT1...XT4	1SDA066423R1	ABB		1	MCCB XT2H 160 MF 8,5 Im=120 3p F F	1SDA067773R1	ABB		1	XT1H 125 MCP In=3 3p F F UL/CSA	1SDA074724R1	ABB		1	MCCB XT7H 1000 Ekip Dip LS/I In=1000A 3p F F	1SDA100891R1	ABB		1	Heavy duty rotary mechanisms, shafts and pistol handles	KXT7MRHEST	ABB		A
Quantity	Designation	Type number	Manufacturer	Supply																																																																																																																																																								
3	PLS special busbars E-Cu	3516000	Rittal																																																																																																																																																									
3	AF265-30-11-13 Contactor	1SFL547002R1311	ABB																																																																																																																																																									
3	CAL19-11,Auxiliary contact block for contactors AF116...AF370	1SFN010820R1011	ABB																																																																																																																																																									
1	AF65-30-11-11 Block Contactor	1SBL387001R1111	ABB																																																																																																																																																									
1	AF38-30-11-11 24-60V50/60HZ 20-60VDC Contactor	1SBL297001R1111	ABB																																																																																																																																																									
1	TF65-60 Thermal Overload Relay	1SAZ811201R1006	ABB																																																																																																																																																									
1	TF42-5.7 Thermal Overload Relay	1SAZ721201R1038	ABB																																																																																																																																																									
1	Power supply unit	2910105	Phoenix Contact																																																																																																																																																									
1	HVAC - Wall-mounted cooling unit Blue e+ chemical Rated operating voltage: 110 V - 240 V, 1~, 50 Hz/60 Hz, 380 V - 480 V, 3~, 50 Hz/60 Hz, Total cooling output L35 L35/50 Hz: 1,21 kW	3188945	Rittal																																																																																																																																																									
3	W5-S210, Measuring CT Din= 210 mm	B911735	Bender																																																																																																																																																									
3	RCM420-D-1, Residual Current Monitor, Supply voltage US : AC 16...72 V / DC 9.6...94 V	B74014001	Bender																																																																																																																																																									
3	Red flush complete illum pushbutton Ø22 spring return 1NO+1NC 24V	XB4BW34B5	Schneider Electric																																																																																																																																																									
6	Legend holder 30 x 40 mm with legend 8 x 27 mm unmarked	ZBZ32	Schneider Electric																																																																																																																																																									
1	Miniature Circuit Breaker - S200 - 2P - C - 32 A	2CDS252001R0324	ABB																																																																																																																																																									
13	End clamp	3022218	Phoenix Contact																																																																																																																																																									
4	Miniature Circuit Breaker ST201M-C5 Miniature Circuit Breaker C-Char., 10kA, 5A, 1P	2CDS271334R0054	ABB																																																																																																																																																									
2	Miniature Circuit Breaker - ST201M-C20, 10kA, 20A, 1P	2CDS271334R0204	ABB																																																																																																																																																									
1	Miniature Circuit Breaker - ST201M-C10, 10kA, 10A, 1P	2CDS271334R0104	ABB																																																																																																																																																									
3	Circuit Breaker XT5H 400 TMA 300-3000 3p FF UL	1SDA102519R1	ABB																																																																																																																																																									
8	Circuit-breaker component adaptor	9342550	Rittal																																																																																																																																																									
1	Circuit Breaker XT2H 160 TMA 160-1600 3p F F	1SDA067604R1	ABB																																																																																																																																																									
1	XT1H 125 TMF 15-500 3p F F UL/CSA	1SDA074694R1	ABB																																																																																																																																																									
1	Circuit Breaker XT2H 160 TMA 80-800 3p F F	1SDA067601R1	ABB																																																																																																																																																									
2	AUX 1Q 24Vdc XT1...XT4	1SDA066423R1	ABB																																																																																																																																																									
1	MCCB XT2H 160 MF 8,5 Im=120 3p F F	1SDA067773R1	ABB																																																																																																																																																									
1	XT1H 125 MCP In=3 3p F F UL/CSA	1SDA074724R1	ABB																																																																																																																																																									
1	MCCB XT7H 1000 Ekip Dip LS/I In=1000A 3p F F	1SDA100891R1	ABB																																																																																																																																																									
1	Heavy duty rotary mechanisms, shafts and pistol handles	KXT7MRHEST	ABB																																																																																																																																																									
B											B																																																																																																																																																	
C											C																																																																																																																																																	
D											D																																																																																																																																																	
E											E																																																																																																																																																	
F											F																																																																																																																																																	
G											G																																																																																																																																																	

Mat.:	Weight:	Welds: ISO-E	ISO-E		Sheet	=REFY / 1
Part List			Replacing:		Next Sheet 2	
		Property of FLSmidth A/S. This drawing contains confidential, proprietary, and/or trade secret information of FLSmidth A/S. This drawing and/or the information contained therein, may only be used for the limited purposes of evaluating proposals or installing, operating or maintaining FLSmidth® equipment. Disclosure, distribution, duplication, modification, or other use of this drawing and/or the information therein is not permitted without the prior written permission of FLSmidth A/S. © FLSmidth A/S. All rights reserved.				
No.: 1001244897		Content Rev.: 1				

	0	1	2	3	4	5	6	7	8	9		
A	* Denotes Item Supplied by FLS # Denotes Item Supplied by Panel Vendor along with this Panel List of Parts											A
	Quantity	Designation				Type number		Manufacturer		Supply		
	1	Rotary Standard Pistol Handle With Reset Function, 125 mm L, Black/Red				OHB125L10B		ABB				
	1	Shaft diameter 10 mm.				OXP10X500		ABB				
	1	Circuit Breaker XT7H 800 Ekip Dip LS/I In=800A 3p F F UL				1SDA102947R1		ABB				
B	3	Green flush complete pushbutton Ø22 spring return 1NO "I"				XB4BA3311		Schneider Electric			B	
	1	Industrial Control Transformer 5 kVA, 230/400/460/575 Primary Volts -115/230 Secondary Volts				CE5000F010		Acme Electric				
	3	Thyristor Power Controller + Keypad + Fuse				DCT880-W03-0325-05 + J404 +S500		ABB				
	2	Baying systems TS 8				8406510		Rittal				
	1	TS Bayed enclosure system, WHD: 600x2000x600 mm, Sheet steel				8606500		Rittal				
C	1	Baying systems TS enclosure system, WHD: 800x2000x600 mm, Sheet steel, with mounting plate, single door at the front				8806500		Rittal			C	
	1	DIN rail perforated steel galvanized and passivated with a thick layer,height 7.5 mm, width 35 mm, length: 2000 mm				0801733		Phoenix Contact				
	1	Base tray				9342170		Rittal				
	14	Busbar support PLS				9342050		Rittal				
	2	End cover				9342070		Rittal				
D	1	Connection adaptor				9342320		Rittal			D	
	4	Cable duct, CD 60X80, width: 60 mm, height: 80 mm, length 2000 mm				3240199		Phoenix Contact				
	1	Cable duct, CD 80X80,width: 80 mm, height: 80 mm, length: 2000 mm				3240200		Phoenix Contact				
	105	Feed-through terminal block				3044076		Phoenix Contact				
	9	Terminal strip marker carrier,				1004348		Phoenix Contact				
E	7	End cover				3047028		Phoenix Contact			E	
	11	Feed-through terminal block				3044076		Phoenix Contact				
	8	Feed-through terminal block				3044131		Phoenix Contact				
	4	Roof mounting screw				4198000		Rittal				
F	16	Base/plinth trim panels, side, sheet steel, optimised design, 200 mm				8660043		Rittal			F	
	2	Side panel, screw-fastened, sheet steel				8106235		Rittal				
G												
Mat.: Weight: Welds: ISO-E ISO-E  Sheet =REFY / 2 Part List Replacing: Next Sheet &EPA2/1 FLS Property of FLSmidth A/S. This drawing contains confidential, proprietary, and/or trade secret information of FLSmidth A/S. This drawing and/or the information contained therein, may only be used for the limited purposes of evaluating proposals or installing, operating or maintaining FLSmidth® equipment. Disclosure, distribution, duplication, modification, or other use of this drawing and/or the information therein is not permitted without the prior written permission of FLSmidth A/S. © FLSmidth A/S. All rights reserved. No.: 1001244897 Content Rev.: 1												

0										1										2										3										4										5										6										7										8										9																																																																																																																																																																																																																																																																																																																																																								
List of Assemblies																																																																																																																																																																																																																																																																																																																																																																																																																																																		
<table><tr><th>Function (=)</th><th>Location (+)</th><th>Product (-)</th><th>Amount</th><th>Designation</th><th>Manufacturer</th><th>Type</th></tr><tr><td>=REFY</td><td>+CP02</td><td>-BUS01</td><td>3</td><td>PLS special busbars E-Cu</td><td>Rittal</td><td>3516000</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-C01</td><td>1</td><td>AF265-30-11-13 Contactor</td><td>ABB</td><td>1SFL547002R1311</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-C01</td><td>1</td><td>CAL19-11,Auxiliary contact block for contactors AF116...AF370</td><td>ABB</td><td>1SFN010820R1011</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-C02</td><td>1</td><td>AF265-30-11-13 Contactor</td><td>ABB</td><td>1SFL547002R1311</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-C02</td><td>1</td><td>CAL19-11,Auxiliary contact block for contactors AF116...AF370</td><td>ABB</td><td>1SFN010820R1011</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-C03</td><td>1</td><td>AF265-30-11-13 Contactor</td><td>ABB</td><td>1SFL547002R1311</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-C03</td><td>1</td><td>CAL19-11,Auxiliary contact block for contactors AF116...AF370</td><td>ABB</td><td>1SFN010820R1011</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-C04</td><td>1</td><td>AF65-30-11-11 Block Contactor</td><td>ABB</td><td>1SBL387001R1111</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-C05</td><td>1</td><td>AF38-30-11-11 24-60V50/60HZ 20-60VDC Contactor</td><td>ABB</td><td>1SBL297001R1111</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-F01</td><td>1</td><td>TF65-60 Thermal Overload Relay</td><td>ABB</td><td>1SAZ811201R1006</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-F02</td><td>1</td><td>TF42-5.7 Thermal Overload Relay</td><td>ABB</td><td>1SAZ721201R1038</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-G01</td><td>1</td><td>Power supply unit</td><td>Phoenix Contact</td><td>2910105</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-HVAC</td><td>1</td><td>HVAC - Wall-mounted cooling unit Blue e+ chemical Rated operating voltage: 110 V - 240 V, 1~, 50 Hz/60 Hz, 380 V - 480 V, 3~, 50 Hz/60 Hz, Total cooling output L35 L35/50 Hz: 1,21 kW</td><td>Rittal</td><td>3188945</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-IE-D1</td><td>1</td><td>W5-S210, Measuring CT Din= 210 mm</td><td>Bender</td><td>B911735</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-IE-D2</td><td>1</td><td>W5-S210, Measuring CT Din= 210 mm</td><td>Bender</td><td>B911735</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-IE-D3</td><td>1</td><td>W5-S210, Measuring CT Din= 210 mm</td><td>Bender</td><td>B911735</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-ISH-D1</td><td>1</td><td>RCM420-D-1, Residual Current Monitor, Supply voltage US : AC 16...72 V / DC 9.6...94 V</td><td>Bender</td><td>B74014001</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-ISH-D2</td><td>1</td><td>RCM420-D-1, Residual Current Monitor, Supply voltage US : AC 16...72 V / DC 9.6...94 V</td><td>Bender</td><td>B74014001</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-ISH-D3</td><td>1</td><td>RCM420-D-1, Residual Current Monitor, Supply voltage US : AC 16...72 V / DC 9.6...94 V</td><td>Bender</td><td>B74014001</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-L1/S1</td><td>1</td><td>Red flush complete illum pushbutton Ø22 spring return 1NO+1NC 24V</td><td>Schneider Electric</td><td>XB4BW34B5</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-L1/S1</td><td>1</td><td>Legend holder 30 x 40 mm with legend 8 x 27 mm unmarked</td><td>Schneider Electric</td><td>ZBZ32</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-L2/S2</td><td>1</td><td>Red flush complete illum pushbutton Ø22 spring return 1NO+1NC 24V</td><td>Schneider Electric</td><td>XB4BW34B5</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-L2/S2</td><td>1</td><td>Legend holder 30 x 40 mm with legend 8 x 27 mm unmarked</td><td>Schneider Electric</td><td>ZBZ32</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-L3/S3</td><td>1</td><td>Red flush complete illum pushbutton Ø22 spring return 1NO+1NC 24V</td><td>Schneider Electric</td><td>XB4BW34B5</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-L3/S3</td><td>1</td><td>Legend holder 30 x 40 mm with legend 8 x 27 mm unmarked</td><td>Schneider Electric</td><td>ZBZ32</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-MCB01</td><td>1</td><td>Miniature Circuit Breaker - S200 - 2P - C - 32 A</td><td>ABB</td><td>2CDS252001R0324</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-MCB02</td><td>1</td><td>Miniature Circuit Breaker ST201M-C5 Miniature Circuit Breaker C-Char., 10kA, 5A, 1P</td><td>ABB</td><td>2CDS271334R0054</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-MCB03</td><td>1</td><td>Miniature Circuit Breaker ST201M-C5 Miniature Circuit Breaker C-Char., 10kA, 5A, 1P</td><td>ABB</td><td>2CDS271334R0054</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-MCB04</td><td>1</td><td>Miniature Circuit Breaker - ST201M-C20, 10kA, 20A, 1P</td><td>ABB</td><td>2CDS271334R0204</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-MCB05</td><td>1</td><td>Miniature Circuit Breaker ST201M-C5 Miniature Circuit Breaker C-Char., 10kA, 5A, 1P</td><td>ABB</td><td>2CDS271334R0054</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-MCB06</td><td>1</td><td>Miniature Circuit Breaker ST201M-C5 Miniature Circuit Breaker C-Char., 10kA, 5A, 1P</td><td>ABB</td><td>2CDS271334R0054</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-MCB07</td><td>1</td><td>Miniature Circuit Breaker - ST201M-C10, 10kA, 10A, 1P</td><td>ABB</td><td>2CDS271334R0104</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-MCB08</td><td>1</td><td>Miniature Circuit Breaker - ST201M-C20, 10kA, 20A, 1P</td><td>ABB</td><td>2CDS271334R0204</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-MCCB01</td><td>1</td><td>Circuit Breaker XT5H 400 TMA 300-3000 3p FF UL</td><td>ABB</td><td>1SDA102519R1</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-MCCB02</td><td>1</td><td>Circuit Breaker XT5H 400 TMA 300-3000 3p FF UL</td><td>ABB</td><td>1SDA102519R1</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-MCCB03</td><td>1</td><td>Circuit Breaker XT5H 400 TMA 300-3000 3p FF UL</td><td>ABB</td><td>1SDA102519R1</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-MCCB05</td><td>1</td><td>Circuit Breaker XT2H 160 TMA 160-1600 3p F F</td><td>ABB</td><td>1SDA067604R1</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-MCCB05</td><td>1</td><td>Circuit-breaker component adaptor</td><td>Rittal</td><td>9342550</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-MCCB06</td><td>1</td><td>XT1H 125 TMF 15-500 3p F F UL/CSA</td><td>ABB</td><td>1SDA074694R1</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-MCCB07</td><td>1</td><td>Circuit Breaker XT2H 160 TMA 80-800 3p F F</td><td>ABB</td><td>1SDA067601R1</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-MCCB07</td><td>1</td><td>AUX 1Q 24Vdc XT1...XT4</td><td>ABB</td><td>1SDA066423R1</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-MCCB08</td><td>1</td><td>MCCB XT2H 160 MF 8,5 Im=120 3p F F</td><td>ABB</td><td>1SDA067773R1</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-MCCB08</td><td>1</td><td>AUX 1Q 24Vdc XT1...XT4</td><td>ABB</td><td>1SDA066423R1</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-MCCB08</td><td>1</td><td>Circuit-breaker component adaptor</td><td>Rittal</td><td>9342550</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-MCCB09</td><td>1</td><td>XT1H 125 MCP In=3 3p F F UL/CSA</td><td>ABB</td><td>1SDA074724R1</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-MCCB10</td><td>1</td><td>MCCB XT7H 1000 Ekip Dip LS/I In=1000A 3p F F</td><td>ABB</td><td>1SDA100891R1</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-MCCB10</td><td>1</td><td>Heavy duty rotary mechanisms, shafts and pistol handles</td><td>ABB</td></tr></table>																																																																																																				Function (=)	Location (+)	Product (-)	Amount	Designation	Manufacturer	Type	=REFY	+CP02	-BUS01	3	PLS special busbars E-Cu	Rittal	3516000	=REFY	+CP02	-C01	1	AF265-30-11-13 Contactor	ABB	1SFL547002R1311	=REFY	+CP02	-C01	1	CAL19-11,Auxiliary contact block for contactors AF116...AF370	ABB	1SFN010820R1011	=REFY	+CP02	-C02	1	AF265-30-11-13 Contactor	ABB	1SFL547002R1311	=REFY	+CP02	-C02	1	CAL19-11,Auxiliary contact block for contactors AF116...AF370	ABB	1SFN010820R1011	=REFY	+CP02	-C03	1	AF265-30-11-13 Contactor	ABB	1SFL547002R1311	=REFY	+CP02	-C03	1	CAL19-11,Auxiliary contact block for contactors AF116...AF370	ABB	1SFN010820R1011	=REFY	+CP02	-C04	1	AF65-30-11-11 Block Contactor	ABB	1SBL387001R1111	=REFY	+CP02	-C05	1	AF38-30-11-11 24-60V50/60HZ 20-60VDC Contactor	ABB	1SBL297001R1111	=REFY	+CP02	-F01	1	TF65-60 Thermal Overload Relay	ABB	1SAZ811201R1006	=REFY	+CP02	-F02	1	TF42-5.7 Thermal Overload Relay	ABB	1SAZ721201R1038	=REFY	+CP02	-G01	1	Power supply unit	Phoenix Contact	2910105	=REFY	+CP02	-HVAC	1	HVAC - Wall-mounted cooling unit Blue e+ chemical Rated operating voltage: 110 V - 240 V, 1~, 50 Hz/60 Hz, 380 V - 480 V, 3~, 50 Hz/60 Hz, Total cooling output L35 L35/50 Hz: 1,21 kW	Rittal	3188945	=REFY	+CP02	-IE-D1	1	W5-S210, Measuring CT Din= 210 mm	Bender	B911735	=REFY	+CP02	-IE-D2	1	W5-S210, Measuring CT Din= 210 mm	Bender	B911735	=REFY	+CP02	-IE-D3	1	W5-S210, Measuring CT Din= 210 mm	Bender	B911735	=REFY	+CP02	-ISH-D1	1	RCM420-D-1, Residual Current Monitor, Supply voltage US : AC 16...72 V / DC 9.6...94 V	Bender	B74014001	=REFY	+CP02	-ISH-D2	1	RCM420-D-1, Residual Current Monitor, Supply voltage US : AC 16...72 V / DC 9.6...94 V	Bender	B74014001	=REFY	+CP02	-ISH-D3	1	RCM420-D-1, Residual Current Monitor, Supply voltage US : AC 16...72 V / DC 9.6...94 V	Bender	B74014001	=REFY	+CP02	-L1/S1	1	Red flush complete illum pushbutton Ø22 spring return 1NO+1NC 24V	Schneider Electric	XB4BW34B5	=REFY	+CP02	-L1/S1	1	Legend holder 30 x 40 mm with legend 8 x 27 mm unmarked	Schneider Electric	ZBZ32	=REFY	+CP02	-L2/S2	1	Red flush complete illum pushbutton Ø22 spring return 1NO+1NC 24V	Schneider Electric	XB4BW34B5	=REFY	+CP02	-L2/S2	1	Legend holder 30 x 40 mm with legend 8 x 27 mm unmarked	Schneider Electric	ZBZ32	=REFY	+CP02	-L3/S3	1	Red flush complete illum pushbutton Ø22 spring return 1NO+1NC 24V	Schneider Electric	XB4BW34B5	=REFY	+CP02	-L3/S3	1	Legend holder 30 x 40 mm with legend 8 x 27 mm unmarked	Schneider Electric	ZBZ32	=REFY	+CP02	-MCB01	1	Miniature Circuit Breaker - S200 - 2P - C - 32 A	ABB	2CDS252001R0324	=REFY	+CP02	-MCB02	1	Miniature Circuit Breaker ST201M-C5 Miniature Circuit Breaker C-Char., 10kA, 5A, 1P	ABB	2CDS271334R0054	=REFY	+CP02	-MCB03	1	Miniature Circuit Breaker ST201M-C5 Miniature Circuit Breaker C-Char., 10kA, 5A, 1P	ABB	2CDS271334R0054	=REFY	+CP02	-MCB04	1	Miniature Circuit Breaker - ST201M-C20, 10kA, 20A, 1P	ABB	2CDS271334R0204	=REFY	+CP02	-MCB05	1	Miniature Circuit Breaker ST201M-C5 Miniature Circuit Breaker C-Char., 10kA, 5A, 1P	ABB	2CDS271334R0054	=REFY	+CP02	-MCB06	1	Miniature Circuit Breaker ST201M-C5 Miniature Circuit Breaker C-Char., 10kA, 5A, 1P	ABB	2CDS271334R0054	=REFY	+CP02	-MCB07	1	Miniature Circuit Breaker - ST201M-C10, 10kA, 10A, 1P	ABB	2CDS271334R0104	=REFY	+CP02	-MCB08	1	Miniature Circuit Breaker - ST201M-C20, 10kA, 20A, 1P	ABB	2CDS271334R0204	=REFY	+CP02	-MCCB01	1	Circuit Breaker XT5H 400 TMA 300-3000 3p FF UL	ABB	1SDA102519R1	=REFY	+CP02	-MCCB02	1	Circuit Breaker XT5H 400 TMA 300-3000 3p FF UL	ABB	1SDA102519R1	=REFY	+CP02	-MCCB03	1	Circuit Breaker XT5H 400 TMA 300-3000 3p FF UL	ABB	1SDA102519R1	=REFY	+CP02	-MCCB05	1	Circuit Breaker XT2H 160 TMA 160-1600 3p F F	ABB	1SDA067604R1	=REFY	+CP02	-MCCB05	1	Circuit-breaker component adaptor	Rittal	9342550	=REFY	+CP02	-MCCB06	1	XT1H 125 TMF 15-500 3p F F UL/CSA	ABB	1SDA074694R1	=REFY	+CP02	-MCCB07	1	Circuit Breaker XT2H 160 TMA 80-800 3p F F	ABB	1SDA067601R1	=REFY	+CP02	-MCCB07	1	AUX 1Q 24Vdc XT1...XT4	ABB	1SDA066423R1	=REFY	+CP02	-MCCB08	1	MCCB XT2H 160 MF 8,5 Im=120 3p F F	ABB	1SDA067773R1	=REFY	+CP02	-MCCB08	1	AUX 1Q 24Vdc XT1...XT4	ABB	1SDA066423R1	=REFY	+CP02	-MCCB08	1	Circuit-breaker component adaptor	Rittal	9342550	=REFY	+CP02	-MCCB09	1	XT1H 125 MCP In=3 3p F F UL/CSA	ABB	1SDA074724R1	=REFY	+CP02	-MCCB10	1	MCCB XT7H 1000 Ekip Dip LS/I In=1000A 3p F F	ABB	1SDA100891R1	=REFY	+CP02	-MCCB10	1	Heavy duty rotary mechanisms, shafts and pistol handles	ABB
Function (=)	Location (+)	Product (-)	Amount	Designation	Manufacturer	Type																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-BUS01	3	PLS special busbars E-Cu	Rittal	3516000																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-C01	1	AF265-30-11-13 Contactor	ABB	1SFL547002R1311																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-C01	1	CAL19-11,Auxiliary contact block for contactors AF116...AF370	ABB	1SFN010820R1011																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-C02	1	AF265-30-11-13 Contactor	ABB	1SFL547002R1311																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-C02	1	CAL19-11,Auxiliary contact block for contactors AF116...AF370	ABB	1SFN010820R1011																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-C03	1	AF265-30-11-13 Contactor	ABB	1SFL547002R1311																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-C03	1	CAL19-11,Auxiliary contact block for contactors AF116...AF370	ABB	1SFN010820R1011																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-C04	1	AF65-30-11-11 Block Contactor	ABB	1SBL387001R1111																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-C05	1	AF38-30-11-11 24-60V50/60HZ 20-60VDC Contactor	ABB	1SBL297001R1111																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-F01	1	TF65-60 Thermal Overload Relay	ABB	1SAZ811201R1006																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-F02	1	TF42-5.7 Thermal Overload Relay	ABB	1SAZ721201R1038																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-G01	1	Power supply unit	Phoenix Contact	2910105																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-HVAC	1	HVAC - Wall-mounted cooling unit Blue e+ chemical Rated operating voltage: 110 V - 240 V, 1~, 50 Hz/60 Hz, 380 V - 480 V, 3~, 50 Hz/60 Hz, Total cooling output L35 L35/50 Hz: 1,21 kW	Rittal	3188945																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-IE-D1	1	W5-S210, Measuring CT Din= 210 mm	Bender	B911735																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-IE-D2	1	W5-S210, Measuring CT Din= 210 mm	Bender	B911735																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-IE-D3	1	W5-S210, Measuring CT Din= 210 mm	Bender	B911735																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-ISH-D1	1	RCM420-D-1, Residual Current Monitor, Supply voltage US : AC 16...72 V / DC 9.6...94 V	Bender	B74014001																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-ISH-D2	1	RCM420-D-1, Residual Current Monitor, Supply voltage US : AC 16...72 V / DC 9.6...94 V	Bender	B74014001																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-ISH-D3	1	RCM420-D-1, Residual Current Monitor, Supply voltage US : AC 16...72 V / DC 9.6...94 V	Bender	B74014001																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-L1/S1	1	Red flush complete illum pushbutton Ø22 spring return 1NO+1NC 24V	Schneider Electric	XB4BW34B5																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-L1/S1	1	Legend holder 30 x 40 mm with legend 8 x 27 mm unmarked	Schneider Electric	ZBZ32																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-L2/S2	1	Red flush complete illum pushbutton Ø22 spring return 1NO+1NC 24V	Schneider Electric	XB4BW34B5																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-L2/S2	1	Legend holder 30 x 40 mm with legend 8 x 27 mm unmarked	Schneider Electric	ZBZ32																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-L3/S3	1	Red flush complete illum pushbutton Ø22 spring return 1NO+1NC 24V	Schneider Electric	XB4BW34B5																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-L3/S3	1	Legend holder 30 x 40 mm with legend 8 x 27 mm unmarked	Schneider Electric	ZBZ32																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-MCB01	1	Miniature Circuit Breaker - S200 - 2P - C - 32 A	ABB	2CDS252001R0324																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-MCB02	1	Miniature Circuit Breaker ST201M-C5 Miniature Circuit Breaker C-Char., 10kA, 5A, 1P	ABB	2CDS271334R0054																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-MCB03	1	Miniature Circuit Breaker ST201M-C5 Miniature Circuit Breaker C-Char., 10kA, 5A, 1P	ABB	2CDS271334R0054																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-MCB04	1	Miniature Circuit Breaker - ST201M-C20, 10kA, 20A, 1P	ABB	2CDS271334R0204																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-MCB05	1	Miniature Circuit Breaker ST201M-C5 Miniature Circuit Breaker C-Char., 10kA, 5A, 1P	ABB	2CDS271334R0054																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-MCB06	1	Miniature Circuit Breaker ST201M-C5 Miniature Circuit Breaker C-Char., 10kA, 5A, 1P	ABB	2CDS271334R0054																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-MCB07	1	Miniature Circuit Breaker - ST201M-C10, 10kA, 10A, 1P	ABB	2CDS271334R0104																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-MCB08	1	Miniature Circuit Breaker - ST201M-C20, 10kA, 20A, 1P	ABB	2CDS271334R0204																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-MCCB01	1	Circuit Breaker XT5H 400 TMA 300-3000 3p FF UL	ABB	1SDA102519R1																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-MCCB02	1	Circuit Breaker XT5H 400 TMA 300-3000 3p FF UL	ABB	1SDA102519R1																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-MCCB03	1	Circuit Breaker XT5H 400 TMA 300-3000 3p FF UL	ABB	1SDA102519R1																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-MCCB05	1	Circuit Breaker XT2H 160 TMA 160-1600 3p F F	ABB	1SDA067604R1																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-MCCB05	1	Circuit-breaker component adaptor	Rittal	9342550																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-MCCB06	1	XT1H 125 TMF 15-500 3p F F UL/CSA	ABB	1SDA074694R1																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-MCCB07	1	Circuit Breaker XT2H 160 TMA 80-800 3p F F	ABB	1SDA067601R1																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-MCCB07	1	AUX 1Q 24Vdc XT1...XT4	ABB	1SDA066423R1																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-MCCB08	1	MCCB XT2H 160 MF 8,5 Im=120 3p F F	ABB	1SDA067773R1																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-MCCB08	1	AUX 1Q 24Vdc XT1...XT4	ABB	1SDA066423R1																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-MCCB08	1	Circuit-breaker component adaptor	Rittal	9342550																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-MCCB09	1	XT1H 125 MCP In=3 3p F F UL/CSA	ABB	1SDA074724R1																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-MCCB10	1	MCCB XT7H 1000 Ekip Dip LS/I In=1000A 3p F F	ABB	1SDA100891R1																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-MCCB10	1	Heavy duty rotary mechanisms, shafts and pistol handles	ABB																																																																																																																																																																																																																																																																																																																																																																																																																																													

0										1										2										3										4										5										6										7										8										9																																																																																																																																																																																																																																																																																																																																																																																																																								
List of Assemblies																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
<table><tr><th>Function (=)</th><th>Location (+)</th><th>Product (-)</th><th>Amount</th><th>Designation</th><th>Manufacturer</th><th>Type</th></tr><tr><td>=REFY</td><td>+CP02</td><td>-BUS01</td><td>3</td><td>PLS special busbars E-Cu</td><td>Rittal</td><td>3516000</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-C01</td><td>1</td><td>AF265-30-11-13 Contactor</td><td>ABB</td><td>1SFL547002R1311</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-C01</td><td>1</td><td>CAL19-11,Auxiliary contact block for contactors AF116...AF370</td><td>ABB</td><td>1SFN010820R1011</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-C02</td><td>1</td><td>AF265-30-11-13 Contactor</td><td>ABB</td><td>1SFL547002R1311</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-C02</td><td>1</td><td>CAL19-11,Auxiliary contact block for contactors AF116...AF370</td><td>ABB</td><td>1SFN010820R1011</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-C03</td><td>1</td><td>AF265-30-11-13 Contactor</td><td>ABB</td><td>1SFL547002R1311</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-C03</td><td>1</td><td>CAL19-11,Auxiliary contact block for contactors AF116...AF370</td><td>ABB</td><td>1SFN010820R1011</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-C04</td><td>1</td><td>AF65-30-11-11 Block Contactor</td><td>ABB</td><td>1SBL387001R1111</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-C05</td><td>1</td><td>AF38-30-11-11 24-60V50/60HZ 20-60VDC Contactor</td><td>ABB</td><td>1SBL297001R1111</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-F01</td><td>1</td><td>TF65-60 Thermal Overload Relay</td><td>ABB</td><td>1SAZ811201R1006</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-F02</td><td>1</td><td>TF42-5.7 Thermal Overload Relay</td><td>ABB</td><td>1SAZ721201R1038</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-G01</td><td>1</td><td>Power supply unit</td><td>Phoenix Contact</td><td>2910105</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-HVAC</td><td>1</td><td>HVAC - Wall-mounted cooling unit Blue e+ chemical Rated operating voltage: 110 V - 240 V, 1~, 50 Hz/60 Hz, 380 V - 480 V, 3~, 50 Hz/60 Hz, Total cooling output L35 L35/50 Hz: 1,21 kW</td><td>Rittal</td><td>3188945</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-IE-D1</td><td>1</td><td>W5-S210, Measuring CT Din= 210 mm</td><td>Bender</td><td>B911735</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-IE-D2</td><td>1</td><td>W5-S210, Measuring CT Din= 210 mm</td><td>Bender</td><td>B911735</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-IE-D3</td><td>1</td><td>W5-S210, Measuring CT Din= 210 mm</td><td>Bender</td><td>B911735</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-ISH-D1</td><td>1</td><td>RCM420-D-1, Residual Current Monitor, Supply voltage US : AC 16...72 V / DC 9.6...94 V</td><td>Bender</td><td>B74014001</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-ISH-D2</td><td>1</td><td>RCM420-D-1, Residual Current Monitor, Supply voltage US : AC 16...72 V / DC 9.6...94 V</td><td>Bender</td><td>B74014001</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-ISH-D3</td><td>1</td><td>RCM420-D-1, Residual Current Monitor, Supply voltage US : AC 16...72 V / DC 9.6...94 V</td><td>Bender</td><td>B74014001</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-L1/S1</td><td>1</td><td>Red flush complete illum pushbutton Ø22 spring return 1NO+1NC 24V</td><td>Schneider Electric</td><td>XB4BW34B5</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-L1/S1</td><td>1</td><td>Legend holder 30 x 40 mm with legend 8 x 27 mm unmarked</td><td>Schneider Electric</td><td>ZBZ32</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-L2/S2</td><td>1</td><td>Red flush complete illum pushbutton Ø22 spring return 1NO+1NC 24V</td><td>Schneider Electric</td><td>XB4BW34B5</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-L2/S2</td><td>1</td><td>Legend holder 30 x 40 mm with legend 8 x 27 mm unmarked</td><td>Schneider Electric</td><td>ZBZ32</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-L3/S3</td><td>1</td><td>Red flush complete illum pushbutton Ø22 spring return 1NO+1NC 24V</td><td>Schneider Electric</td><td>XB4BW34B5</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-L3/S3</td><td>1</td><td>Legend holder 30 x 40 mm with legend 8 x 27 mm unmarked</td><td>Schneider Electric</td><td>ZBZ32</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-MCB01</td><td>1</td><td>Miniature Circuit Breaker - S200 - 2P - C - 32 A</td><td>ABB</td><td>2CDS252001R0324</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-MCB02</td><td>1</td><td>Miniature Circuit Breaker ST201M-C5 Miniature Circuit Breaker C-Char., 10kA, 5A, 1P</td><td>ABB</td><td>2CDS271334R0054</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-MCB03</td><td>1</td><td>Miniature Circuit Breaker ST201M-C5 Miniature Circuit Breaker C-Char., 10kA, 5A, 1P</td><td>ABB</td><td>2CDS271334R0054</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-MCB04</td><td>1</td><td>Miniature Circuit Breaker - ST201M-C20, 10kA, 20A, 1P</td><td>ABB</td><td>2CDS271334R0204</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-MCB05</td><td>1</td><td>Miniature Circuit Breaker ST201M-C5 Miniature Circuit Breaker C-Char., 10kA, 5A, 1P</td><td>ABB</td><td>2CDS271334R0054</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-MCB06</td><td>1</td><td>Miniature Circuit Breaker ST201M-C5 Miniature Circuit Breaker C-Char., 10kA, 5A, 1P</td><td>ABB</td><td>2CDS271334R0054</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-MCB07</td><td>1</td><td>Miniature Circuit Breaker - ST201M-C10, 10kA, 10A, 1P</td><td>ABB</td><td>2CDS271334R0104</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-MCB08</td><td>1</td><td>Miniature Circuit Breaker - ST201M-C20, 10kA, 20A, 1P</td><td>ABB</td><td>2CDS271334R0204</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-MCCB01</td><td>1</td><td>Circuit Breaker XT5H 400 TMA 300-3000 3p FF UL</td><td>ABB</td><td>1SDA102519R1</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-MCCB02</td><td>1</td><td>Circuit Breaker XT5H 400 TMA 300-3000 3p FF UL</td><td>ABB</td><td>1SDA102519R1</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-MCCB03</td><td>1</td><td>Circuit Breaker XT5H 400 TMA 300-3000 3p FF UL</td><td>ABB</td><td>1SDA102519R1</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-MCCB05</td><td>1</td><td>Circuit Breaker XT2H 160 TMA 160-1600 3p F F</td><td>ABB</td><td>1SDA067604R1</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-MCCB05</td><td>1</td><td>Circuit-breaker component adaptor</td><td>Rittal</td><td>9342550</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-MCCB06</td><td>1</td><td>XT1H 125 TMF 15-500 3p F F UL/CSA</td><td>ABB</td><td>1SDA074694R1</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-MCCB07</td><td>1</td><td>Circuit Breaker XT2H 160 TMA 80-800 3p F F</td><td>ABB</td><td>1SDA067601R1</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-MCCB07</td><td>1</td><td>AUX 1Q 24Vdc XT1...XT4</td><td>ABB</td><td>1SDA066423R1</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-MCCB08</td><td>1</td><td>MCCB XT2H 160 MF 8,5 Im=120 3p F F</td><td>ABB</td><td>1SDA067773R1</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-MCCB08</td><td>1</td><td>AUX 1Q 24Vdc XT1...XT4</td><td>ABB</td><td>1SDA066423R1</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-MCCB08</td><td>1</td><td>Circuit-breaker component adaptor</td><td>Rittal</td><td>9342550</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-MCCB09</td><td>1</td><td>XT1H 125 MCP In=3 3p F F UL/CSA</td><td>ABB</td><td>1SDA074724R1</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-MCCB10</td><td>1</td><td>MCCB XT7H 1000 Ekip Dip LS/I In=1000A 3p F F</td><td>ABB</td><td>1SDA100891R1</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-MCCB10</td><td>1</td><td>Heavy duty rotary mechanisms, shafts and pistol handles</td><td>ABB</td><td>KXT7MRHEST</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-MCCB10</td><td>1</td><td>Rotary Standard Pistol Handle With Reset Function, 125 mm L, Black/Red</td><td>ABB</td><td>OHB125L10B</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-MCCB10</td><td>1</td><td>Shaft diameter 10 mm.</td><td>ABB</td><td>OMP10X500</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-MCCB10</td><td>1</td><td>Circuit Breaker XT7H 800 Ekip Dip LS/I In=800A 3p F F UL</td><td>ABB</td><td>1SDA102947R1</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-S1</td><td>1</td><td>Green flush complete pushbutton Ø22 spring return 1NO "I"</td><td>Schneider Electric</td><td>XB4BA3311</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-S1</td><td>1</td><td>Legend holder 30 x 40 mm with legend 8 x 27 mm unmarked</td><td>Schneider Electric</td><td>ZBZ32</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-S2</td><td>1</td><td>Green flush complete pushbutton Ø22 spring return 1NO "I"</td><td>Schneider Electric</td><td>XB4BA3311</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-S2</td><td>1</td><td>Legend holder 30 x 40 mm with legend 8 x 27 mm unmarked</td><td>Schneider Electric</td><td>ZBZ32</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-S3</td><td>1</td><td>Green flush complete pushbutton Ø22 spring return 1NO "I"</td><td>Schneider Electric</td><td>XB4BA3311</td></tr><tr><td>=REFY</td><td>+CP02</td><td>-S3</td><td>1</td><td>Legend holder 30 x 40 mm with legend 8 x 27 mm unmarked</td><td>Schneider Electric</td><td>ZBZ32</td></tr></table>																																																																																																				Function (=)	Location (+)	Product (-)	Amount	Designation	Manufacturer	Type	=REFY	+CP02	-BUS01	3	PLS special busbars E-Cu	Rittal	3516000	=REFY	+CP02	-C01	1	AF265-30-11-13 Contactor	ABB	1SFL547002R1311	=REFY	+CP02	-C01	1	CAL19-11,Auxiliary contact block for contactors AF116...AF370	ABB	1SFN010820R1011	=REFY	+CP02	-C02	1	AF265-30-11-13 Contactor	ABB	1SFL547002R1311	=REFY	+CP02	-C02	1	CAL19-11,Auxiliary contact block for contactors AF116...AF370	ABB	1SFN010820R1011	=REFY	+CP02	-C03	1	AF265-30-11-13 Contactor	ABB	1SFL547002R1311	=REFY	+CP02	-C03	1	CAL19-11,Auxiliary contact block for contactors AF116...AF370	ABB	1SFN010820R1011	=REFY	+CP02	-C04	1	AF65-30-11-11 Block Contactor	ABB	1SBL387001R1111	=REFY	+CP02	-C05	1	AF38-30-11-11 24-60V50/60HZ 20-60VDC Contactor	ABB	1SBL297001R1111	=REFY	+CP02	-F01	1	TF65-60 Thermal Overload Relay	ABB	1SAZ811201R1006	=REFY	+CP02	-F02	1	TF42-5.7 Thermal Overload Relay	ABB	1SAZ721201R1038	=REFY	+CP02	-G01	1	Power supply unit	Phoenix Contact	2910105	=REFY	+CP02	-HVAC	1	HVAC - Wall-mounted cooling unit Blue e+ chemical Rated operating voltage: 110 V - 240 V, 1~, 50 Hz/60 Hz, 380 V - 480 V, 3~, 50 Hz/60 Hz, Total cooling output L35 L35/50 Hz: 1,21 kW	Rittal	3188945	=REFY	+CP02	-IE-D1	1	W5-S210, Measuring CT Din= 210 mm	Bender	B911735	=REFY	+CP02	-IE-D2	1	W5-S210, Measuring CT Din= 210 mm	Bender	B911735	=REFY	+CP02	-IE-D3	1	W5-S210, Measuring CT Din= 210 mm	Bender	B911735	=REFY	+CP02	-ISH-D1	1	RCM420-D-1, Residual Current Monitor, Supply voltage US : AC 16...72 V / DC 9.6...94 V	Bender	B74014001	=REFY	+CP02	-ISH-D2	1	RCM420-D-1, Residual Current Monitor, Supply voltage US : AC 16...72 V / DC 9.6...94 V	Bender	B74014001	=REFY	+CP02	-ISH-D3	1	RCM420-D-1, Residual Current Monitor, Supply voltage US : AC 16...72 V / DC 9.6...94 V	Bender	B74014001	=REFY	+CP02	-L1/S1	1	Red flush complete illum pushbutton Ø22 spring return 1NO+1NC 24V	Schneider Electric	XB4BW34B5	=REFY	+CP02	-L1/S1	1	Legend holder 30 x 40 mm with legend 8 x 27 mm unmarked	Schneider Electric	ZBZ32	=REFY	+CP02	-L2/S2	1	Red flush complete illum pushbutton Ø22 spring return 1NO+1NC 24V	Schneider Electric	XB4BW34B5	=REFY	+CP02	-L2/S2	1	Legend holder 30 x 40 mm with legend 8 x 27 mm unmarked	Schneider Electric	ZBZ32	=REFY	+CP02	-L3/S3	1	Red flush complete illum pushbutton Ø22 spring return 1NO+1NC 24V	Schneider Electric	XB4BW34B5	=REFY	+CP02	-L3/S3	1	Legend holder 30 x 40 mm with legend 8 x 27 mm unmarked	Schneider Electric	ZBZ32	=REFY	+CP02	-MCB01	1	Miniature Circuit Breaker - S200 - 2P - C - 32 A	ABB	2CDS252001R0324	=REFY	+CP02	-MCB02	1	Miniature Circuit Breaker ST201M-C5 Miniature Circuit Breaker C-Char., 10kA, 5A, 1P	ABB	2CDS271334R0054	=REFY	+CP02	-MCB03	1	Miniature Circuit Breaker ST201M-C5 Miniature Circuit Breaker C-Char., 10kA, 5A, 1P	ABB	2CDS271334R0054	=REFY	+CP02	-MCB04	1	Miniature Circuit Breaker - ST201M-C20, 10kA, 20A, 1P	ABB	2CDS271334R0204	=REFY	+CP02	-MCB05	1	Miniature Circuit Breaker ST201M-C5 Miniature Circuit Breaker C-Char., 10kA, 5A, 1P	ABB	2CDS271334R0054	=REFY	+CP02	-MCB06	1	Miniature Circuit Breaker ST201M-C5 Miniature Circuit Breaker C-Char., 10kA, 5A, 1P	ABB	2CDS271334R0054	=REFY	+CP02	-MCB07	1	Miniature Circuit Breaker - ST201M-C10, 10kA, 10A, 1P	ABB	2CDS271334R0104	=REFY	+CP02	-MCB08	1	Miniature Circuit Breaker - ST201M-C20, 10kA, 20A, 1P	ABB	2CDS271334R0204	=REFY	+CP02	-MCCB01	1	Circuit Breaker XT5H 400 TMA 300-3000 3p FF UL	ABB	1SDA102519R1	=REFY	+CP02	-MCCB02	1	Circuit Breaker XT5H 400 TMA 300-3000 3p FF UL	ABB	1SDA102519R1	=REFY	+CP02	-MCCB03	1	Circuit Breaker XT5H 400 TMA 300-3000 3p FF UL	ABB	1SDA102519R1	=REFY	+CP02	-MCCB05	1	Circuit Breaker XT2H 160 TMA 160-1600 3p F F	ABB	1SDA067604R1	=REFY	+CP02	-MCCB05	1	Circuit-breaker component adaptor	Rittal	9342550	=REFY	+CP02	-MCCB06	1	XT1H 125 TMF 15-500 3p F F UL/CSA	ABB	1SDA074694R1	=REFY	+CP02	-MCCB07	1	Circuit Breaker XT2H 160 TMA 80-800 3p F F	ABB	1SDA067601R1	=REFY	+CP02	-MCCB07	1	AUX 1Q 24Vdc XT1...XT4	ABB	1SDA066423R1	=REFY	+CP02	-MCCB08	1	MCCB XT2H 160 MF 8,5 Im=120 3p F F	ABB	1SDA067773R1	=REFY	+CP02	-MCCB08	1	AUX 1Q 24Vdc XT1...XT4	ABB	1SDA066423R1	=REFY	+CP02	-MCCB08	1	Circuit-breaker component adaptor	Rittal	9342550	=REFY	+CP02	-MCCB09	1	XT1H 125 MCP In=3 3p F F UL/CSA	ABB	1SDA074724R1	=REFY	+CP02	-MCCB10	1	MCCB XT7H 1000 Ekip Dip LS/I In=1000A 3p F F	ABB	1SDA100891R1	=REFY	+CP02	-MCCB10	1	Heavy duty rotary mechanisms, shafts and pistol handles	ABB	KXT7MRHEST	=REFY	+CP02	-MCCB10	1	Rotary Standard Pistol Handle With Reset Function, 125 mm L, Black/Red	ABB	OHB125L10B	=REFY	+CP02	-MCCB10	1	Shaft diameter 10 mm.	ABB	OMP10X500	=REFY	+CP02	-MCCB10	1	Circuit Breaker XT7H 800 Ekip Dip LS/I In=800A 3p F F UL	ABB	1SDA102947R1	=REFY	+CP02	-S1	1	Green flush complete pushbutton Ø22 spring return 1NO "I"	Schneider Electric	XB4BA3311	=REFY	+CP02	-S1	1	Legend holder 30 x 40 mm with legend 8 x 27 mm unmarked	Schneider Electric	ZBZ32	=REFY	+CP02	-S2	1	Green flush complete pushbutton Ø22 spring return 1NO "I"	Schneider Electric	XB4BA3311	=REFY	+CP02	-S2	1	Legend holder 30 x 40 mm with legend 8 x 27 mm unmarked	Schneider Electric	ZBZ32	=REFY	+CP02	-S3	1	Green flush complete pushbutton Ø22 spring return 1NO "I"	Schneider Electric	XB4BA3311	=REFY	+CP02	-S3	1	Legend holder 30 x 40 mm with legend 8 x 27 mm unmarked	Schneider Electric	ZBZ32
Function (=)	Location (+)	Product (-)	Amount	Designation	Manufacturer	Type																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-BUS01	3	PLS special busbars E-Cu	Rittal	3516000																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-C01	1	AF265-30-11-13 Contactor	ABB	1SFL547002R1311																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-C01	1	CAL19-11,Auxiliary contact block for contactors AF116...AF370	ABB	1SFN010820R1011																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-C02	1	AF265-30-11-13 Contactor	ABB	1SFL547002R1311																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-C02	1	CAL19-11,Auxiliary contact block for contactors AF116...AF370	ABB	1SFN010820R1011																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-C03	1	AF265-30-11-13 Contactor	ABB	1SFL547002R1311																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-C03	1	CAL19-11,Auxiliary contact block for contactors AF116...AF370	ABB	1SFN010820R1011																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-C04	1	AF65-30-11-11 Block Contactor	ABB	1SBL387001R1111																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-C05	1	AF38-30-11-11 24-60V50/60HZ 20-60VDC Contactor	ABB	1SBL297001R1111																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-F01	1	TF65-60 Thermal Overload Relay	ABB	1SAZ811201R1006																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-F02	1	TF42-5.7 Thermal Overload Relay	ABB	1SAZ721201R1038																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-G01	1	Power supply unit	Phoenix Contact	2910105																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-HVAC	1	HVAC - Wall-mounted cooling unit Blue e+ chemical Rated operating voltage: 110 V - 240 V, 1~, 50 Hz/60 Hz, 380 V - 480 V, 3~, 50 Hz/60 Hz, Total cooling output L35 L35/50 Hz: 1,21 kW	Rittal	3188945																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-IE-D1	1	W5-S210, Measuring CT Din= 210 mm	Bender	B911735																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-IE-D2	1	W5-S210, Measuring CT Din= 210 mm	Bender	B911735																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-IE-D3	1	W5-S210, Measuring CT Din= 210 mm	Bender	B911735																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-ISH-D1	1	RCM420-D-1, Residual Current Monitor, Supply voltage US : AC 16...72 V / DC 9.6...94 V	Bender	B74014001																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-ISH-D2	1	RCM420-D-1, Residual Current Monitor, Supply voltage US : AC 16...72 V / DC 9.6...94 V	Bender	B74014001																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-ISH-D3	1	RCM420-D-1, Residual Current Monitor, Supply voltage US : AC 16...72 V / DC 9.6...94 V	Bender	B74014001																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-L1/S1	1	Red flush complete illum pushbutton Ø22 spring return 1NO+1NC 24V	Schneider Electric	XB4BW34B5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-L1/S1	1	Legend holder 30 x 40 mm with legend 8 x 27 mm unmarked	Schneider Electric	ZBZ32																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-L2/S2	1	Red flush complete illum pushbutton Ø22 spring return 1NO+1NC 24V	Schneider Electric	XB4BW34B5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-L2/S2	1	Legend holder 30 x 40 mm with legend 8 x 27 mm unmarked	Schneider Electric	ZBZ32																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-L3/S3	1	Red flush complete illum pushbutton Ø22 spring return 1NO+1NC 24V	Schneider Electric	XB4BW34B5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-L3/S3	1	Legend holder 30 x 40 mm with legend 8 x 27 mm unmarked	Schneider Electric	ZBZ32																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-MCB01	1	Miniature Circuit Breaker - S200 - 2P - C - 32 A	ABB	2CDS252001R0324																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-MCB02	1	Miniature Circuit Breaker ST201M-C5 Miniature Circuit Breaker C-Char., 10kA, 5A, 1P	ABB	2CDS271334R0054																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-MCB03	1	Miniature Circuit Breaker ST201M-C5 Miniature Circuit Breaker C-Char., 10kA, 5A, 1P	ABB	2CDS271334R0054																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-MCB04	1	Miniature Circuit Breaker - ST201M-C20, 10kA, 20A, 1P	ABB	2CDS271334R0204																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-MCB05	1	Miniature Circuit Breaker ST201M-C5 Miniature Circuit Breaker C-Char., 10kA, 5A, 1P	ABB	2CDS271334R0054																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-MCB06	1	Miniature Circuit Breaker ST201M-C5 Miniature Circuit Breaker C-Char., 10kA, 5A, 1P	ABB	2CDS271334R0054																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-MCB07	1	Miniature Circuit Breaker - ST201M-C10, 10kA, 10A, 1P	ABB	2CDS271334R0104																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-MCB08	1	Miniature Circuit Breaker - ST201M-C20, 10kA, 20A, 1P	ABB	2CDS271334R0204																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-MCCB01	1	Circuit Breaker XT5H 400 TMA 300-3000 3p FF UL	ABB	1SDA102519R1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-MCCB02	1	Circuit Breaker XT5H 400 TMA 300-3000 3p FF UL	ABB	1SDA102519R1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-MCCB03	1	Circuit Breaker XT5H 400 TMA 300-3000 3p FF UL	ABB	1SDA102519R1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-MCCB05	1	Circuit Breaker XT2H 160 TMA 160-1600 3p F F	ABB	1SDA067604R1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-MCCB05	1	Circuit-breaker component adaptor	Rittal	9342550																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-MCCB06	1	XT1H 125 TMF 15-500 3p F F UL/CSA	ABB	1SDA074694R1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-MCCB07	1	Circuit Breaker XT2H 160 TMA 80-800 3p F F	ABB	1SDA067601R1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-MCCB07	1	AUX 1Q 24Vdc XT1...XT4	ABB	1SDA066423R1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-MCCB08	1	MCCB XT2H 160 MF 8,5 Im=120 3p F F	ABB	1SDA067773R1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-MCCB08	1	AUX 1Q 24Vdc XT1...XT4	ABB	1SDA066423R1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-MCCB08	1	Circuit-breaker component adaptor	Rittal	9342550																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-MCCB09	1	XT1H 125 MCP In=3 3p F F UL/CSA	ABB	1SDA074724R1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-MCCB10	1	MCCB XT7H 1000 Ekip Dip LS/I In=1000A 3p F F	ABB	1SDA100891R1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-MCCB10	1	Heavy duty rotary mechanisms, shafts and pistol handles	ABB	KXT7MRHEST																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-MCCB10	1	Rotary Standard Pistol Handle With Reset Function, 125 mm L, Black/Red	ABB	OHB125L10B																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-MCCB10	1	Shaft diameter 10 mm.	ABB	OMP10X500																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-MCCB10	1	Circuit Breaker XT7H 800 Ekip Dip LS/I In=800A 3p F F UL	ABB	1SDA102947R1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-S1	1	Green flush complete pushbutton Ø22 spring return 1NO "I"	Schneider Electric	XB4BA3311																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-S1	1	Legend holder 30 x 40 mm with legend 8 x 27 mm unmarked	Schneider Electric	ZBZ32																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-S2	1	Green flush complete pushbutton Ø22 spring return 1NO "I"	Schneider Electric	XB4BA3311																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-S2	1	Legend holder 30 x 40 mm with legend 8 x 27 mm unmarked	Schneider Electric	ZBZ32																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-S3	1	Green flush complete pushbutton Ø22 spring return 1NO "I"	Schneider Electric	XB4BA3311																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
=REFY	+CP02	-S3	1	Legend holder 30 x 40 mm with legend 8 x 27 mm unmarked	Schneider Electric	ZBZ32																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
																																																		<table><tr><td>Mat.:</td><td>Weight:</td><td>Welds: ISO-E</td><td>ISO-E </td><td>Sheet</td><td>=REFY / 1</td></tr><tr><td colspan="4">List of Assemblies</td><td>Replacing:</td><td>Next Sheet</td></tr><tr><td colspan="4">  </td><td colspan="2">Property of FLSmidth A/S. This drawing contains confidential, proprietary, and/or trade secret information of FLSmidth A/S. This drawing and/or the information contained therein, may only be used for the limited purposes of evaluating proposals or installing, operating or maintaining FLSmidth® equipment. Disclosure, distribution, duplication, modification, or other use of this drawing and/or the information therein is not permitted without the prior written permission of FLSmidth A/S. © FLSmidth A/S. All rights reserved.</td></tr><tr><td colspan="4">No.: 1001244897</td><td colspan="2">Content Rev.: 1</td></tr></table>																																																		Mat.:	Weight:	Welds: ISO-E	ISO-E 	Sheet	=REFY / 1	List of Assemblies				Replacing:	Next Sheet					Property of FLSmidth A/S. This drawing contains confidential, proprietary, and/or trade secret information of FLSmidth A/S. This drawing and/or the information contained therein, may only be used for the limited purposes of evaluating proposals or installing, operating or maintaining FLSmidth® equipment. Disclosure, distribution, duplication, modification, or other use of this drawing and/or the information therein is not permitted without the prior written permission of FLSmidth A/S. © FLSmidth A/S. All rights reserved.		No.: 1001244897				Content Rev.: 1																																																																																																																																																																																																																																																																																																																																																																																								
Mat.:	Weight:	Welds: ISO-E	ISO-E 	Sheet	=REFY / 1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
List of Assemblies				Replacing:	Next Sheet																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
				Property of FLSmidth A/S. This drawing contains confidential, proprietary, and/or trade secret information of FLSmidth A/S. This drawing and/or the information contained therein, may only be used for the limited purposes of evaluating proposals or installing, operating or maintaining FLSmidth® equipment. Disclosure, distribution, duplication, modification, or other use of this drawing and/or the information therein is not permitted without the prior written permission of FLSmidth A/S. © FLSmidth A/S. All rights reserved.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
No.: 1001244897				Content Rev.: 1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														

	0	1	2	3	4	5	6	7	8	9	
A											A
B											B
C											C
D											D
E											E
F											F
G											G

List of Assemblies

Function (=)	Location (+)	Product (-)	Amount	Designation	Manufacturer	Type
=REFY	+CP02	-T01	1	Industrial Control Transformer 5 kVA, 230/400/460/575 Primary Volts -115/230 Secondary Volts	Acme Electric	CE5000F010
=REFY	+CP02	-TY01	1	Thyristor Power Controller + Keypad + Fuse	ABB	DCT880-W03-0325-05 + J404 +S500
=REFY	+CP02	-TY02	1	Thyristor Power Controller + Keypad + Fuse	ABB	DCT880-W03-0325-05 + J404 +S500
=REFY	+CP02	-TY03	1	Thyristor Power Controller + Keypad + Fuse	ABB	DCT880-W03-0325-05 + J404 +S500
=REFY	+CP02	-X00	7	Feed-through terminal block	Phoenix Contact	3044076
=REFY	+CP02	-X01	38	Feed-through terminal block	Phoenix Contact	3044076
=REFY	+CP02	-X02	24	Feed-through terminal block	Phoenix Contact	3044076
=REFY	+CP02	-X04	20	Feed-through terminal block	Phoenix Contact	3044076
=REFY	+CP02	-X05	4	Feed-through terminal block	Phoenix Contact	3044131
=REFY	+CP02	-X05	9	Feed-through terminal block	Phoenix Contact	3044076
=REFY	+CP02	-X06	4	Feed-through terminal block	Phoenix Contact	3044131
=REFY	+CP02	-X06	5	Feed-through terminal block	Phoenix Contact	3044076
=REFY	+CP02	-X11	6	Feed-through terminal block	Phoenix Contact	3044076
=REFY	+CP02	-MCB01	2	End clamp	Phoenix Contact	3022218
=REFY	+CP02	-MCB09	1	End clamp	Phoenix Contact	3022218
=REFY	+CP02	-MCCB01	1	Circuit-breaker component adaptor	Rittal	9342550
=REFY	+CP02	-MCCB02	1	Circuit-breaker component adaptor	Rittal	9342550
=REFY	+CP02	-MCCB03	1	Circuit-breaker component adaptor	Rittal	9342550
=REFY	+CP02	-MCCB06	1	Circuit-breaker component adaptor	Rittal	9342550
=REFY	+CP02	-MCCB07	1	Circuit-breaker component adaptor	Rittal	9342550
=REFY	+CP02	-MCCB09	1	Circuit-breaker component adaptor	Rittal	9342550
=REFY	+CP02	-U1	1	Baying systems TS 8	Rittal	8406510
=REFY	+CP02	-U2	1	TS Bayed enclosure system, WHD: 600x2000x600 mm, Sheet steel	Rittal	8606500
=REFY	+CP02	-U3	1	Baying systems TS enclosure system, WHD: 800x2000x600 mm, Sheet steel, with mounting plate, single door at the front	Rittal	8806500
=REFY	+CP02	-U4	1	Baying systems TS 8	Rittal	8406510
=REFY	+CP02	-U6	1	DIN rail perforated steel galvanized and passivated with a thick layer,height 7.5 mm, width 35 mm, length: 2000 mm	Phoenix Contact	0801733
=REFY	+CP02	-U10	1	Base tray	Rittal	9342170
=REFY	+CP02	-U12	1	Busbar support PLS	Rittal	9342050
=REFY	+CP02	-U13	1	Busbar support PLS	Rittal	9342050
=REFY	+CP02	-U14	1	Busbar support PLS	Rittal	9342050
=REFY	+CP02	-U16	3	Busbar support PLS	Rittal	9342050
=REFY	+CP02	-U17	1	Busbar support PLS	Rittal	9342050
=REFY	+CP02	-U18	1	Busbar support PLS	Rittal	9342050
=REFY	+CP02	-U19	1	Busbar support PLS	Rittal	9342050
=REFY	+CP02	-U20	1	Busbar support PLS	Rittal	9342050
=REFY	+CP02	-U21	1	Busbar support PLS	Rittal	9342050
=REFY	+CP02	-U22	1	Busbar support PLS	Rittal	9342050
=REFY	+CP02	-U23	1	Busbar support PLS	Rittal	9342050
=REFY	+CP02	-U24	1	Busbar support PLS	Rittal	9342050
=REFY	+CP02	-U25	2	End cover	Rittal	9342070
=REFY	+CP02	-U27	1	Connection adaptor	Rittal	9342320
=REFY	+CP02	-U48	2	Cable duct, CD 60X80, width: 60 mm, height: 80 mm, length 2000 mm	Phoenix Contact	3240199
=REFY	+CP02	-U49	1	Cable duct, CD 60X80, width: 60 mm, height: 80 mm, length 2000 mm	Phoenix Contact	3240199
=REFY	+CP02	-U51	1	Cable duct, CD 60X80, width: 60 mm, height: 80 mm, length 2000 mm	Phoenix Contact	3240199
=REFY	+CP02	-U52	1	Cable duct, CD 80X80,width: 80 mm, height: 80 mm, length: 2000 mm	Phoenix Contact	3240200
=REFY	+CP02	-X00	1	Terminal strip marker carrier,	Phoenix Contact	1004348
=REFY	+CP02	-X00	1	End clamp	Phoenix Contact	3022218
=REFY	+CP02	-X01	4	End cover	Phoenix Contact	3047028
=REFY	+CP02	-X01	1	End clamp	Phoenix Contact	3022218
=REFY	+CP02	-X01	1	Terminal strip marker carrier,	Phoenix Contact	1004348
=REFY	+CP02	-X02	1	End clamp	Phoenix Contact	3022218
=REFY	+CP02	-X02	1	Terminal strip marker carrier,	Phoenix Contact	1004348
=REFY	+CP02	-X04	1	End clamp	Phoenix Contact	3022218
=REFY	+CP02	-X04	1	Terminal strip marker carrier,	Phoenix Contact	1004348
=REFY	+CP02	-X04	1	End cover	Phoenix Contact	3047028
=REFY	+CP02	-X05	2	Terminal strip marker carrier,	Phoenix	

