

An Introduction to Crowbar

Johannes Graßler

Cloud Developer

johannes.grassler@suse.com



Introduction

Crowbar Overview

- Open Source installation and configuration management framework
- Originally started by Dell, continued by SUSE
- Mainly used for SUSE OpenStack Cloud, Ceph, Cloud Foundry
- Configured through Ruby on Rails Web UI and REST API with command line clients


Features

- PXE boot discovery and installation for bare metal nodes
- Easily extensible through *bar clamps*, one per OpenStack component
- Pick and chose from the barclamps you actually need

Barclamps: Crowbar's Configuration Modules


- Chef cookbooks for configuration management
- Default parameters for chef recipes from *data bags*: JSON data with schema
- Barclamp view in Crowbar Web UI for customizing parameters
- Validation code and UI elements in Rails application

Web UI workflow (1)



Web UI workflow (2)

Crowbar Web UI




Crowbar Admin Node

Crowbar Rails
Application


Chef
server

crowbarctl

CLI Client




Node 1




Node 2


Web UI workflow (3)




Web UI workflow (4)




Web UI workflow (5)




CLI/REST API workflow (1)




CLI/REST API workflow (2)




CLI/REST API workflow (3)



CLI/REST API workflow (4)



CLI/REST API workflow (5)



Development: Crowbar Repositories

- Main application: <https://github.com/crowbar>
- Core barclamps: <https://github.com/crowbar-core>
- OpenStack barclamps:
<https://github.com/crowbar/crowbar-openstack>

Development: Contribution workflow

- Fork the repository you intend to contribute to on Github and create a topic branch
- Once you are done with your modifications submit a pull request
- Acceptance Criteria:
 - Two positive reviews
 - All CI tests pass

Development: Getting in Touch

- Mailing list: `crowbar@googlegroups.com`
- IRC: `#crowbar` on FreeNode

Case Study: Creating a New OpenStack Barclamp

Example Barclamp: Barbican

- Example for case study: (The Barbican barclamp)

- See commit

`cc1fea37169a4769257e0894f4363eccd241187a`
for details

- Preparation: Fork

<https://github.com/crowbar/crowbar-openstack> and
create topic branch

Step 1: Creating a Chef Cookbook

*Note: all paths on this slide are relative to
chef/cookbooks/barbican*

- Create Chef recipes in `recipes/`
 - Create 1 or more role recipes to aggregate recipes
- Declare dependencies in `metadata.rb`

Step 2: Parameters in Data Bags

Note: all paths on this slide are relative to `chef/data_bags/`

- Create `template-barbican.schema`: JSON formatted schema. Describes parameter types.
- Create `template-barbican.json`: JSON formatted data structure with default parameters

Step 3: Roles

- Available role recipes need to be know Crowbar App
- Add a role definition for each role recipe in `chef/roles/`.

Step 4: Register Barclamp in the Crowbar App

Note: all paths on this slide are relative to `crowbar_framework/`

Minimal changes:

- Create UI controller:
`app/controllers/barbican_controller.rb`
- Create UI model: `app/models/barbican_service.rb`
- Create UI view:
`app/views/barclamp/barbican/_edit_attributes.html.haml`
- Create UI labels: `config/locales/barbican/en.yml`

Slides and Transcript:
<http://github.com/jgrassler/talks>

Thank you.







Corporate Headquarters
Maxfeldstrasse 5
90409 Nuremberg
Germany

+49 911 740 53 0 (Worldwide)
www.suse.com

Join us on:
www.opensuse.org