

The Augmented Synthetic Historical Control Method

Introduction

The synthetic control method (SCM) of [Abadie et al. \[2010\]](#) is one of the most widely used approaches in panel data econometrics for estimating treatment effects, second only to difference-in-differences. The idea behind SCM is simple: the untreated potential outcomes of a treated unit can be approximated by a weighted average of donor pool units (i.e., untreated or unexposed entities). Numerous extensions have been proposed, including singular value decomposition [[Amjad et al., 2018](#), [Costa et al., 2023](#)], penalized regression models [[Abadie and L’Hour, 2021](#)], Bayesian methods [[Fernández-Morales et al., 2025](#), [Kim et al., 2020](#)], and further refinements [[Abadie, 2021](#)].

Like difference-in-differences, SCM requires a suitable donor pool. In many cases, however, no appropriate donors exist—such as during global events (e.g., pandemics, financial crises) or when comparable untreated units cannot be observed. To address this, [Chen et al. \[2024\]](#) introduced the synthetic historical control method (SHC). Rather than relying on external donors, SHC uses the treated unit’s own pre-treatment history: the pre-treatment period is split into overlapping segments, which serve as a donor pool. A quadratic program then estimates weights over these segments to predict counterfactual outcomes, leveraging the idea that future outcomes resemble past patterns.

SHC, like [Abadie et al. \[2010, 2015\]](#), restricts weights to the simplex, ensuring convex combinations of donor segments. This guarantees interpretability but can be too restrictive in time-series settings where noise or complex dynamics make exact pre-treatment fit unattainable. In such cases, purely convex weights may not provide accurate approximations.

This paper introduces the *Augmented Synthetic Historical Control* method (ASHC). ASHC extends SHC by [Chen et al. \[2024\]](#) in two key ways. First, it relaxes the simplex constraint to an affine constraint, requiring only that weights sum to one. This allows for negative weights, permitting extrapolation beyond the convex hull of observed segments in exchange for better fit. Second, it adds a quadratic proximity penalty that discourages large deviations from the SHC solution, in the spirit of the augmented SCM of [Ben-Michael et al. \[2021\]](#), which encourages the estimator to standard SCM unless extrapolation is needed. ASHC retains, however, the stabilizing Gram penalty from [Chen et al. \[2024\]](#), which regularizes low-variance directions in the donor matrix. Together, these three components yield a new estimator that generalizes SHC to settings of imperfect pre-treatment fit.

We establish the theoretical properties of ASHC. We prove a finite-sample error bound, decomposing the error into four interpretable parts: SHC residual error, a regularization-controlled deviation term, smoothness-induced bias, and noise. We then show that ASHC is asymptotically consistent: as pre-treatment length and smoothing order grow, prediction error converges to the noise floor, and under sub-Gaussian noise, to zero in probability. Finally, we derive the convergence rate, finding that under the optimal bandwidth, the error decays approaches a near-parametric rate. Together, these results demonstrate that ASHC preserves the interpretability of SHC while offering provably stronger error control and asymptotic guarantees.

References

Alberto Abadie. Using synthetic controls: Feasibility, data requirements, and methodological aspects. *Journal of Economic Literature*, 59(2):391–425, 06 2021. URL [10.1257/jel.20191450](https://doi.org/10.1257/jel.20191450).

- Alberto Abadie and J  r  my L’Hour. A penalized synthetic control estimator for disaggregated data. *Journal of the American Statistical Association*, 116(536):1817–1834, 2021. doi: <https://doi.org/10.1080/01621459.2021.1971535>.
- Alberto Abadie, Alexis Diamond, and Jens Hainmueller. Synthetic control methods for comparative case studies: Estimating the effect of california’s tobacco control program. *Journal of the American Statistical Association*, 105(490):493–505, 2010. URL <https://doi.org/10.1198/jasa.2009.ap08746>.
- Alberto Abadie, Alexis Diamond, and Jens Hainmueller. Comparative politics and the synthetic control method. *American Journal of Political Science*, 59(2):495–510, 2015. doi: <https://doi.org/10.1111/ajps.12116>.
- Muhammad Amjad, Devavrat Shah, and Dennis Shen. Robust synthetic control. *The Journal of Machine Learning Research*, 19(1):802–852, 2018.
- Eli Ben-Michael, Avi Feller, and Jesse Rothstein. The augmented synthetic control method. *Journal of the American Statistical Association*, 116(536):1789–1803, dec 2021. doi: 10.1080/01621459.2021.1929245.
- Yi-Ting Chen, Jui-Chung Yang, and Tzu-Ting Yang. Synthetic historical control for policy evaluation. Available at SSRN: <https://ssrn.com/abstract=4995085>, September 2024. URL <http://dx.doi.org/10.2139/ssrn.4995085>.
- Luis Costa, Vivek F. Farias, Patricio Foncea, Jingyuan (Donna) Gan, Ayush Garg, Ivo Rosa Montenegro, Kumarjit Pathak, Tianyi Peng, and Dusan Popovic. Generalized synthetic control for testops at abi: Models, algorithms, and infrastructure. *INFORMS Journal on Applied Analytics*, 53(5):336–349, 2023. URL <https://doi.org/10.1287/inte.2023.0028>.
- Esteban Fern  ndez-Morales, Arman Oganisian, and Youjin Lee. Bayesian shrinkage priors for penalized synthetic control estimators in the presence of spillovers, 2025. URL <https://arxiv.org/abs/2501.08231>.
- Sungjin Kim, Clarence Lee, and Sachin Gupta. Bayesian synthetic control methods. *Journal of Marketing Research*, 57(5):831–852, 2020. doi: 10.1177/0022243720936230.