Job Safety Training Outline

Built to align with DAFI 91-202 paragraph 14.1 requirements.

Unit: 100 Air Refueling Wing

Work Center: Safety

Office Symbol: Not entered

Supervisor: Anthony Coleman / TSgt / NCOIC, Occupational Safety

Phone: 314-238-2255

Reviewer: Anthony Coleman

Review Date: 2026-05-12

Effective Date: Not entered

WORK CENTER OVERVIEW

As a technical advisory body, the 100 ARW Safety Office supports commanders, leadership and supervisors by identifying hazards and recommending risk-mitigation strategies. By evaluating operational environments and providing safety education, we empower supervisors to maintain a mishap free culture. Our objective is simple: to ensure every Airman is equipped to perform their duties safely, protecting our force and our mission partners across RAF Mildenhall.

REQUIRED TRAINING TOPICS

Workplace Hazards
Personal Protective Equipment
Emergency Action and Fire Prevention
Reporting Unsafe Conditions
Reporting Mishaps and Occupational Injury/Illness
CA-10 and LS-201
DAF Traffic Safety Program
DAFVA 91-209
DAFSMS Responsibilities

- **Hazards and controls:** Address task hazards, environmental hazards, governing instructions, and hierarchy of controls including elimination, engineering, substitution, and administrative controls.
- **PPE:** Cover required protective equipment, wear/use procedures, cleaning, maintenance, storage, disposal, and supervisor notification concerns.
- **Emergency response:** Cover emergency action, fire prevention, alarms, AEDs, extinguishers, evacuation, shelter, active shooter response, and emergency contact procedures.

- **Reporting:** Explain unsafe condition reporting, injury/illness reporting, DAF Form 457, SAFEREP access, and anti-retaliation protections.
- **Program awareness:** Include CA-10 / LS-201 location, traffic safety program requirements, DAFVA 91-209 location, and DAFSMS responsibilities.

Hierarchy of Controls

Apply these controls from most effective to least effective when reducing workplace hazards under DAFI 91-202 paragraph 14.1.2.1.4.



Use the highest level of control feasible first. PPE should protect workers only after elimination, substitution, engineering, and administrative controls have been considered.

Active Shooter Response

In the event of an active shooter, individuals should employ the **Avoid, Deny, Defend** response method. This strategy is adaptable to the specific situation and environment.



Avoid (Run): The first and preferred course of action is to evacuate the area if a safe route is available. Maintain awareness of your surroundings and have an escape route planned. Leave your belongings, evacuate regardless of whether others follow, and do not attempt to move wounded people. Once you have reached a safe location, call 911 and provide any information you have.

Deny (Hide): If you cannot evacuate, your next priority is to deny the attacker access to your location. This involves more than just hiding; it means securing your position. Lock and blockade doors with heavy furniture, turn off lights, silence your phone, and remain out of the shooter's view. Remember that concealment only hides you, while cover can offer protection from bullets.

Defend (Fight): As a last resort, when your life is in immediate danger, you must be prepared to defend yourself. Act aggressively and take action against the shooter. Improvise weapons from your surroundings and commit to your actions. Taking action may be risky, but it could be your best or only chance for survival.

When law enforcement arrives: Remain calm, follow all instructions, keep your hands visible with fingers spread, and be prepared to provide information about the shooter's location, number, and description.

DAFSMS FRAMEWORK

DAFSMS uses four pillars and the DAFSMS framework to structure the mishap prevention program through continuous improvement and the Plan-Do-Check-Act model.

Policy and Leadership

Provides the structure for a proactive mishap prevention program through policy, active leadership engagement, and clearly defined responsibilities at every level.

Risk Management

Integrates hazard identification, assessment, and control decisions into daily operations to reduce mishaps and strengthen safety culture.

Assurance

Uses evaluations, monitoring, reviews, and data to confirm the mishap prevention program is implemented and improving over time.

Promotion, Education, and Training

Ensures Airmen and Guardians receive safety awareness information, embedded training, effective risk controls, and active engagement in mishap prevention.

1. Purpose. DAFSMS utilizes the four pillars and the DAFSMS framework to structure the mishap prevention program. Activities associated with each pillar set policy, identify and mitigate hazards and risk, and reduce the occurrence and cost of injuries, illnesses, fatalities, and property damage through continuous improvement and the PDCA model.

2. Policy and Leadership. Safety policy provides the structure for a sound and proactive mishap prevention program. Active leadership involvement in implementation and execution is critical at all levels of command.

3. Risk Management. Ensure the RM process is fully integrated into all safety-related activities to enhance mishap prevention and sustain a proactive safety culture. Refer to DAFI 90-802 and DAFPAM 90-803 for additional detail.

4. Assurance. Safety assurance is how commanders determine whether mishap prevention elements are implemented and guides continuous improvement through evaluation, monitoring, and review.

5. Promotion, Education, and Training. Ensure Airmen and Guardians are provided safety awareness information, organizations have embedded ongoing training into the mishap prevention program, effective risk controls are implemented, and personnel remain actively engaged.

SAFEREP


Report it on
SAFEREP
HAZARDS ARE EVERYWHERE.
SAFEREP
WHAT ARE YOU DOING TO
PREVENT INJURY OR DEATH?
More info about SAFEREP
www.safety.af.mil/home/saferep

SAFEREP is the Department of the Air Force's (DAF) premiere digital safety reporting tool and mobile app. It allows Airmen and Guardians to easily report hazardous conditions, near-misses, unintentional errors, or safety concerns across all disciplines, including workplace, traffic, industrial, flight, weapons, and space safety, directly from their devices anytime and anywhere.

Fully integrated with the Air Force Safety Automated System (AFSAS), it replaces the earlier Airman Safety App and serves as the DAF's only fully digital safety reporting avenue. Users simply answer a short series of questions to submit reports that reach the appropriate Major Command (MAJCOM) safety office quickly and efficiently.

Key Benefits for Job Safety Training:

- **Empowers everyone:** Turns every Airman or Guardian into a proactive sensor for hazard identification, encouraging a strong safety culture where people feel comfortable speaking up without barriers like paperwork or word-of-mouth delays.
- **Prevents mishaps:** Enables early mitigation of risks before they lead to incidents, capturing minor events and near-misses that offer the greatest prevention potential.
- **Simple and accessible:** Mobile-first design makes reporting fast, more efficient than traditional methods, and available on the spot through the app on Google Play and the Apple App Store.
- **Broad coverage and integration:** Supports multiple safety areas and includes specialized features such as Aviation Safety Action Program reporting, improving visibility, tracking, and overall risk management across the force.

This tool strengthens operational readiness by fostering a proactive, data-driven approach to safety. You can download it from the app stores or access it through the official SAFEREP site for more details.

SAFEREP portal: https://saferep.safety.af.mil

Learn more: https://www.safety.af.mil/Home/SAFEREP/

REPORTING UNSAFE EQUIPMENT, CONDITIONS, OR PROCEDURES

Employees must report unsafe equipment, conditions, or procedures to their supervisor immediately. This includes any hazard that could injure personnel, damage equipment, or create an unsafe work process.

Personnel must also be notified that unsafe conditions, work-related injuries, and illnesses may be reported **without fear of retaliation**. Immediate supervisor involvement remains the primary reporting path, with SAFEREP and formal hazard-report channels available when needed.

What To Report

- Unsafe equipment that is broken, damaged, unserviceable, or missing required guards or controls.
- Unsafe conditions or procedures that create a hazard to personnel, operations, or facilities.
- Work-related injuries, illnesses, near-misses, and hazards needing immediate attention.

Immediate Actions

- Notify the supervisor or responsible area lead immediately.
- If the hazard can be safely controlled, stop use and isolate the equipment or area until corrected.
- If the danger is imminent to life or health, evacuate the area and activate emergency response procedures.

Tag use examples: Use the appropriate danger, caution, out-of-order, or do-not-start tag to keep unsafe equipment out of service until the hazard has been corrected and the responsible supervisor authorizes return to use.









Escalation: If the issue cannot be resolved at the lowest level, elevate it through the unit safety representative, DAF Form 457 process, or SAFEREP as appropriate.

USE OF PORTABLE FIRE EXTINGUISHERS

Portable fire extinguishers are intended for small, incipient-stage fires only. Personnel should use an extinguisher only when they have been trained, the fire is small and contained, the correct extinguisher is available, and there is a clear evacuation path behind them.

Use the **PASS** method when operating a portable fire extinguisher: **Pull** the pin, **Aim** at the base of the fire, **Squeeze** the handle, and **Sweep** side to side.

If the fire grows, smoke conditions worsen, or the extinguisher does not control the fire immediately, evacuate the area, activate the local emergency response process, and report the incident to emergency services and supervision.

WORK AREA HAZARD ANALYSIS

Summarize work area hazards, BE survey items, JHAs, JSAs, and other written guidance that support this JSTO.

RISK MANAGEMENT FUNDAMENTALS

Reference: DAFSMS and local RM program guidance.

Address hazard identification, control selection, local escalation expectations, and when RM refresher training must be completed for this work center.

Document how the work center covers RM fundamentals, where refresher files or briefing materials are stored, and how personnel access those resources.

JOB SPECIFIC TRAINING ITEMS

No job-specific modules selected yet.

REFERENCES

OSHA, DAFMAN 91-203 - Air Force Occupational Safety, Fire and Health Standards, DAFI 91-202 - The Department of the Air Force (DAF) Mishap Prevention Program, DAFI 91-204, DAFI 91-207, DAFI 91-223, DAFI 91-224, DODI 6055.07, DAFVA 91-209, DAFI 90-801, DAFI 90-802, DAFI 90-803

REQUIRED DOCUMENTS

- CA-10
  What a Federal Employee Should Do When Injured at Work. Use this as the workplace reference for employee injury reporting and follow-up actions.
- DAF Form 457
  Hazard Report. Use this form to identify, document, and elevate unsafe conditions, equipment, or procedures in the workplace.
- DAFVA 91-209 **UNITS MUST FILL IN THEIR OWN DAFVA 91-209 POSTING/LOCATION INFORMATION.**
  Department of the Air Force Occupational Safety and Health Program visual aid. Keep this available so personnel know the core safety rights, responsibilities, and reporting expectations.
  Location Posted: Enter where DAFVA 91-209 is posted for this work center.
- LS-201
  Notice of Employee's Injury or Death (Non-Appropriated Funds). Use this when applicable for NAF employee injury or death reporting.

DAF TRAFFIC SAFETY PROGRAM

Reference: DAFI 91-207. Requirements of the DAF traffic safety program include mandatory use of seat belts and helmets, speed limits, local traffic hazards, spotters while backing, and vehicle training requirements.
Additionally, brief prohibition or restrictions on electronic-device use while operating vehicles on- or off-base, and discuss motorcycle safety training requirements before riding a motorcycle.

On-Base / Vehicle Operations

- Obey posted speed limits, traffic control devices, and local roadway rules.
- Use installed seat belts and occupant restraints as designed by the manufacturer.

Electronic Devices / Headphones

- Do not use non-hands-free electronic devices while operating a motor vehicle.
- Stop in a safe location before using a phone if hands-free operation is not available.

- Use spotters while backing when required by local policy, task conditions, or vehicle type.
- Complete required GOV, GVO, golf cart, low-speed vehicle, or mission-specific vehicle training before operation.

- Do not wear headphones or listening devices in ways that interfere with hearing traffic, alarms, or emergency warnings.

Motorcycle / ATV Safety

- Complete required motorcycle rider training before riding on a roadway.
- Wear required PPE including helmet, eye protection, gloves, protective clothing, and over-the-ankle footwear.
- Carry proof of required training when applicable and comply with state licensing requirements.

Pedestrian / Bicycle Awareness

- Use caution at crossings, follow traffic controls, and wear visibility gear when exposed to roadway hazards.
- Use required lighting and reflective equipment during darkness, reduced visibility, or inclement weather.



Local Traffic Hazards / Vehicle Notes:
Licensing: All personnel who operate a private motor vehicle or a government motor vehicle will maintain current a 3AF Form 435, 3AF Driving/Fuel Permit United Kingdom.

The 3AF Form 435 will have a motorcycle endorsement annotated on it for motorcycle riders. Motorcycle riders will also have completed an MSF course within three years to operate in the USAFE. Motorcycle riders will in process the squadron Motorcycle Safety Representative prior to riding in the United Kingdom.

Personal Protective Equipment (Motorcycle): Motorcycle operators are required to wear an approved helmet, impact resistant eye protection, long sleeves, long pants, over the ankle shoes/boots, contrasting colors during the day, and a reflective garment in the hours of darkness.

Training: Forklifts, gators, golf carts, special purpose vehicles, All Terrain Vehicles, ect require additional training prior to operation. Training will be conducted with a certified trainer prior to operating these vehicles.

SEATBELTS: Seatbelts are required for all passengers in a vehicle both on and off base. This includes special purpose vehicles that have factory installed seat belts.

ON-BASE TRAFFIC: The speed limit on base is 15 mph unless otherwise posted. Additionally, the speed limit in parking lots, dormitory areas and while approaching the gates is 5 mph. Obey all posted speed limits and traffic/road signs.

Roundabouts. Always give way (yield) to the right and use appropriate turn signals. Never stop while negotiating a roundabout. Here are some general rules for roundabouts:

1). Use the appropriate turning lane

2). Left turn: Left signal on as you approach and through your exit

3). Straight ahead: No turn signal on as you approach and use left signal to indicate you are leaving roundabout

4). Right turn: Right turn signal on as you approach and left signal to indicate you are leaving roundabout

OFF-BASE TRAFFIC: See link below to refer to the UK Highway Code, road safety, and vehicle rules.
http://www.direct.gov.uk/en/TravelAndTransport/Highwaycode/index.htm

Cell Phone Usage: Operators are not allowed to talk on their cell phones while driving in the United Kingdom to include on DOD Installations with the exception of hands free devices.

Operator Fatigue: To reduce the potential for traffic mishaps caused by operator fatigue, personnel are encouraged to apply personal risk management when trip planning on- and off-duty. Periodic breaks should be taken to reduce fatigue and stress. A 14-hour duty day, including driving and all other duties, is the recommended maximum allowed unless under exceptional conditions.

BICYCLES: Bicyclists are reminded that they must follow all traffic rules, wear helmets, and if riding at night, have their bicycle equipped with a headlight and tail light or reflector. Properly fastened and approved bicycle helmets (i.e. American National Standards Institute (ANSI), Snell Memorial Institute, or foreign-made helmet that meets US Standards) are required to be worn when riding a bicycle on base. Bicycles are considered motor vehicle in the United Kingdom and are required to use hand signal and follow United Kingdom traffic laws.

Fog: Fog can make driving very difficult, especially in the winter and spring. With reduced visibility resulting from fog, safe driving speeds are often much less than the posted speed limit. A driver should use his or her car’s low-beam headlights to see ahead

Motorcycle Safety Representatives / Traffic Contacts:
Primary Motorcycle Safety Representative: SMSgt Alden Vasquez / 314-238-4876

Tri-Base Motorcycle Safety Program Manager: Mr. Jeremy S. Curlin / 314-226-7433

Routine Use of GVOs Risk Assessment:

Tab 1. 100 ARW LSV and GVO Roadway Risk Assessment - Signed.pdf
Embedded PDF preview.

DEPARTMENT OF THE AIR FORCE
100TH AIR REFUELING WING (USAFE)
ROYAL AIR FORCE MILDENHALL, UNITED KINGDOM

31 October 2025

MEMORANDUM FOR RAF MILDENHALL PERSONNEL

FROM: 100 ARW/CC

SUBJECT: Low Speed Vehicle (LSV) and Government Vehicle Other (GVO) Roadway Risk Assessment

Reference: DAFI 91-207, 26 July 2019, *The Traffic Safety Program*

1. The 100 ARW has many motorized vehicles that do not meet the definition of a Government Motor Vehicle. These vehicles assist the wing in accomplishing various missions across the base and in some instances are required to drive on installation roadways. In order to manage the risk of driving those vehicles on public roads, DAFI 91-207, *The US Air Force Traffic Safety Program*, paragraph 2.2.2.3. and 2.2.3.1, requires a risk assessment to be approved and signed by the Installation Commander for the routine usage of these GVOs and LSVs in traffic areas.

2. The Attachment, LSV and GVO Roadway Risk Assessment, has determined the risk level to be low. The assessment also identifies control measures to reduce risk and includes unit implementation guidance for driving LSVs and GVOs on roadways.

a. LSVs are any 4-wheeled motor vehicle whose top speed is greater than 20 miles per hour but less than 25 miles per hour, and whose gross vehicle weight rating is less than 3,000 pounds. LSVs will only be driven in traffic areas if the following conditions are met:

1. Routine use of LSVs will be restricted to low-risk roadways of AF installations with speed limits not exceeding 35 miles per hour.

2. LSVs will meet all Federal Motor Vehicle Safety Standards and be identified by the manufacturer as an LSV.

b. The majority of GVOs are off-highway motorized vehicles such as specialty/special purpose vehicles (side by side, utility vehicle), material handling, construction or tactical vehicles. Off-highway vehicles can also include agricultural, recreational, personal conveyance devices, industrial, aviation support for commercial and non-commercial use. GVOs, to include Off-Highway Vehicles, will only be driven in traffic areas if the following conditions are met:

1. Commanders will limit the use of GVOs to off-road areas and tactical operations as much as possible.

2. Users will ensure their movement on, and off AF installations complies with applicable traffic laws and codes.

READY CULTURE

3. Owning organizations will ensure every GVO has a written plan of instruction, IAW AFI 24-301, AFMAN 24-306, and DAFI 91-207 para 4.7, to include identifying vehicle operational environment, usage requirements and manufacturer recommendations.

4. The manufacturer-recommended Personal Protective Equipment (PPE) will be the minimum PPE for Off-Highway Vehicles operated on an AF installation.

3. If you have any questions, please contact the Safety Office at DSN 238-2255.

BYRUM.STEVEN.S.1061714371 Digitally signed by BYRUM.STEVEN.S.1061714371 Date: 2025.11.03 17:48:06 Z

STEVEN S. BYRUM, Colonel, USAF
Commander

Attachment:
DAF 4437 – LSV and GVO Roadway Risk Assessment

Tab 2. DAF 4437 - LSV and GVO Roadway Risk Assessment - Signed.pdf

Embedded PDF preview.

DELIBERATE RISK ASSESSMENT WORKSHEET

AGENCY DISCLOSURE NOTICE: Use of this form is recommended, however, failure to complete a Deliberate Risk Assessment may have a negative effect on mission effectiveness at all levels and lead to failure of preserving assets and safeguarding health and welfare.

Show/Hide Help

AUTHORITY: DoDI 6055.01, AFPD 90-8 and DAFI 90-802. **PRINCIPAL PURPOSE:** Conduct a formal risk assessment and ensure the assessment is properly documented for future evaluation and reference. **ROUTINE USES:** Used to develop and enhance awareness and understanding of at-risk activities and behavior of personnel both on- and off-duty. **SYSTEM OF RECORDS NOTICE:** Not applicable.

1. EVENT/MISSION/TASK OF RISK ASSESSMENT:	CONTROL #:	
A. SHORT NAME (If applicable) On-road operation of non-tactical GVOs and LSVs for RAF Mildenhall	B. START DATE 2025-09-01	C. END DATE

D. DESCRIPTION
IAW DAFI 91-207, The Traffic Safety Program, this Deliberate Risk Assessment Worksheet (DRAW) fulfills Installation Commander authorization for the routine use of non-tactical government-owned/leased Low-Speed Vehicles (LSV) and Government Vehicles Other (GVO) for RAF Mildenhall roadways in traffic, industrial, or pedestrian environments (para. 2.2.2.3. & 2.2.3.1.). LSVs and GVOs may include vehicles that may also be defined as Off-Highway Vehicles (OHV), Utility Vehicles (UTV), specialty/special purpose vehicles, and Other Government Motor Vehicle Conveyances (OGMVC) IAW DAFI 24-302, Vehicle Management.

2. PREPARED BY:

A. LAST NAME, FIRST, MI	B. RANK/GRADE	C. DUTY TITLE/POSITION
Davis-Fisher, Jeremiah, L	TSgt/E-6	Occupational Safety
D. WORK EMAIL jeremiah.davisfisher@us.af.mil	E. PHONE DSN/COMM 238-2255	F. UNIT 100 ARW/SEG

G. UIC/CIN (as required)	H. TRAINING SUPPORT/LESSON PLAN OR OPORD (as required)
	DoDI 6055.04/4500.36, 49 CFR 571, DAFI 91-207, DAFI 24-302, AFI 24-301, AFMAN 24-306

3. SUB-TASK/SUB-STEP AND RISK ASSESSMENT (Fields expand as needed, Add, Remove and Move Sub-Task/Steps with left side controls)

Risk Assessment Matrix		PROBABILITY* Frequency of Occurrence Over Time A Frequent (Continuously experienced)	B Likely (Will occur frequently)	C Occasional (Will occur several times)	D Seldom (Unlikely; can be expected to occur)	E Rarely (Improbable; but possible to occur)
SEVERITY* Effect of Hazard: Catastrophic (Death; Loss of Asset, Mission Capability or Unit Readiness)	I	EH	EH	H	H	M
Critical (Severe Injury or Damage; Significantly Degraded Mission Capability or Unit Readiness)	II	EH	H	H	M	L
Moderate (Minor Injury or Damage; Degraded Mission Capability or Unit Readiness)	III	H	M	M	L	L
Negligible (Minimal Injury or Damage; Little or No Mission Capability or Unit Readiness)	IV	M	L	L	L	L

*See DAFPAM 90-803 for more information.

Risk Assessment Levels: EH=Extremely High H=High M=Medium L=Low

Show/Hide Help

#	A. SUB-TASK/SUB-STEP	B. HAZARD	C. INITIAL RISK LEVEL	D. CONTROL	E. HOW TO IMPLEMENT WHO WILL IMPLEMENT	F. RESIDUAL RISK LEVEL
1	Routinely operating non-tactical GVOs and LSVs on RAF Mildenhall roadways	Operators lacking vehicle-specific training on unique handling characteristics (e.g., high CG & off-road tires) increases the likelihood and severity of mishaps for occupant injury and loss of assets	H (II, C)	Develop vehicle-specific training IAW DAFI 91-207 (para. 1.3.4.10.) using Written Plan of Instructions (POI), and Non-Tactical LSV-GVO (On-Road Only) Training Plans.	Commanders will ensure a vehicle-specific POI is developed, maintained, and trained to all operators	L (IV, E)
2		Failing to utilize required Personal Protective Equipment (PPE) increases the likelihood and severity of mishaps for occupant injury	M (II, D)	Occupants will wear PPE as determined by vehicle manufacturer guidance, training, and Job Safety Training Outline (JSTO)	Shop Supervisors will identify required PPE in vehicle-specific POIs, JSTOs, and manufacturer instructions to enforce use for all occupants.	L (IV, B)

DAF FORM 4437, 20240426

Prescribed by: DAFI 90-802

Show/Hide Help	#	A. SUB-TASK/SUB-STEP	B. HAZARD	C. INITIAL RISK LEVEL	D. CONTROL	E. HOW TO IMPLEMENT WHO WILL IMPLEMENT	F. RESIDUAL RISK LEVEL
+ ▲ - ▼	3		Operating vehicles on roadways 10mph over the vehicle's top speed reduces reaction times for faster vehicles and increases the likelihood and severity of mishaps for occupant injury and loss of assets	M (II, D)	Operators will not travel on roadways with speed limits that are greater than 10mph over the vehicle's top speed (i.e., if vehicle's top speed is 25mph stay off roadways that are 40mph)	Shop Supervisors will identify any applicable roadway limitations within vehicle-specific POIs and enforce these route limitations for vehicle operators	L (IV, E)
+ ▲ - ▼	4		Transporting more passengers than there are seats with seat belts increases the likelihood and severity of mishaps for occupant injury	M (II, D)	Operators will not allow more passengers than the vehicle is designed to transport	Shop Supervisors will identify the allowed amount of occupants within vehicle-specific POIs and enforce this requirement	L (IV, E)
+ ▲ - ▼	5		Operating vehicles on roadways, and backing or loading/unloading, with a limited or obstructed view increases the likelihood and severity of mishaps for untrained spotter injury and loss of assets	M (III, C)	Operators will ensure all required vehicle safety equipment is installed and operable, and will utilize spotter safety and hand/arm signal requirements	Shop Supervisors will identify required vehicle safety equipment, and provide training on spotter safety that includes standard AF hand/arm signaling, within vehicle-specific POIs and enforce these requirements	L (IV, E)

G. COURSE OF ACTION
Units owning these types of vehicles and supporting organizations will adhere to all guidance and controls identified in this DRAW.

H. OVERALL RISK LEVEL AFTER CONTROLS ARE IMPLEMENTED	I. PREPARER SIGNATURE
LOW (II-E; III-D&E; IV-B to E	DAVISFISHER.JEREMIAH.LLOYD.1134784926 Digitally signed by DAVISFISHER.JEREMIAH.LLOYD.1134784926 Date: 2025.08.20 14:24:52 +01'00'

4. ATTACHMENTS (Once the preparer has signed files can be viewed only) ☐ Include Attachments

5.APPROVAL COORDINATION (Add Coordination as Applicable/Limited to 3) ☒ Approval Coord 1 ☒ Approval Coord 2 ☐ Approval Coord 3

5.1.A. ORG/OFFICE	5.1.B. DUTY TITLE/POSITION	5.1.C. NAME, RANK/GRADE
100 ARW/SE	Chief of Safety, 100 ARW	Bradley E. Sutton, Lt Col/O-5

5.1.D. COORDINATION 1 COMMENTS

5.1.E. COORDINATION 1 ACTION	5.1.F. DATE	5.1.G. COORDINATION 1 SIGNATURE
Concur	2025-10-20	SUTTON.BRADLEY.E.1277536826 Digitally signed by SUTTON.BRADLEY.E.1277536826 Date: 2025.10.20 15:43:49 +01'00'

5.2.A. ORG/OFFICE	5.2.B. DUTY TITLE/POSITION	5.2.C. NAME, RANK/GRADE
100 ARW/CD	Deputy Commander, 100 ARW	Jonathan C. O'Dell, Colonel/O-6

5.2.D. COORDINATION 2 COMMENTS

5.2.E. COORDINATION 2 ACTION	5.2.F. DATE	5.2.G. COORDINATION 2 SIGNATURE
Concur	2025-10-31	ODELL.JONATHAN.C.1270109930 Digitally signed by ODELL.JONATHAN.C.1270109930 Date: 2025.10.31 13:02:32 Z

6. RISK ACCEPTANCE AUTHORITY (Once signed form will lock except "Risk Assessment Review" and "Feedback and Lessons Learned")

A. APPROVAL/DISAPPROVAL OF EVENT/MISSION	B. APPROVER LAST NAME, FIRST, MI	C. RANK/GRADE
Approved	Byrum, Steven, S	Colonel/O-6

D. APPROVER COMMENTS

E. DUTY TITLE/POSITION	F. DATE	G. APPROVER SIGNATURE
Commander, 100 ARW	2025-10-31	BYRUM.STEVEN.S.1061714371 Digitally signed by BYRUM.STEVEN.S.1061714371 Date: 2025.11.03 17:48:35 Z

7. FEEDBACK AND LESSONS LEARNED

8. ON-GOING RISK ASSESSMENT REVIEW (Applies to on-going Operations/Activities (limit 10)) ☐ Include On-Going Risk Assessment

EMERGENCY INFORMATION

- **Emergency Numbers:**
  Calling from DSN dial 911. Calling from Cell Phone dial 999. Tell operator of your location on RAF Mildenhall and state your emergency condition.

  A. Fire:

  911 / 999 - once you've contacted emergency dispatcher notify them of a fire and they will call the fire department.

  B. Hazardous Material Spill:

  911 / 999 - Notify the dispatcher of the situation and they will proceed in assisting you.

  C. Ambulance:

  911 / 999 - Notify the dispatcher of injury or illness and they will proceed in assisting you.

  D. Security Forces (BDOC):

  314-238-2444 / 01638542255

  E. Wing Safety:

  314-238-2255 / 01638542255

  F. Command Post:

  314-238-2121 / 01638542255

  G. Bio-Environmental Engineering:

  314-226-8047 / 01638528047

  H. Public Health:

  314-226-8777 / 8774 / 01638528777 / 01638528774
- **Medical Facility / Treatment:**
  RAF Lakenheath
- **Evacuation / Muster Point:**
  Not entered
- **Shelter in Place:**
  Not entered
- **Active Shooter Response Methods:**
  Not entered
- **Adverse Weather Shelter:**
  Not entered

No evacuation route image uploaded.

EMERGENCY EQUIPMENT AND SAFETY BOARD

Safety Bulletin Board Location: Hallway

List fire pull stations, extinguishers, power cutoffs, eyewash stations, AEDs, foam systems, and any local fire/emergency equipment notes.

No emergency equipment maps or photos uploaded.

DOCUMENTATION AND REVIEW

Document initial, refresher, and task-specific training in the work center record, review annually or when work conditions change, and maintain records per local records management requirements.

No DAF Form 1118 files uploaded.

No Bioenvironmental Workplace Survey uploaded.

Annual Review History:
Each annual review entry is shown in the table below.

Supervisor Name	Date Reviewed	Contact Info
Anthony Coleman	05/12/2026	314-238-2255