

Job Safety Training Outline

Built to align with DAFI 91-202 paragraph 14.1 requirements.



Unit: 627 CES

Work Center: Exterior Electrical

Work Area / Office Symbol: Exterior Electric/ Building 557 / CEOFE

Phone: 2539822481

Supervisor: Isaac Wright / SSgt / NCOIC

Reviewer: Isaac Wright / SSgt / NCOIC

Review Date: 2026-06-18

Effective Date: 2026-06-18

Work Center Overview

Delivers critical electrical support for the DoW's largest Joint Base encompassing 4.1K facilities & a \$50B infrastructure. Maintains 2 airfield lighting systems supporting 40 C-17s & 132 helicopters valued at \$121B. Ensures strict compliance with safety regulations (Unified Facilities Criteria, National Electric Code & Army Corps of Engineers) & upkeeps a \$495K emergency airfield lighting system.

Work Area Hazard Analysis / JHA Notes

Material Handling: Always lift with your legs, not your back. Squat down, grasp the item close to your body, and lift straight up. Do not twist your body to turn. If you need to turn, pivot on your heels in the direction you need to turn. Avoid any unnecessary twisting and lower the item in the same way you lift it. If you need help lifting an object because it is too heavy or awkward, ask for assistance

Walking/Working Surfaces: Walk, don't run. Be aware of items (cords, loose carpet, pencils, paper, ETC...) that may cause you to slip/trip and fall. Climb stairs facing forward, stay to the right side, use the handrail and avoid distractions that may cause you to fall. Do not run up or down stairs.

Stairwell Safety: Do not run up or down stairs, always use hand rails. Do not skip steps if in a hurry. If carrying packages, be sure of your footing. When climbing stairs stay to your right. When going down stairs stay to your right. Report any damage to stairs or hand rails to building manager.

Electrical Hazards: Computers and other electrically powered equipment are used in the office environment. Ensure all electrically operated equipment has a ground prong, if manufactured with one, and that all prongs are securely attached. When plugging and unplugging electrical equipment, grasp the base of the cord. Frequently inspect cords for damage. If you feel a shock or tingling sensation when touching a piece of equipment, turn it off at the power strip or circuit breaker and notify your supervisor. Multiple plug adapters will not be used solely as wiring to provide additional or more convenient outlets. Power strips should only support low wattage equipment. Do not plug in coffee makers, microwaves, refrigerators, etc. into them. In addition, do not plug any higher amperage devices into modular furniture (microwaves, toasters, refrigerators), as the wiring inside is not designed to carry these loads and a fire may result.

Hand Tool Safety: You may occasionally be required to use tools in the office. Ensure you always cut away from your body. Do not carry and/or store unguarded blades or sharp objects in your pockets or desk drawers. Here are assortments of hand tools that may be used in an office environment. Ensure that all tools are used for the purposes for which they were designed. Inspect tools prior to use. If an unsafe tool is found, remove it from service and report it to your supervisor.

Repetitive Motion Hazard: Repetitive tasks such as typing may create problems for some individuals. To avoid such problems, alternate tasks to prevent your over-exertion of a particular body part or series of parts. Your supervisor should provide you with the latitude to alternate tasks without hindering mission effectiveness. Schedule your daily tasks with this in mind.

Office Safety: Desks, tables, and many other pieces of office furniture have sharp corners that can cause injury. Use caution particularly when walking around desks. Open file cabinet drawers one at a time to prevent possible tipping. Desk and cabinet drawers should never be left unattended in the open position. Position office equipment in a manner that egress and ease of movement is not hampered. Proper sitting is important. Employees leaning back or sitting on the front edge of the seat creates mishaps/falls from chairs.

Flight Line Hazards: Do not operate any vehicle on the flight line unless you have received flight line driver training and are in possession of a current AF Form 483. The flight line is a designated Hazardous Noise Area. Always carry appropriate hearing protection with you and wear it. Stay clear of RF radiation hazard areas, which are cordoned off by Avionics personnel during radar tests.

Working with High Voltage Distribution System up to 13.8 KV: (Live-line maintenance is strictly prohibited as outlined in AFI 32-1064.) The only provision to this is when authorized by the JBLM Commander or equivalent to support a critical mission, prevent injury to persons, or protect property. Further guidance is available in AFI 32-1064.

Working on energized and deenergized circuits (LOTO 29CFR 190.147, AFOSH Std. 91-501) : When working on energized or de-energized circuits, all circuits must be treated as if they were live. Lockout &

Tagout/Safe Clearance 269 must be used at all times

Working at heights above 4 feet (Fall Protection) (29CFR 190.66, AFOSH Std. 91-501): Ensure all ladders utilized are made of fiberglass and are in serviceable condition. When working from high-reach vehicles or aerial platforms, hard hats and body harnesses will be utilized with no exceptions.

Working with or around Hazardous Substances: (HAZCOM 29CFR 1910. 1200, AFI 90-821) Hazardous substance can be found in transformers and switchgears which are called PCB's. Chemicals you may work with or are exposed to can be harmful. Most substances are located in our MSDS binder and must be on AUL. Know who your Environmental Control Officer is. HAZCOM and Asbestos awareness training are to be completed annually and annotated in AF Form 55.

Working with hazards within the work area of the Active Flight-line: When working around air dome, personnel must be aware of surroundings at all times for aircraft and vehicles. When working on airfield circuits, all circuits must be de-energized prior to work. When working on airfield workers must be in contact with McChord Ground at all times. Drivers must have a valid airfield license to operate vehicles on flight-line.

Flight-line Driving: All personnel will be qualified and permitted before operating vehicles and (or) equipment on the flight-line. Upon completion of training, issue of AF Form 483, Certificate of Competency, endorsed for flight-line driving.

Working with Confined Spaces and oxygen deficient areas: (29CFR 1910.146, DAFMAN 91-203 Confined Spaces program.) Confined spaces are defined as an enclosed area with one way in and one way out, such as manholes. Consider all manholes to be permit required until proper testing and monitoring has been accomplished. No one will enter manholes without the proper permit clearance.

Working on or around hazardous noise areas: (29CFR 1910.95, & AFOSH STD 48-20) Upon assigned to shop, personnel must report to Environmental Health for proper fitting of ear plugs. Supervisor must insure personnel have annual audiogram at Occupational Health Medical Examination. When working around machinery or loud noise personnel must wear earplugs/muff/ear defenders.

Asbestos Awareness: Shop personnel will be trained on asbestos awareness. OSHA Class IV Asbestos Training Safety OJT. They will know how to identify the hazards of asbestos and how report it. Training is documented in AF Form 55.

Electrical Cleaning Operations: Cleaning of electrical contacts and other electrical components is normally done with contacts cleaners. These cleaners are normally sprayed on and remove dirt grease and oil condensation. Manual application and wiping with dry cloth can also be accomplished. In addition dry/air cleaning and vacuuming afterwards is also common in tight and sensitive areas.

Electrical Sealing and Bonding: Electrical repair maintenance tasking requires the use of adhesives, glues and other bonding agents to adhere or join electrical parts and components. Also includes sealant and caulk used to seal or cover and close cracks, gaps, and openings. This activity is only geared towards electrical systems maintenance and repairs.

Disassembly and Inspection: This includes visual inspection, removal and installation of minor or major components, parts, hardware... etc. It can be part of maintenance or repair, accomplished in order to replace a malfunctioning or worn part or as part of a preventative maintenance requirement. It could be accomplished in less controlled environments which might expose personnel to hazardous noise, confined spaces, explosive atmospheres, and larger quantities of pools or other chemicals. It may also require the handling of objects and fixtures that are heavy.

Manual and Powered Hoist: Operator training and extensive workplace precautions will be developed

and used when moving large, heavy loads. Safety issues considering both the operator and worker while usage of such diverse "lifting" devices when in proximity to them. See shop lesson plan, manufacture training material or State specific lesson plans.

Wearing Jewelry in Workplace: Wearing jewelry (finger rings/necklace) should be restricted. **WARNING:** Placing tape over rings or wearing gloves on the hand with a ring does not provide protection or eliminate this requirement. Must protect yourself from electrical shock at all times.

Portable and Fixed Ladder Safety: Safe use of ladders requires proper climbing practices at all times. Ensure to check for ladder defects and slippery substances, wear slip-resistant shoes with heels, never jump from ladder, and remove hand jewelry prior to climbing. Do not stand on top step of any ladder.

Walking/Working Surfaces: Tripping hazards, water or other material on the floor often cause employees to trip/slip and fall. Maintain alertness while walking. Beware of loading dock edges. Practice good situational awareness.

Housekeeping: Ensure your work area is kept neat and clean at all times. Do not store excessive amounts of combustibles in an office environment. Clean up spills as soon as they occur. Good housekeeping practices reduce the possibility of fires and injuries. Dispose of perishable food as needed.

Controlled Access Areas: Do not attempt to enter controlled access areas without proper clearance.

Designated Smoking Areas: No smoking is allowed inside any building on base. Smoking is permitted only in designated Tobacco Use Areas. The smoking area for this building is located next to the outside shed on the north side of the building.


Required Training Topics

Workplace Hazards
Personal Protective Equipment
Emergency Action and Fire Prevention
Reporting Unsafe Equipment, Conditions, or Procedures
Mishap, Occupational Injury, and Illness Reporting
CA-10 and LS-201
DAF Traffic Safety Program
DAFVA 91-209 Location and Content
DAFSMS Responsibilities

- **Workplace hazards:** Describe crushing, burn, chemical, ladder, weather, flight line, and noise hazards specific to the work center, plus the technical orders, JHAs, and instructions workers must follow.
- **Personal protective equipment:** Train employees on required PPE, including donning, doffing, cleaning, maintenance, storage, disposal, and reporting contact-lens or medical issues that could affect wear.
- **Emergency action and fire prevention:** Cover alarms, AEDs, extinguishers, evacuation routes, shelter locations, and response procedures tied to the work center.
- **Reporting unsafe conditions:** Instruct personnel to report unsafe equipment, conditions, procedures, and injuries without fear of reprisal, including use of DAF Form 457 and applicable reporting channels.
- **Mishap / injury / illness reporting:** Explain on-duty and off-duty reporting requirements, medical treatment procedures, and emergency response contacts.
- **Traffic safety:** Brief seat belt, speed limit, spotter, electronic device, and motorcycle safety requirements applicable to the work center.
- **DAFVA 91-209 and DAFSMS:** Review the location of DAFVA 91-209 and how workers contribute to the unit safety management system.

Hierarchy of Controls

Apply these controls from most effective to least effective when reducing workplace hazards under DAFI 91-202 paragraph 14.1.2.1.4.



Use the highest level of control feasible first. PPE should protect workers only after elimination, substitution, engineering, and administrative controls have been considered.

Active Shooter Response

In the event of an active shooter, individuals should employ the **Avoid, Deny, Defend** response method. This strategy is adaptable to the specific situation and environment.

Responses to an Active Shooter include:

Avoid (RUN),

Deny (HIDE),

Defend (FIGHT)

Adapt your response to the weapons used:

Ricocheting bullets

Shrapnel and secondary missiles

Cover vs Concealment

An active shooter situation may be over within 15 minutes, before law enforcement arrives.


Avoid (Run): The first and preferred course of action is to evacuate the area if a safe route is available. Maintain awareness of your surroundings and have an escape route planned. Leave your belongings, evacuate regardless of whether others follow, and do not attempt to move wounded people. Once you have reached a safe location, call 911 and provide any information you have.

Deny (Hide): If you cannot evacuate, your next priority is to deny the attacker access to your location. This involves more than just hiding; it means securing your position. Lock and blockade doors with heavy furniture, turn off lights, silence your phone, and remain out of the shooter's view. Remember that concealment only hides you, while cover can offer protection from bullets.

Defend (Fight): As a last resort, when your life is in immediate danger, you must be prepared to defend yourself. Act aggressively, improvise weapons from your surroundings, and commit fully to your actions. Taking action may be risky, but it could be your best or only chance for survival.

When law enforcement arrives: Remain calm, follow all instructions, keep your hands visible with fingers spread, and be prepared to provide information about the shooter's location, number, and description.

DAFSMS uses four pillars and the DAFSMS framework to structure the mishap prevention program through continuous improvement and the Plan-Do-Check-Act model.



Policy and Leadership

Safety policy provides the structure for a proactive mishap prevention program. Active leadership involvement at every level is critical to implementation and sustained execution.

Risk Management

Integrate risk management into all safety-related activities so hazards are identified early, controls are implemented, and the safety culture stays proactive.

Assurance

Use evaluations, monitoring, and review processes to measure conformance to standards and drive continuous improvement across the mishap prevention program.

Promotion, Education, and Training

Provide safety awareness, embed ongoing training, implement effective controls, and keep airmen and guardians actively engaged in mishap prevention.

Department of the Air Force SMS Framework

Policy and Leadership

- Leadership planning, organization, direction, and control
- Management roles, responsibilities, and relationships
- Procedures and controls that are developed, documented, maintained, and monitored
- Safety and quality balance, integration, and goal setting

Risk Management

- Hazard identification through mission/task analysis and hazard lists
- Hazard assessment using exposure, probability, severity, and risk level
- Control options, effects, prioritization, selection, and decisions
- Implementation, communication, accountability, support, supervision, and feedback

Assurance

- Performance requirements, expectations, and control effectiveness
- Continuous monitoring, self-inspections, internal and external inspections
- Mishap and event investigation, reporting, metrics, and improvement opportunities
- Change management and continuous improvement actions

Promotion, Education, and Training

- Culture built on informed, flexible, learning, just, and reporting behaviors
- Competency through training and education
- Awareness through internal communication, external communication, and information access

Job Specific Training Items

The following modules apply to this work center and should be reviewed with trainees before task performance.

Hazardous Energy Control Hazard Communication Bloodborne Pathogens Hearing Conservation Confined Space Program Manual and Powered Hoists Respiratory Protection Program Vehicle Mounted Elevated Work Platforms Fall Arrest Systems Forklift / Material Handling Equipment Pole / Tower Climbing CPR Training Flight Line Driving Fetal Protection Program Electromagnetic Field Training Ladder Safety Active Shooter Response Government Vehicle / Utility Vehicle Use Manual Lifting and Material Handling Fire Protection and Prevention Jewelry / Loose Articles Restrictions

- **Hazardous Energy Control:** Document initial and refresher training when job assignments, machines, processes, or energy control procedures change, or when inspections show employee knowledge gaps. Train authorized employees to recognize hazardous energy sources, the type and magnitude of energy present, and the methods and means for isolation and control. Train affected employees on the purpose and use of lockout/tagout procedures, and instruct all other employees on the prohibition against restarting locked or tagged equipment. DAFMAN 91-203 - Air Force Occupational Safety, Fire and Health Standards, Chapter 21; 29 CFR 1910.147 - The control of hazardous energy (lockout/tagout)
- **Hazard Communication:** Reference: DPW OMD Safety Program, AFI 90-821, Hazard Communication, and 29 CFR 1910.1200. Commanders must ensure supervisors and employees who handle, use, or are potentially exposed to hazardous materials/chemicals in the course of official AF duties are provided information and training on the AFHCP and the specific hazards in their work areas. Normally, employees working in administrative areas do not have exposures to hazardous materials/chemicals. However, there may be occasions when employees are exposed.

Examples may be when they handle paints, adhesives, oils, petroleum products, etc. during minor "self-help" type construction/facility up-keep or other miscellaneous details. These individuals do not require HAZCOM training unless they are working with chemicals that require a Safety Data Sheet (SDS) or otherwise directed by Public Health or Bioenvironmental. Personnel require both Federal and Work center specific HAZCOM training. Training must be conducted upon initial work area assignment and whenever a new hazard is introduced into the work area. Initial training will occur before employees are exposed to hazardous materials. Supervisors must ensure training is documented on the AF Form 55, Employee Safety and Health Record. Documentation will be added in Section V of AF Form 55 as: "Federal Hazard Communication Training Program (FHCTP)" for the initial training and "Workplace Specific FHCTP" for each presentation of specific workplace hazard information. Workers should be familiar with locations of SDSs and have a basic knowledge of their use and information. Workplace Supervisors will: Maintain a Workplace Specific Hazard Communications binder with identified hazardous or controlled chemicals maintained and/or stored within the workcenter and procedures/processes involving them. Order all potentially hazardous materials through the Hazmat Pharmacy. Identify all operations, including non-routine tasks, involving hazardous chemicals. Ensure supervisor and worker hazardous materials training are accomplished. Request technical training assistance from Public Health Flight, as deemed necessary.

- **Bloodborne Pathogens:** Reference: DPW OMD Safety Program, 29 CFR 1910.1030 OSHA STD 29 CFR 1910.1030 defines bloodborne pathogens as pathogenic microorganisms that are present in human blood and can cause disease in humans. These pathogens include, but are not limited to, hepatitis B virus (HBV) and human immunodeficiency virus (HIV). Occupational Exposure means reasonably anticipated skin, eye, mucous membrane, or parenteral contact with blood or other potentially infectious materials that may result from the performance of an employee's duties. Other Potentially Infectious Materials means (1) The following human body fluids: semen, vaginal secretions, cerebrospinal fluid, synovial fluid, pleural fluid, pericardial fluid, peritoneal fluid, amniotic fluid, saliva in dental procedures, any body fluid that is visibly contaminated with blood, and all body fluids in situations where it is difficult or impossible to differentiate between body fluids; (2) Any unfixed tissue or organ (other than intact skin) from a human (living or dead); and (3) HIV-containing cell or tissue cultures, organ cultures, and HIV- or HBV-containing culture medium or other solutions; and blood, organs, or other tissues from experimental animals infected with HIV or HBV. Source Individual means any individual, living or dead, whose blood or other potentially infectious materials may be a source of occupational exposure to the employee. Examples include, but are not limited to, hospital and clinic patients; clients in institutions for the developmentally disabled; trauma victims; clients of drug and alcohol treatment facilities; residents of hospices and nursing homes; human remains; and individuals who donate or sell blood or blood components. All individuals will report to first line supervisor if possible contact with any bloodborne pathogen has been made. Once reported will immediately report to closest medical treatment facility for evaluation.
- **Hearing Conservation:** AFI 48-127, Occupational Noise and Hearing Conservation. Hearing protection will be worn whenever noise levels are above 85dB. An annual audiogram is required for all individuals who work in an environment where noise levels that exceed the Air Force 85dB levels for safe noise environments. Hearing protection is required to be worn whenever traveling to the flightline. Ensure that all personnel know when regular and double hearing protection is required.
- **Confined Space Program:** DPW OMD Safety Program, DAFMAN 91-203, Confined Spaces, and 29 CFR 1910.146. IAW DAFMAN 91-203, "Confined Space" means a space that: Is large enough and so configured that an employee can bodily enter and perform assigned work. NOTE: "Entry" means the action by which a person passes through an opening into a permit-required confined space. Entry includes ensuing work activities in that space and is considered to have occurred as soon as any part of the entrant's body breaks the plane of an opening into the space. Has limited or restricted means for entry or exit (for example tanks, vessels, silos, storage bins, hoppers, vaults, and pits are spaces that may have limited means of entry) And is not designed for continuous employee occupancy. Personnel must NEVER enter a confined space unless trained to

do so. THIS INCLUDES RESCUE; call 911, do not attempt to rescue someone as you will likely end up as a casualty!

- **Manual and Powered Hoists:** DAFMAN 91-203, Chapter 35, Material Handling Equipment
- **Respiratory Protection Program:** DPW OMD Safety Program, Use AF Form 2767, Occupational Health Training and Protective Equipment Fit Testing (LRA). Reference: AFOSH Standard 48-137, Respiratory Protection Program.
- **Vehicle Mounted Elevated Work Platforms:** DAFMAN 91-203.
- **Fall Arrest Systems:** DAFMAN 91-203, Chapter 13, Fall Protection, 29 CFR 1910.66 and 29 CFR 1926.503
- **Forklift / Material Handling Equipment:** DPW OMD Safety Program, DAFMAN 91-203, Chapter 35, and 29 CFR 1910.178.
- **Pole / Tower Climbing:** DAFMAN 91-203, Communication Cable, Antenna and Communication Electronic (CE) Systems, or other safety guidance
- **CPR Training:** DAFMAN 91-203, Chapter 1, Introduction
- **Flight Line Driving:** DAFMAN 91-203, Chapter 24, Aircraft Flight Line Ground Operations and Activities, and other governing directives.
- **Fetal Protection Program:** DPW OMD Safety Program, AFI 48-145. Note: Air Force Reserve AFRCI 41-104, Pregnancy of Air Force Reserve Personnel.
- **Electromagnetic Field Training:** Use approved EMF hazard assessments and local instructions to brief workers on hazard zones, signs, and restrictions before exposure. Provide task-specific training on electromagnetic field hazards, posting requirements, access controls, and reporting expectations where EMF sources are present. DAFI 48-109
- **Ladder Safety:** DPW OMD Safety Program, DAFMAN 91-203, Chapter 7, Walking Surfaces, Guarding Floor and Wall Openings, Fixed Industrial Stairs, and Portable and Fixed Ladders.
- **Active Shooter Response:** Lock down in place at both Exterior (Building 566) and Interior (Building 2045). Barricade entryways and turn off lights while keeping quiet.
- **Government Vehicle / Utility Vehicle Use:** Brief operators on unit-specific government vehicle training requirements, local route restrictions, low-speed vehicle rules, and documentation of qualification. Train vehicle operators on seat belts, speed limits, local traffic hazards, spotter use while backing, and restrictions on electronic device use while driving. DAFI 91-207; local procedures
- **Manual Lifting and Material Handling:** Provide verbal and written guidance on manual lifting, lifting devices, and local reporting actions for strain or overexertion symptoms. Train workers on proper lifting techniques, team lifting, load assessment, and use of lifting aids to reduce musculoskeletal injury risk. DAFMAN 91-203 - Air Force Occupational Safety, Fire and Health Standards, Chapter 20
- **Fire Protection and Prevention:** Use the JSTO and local fire prevention plan to brief workers on work-center fire hazards, alarm reporting, extinguisher use, and evacuation accountability. Train personnel on fire hazards, reporting procedures, extinguisher locations, evacuation routes, pull stations, and local emergency response actions. DAFMAN 91-203 - Air Force Occupational Safety, Fire and Health Standards; local fire prevention plan
- **Jewelry / Loose Articles Restrictions:** DAFMAN 91-203, Chapter 9, Jewelry, and applicable technical orders. The supervisor should evaluate all jewelry before an individual begins work. Finger rings and jewelry (to include watches) will not be worn by personnel engaged in the following activities or operations: Climbing or ascending/descending where the ring (or jewelry) may catch on an object resulting in an injury. Performing aircraft maintenance Certain materials handling operations. Work where workers are exposed to moving machinery. Any type of work or inspection where an individual is exposed to electrical circuits. When working with or around aircraft or vehicle batteries.

References

Personal Protective Equipment - Reference: 29 CFR 1910.132, AFI 91-203, Chapter 14; Hazardous Energy Control (Lockout/Tagout) - Reference: 29 CFR 1910.147 - The control of hazardous energy

(lockout/tagout) and AFI 91-203, Chapter 21, Hazardous Energy Control (Lockout Tagout); Hazardous Communication - Reference: AFI 90-821 - Hazard Communication (HAZCOM) Program, Hazard Communication, and 29 CFR 1910.1200 - Hazard Communication; Bloodborne Pathogens - Reference: 29 CFR 1910.1030 - Bloodborne Pathogens; Hearing Conservation - Reference: AFOSH Standard 48-20, Occupational Noise and Hearing Conservation Program; Confined Space Program - References: AFI 91-203, Chapter 23, Confined Spaces, and 29 CFR 1910.146 - Permit-required confined spaces; Manual and Powered Hoist - References: AFI 91-203, Chapter 35, Material Handling Equipment; Respiratory Protection Program (AF Form 2767 - Occupational Health Training & Protective Equipment Fit Testing) - References: AFOSH Standard 48-137, Respiratory Protection Program; Vehicle Mounted Elevated Work Platforms, Self-Propelled and Manual Platforms - References: AFI 91-203, Chapter 16, Mobile Elevating Work Platforms; Fall Arrest Systems - Reference: AFI 91-203, Chapter 13 Fall Protection, 29 CFR 1910.66 - Powered platforms for building maintenance and 29 CFR 1926.503 - Training requirements; Forklift - Reference: AFI 91-203, Chapter 35, and 29 CFR 1910.178 - Powered industrial trucks; Explosives Safety Training - Reference AFMAN 91-201 Explosives Safety Standards; Pole/Tower Climbing - AFI 91-203, Chapter 30, Communication Cable, Antenna and Communication Systems; Jewelry in Workplace - Reference: AFI 91-203, Chapter 9, Jewelry, and applicable technical data; Portable and fixed ladder safety - Reference DPW OMD Safety Program, AFI 91-203, Chapter 7, Walking Surfaces, Guarding Floor and Wall Openings, Fixed Industrial Stairs, and Portable and Fixed Ladders; Cardiopulmonary Resuscitation (CPR) - Reference: AFI 91-203, Chapter 1, Introductions; Flight Line Driving - Reference: AFI 91-203, Chapter 24, Aircraft Flight Line 0 Ground Operations and Activities, and other governing directives; Fetal Protection Program - (Job Specific) Reference: DAFI 48-145 - Occupational and Environmental Health Program. NOTE: Air Force Reserve - AFRCI 41-104 - Professional Board and National Certification Examinations, Pregnancy of Air Force Reserve Personnel; Medical Surveillance Examination - Reference: DAFI 48-145 - Occupational and Environmental Health Program

Required Documents

- [CA-10](#)
What a Federal Employee Should Do When Injured at Work. Use this as the workplace reference for employee injury reporting and follow-up actions.
- [DAF Form 457](#)
Hazard Report. Use this form to identify, document, and elevate unsafe conditions, equipment, or procedures in the workplace.
- [DAFVA 91-209](#) **UNITS MUST FILL OUT THEIR OWN LOCATION POSTED**
Department of the Air Force Occupational Safety and Health Program visual aid. Keep this available so personnel know the core safety rights, responsibilities, and reporting expectations. **Location Posted:** Enter where DAFVA 91-209 is posted for this work center.
- [LS-201](#)
Notice of Employee's Injury or Death (Non-Appropriated Funds). Use this when applicable for NAF employee injury or death reporting.

Emergency Information

- **Emergency Numbers:** Emergency: 911

Non-Emergency Assistance:

253-912-4442

253-912-4446

- **Medical Facility / Treatment:** Madigan Army Medical Center is located on Lewis Main and is on Jackson Ave. The emergency room is located on the north side of the building. All active duty military personnel, whether full-time or part-time, are authorized to use the hospital for emergency treatment.

For non-emergencies, appointments must be made at McChord medical appointment line, phone number: 1-800-404-4506. Dental services are also available at McChord by calling 982-5505. Call 911 for emergencies.

Air Force and DoD civilian personnel must complete a Form CA-1 or CA-6 (obtained from supervisor/safety representative). This should be completed as soon as possible after medical treatment is sought. Contact the civilian personnel office for assistance.

- **Evacuation / Muster Point:** Evacuation Procedures: Upon notification, evacuate the area/building immediately. Secure sensitive information (bring it with you if needed). Do not lock doors, use the telephone, or operate any electronic equipment until you have arrived at the office assembly area.

Primary Assembly Point: In front of Bldg 555 (in the parking lot close to the Chaple Support Center). Alternate Assembly Point: Is located at Bldg. 588 (Parking lot). NOTE: When exiting the building, if the Primary Assembly Point is downwind we'll automatically rally at the Alternate location.

- **Shelter in Place:** Not entered
- **Active Shooter Response Methods:** Not entered
- **Adverse Weather Shelter:** Not entered

No evacuation route image uploaded.

Emergency Equipment and Safety Board

Safety Bulletin Board Location: The Safety Bulletin board is located in the hallway of bldg. 556 next to the Front Entrance. You should review it periodically. Pay particular attention to the guidelines set forth on AFVA 91-209, Air Force Occupational Safety and Health Program. AFVA 91-209 is used to identify and provide contact information for your Safety Chain of Command and can be found on all Safety Boards.

Fire extinguishers for this work center are located:
BLDG 556:

1. Main entrance next to the door.
2. Breakroom next to south exit door.
3. Office, alarm shop side, south exit door.
4. Bay area next to the north exit door.
5. Bay area a few feet from the south side roll up door.

BLDG 2049:

1. Main entrance, north side next to the door.
2. South exit door next to the bathroom.
3. Breakroom by green column.
4. Tool room by white column.
5. Store room by gray column near rollup doors.
6. Back of store room in front of double doors.

BLDG 2045:

1. North exit door in hallway by stairwell.
2. Breakroom next to north side door.
3. Store room west entrance next to the door.
4. Store room next to the south exit door.
5. 2nd floor by east stairwell.
6. 2nd floor by main entrance stairwell.

Fire alarms are located:

BLDG 556: 1. Main entrance next to the door.

2. Breakroom next to south exit door.
3. Office, alarm shop side, south exit door
4. Bay area next to the north exit door.

BLDG 2049:

N/A

BLDG 2045:

1. Main entrance next to the door.
2. North exit door in hallway by stairwell.
3. Supply room next to south exit door.
4. Alarm shop next to south exit door.
5. Breakroom next to north side door.
6. Breakroom next to south exit door.
7. Store room west entrance next to the door.
8. Store room next to the south exit door.

Emergency shower and eyewash equipment, if applicable, is located

BLDG 556: N/A

BLDG 2049: N/A

BLDG 2045: N/A

There are two types of pull boxes currently in use. One has a glass window with a black push button inside. To activate the alarm, break the glass and push the button firmly. The second type has a clear plastic flap with a pull handle underneath. To activate this type, lift the flap and pull the handle.

If fire extinguishers are available for employee use, it is the to educate employees on the principles and practices of using a fire extinguisher and the hazards associated with fighting small or developing fires. This education must be provided when a new employee is first hired, and annually thereafter. Fire extinguisher training is located in ADLS. Document on AF Form 55 (or equivalent).

Small Fire: Call 911 immediately. State the nature of the emergency. Give your Bldg number, name, rank, and phone number. You may attempt to fight these fires if you are properly trained and have the proper equipment (extinguisher).

Large Fire: Call 911 immediately. Activate fire alarm and evacuate the area.

S: Sound the alarm

P: Phone the Fire Department Dial 911 giving your name and location.

E: Extinguish the fire if it is small and you are not in danger!

E: Evacuate the Facility/Area. Calmly notify personnel to leave the scene.

D: Direct Fire Personnel to the location of fire.

No emergency equipment maps or location photos uploaded.

Traffic Safety Program

DAF Traffic Safety Program (DAFI 91-207): Train personnel on mandatory use of seat belts and helmets, speed limits, local traffic hazards, spotters while backing, vehicle training requirements, and restrictions on electronic device use while operating vehicles on- or off-base.

Seat Belts / Occupant Restraints: All persons operating or riding in motor vehicles must wear installed restraint systems as prescribed by the manufacturer. Drivers are responsible for ensuring all passengers are briefed on and use required restraints.

Motorcycle / ATV Training: Personnel must complete required safety training before riding a motorcycle, and local units should address required PPE, licensing, refresher training, and safety representative contacts.

Pedestrian / Bicycle Awareness: Emphasize local roadway crossing hazards, visibility requirements, spotter use, and other pedestrian or bicycle precautions specific to the installation.

Local Traffic Hazards / Vehicle Notes:

Mandatory use of seat belts: Mishap experience has proven time after time that safety belts prevent injuries and save lives. If you are involved in a vehicle mishap and you are not wearing your seatbelt, you stand five times greater chance of being thrown from the vehicle. Additionally, your body acts as a projectile and could strike other passengers causing death and serious injury. Also, as a vehicle operator, you are responsible for ensuring all passengers are using safety belts. Traffic violations for passengers not wearing safety belts go to the operator.

Note: Placing the shoulder strap under the arm or not using/disconnecting automatic belts constitutes improper use and may result in a citation or more seriously, death or disability.

IAW DODI 6055.4 (Traffic Safety Program) and AFI 91-207, The US Air Force Traffic Safety Program, the use of headphones, earphones, and cellular telephones is prohibited while operating a vehicle on a DoD installation. The only caveat to this is using a hands free device or in hands-free operating mode.

AFI 91-207, The US Air Force Traffic Safety Program, outlines the requirements for seat belt use. Safety belts will be worn by anyone driving or riding in a vehicle on base. Active duty personnel must wear safety belts when operating a vehicle (regardless whether it is a GOV or POV) on or off base. AF civilian personnel on duty must wear seat belts on or off a DoD installation Children 1.50 meters (4 ft, 9 inches) in height or smaller regardless of age must be in an infant seat or child restraint device.

Speed limits:

You as a driver have to follow speed limits on and off base. On base the general speed limit is 25 mph if no other sign is posted. The basic speed limit off base is 35 mph in built-up areas and 55 mph on roadways. Typically, on highways, it is 60 mph. If you are hauling a trailer, camper, or boat, reduce your speed to prevent from tipping over or jackknifing.

Local traffic hazards:

Driving during winter in this area is extremely dangerous with ice and snow because the roads are over populated and there are numerous curves and hills. Black ice can increase risk of accidents, so slow down and take your time during the winter months. We would rather have you arrive a few minutes late, than not at all!

Highway I-5: You may or may not have heard of the motor vehicle mishaps on the I-5; however, according to the Air Force Safety Center, the Air Force loses roughly on average 18 Airmen annually due to fatal motor vehicle mishaps. Protect yourself by reducing your speed and driving defensively. This means expect other drivers to speed and pass at the worst times, and adjust your driving to avoid an accident.

Rural Roads: Here in Washington, we have roadways 7, 8, 12, 101, 121, 161, 162, 167, 410, 507, 510, 512, and 706. These roadways on average have a maximum speed limit of 35 mph to 60 mph. These roadways can also become congested with traffic and occasional farm equipment. If you are stuck behind a piece of farm equipment, do not try passing unless it is safe and legal to do so. Be sure to plan ahead so you do not need to rush. Lastly, during the wintertime, these roads are secondary when it comes to sanding and plowing. It is important to know this in case you need to

make other arrangements when it comes to getting to your destination. The most serious accidents occur when people drive faster than the road conditions will safely allow. Use common sense and reduce your speed for poor weather conditions and congested traffic.


Motorcycle Safety Representatives / Traffic Contacts:

Motorcycle riders: Motorcycle riders must have a motorcycle endorsement from a state, and have attended a Motorcycle Safety Foundation (Basic Rider or Basic rider II Course). Additionally, each rider must make contact with their unit Motorcycle Safety Representative (MSR). The rider must receive a one-on-one brief from their commander or designated representative before riding. This course is mandatory for all riders before they can ride. All riders must also complete an MSF-approved intermediate training course (sport bike riders must take a sport bike riding course) ideally within 60 days but no later than one year after completing initial training. See AFI 91-207. Annual preseason briefings are also required.

Unit Motorcycle Safety Reps:

Mr. Lam, Gary - gary.lam.1@us.af.mil

MSgt Wampner, Adrian - adrian.wampner@us.af.mil



No routine-use GVO risk assessment files uploaded.

Reporting Unsafe Equipment, Conditions, or Procedures

Notify the supervisor immediately when unsafe equipment, conditions, or procedures are identified. Personnel may report hazards without fear of retaliation, coercion, discrimination, or reprisal.

- **DAF Form 457:** Use to document and elevate unsafe conditions, equipment, or processes.


- **SAFEREP:** Use the approved mishap or hazard reporting channel for additional reporting when directed by local procedures.



A white tag with a black border and a hole at the top. It features a red oval with the word "DANGER" in white. Below this, there are two sections: "HAZARD" and "CONTROL MEASURES", each with a dotted line for text. The form number "AF FORM 979" is at the bottom.



A yellow tag with a black border and a hole at the top. It features a black oval with the word "CAUTION" in yellow. Below this, there are two sections: "HAZARD" and "CONTROL MEASURES", each with a dotted line for text. The form number "AF FORM 980" is at the bottom.



A white tag with a black border and a hole at the top. It features a black oval with the words "OUT OF ORDER" in white. Below this, there are two sections: "HAZARD" and "CONTROL MEASURES", each with a dotted line for text. The form number "AF FORM 981" is at the bottom.



A white tag with a black border and a hole at the top. It features a red oval with the words "DO NOT START" in white. Below this, there are two sections: "HAZARD" and "CONTROL MEASURES", each with a dotted line for text. The form number "AF FORM 982" is at the bottom.

Documentation and Review

Document initial, refresher, and task-specific training in the work center record, review annually or when work conditions change, and maintain records per local records management requirements.

Bioenvironmental Workplace Survey: No Bioenvironmental Workplace Survey uploaded.

Applicable Job Hazard Analyses: No Job Hazard Analysis files uploaded.

Annual Review Log:

Record the supervisor annual review history here.

Trainee Name Employee ID / Last 4 Date Trained Trainer / Supervisor Signature