

# Job Safety Training Outline

Built to align with DAFI 91-202 paragraph 14.1 requirements.



---

**Unit:** 156th Wing

**Work Center:** Wing Staff Agencies / Comptroller Flight

**Work Area / Office Symbol:** WSA\_CPTF

**Phone:** 253-9587

**Supervisor:** Maj Ernesto Ayala, CPTF Commander

**Reviewer:** MSgt Raphael Medina

**Review Date:** 2026-07-21

**Effective Date:** 2026-09-18

## Work Center Overview

The 156th Wing Staff Agencies (WSA) and the 156th Comptroller Flight (156 CPTF) serve as the executive decision-making, regulatory, and financial foundation of the 156th Wing, Puerto Rico Air National Guard (PRANG) based out of Muñiz Air National Guard Base, Carolina, Puerto Rico.

Working directly in support of the Wing Commander, these sections maintain military readiness, safeguard resources, protect civil liberties, and manage base-wide operations.

# Work Area Hazard Analysis / JHA Notes

Summarize JHA findings, BE survey notes, major hazards, controls, and special restrictions for this work center.

## Required Training Topics


Workplace Hazards  
Personal Protective Equipment  
Emergency Action and Fire Prevention  
Reporting Unsafe Equipment, Conditions, or Procedures  
Mishap, Occupational Injury, and Illness Reporting  
CA-10 and LS-201  
DAF Traffic Safety Program  
DAFVA 91-209 Location and Content  
DAFSMS Responsibilities

- **Workplace hazards:** Describe crushing, burn, chemical, ladder, weather, flight line, and noise hazards specific to the work center, plus the technical orders, JHAs, and instructions workers must follow.
- **Personal protective equipment:** Train employees on required PPE, including donning, doffing, cleaning, maintenance, storage, disposal, and reporting contact-lens or medical issues that could affect wear.
- **Emergency action and fire prevention:** Cover alarms, AEDs, extinguishers, evacuation routes, shelter locations, and response procedures tied to the work center.
- **Reporting unsafe conditions:** Instruct personnel to report unsafe equipment, conditions, procedures, and injuries without fear of reprisal, including use of DAF Form 457 and applicable reporting channels.
- **Mishap / injury / illness reporting:** Explain on-duty and off-duty reporting requirements, medical treatment procedures, and emergency response contacts.
- **Traffic safety:** Brief seat belt, speed limit, spotter, electronic device, and motorcycle safety requirements applicable to the work center.
- **DAFVA 91-209 and DAFSMS:** Review the location of DAFVA 91-209 and how workers contribute to the unit safety management system.

## Hierarchy of Controls

Apply these controls from most effective to least effective when reducing workplace hazards under DAFI 91-202 paragraph 14.1.2.1.4.

## HIERARCHY OF **HAZARD CONTROLS**



**Use the highest level of control feasible first.** PPE should protect workers only after elimination, substitution, engineering, and administrative controls have been considered.

### **Active Shooter Response**

In the event of an active shooter, individuals should employ the **Avoid, Deny, Defend** response method. This strategy is adaptable to the specific situation and environment.

## Responses to an Active Shooter include:

Avoid (RUN),

Deny (HIDE),

Defend (FIGHT)

## Adapt your response to the weapons used:

Ricocheting bullets

Shrapnel and secondary missiles

Cover vs Concealment

An active shooter situation may be over within 15 minutes, before law enforcement arrives.

**Avoid (Run):** The first and preferred course of action is to evacuate the area if a safe route is available. Maintain awareness of your surroundings and have an escape route planned. Leave your belongings, evacuate regardless of whether others follow, and do not attempt to move wounded people. Once you have reached a safe location, call 911 and provide any information you have.

**Deny (Hide):** If you cannot evacuate, your next priority is to deny the attacker access to your location. This involves more than just hiding; it means securing your position. Lock and blockade doors with heavy furniture, turn off lights, silence your phone, and remain out of the shooter's view. Remember that concealment only hides you, while cover can offer protection from bullets.

**Defend (Fight):** As a last resort, when your life is in immediate danger, you must be prepared to defend yourself. Act aggressively, improvise weapons from your surroundings, and commit fully to your actions. Taking action may be risky, but it could be your best or only chance for survival.

**When law enforcement arrives:** Remain calm, follow all instructions, keep your hands visible with fingers spread, and be prepared to provide information about the shooter's location, number, and description.

## DAFSMS Framework

DAFSMS uses four pillars and the DAFSMS framework to structure the mishap prevention program through continuous improvement and the Plan-Do-Check-Act model.



### Policy and Leadership

Safety policy provides the structure for a proactive mishap prevention program. Active leadership involvement at every level is critical to implementation and sustained execution.

### Risk Management

Integrate risk management into all safety-related activities so hazards are identified early, controls are implemented, and the safety culture stays proactive.

### Assurance

Use evaluations, monitoring, and review processes to measure conformance to standards and drive continuous improvement across the mishap prevention program.

### Promotion, Education, and Training

Provide safety awareness, embed ongoing training, implement effective controls, and keep airmen and guardians actively engaged in mishap prevention.

## Department of the Air Force SMS Framework

### Policy and Leadership

- Leadership planning, organization, direction, and control

- Management roles, responsibilities, and relationships
- Procedures and controls that are developed, documented, maintained, and monitored
- Safety and quality balance, integration, and goal setting

#### Risk Management

- Hazard identification through mission/task analysis and hazard lists
- Hazard assessment using exposure, probability, severity, and risk level
- Control options, effects, prioritization, selection, and decisions
- Implementation, communication, accountability, support, supervision, and feedback

#### Assurance

- Performance requirements, expectations, and control effectiveness
- Continuous monitoring, self-inspections, internal and external inspections
- Mishap and event investigation, reporting, metrics, and improvement opportunities
- Change management and continuous improvement actions

#### Promotion, Education, and Training

- Culture built on informed, flexible, learning, just, and reporting behaviors
- Competency through training and education
- Awareness through internal communication, external communication, and information access

## Job Specific Training Items

The following modules apply to this work center and should be reviewed with trainees before task performance.


### Risk Management Fundamentals Personal Protective Equipment (PPE)

- **Risk Management Fundamentals:** Risk Management Fundamentals: Reference: DAFSMS and local RM program guidance. Address hazard identification, control selection, local escalation expectations, and when RM refresher training must be completed for this work center. Risk Management (RM) is a continuous and systematic process designed to preserve combat readiness and enhance force protection by proactively identifying, assessing, and mitigating operational hazards. I have structured this framework around four foundational principles: accepting no unnecessary risk, ensuring decisions are made at the appropriate command authority, integrating assessment early into mission planning, and maintaining continuous application throughout the operational lifecycle. This cycle is executed through a structured five-step methodology that begins with the identification of real or potential hazards, followed by a detailed assessment of their probability and severity to determine overall risk levels. Once identified, leaders develop and implement mitigation controls—such as engineering, administrative, or protective measures—and continuously supervise operations to evaluate control efficacy and adjust for emerging variables in the environment. To facilitate this process, the Joint Risk Assessment Tool (JRAT) serves as the primary web-based, automated platform managed by the U.S. Army Combat Readiness Center

(USACRC) for standardizing risk management across the Department of War. This centralized system automates the generation of the DD Form 2977 (Deliberate Risk Assessment Worksheet) and provides specialized portals for each service branch to ensure alignment with joint standards and mishap statistics. I should note that JRAT streamlines the assessment process by offering pre-populated libraries of mission types and hazards, incorporating real-world lessons learned from historical data, and enabling global coordination for joint operations. By leveraging this tool, personnel can ensure their risk assessments are data-driven, compliant, and effectively integrated into the mission planning process to fortify force protection.

- **Personal Protective Equipment (PPE):** Personal Protective Equipment (PPE): This section details the specific **Lawn Care & Pressure Washing PPE** guidelines and **Cleaning Chemical PPE** availability protocols to be included directly in your Job Safety Training Outline (JSTO), aligned with **DAFMAN 91-203**.  
□ **Task-Specific PPE Guidelines (JSTO Topic Integration)** While administrative personnel within the Wing Staff Agencies and CPTF are primarily office-bound, certain groundskeeping, facility maintenance, and common-area cleaning tasks carry specific hazard exposure risks that mandate the use of personal protective equipment (PPE).  
--- □ **1. Power Lawn Equipment & Pressure Washer PPE** Anytime personnel operate or assist near high-decibel lawn machinery or high-pressure washers, the following specialized PPE **must be utilized** to prevent hearing loss, physical trauma, and eye damage:  
\* **Hearing Conservation (Ear Protection):**  
\* **Applicability:** **Mandatory** when operating or working in the immediate vicinity of noise-hazardous equipment exceeding **85 dBA** (such as lawn trimmers, leaf blowers, and gas-powered pressure washers).  
\* **Requirement:** **Use only** **serviceable, clean, and properly fitted** earplugs or earmuffs.  
\* **Eye & Face Protection:**  
\* **Lawn Trimmers / Leaf Blowers:** **High-impact safety glasses or a full-face shield** to protect against high-velocity thrown objects (rocks, twigs, and dust).  
\* **Water Pressure Washers:** **Sealed safety goggles** (to prevent high-velocity water blowback and debris splash).  
\* **Hand & Foot Protection:**  
\* **Gloves:** **Heavy-duty leather work gloves** to prevent abrasions, severe vibration fatigue, and blisters.  
\* **Footwear:** **Sturdy, closed-toe leather boots** (steel-toe safety shoes are highly recommended to prevent projectile impact and accidental high-pressure water injection injuries).  
--- □ **2. Office Cleaning Chemicals & Common Areas** Exposure to everyday cleaning agents and disinfectants utilized in breakrooms, restrooms, and administrative common areas can cause severe skin irritation, chemical burns, or dermatitis.  
\* **Hand Protection (Nitrile Gloves):**  
\* **Applicability:** **Nitrile gloves must be worn** when handling any concentrated or diluted chemical cleaners, bleach, or sanitizing agents.  
\* **Why Nitrile:** Nitrile provides superior chemical resistance, puncture resistance, and does not carry the allergy risks associated with latex.  
\* **Local Supply & Availability:** **How to Access:** **Highly durable, disposable, and chemical-resistant nitrile gloves are readily available at the 156th Wing Safety Office.**  
\* **Action for Staff:** **Prior to conducting any deep cleaning, spill response, or common area sanitation, coordinate with the Wing Safety Office or your Facility Manager to obtain your personal safety gloves.**

## **Ergonomics Workstation Posture Guide:**



Use this guide while briefing office and administrative workstation setup.

## References

DAFI 90-802, Risk Management  
DAFI 91-202 - The Department of the Air Force (DAF) Mishap Prevention Program, US Air Force Mishap Prevention Program  
DAFI 91-204, Safety Investigations and Reports  
DAFI 91-207, US Air Force Traffic Safety Program  
DAFMAN 91-203 - Air Force Occupational Safety, Fire and Health Standards, Air Force Occupational Safety, Fire, and Health Standards  
DAFVA 91-209, Air Force Occupational Safety and Health Program  
DAFI 91-202 - The Department of the Air Force (DAF) Mishap Prevention Program\_ANGSUP, U.S. Air Force Mishap Prevention Program

## Required Documents

- [CA-10](#)  
What a Federal Employee Should Do When Injured at Work. Use this as the workplace reference for employee injury reporting and follow-up actions.
- [DAF Form 457](#)  
Hazard Report. Use this form to identify, document, and elevate unsafe conditions, equipment, or procedures in the workplace.
- [DAFVA 91-209](#) **UNITS MUST FILL OUT THEIR OWN LOCATION POSTED**  
Department of the Air Force Occupational Safety and Health Program visual aid. Keep this available so personnel know the core safety rights, responsibilities, and reporting expectations.  
**Location Posted:** Safety bulletin located in Building 22, main hallway, near the male bathroom.
- [LS-201](#)  
Notice of Employee's Injury or Death (Non-Appropriated Funds). Use this when applicable for NAF employee injury or death reporting.

# Emergency Information

- **Emergency Numbers:** Emergency Services: 911

BDOC: 787-253-5204 or 787-253-5177

Command Post: 787-253-7405

- **Medical Facility / Treatment:** Not entered
- **Evacuation / Muster Point:** WING HEADQUARTERS BLDG# 22 FIRE EVACUATION PLAN:

ACTION TO BE TAKEN UPON DISCOVERY OF FIRE IN THIS BUILDING OR IMMEDIATE AREA  
SOUND FIRE ALARM AIR HORNS NEAR FIRE EXTINGUISHERS.

IMMEDIATELY GO TO NEAREST TELEPHONE AND CALL FIRE DEPT (OFF-BASE): 911

MAKE EFFORTS TO CONTROL THE FIRE WITH EXTINGUISHER AVAILABLE UNTIL FIRE  
DEPARTMENT PERSONNEL ARRIVE.

NOTIFY BUILDING MANAGER AS SOON AS POSSIBLE AT TEL: 787-253-5271 or 787-253-5278.

ALL PERSONNEL WILL IMMEDIATELY EVACUATE THE BUILDING (UNLESS ADVISED IN  
ADVANCE OF WORK/TESTING).

MUSTER POINT IS: SOUTHSIDE OF BUILDING 11.

ACCOUNT FOR ALL PERSONNEL AT ASSEMBLY POINT AND REPORT TO BDOC AT TEL: 787-  
253-5204 or COMMAND POST AT TEL: 787-253-7405.

ENSURE PERSONNEL WITH HEARING OR SIGHT PROBLEMS KNOW THEY ARE TO  
EVACUATE - ASSIGN SOMEONE TO ASSIST THEM AND REPORT TO DESIGNATED  
ASSEMBLY POINT.

-----  
BLDG. # 80 FIRE EVACUATION PLAN

ACTION TO BE TAKEN UPON DISCOVERY OF FIRE IN THIS BUILDING OR IMMEDIATE AREA  
SOUND FIRE ALARM.

IMMEDIATELY GO TO THE NEAREST TELEPHONE AND CALL THE FIRE DEPARTMENT:

(A) DURING NORMAL WORKING HOURS, ANG TEL: 911

(B) DURING OFF DUTY HOURS, PRPA TEL: 787-791-0224

MAKE EFFORTS TO CONTROL THE FIRE with extinguishers available until the arrival of Fire  
Department personnel.

ALL PERSONNEL WILL IMMEDIATELY EVACUATE THE BUILDING (unless advised in advance of  
scheduled maintenance/testing of the alarm system).

ACCOUNT FOR ALL PERSONNEL at the designated ASSEMBLY POINT (BLDG. 80 PARKING  
LOT) and report accountability to BDOC at 787-253-5177 or the Command Post at 787-253-7405.

NOTIFY THE BUILDING MANAGER & BDOC as soon as possible:

(A) BUILDING MANAGER OFFICE: 253-9624

(B) BDOC: 253-9204 or 787-253-5177

- **Shelter in Place:** Not entered
- **Active Shooter Response Methods:** In an active shooter emergency, it is critical to remain calm and take the most reasonable action to protect your life.

Run (Escape): If a safe route is available, evacuate immediately. Leave belongings behind, help others if possible, and call 911 or the local equivalent once safe.

Hide (Barricade): If evacuation is not possible, move out of view, lock or block doors, turn off lights, silence devices, and remain quiet.

Fight (Take Action): Only as a last resort, when life is in imminent danger, attempt to disrupt or incapacitate the threat. (Use whatever means possible to overpower the shooter and save your life)

Always follow directions and comply with law-enforcement instructions, keep hands visible, and proceed to the designated assembly area when directed.

When reporting information to the authorities, provide the threat's location, description, weapons, number of individuals involved, and potential victims if known.

At all times, follow local lockdown and emergency-notification procedures.

- **Adverse Weather Shelter:** Not entered

**Emergency Evacuation Route Image:**



representative contacts.


**Pedestrian / Bicycle Awareness:** Emphasize local roadway crossing hazards, visibility requirements, spotter use, and other pedestrian or bicycle precautions specific to the installation.

**Local Traffic Hazards / Vehicle Notes:**

Enter local gate hazards, base-specific traffic concerns, spotter rules, and where vehicle training is documented.

**Motorcycle Safety Representatives / Traffic Contacts:**

List unit or group motorcycle safety representatives, traffic safety contacts, and local rider briefing requirements.



No routine-use GVO risk assessment files uploaded.

## Reporting Unsafe Equipment, Conditions, or Procedures

Notify the supervisor immediately when unsafe equipment, conditions, or procedures are identified. Personnel may report hazards without fear of retaliation, coercion, discrimination, or reprisal.

- **DAF Form 457:** Use to document and elevate unsafe conditions, equipment, or processes.
- **SAFEREP:** Use the approved mishap or hazard reporting channel for additional reporting when directed by local procedures.



# Safety Reporting ... All In One Place

# SAFEREP APP!

## Why Safety Reporting?

Quickly and easily tell safety about safety issues you see

- In the dorms
- At work
- Anywhere on base
- In flight
- While maintaining aircraft
- On the ramp



## What to report?

- Dangerous conditions
- "Near miss" events
- Aviation specific reporting
- Cultural issues that could lead to an accident, damage, or injury
- Supervisor mishap report

Report anonymously  
Reports go direct to the safety office



***New name, new website, new app, and a whole new look***

SAFEREP is a web- and app-based way for members from every career field to identify hazards and report near-misses and even some mishaps directly to their safety offices using any computer or mobile device.



Download to your mobile device  
from your preferred App Store

Or

Go to  
<https://saferep.safety.af.mil>





A white rectangular tag with a black border and a hole at the top. It features a red oval with the word "DANGER" in black. Below this, there are two sections: "HAZARD" and "CONTROL MEASURES", each with a dotted grid for text entry. The text "AF FORM 979" is at the bottom.

**DANGER**

HAZARD

CONTROL MEASURES

AF FORM 979



A yellow rectangular tag with a black border and a hole at the top. It features a black oval with the word "CAUTION" in yellow. Below this, there are two sections: "HAZARD" and "CONTROL MEASURES", each with a dotted grid for text entry. The text "AF FORM 980" is at the bottom.

**CAUTION**

HAZARD

CONTROL MEASURES

AF FORM 980



A white rectangular tag with a black border and a hole at the top. It features a black oval with the words "OUT OF ORDER" in white. Below this, there are two sections: "HAZARD" and "CONTROL MEASURES", each with a dotted grid for text entry. The text "AF FORM 981" is at the bottom.

**OUT OF ORDER**

HAZARD

CONTROL MEASURES

AF FORM 981



A white rectangular tag with a black border and a hole at the top. It features a red oval with the words "DO NOT START" in black. Below this, there are two sections: "HAZARD" and "CONTROL MEASURES", each with a dotted grid for text entry. The text "AF FORM 982" is at the bottom.

**DO NOT START**


HAZARD

CONTROL MEASURES

AF FORM 982

**Reporting Unsafe Equipment Reference Files:**

# MISHAP REPORTING FLOWCHART



## DAF 978 Supervisor Mishap Report Notification Flow



- Mishap Reporting Flowchart.png

## Documentation and Review

Reference: AFI 91-202\_ANGSUP, The US Air Force Mishap Prevention Program

- Paragraph 1.6.28.7.1.

The method of documentation is up to the supervisor, if not otherwise prescribed by the applicable MAJCOM or related chain of authority. Options may include, but are not limited to, the DAF Form 55, Employee Safety and Health Record, electronic mediums such as AFFORMs/CAMs/CAS- B/GO81 or locally developed products. If the DAF Form 55, Employee Safety and Health Record is mandated for use as the training documentation device, the entity that mandated the form usage will prescribe the requirement in writing to include if signatures are required or optional. Regardless of the method chosen, documentation will contain the following minimum data: trainee name (last, first, middle initial), type of training and date of training. Neither the trainer or trainee signature is required unless specified in writing by the applicable chain of authority. NOTE: If the Integrated Maintenance Data System (IMDS), Core Automated Maintenance System (CAMS), etc., cannot support minimum documentation requirements, then they are not suitable as a documentation product.

**Bioenvironmental Workplace Survey:** No Bioenvironmental Workplace Survey uploaded.

**Applicable Job Hazard Analyses:** No Job Hazard Analysis files uploaded.

### Annual Review Log:

Record the supervisor annual review history here.

**Trainee Name Employee ID / Last 4 Date Trained Trainer / Supervisor Signature**