



Job Safety Training Outline

Built to align with DAFI 91-202 paragraph 14.1 requirements.

Unit: 194th LRS

Work Center: Vehicle Maintenance

Office Symbol: LGRV

Supervisor: MSgt Jeffery Stewart

Phone: 370-2050

Reviewer: MSgt Jeffery Stewart

Review Date: 2025-11-25

Effective Date: 2025-11-25

WORK CENTER OVERVIEW

The 194th Vehicle Maintenance Flight guarantees the operational readiness of the 194th Wing by sustaining a fully serviced and reliable vehicle fleet. Operations are primarily conducted within the front, middle, and back shops of the maintenance facility. This JSTO establishes the training requirements for diverse vehicle maintenance activities, strictly enforcing all safety protocols and PPE standards to protect personnel while maximizing fleet capability.

REQUIRED TRAINING TOPICS

Workplace Hazards

Personal Protective Equipment

Emergency Action and Fire Prevention

Reporting Unsafe Conditions

Reporting Mishaps and Occupational Injury/Illness

CA-10 and LS-201

DAF Traffic Safety Program

DAFVA 91-209


DAFSMS Responsibilities

- **Hazards and controls:** Address task hazards, environmental hazards, governing instructions, and hierarchy of controls including elimination, engineering, substitution, and administrative controls.
- **PPE:** Cover required protective equipment, wear/use procedures, cleaning, maintenance, storage, disposal, and supervisor notification concerns.
- **Emergency response:** Cover emergency action, fire prevention, alarms, AEDs, extinguishers, evacuation, shelter, active shooter response, and emergency contact procedures.

- **Reporting:** Explain unsafe condition reporting, injury/illness reporting, DAF Form 457, SAFEREP access, and anti-retaliation protections.
- **Program awareness:** Include CA-10 / LS-201 location, traffic safety program requirements, DAFVA 91-209 location, and DAFSMS responsibilities.

Hierarchy of Controls

Apply these controls from most effective to least effective when reducing workplace hazards under DAFI 91-202 paragraph 14.1.2.1.4.



Use the highest level of control feasible first. PPE should protect workers only after elimination, substitution, engineering, and administrative controls have been considered.

Active Shooter Response

In the event of an active shooter, individuals should employ the **Avoid, Deny, Defend** response method. This strategy is adaptable to the specific situation and environment.

Responses to an Active Shooter include:

Avoid (RUN),

Deny (HIDE),

Defend (FIGHT)

Adapt your response to the weapons used:

Ricocheting bullets

Shrapnel and secondary missiles

Cover vs Concealment

An active shooter situation may be over within 15 minutes, before law enforcement arrives.

Avoid (Run): The first and preferred course of action is to evacuate the area if a safe route is available. Maintain awareness of your surroundings and have an escape route planned. Leave your belongings, evacuate regardless of whether others follow, and do not attempt to move wounded people. Once you have reached a safe location, call 911 and provide any information you have.

Deny (Hide): If you cannot evacuate, your next priority is to deny the attacker access to your location. This involves more than just hiding; it means securing your position. Lock and blockade doors with heavy furniture, turn off lights, silence your phone, and remain out of the shooter's view. Remember that concealment only hides you, while cover can offer protection from bullets.

Defend (Fight): As a last resort, when your life is in immediate danger, you must be prepared to defend yourself. Act aggressively and take action against the shooter. Improvise weapons from your surroundings and commit to your actions. Taking action may be risky, but it could be your best or only chance for survival.

When law enforcement arrives: Remain calm, follow all instructions, keep your hands visible with fingers spread, and be prepared to provide information about the shooter's location, number, and description.

DAFSMS FRAMEWORK

DAFSMS uses four pillars and the DAFSMS framework to structure the mishap prevention program through continuous improvement and the Plan-Do-Check-Act model.



Policy and Leadership

Provides the structure for a proactive mishap prevention program through policy, active leadership engagement, and clearly defined responsibilities at every level.

Risk Management

Integrates hazard identification, assessment, and control decisions into daily operations to reduce mishaps and strengthen safety culture.

Assurance

Uses evaluations, monitoring, reviews, and data to confirm the mishap prevention program is implemented and improving over time.

Promotion, Education, and Training

Ensures Airmen and Guardians receive safety awareness information, embedded training, effective risk controls, and active engagement in mishap prevention.

1. Purpose. DAFSMS utilizes the four pillars and the DAFSMS framework to structure the mishap prevention program. Activities associated with each pillar set policy, identify and mitigate hazards and risk, and reduce the occurrence and cost of injuries, illnesses, fatalities, and property damage through continuous improvement and the PDCA model.

2. Policy and Leadership. Safety policy provides the structure for a sound and proactive mishap prevention program. Active leadership involvement in implementation and execution is critical at all levels of command.

3. Risk Management. Ensure the RM process is fully integrated into all safety-related activities to enhance mishap prevention and sustain a proactive safety culture. Refer to DAFI 90-802 and DAFPAM 90-803 for additional detail.

4. Assurance. Safety assurance is how commanders determine whether mishap prevention elements are implemented and guides continuous improvement through evaluation, monitoring, and review.

5. Promotion, Education, and Training. Ensure Airmen and Guardians are provided safety awareness information, organizations have embedded ongoing training into the mishap prevention program, effective risk controls are implemented, and personnel remain actively engaged.

Report it on SAFEREP



HAZARDS ARE EVERYWHERE.



WHAT ARE **YOU** DOING TO
PREVENT INJURY OR DEATH?

More info about SAFEREP
www.safety.af.mil/home/saferep

SAFEREP is the Department of the Air Force's (DAF) premiere digital safety reporting tool and mobile app. It allows Airmen and Guardians to easily report hazardous conditions, near-misses, unintentional errors, or safety concerns across all disciplines, including workplace, traffic, industrial, flight, weapons, and space safety, directly from their devices anytime and anywhere.

Fully integrated with the Air Force Safety Automated System (AFSAS), it replaces the earlier Airman Safety App and serves as the DAF's only fully digital safety reporting avenue. Users simply answer a short series of questions to submit reports that reach the appropriate Major Command (MAJCOM) safety office quickly and efficiently.

Key Benefits for Job Safety Training:

- **Empowers everyone:** Turns every Airman or Guardian into a proactive sensor for hazard identification, encouraging a strong safety culture where people feel comfortable speaking up without barriers like paperwork or word-of-mouth delays.
- **Prevents mishaps:** Enables early mitigation of risks before they lead to incidents, capturing minor events and near-misses that offer the greatest prevention potential.
- **Simple and accessible:** Mobile-first design makes reporting fast, more efficient than traditional methods, and available on the spot through the app on Google Play and the Apple App Store.
- **Broad coverage and integration:** Supports multiple safety areas and includes specialized features such as Aviation Safety Action Program reporting, improving visibility, tracking, and overall risk management across the force.

This tool strengthens operational readiness by fostering a proactive, data-driven approach to safety. You can download it from the app stores or access it through the official SAFEREP site for more details.

SAFEREP portal: <https://saferep.safety.af.mil>

Learn more: <https://www.safety.af.mil/Home/SAFEREP/>

REPORTING UNSAFE EQUIPMENT, CONDITIONS, OR PROCEDURES

Employees must report unsafe equipment, conditions, or procedures to their supervisor immediately. This includes any hazard that could injure personnel, damage equipment, or create an unsafe work process.

Personnel must also be notified that unsafe conditions, work-related injuries, and illnesses may be reported **without fear of retaliation**. Immediate supervisor involvement remains the primary reporting path, with SAFEREP and formal hazard-report channels available when needed.

What To Report

- Unsafe equipment that is broken, damaged, unserviceable, or missing required guards or controls.
- Unsafe conditions or procedures that create a hazard to personnel, operations, or facilities.
- Work-related injuries, illnesses, near-misses, and hazards needing immediate attention.

Immediate Actions

- Notify the supervisor or responsible area lead immediately.
- If the hazard can be safely controlled, stop use and isolate the equipment or area until corrected.
- If the danger is imminent to life or health, evacuate the area and activate emergency response procedures.

Tag use examples: Use the appropriate danger, caution, out-of-order, or do-not-start tag to keep unsafe equipment out of service until the hazard has been corrected and the responsible supervisor authorizes return to use.



Escalation: If the issue cannot be resolved at the lowest level, elevate it through the unit safety representative, DAF Form 457 process, or SAFEREP as appropriate.

USE OF PORTABLE FIRE EXTINGUISHERS



Portable fire extinguishers are intended for small, incipient-stage fires only. Personnel should use an extinguisher only when they have been trained, the fire is small and contained, the correct extinguisher is available, and there is a clear evacuation path behind them.

Use the **PASS** method when operating a portable fire extinguisher: **Pull** the pin, **Aim** at the base of the fire, **Squeeze** the handle, and **Sweep** side to side.

If the fire grows, smoke conditions worsen, or the extinguisher does not control the fire immediately, evacuate the area, activate the local emergency response process, and report the incident to emergency services and supervision.

WORK AREA HAZARD ANALYSIS

Summarize work area hazards, BE survey items, JHAs, JSAs, and other written guidance that support this JSTO.

RISK MANAGEMENT FUNDAMENTALS

Reference: DAFSMS and local RM program guidance.

Address hazard identification, control selection, local escalation expectations, and when RM refresher training must be completed for this work center.

Document how the work center covers RM fundamentals, where refresher files or briefing materials are stored, and how personnel access those resources.

JOB SPECIFIC TRAINING ITEMS

Hazardous Energy Control

Hazard Communication

Hearing Conservation

Confined Space Program

Manual and Powered Hoists

Fall Arrest Systems

Ladder Safety

Manual Lifting and Material Handling

Fire Protection and Prevention

Thermal Stress / Heat and Cold Stress

Ergonomics / Office and Administrative Workstation Safety

Jewelry / Loose Articles Restrictions

Walking/Working Surfaces

Stairways


- **Hazardous Energy Control:** DAFMAN 91-203 establishes a formal Hazardous Energy Control Program with dedicated training, documented procedures, and periodic self-inspections before servicing or maintenance work is performed. Train authorized employees on hazardous energy sources, magnitude, and isolation methods; affected employees on the purpose and use of procedures; and other nearby employees on restart/reenergization prohibitions. Retrain when assignments, equipment, processes, or procedures change, or when inspections show gaps. DAFMAN 91-203 - Air Force Occupational Safety, Fire and Health Standards Chapter 21; 29 CFR 1910.147 - The control of hazardous energy (lockout/tagout)
- **Hazard Communication:** Employees potentially exposed to chemical hazards must complete HAZCOM training upon initial assignment and whenever a new hazard or chemical is introduced or new tasks create new hazards. Supervisors must ensure SDS access for chemicals used in the work process. Provide effective training at initial assignment and whenever a new chemical hazard is introduced. Cover where hazardous chemicals are present, the written program, labels and SDS access, how releases are detected, hazard types, protective measures, emergency procedures, and required PPE. AFI 90-821 - Hazard Communication (HAZCOM) Program; 29 CFR 1910.1200 - Hazard Communication
- **Hearing Conservation:** Hazardous noise concerns must be evaluated and controls recommended through the occupational health risk assessment process. Use the AF Hearing Conservation Program as the training and control basis when shop noise hazards are identified. Provide a hearing conservation training program for employees exposed at or above the action level, repeat it annually, and update it when equipment or work processes change. Cover hearing effects, protector selection and care, and the purpose of audiometric testing. AFI 48-127 - Occupational Noise and Hearing Conservation Program
- **Confined Space Program:** Employees entering confined spaces must be trained to safely accomplish assigned duties and rescue procedures for the specific permit-required space entered. Safety observers and attendants must also be trained on rescue procedures for each type of permit-required confined space. Train affected employees before first assignment, before duty changes,

when permit-space operations introduce new hazards, and when deviations or inadequate knowledge are identified. Training must establish proficiency and be documented by employee, trainer, and date. DAFMAN 91-203 - Air Force Occupational Safety, Fire and Health Standards Chapter 23; 29 CFR 1910.146 - Permit-required confined spaces

- **Manual and Powered Hoists:** MHE operator qualification and training must be provided by the responsible organization using lesson plans for each equipment type that include formal instruction, hands-on demonstrations, practical exercises, and evaluation. Forklift operators must be evaluated at least once every three years and retrained after unsafe operation, accidents, different equipment assignments, or workplace changes. When hoisting operations involve overhead or gantry cranes, instruct personnel involved in multi-crane lifts on positioning, rigging, and movement coordination under a qualified person, and ensure operators are familiar with the operation and care of fire extinguishers provided. For crawler, locomotive, and truck cranes, make operating and maintenance personnel familiar with extinguisher use and local crane procedures. DAFMAN 91-203 - Air Force Occupational Safety, Fire and Health Standards Chapter 35
- **Fall Arrest Systems:** Any work above four feet requires a fall protection program and appropriate safety gear. Use the local fall protection program, rescue procedures, and chapter-specific AF requirements for application-level training. Train personnel in safe personal fall arrest system use before use and after any component or system change. Pair this with the AF and local fall protection requirements for inspection, anchorage, rescue, and user limitations. DAFMAN 91-203 - Air Force Occupational Safety, Fire and Health Standards Chapter 13; 29 CFR 1910.66 - Powered platforms for building maintenance; 29 CFR 1926.503 - Training requirements
- **Ladder Safety:** Personnel who use ladders at working heights of 4 feet or more will be adequately trained in the care and use of different types of ladders. The supervisor or a designated trainer will conduct this training when a worker is first assigned. Information presented during safety briefings will satisfy the periodic training requirement. All training will include hands-on instruction to include inspection of ladders for defects, possible electrocution hazards, proper positioning, and placement of ladders for various job sites.
- **Manual Lifting and Material Handling:** Never lift anything by yourself if you feel you cannot handle it. For team lifting adjust the load so each person carries an equal part. Test lifts should be made before proceeding. Make every move in unison. Use a forklift or other mechanical lifting device if possible. If you do have to lift something, here are some simple procedures to follow:
 - Position feet correctly. One foot to the rear of the object and the other slightly ahead and to the side of the object.
 - Crouch close to the load to minimize strain on the back.
 - Grip with full palm not fingertips. Ensure load is free of grease and sharp points. Wear gloves when necessary.
 - Always keep the back as straight as possible and avoid arching. Keep the back muscles tightened throughout the duration of the lift. Do not relax the back until the load is released. Bend from the hips and not from the middle of the back.
 - With the arms, slide the object toward the body to give it some motion, use the legs to lift the object and bring the back to a vertical position. Keep the object close to the body.
 - When setting the object down use the same motion as when lifting, but reverse the motion. Lower the load by bending the legs and crouching with the back straight. Take care when releasing the load to prevent injury to fingers, hands, or feet.
 - Do not twist your body to turn. If you need to turn, pivot on your heels in the direction you need to turn. Avoid any necessary twisting and lower the item in the same way you lift it. If you need help lifting an object because it is too heavy or awkward ask for assistance. When using the stairs:
 - Adhere to the guidance provided by the supervisor.
 - Try to reduce the bulk or size of the object carried to allow for maximum visibility.
 - Use assistance when required and available. Remember to:
 - Place objects to be lifted at the approximate height of the knuckles when the arms dangle at side of the body.
 - Limit stack height to shoulder level. If items must be stacked higher, provide step-up access to eliminate lifting above shoulder level.
 - Use grips, handles, and other devices to provide better control of items.
 - Slide materials instead of lifting, whenever possible.
 - Use gravity assist in moving materials.
 - Team lifting will be used when items are known to weigh more than 25 pounds or when items are lifted from an awkward position or location.

- **Fire Protection and Prevention:** Facility managers and supervisors must establish and maintain a fire prevention training program through the JSTO so employees understand their fire prevention and protection responsibilities in their work areas. This is fulfilled through job safety training and documentation under DAFI 91-202. Review the fire prevention plan with employees when the plan is developed, when responsibilities change, and when the plan changes. If extinguishers are provided for employee use, train employees on the general principles of extinguisher use and the hazards of incipient-stage firefighting at initial assignment and at least annually. Train designated users on the specific equipment they are expected to use. Local extinguisher, pull station, and fire reporting procedures
- **Thermal Stress / Heat and Cold Stress:** Use the occupational health risk assessment, local BE recommendations, and supervisor hazard controls to brief personnel on thermal stress hazards and controls for hot, cold, humid, outdoor, flight line, industrial, or PPE-intensive work areas. Cover heat stress, cold stress, WBGT or locally directed exposure monitoring, acclimatization, hydration, work/rest cycles, buddy checks, PPE or clothing considerations, symptom recognition, supervisor notification, and emergency response actions for suspected heat illness or cold injury. DAFMAN 91-203 - Air Force Occupational Safety, Fire and Health Standards; DAFI 48-145 - Occupational and Environmental Health Program; local Bioenvironmental Engineering or Occupational Health guidance
- **Ergonomics / Office and Administrative Workstation Safety:** Chairs should be adjusted to fit workers. Monitors should be placed at eye level. A clean screen will give off fewer glares. Excessive light levels should be avoided to reduce glare and eye fatigue. Workstations should be placed at 90 degrees from light sources, including windows. Changing work tasks at least once each hour will help avoid fatigue and excessive repetition. Fatigue can be reduced by standing up and stretching every fifteen minutes. Rest eyes by briefly closing them or changing focus by looking at distant objects. Keep office machinery near electrical outlets to minimize the use of extension cords and creating tripping hazards. Keep fingers away from moving/sharp parts when using tools such as staplers, scissors and paper cutters. Never remove or disable guards. Keep the knife in the down position when not in use. When refilling staplers, keep fingers away from the operating part. Open file cabinet drawers one at a time to prevent possible tipping. Desk and cabinet drawers should never be left unattended in the open position. Position office equipment in a manner that egress, and ease of movement is not hampered.
- **Jewelry / Loose Articles Restrictions:** Use local shop rules and hazard analysis to define where jewelry, loose clothing, or unsecured items are prohibited around moving parts, climbing, electrical work, or snag hazards. Workplace-specific limits on rings, necklaces, watches, and loose items
- **Walking/Working Surfaces:** Conditions that result in falls from height or traditional walking surfaces (such as slippery floors, poor housekeeping, uneven walking surfaces, exposed ledges, ladders, etc.). Walk with special care on slippery surfaces. Wear protective anti-slip footwear when walking on ice and snow. Maintain clean ice-free sidewalks by promptly, and frequently, shoveling snow. Use hand rails. Do not carry objects that might obstruct your view when walking. Wipe up all spilled liquids immediately. Aisles and passageways should be kept clear of tripping hazards such as wastebaskets, cartons, electric cords, open drawers, ladders, and personnel belongings. Torn carpets, loose/curled mats, liquids spilled on floors, light failures, or any condition that could cause tripping or slipping should be reported immediately to your supervisor. Watch your step when stepping off aircraft surfaces.
- **Stairways:** Do not run up or down stairs, always use hand rails. Do not skip steps if in a hurry. When climbing stairs stay to your right. When going down stairs stay to your right. If carrying packages be sure of your footing. Do not store or throw anything on steps or stairways. Even a piece of paper, a paper clip, a cellophane wrapper or match can create a slipping hazard. Report any damage to stairs or hand rail to your building custodian.

Ergonomics Workstation Posture Guide:



Use this guide while briefing office and administrative workstation setup.

REFERENCES

Available on EPUBS (<https://www.e-publishing.af.mil/>)

DAFI 91-202 - The Department of the Air Force (DAF) Mishap Prevention Program

DAFMAN 91-203 - Air Force Occupational Safety, Fire and Health Standards

DAFI 91-204 - Safety Investigations Reports

DAFI 91-207 - The Traffic Safety Program

DAFI 90-802 - Risk Management

DAFI 48-127 - Occupational Noise and Hearing Conservation Program

DAFMAN 48-146 - Occupational Health Program Management

DAFI 48-145 - Occupational and Environmental Health Program

DAFPAM 90-803 - Risk Management Guidelines and Tools

DAFMAN 91-224 - Ground Safety Investigation and Hazard Reporting

DAFI 24-301 - Ground Transportation (Official GMV Use)

TO's available on ETIMS (<https://etims.cce.af.mil/ETIMS/index>)

TO 36-1-191-WA-1 – Technical and Managerial Reference for Motor Vehicle Maintenance

Job Safety Analysis (JSA) PPE / Manufacturer's Instructions:

JSA PPE binder located Rm. 104 in Bldg. 102

Manufacturer's Instruction for all equipment are located in the Shop Equipment binders in Rm. 102 in Bldg. 102

REQUIRED DOCUMENTS

- [CA-10](#)

What a Federal Employee Should Do When Injured at Work. Use this as the workplace reference for employee injury reporting and follow-up actions.

- [DAF Form 457](#)

Hazard Report. Use this form to identify, document, and elevate unsafe conditions, equipment, or procedures in the workplace.

- [DAFVA 91-209](#) **UNITS MUST FILL IN THEIR OWN DAFVA 91-209 POSTING/LOCATION INFORMATION.** Department of the Air Force Occupational Safety and Health Program visual aid. Keep this available so personnel know the core safety rights, responsibilities, and reporting expectations.
- [LS-201](#) Notice of Employee's Injury or Death (Non-Appropriated Funds). Use this when applicable for NAF employee injury or death reporting.

DAF TRAFFIC SAFETY PROGRAM

Reference: DAFI 91-207. Requirements of the DAF traffic safety program include mandatory use of seat belts and helmets, speed limits, local traffic hazards, spotters while backing, and vehicle training requirements.

Additionally, brief prohibition or restrictions on electronic-device use while operating vehicles on- or off-base, and discuss motorcycle safety training requirements before riding a motorcycle.

On-Base / Vehicle Operations

- Obey posted speed limits, traffic control devices, and local roadway rules.
- Use installed seat belts and occupant restraints as designed by the manufacturer.
- Use spotters while backing when required by local policy, task conditions, or vehicle type.
- Complete required GOV, GVO, golf cart, low-speed vehicle, or mission-specific vehicle training before operation.

Electronic Devices / Headphones

- Do not use non-hands-free electronic devices while operating a motor vehicle.
- Stop in a safe location before using a phone if hands-free operation is not available.
- Do not wear headphones or listening devices in ways that interfere with hearing traffic, alarms, or emergency warnings.

Motorcycle / ATV Safety

- Complete required motorcycle rider training before riding on a roadway.
- Wear required PPE including helmet, eye protection, gloves, protective clothing, and over-the-ankle footwear.
- Carry proof of required training when applicable and comply with state licensing requirements.

Pedestrian / Bicycle Awareness


- Use caution at crossings, follow traffic controls, and wear visibility gear when exposed to roadway hazards.
- Use required lighting and reflective equipment during darkness, reduced visibility, or inclement weather.



Department of the
Air Force Rider

#DAFRider Timeline

Right Training ... Right Time ... Right Bike



Every DAFRider should be physically capable, mentally prepared, and their motorcycle mechanically sound.

Local Traffic Hazards / Vehicle Notes:

Enter local gate hazards, base-specific traffic concerns, spotter rules, and where vehicle training is documented.

Motorcycle Safety Representatives / Traffic Contacts:

List unit or group motorcycle safety representatives, traffic safety contacts, and local rider briefing requirements.

No GVO risk assessment files uploaded.

EMERGENCY INFORMATION

- **Emergency Numbers:**
Not entered
- **Medical Facility / Treatment:**
Not entered
- **Evacuation / Muster Point:**
Not entered
- **Shelter in Place:**
Not entered
- **Active Shooter Response Methods:**
Not entered
- **Adverse Weather Shelter:**
Not entered

No evacuation route image uploaded.

EMERGENCY EQUIPMENT AND SAFETY BOARD

Safety Bulletin Board Location: Main Hallway next to Rm. 105

List fire pull stations, extinguishers, power cutoffs, eyewash stations, AEDs, foam systems, and any local fire/emergency equipment notes.

No emergency equipment maps or photos uploaded.

DOCUMENTATION AND REVIEW

Document initial, refresher, and task-specific training in the work center record, review annually or when work conditions change, and maintain records per local records management requirements.

No DAF Form 1118 files uploaded.

No Bioenvironmental Workplace Survey uploaded.

Annual Review History:

Each annual review entry is shown in the table below.

Supervisor Name	Date Reviewed	Contact Info
MSgt Jeffery Stewart	11/25/2025	370-2050

