Job Safety Training Outline

Built to align with DAFI 91-202 paragraph 14.1 requirements.

Unit: 436 CES

Work Center: Pavements and Equipment

Work Area / Office Symbol: Building 922/ CEOHP

Phone: 677-6121

Supervisor: George Moore/ WS10/ Foreman

Reviewer: George Moore

Review Date: 2026-11-05

Effective Date: 2026-11-05

Work Center Overview

The primary mission of the 436 CES Pavements and Construction Equipment Section is to construct, maintain, inspect, and repair horizontal infrastructure across the installation. This includes airfields, roadways, perimeter security barriers, and drainage networks.
The section provides 24/7/365 rapid response and all-weather airfield capability, ensuring zero downtime for Dover AFB's strategic airlift fleet (C-5M Super Galaxy and C-17 Globemaster III). Their continuous operations directly enable the projection of sovereign power, high-priority humanitarian relief, international foreign military sales, and the solemn transfer of fallen American service members.

Work Area Hazard Analysis / JHA Notes

BE Survey Notes: Dover AFB high-risk workplace (20 personnel) maintaining roads and flightlines. Measured Noise (98.6 dBA) and Silica (Quartz/Total Respirable: ~0.28 mg/m3) exposures are significantly above OEL.

JHA Findings & Major Hazards: Hazardous noise from heavy equipment, pneumatic tools, and flightline operations; respirable crystalline silica during demolition/cutting operations; Methanol skin absorption during weekly vehicle disassembly.

Controls: Double hearing protection (plugs and muffs); 3M 7800S respirators; chemical splash goggles; mandatory administrative training (silica, respiratory protection, heat/cold stress, hearing conservation).

Special Restrictions: Fetal Protection Program requires pregnant personnel to report immediately to Public Health for workplace evaluations, restriction recommendations (AF Form 422), and briefings. Shop supervisors not requiring exams have a 0.00 dBA Noise E


Required Training Topics

Workplace HazardsPersonal Protective EquipmentEmergency Action and Fire PreventionReporting Unsafe Equipment, Conditions, or ProceduresMishap, Occupational Injury, and Illness ReportingCA-10 and LS-201DAF Traffic Safety ProgramDAFVA 91-209 Location and ContentDAFSMS Responsibilities

- **Workplace hazards:** Describe crushing, burn, chemical, ladder, weather, flight line, and noise hazards specific to the work center, plus the technical orders, JHAs, and instructions workers must follow.
- **Personal protective equipment:** Train employees on required PPE, including donning, doffing, cleaning, maintenance, storage, disposal, and reporting contact-lens or medical issues that could affect wear.
- **Emergency action and fire prevention:** Cover alarms, AEDs, extinguishers, evacuation routes, shelter locations, and response procedures tied to the work center.
- **Reporting unsafe conditions:** Instruct personnel to report unsafe equipment, conditions, procedures, and injuries without fear of reprisal, including use of DAF Form 457 and applicable reporting channels.
- **Mishap / injury / illness reporting:** Explain on-duty and off-duty reporting requirements, medical treatment procedures, and emergency response contacts.
- **Traffic safety:** Brief seat belt, speed limit, spotter, electronic device, and motorcycle safety requirements applicable to the work center.
- **DAFVA 91-209 and DAFSMS:** Review the location of DAFVA 91-209 and how workers contribute to the unit safety management system.

Hierarchy of Controls


Apply these controls from most effective to least effective when reducing workplace hazards under DAFI 91-202 paragraph 14.1.2.1.4.



Use the highest level of control feasible first. PPE should protect workers only after elimination, substitution, engineering, and administrative controls have been considered.

Active Shooter Response

In the event of an active shooter, individuals should employ the **Avoid, Deny, Defend** response method. This strategy is adaptable to the specific situation and environment.



Avoid (Run): The first and preferred course of action is to evacuate the area if a safe route is available. Maintain awareness of your surroundings and have an escape route planned. Leave your belongings, evacuate regardless of whether others follow, and do not attempt to move wounded people. Once you have reached a safe location, call 911 and provide any information you have.


Deny (Hide): If you cannot evacuate, your next priority is to deny the attacker access to your location. This involves more than just hiding; it means securing your position. Lock and blockade doors with heavy furniture, turn off lights, silence your phone, and remain out of the shooter's view. Remember that concealment only hides you, while cover can offer protection from bullets.

Defend (Fight): As a last resort, when your life is in immediate danger, you must be prepared to defend yourself. Act aggressively, improvise weapons from your surroundings, and commit fully to your actions. Taking action may be risky, but it could be your best or only chance for survival.

When law enforcement arrives: Remain calm, follow all instructions, keep your hands visible with fingers spread, and be prepared to provide information about the shooter’s location, number, and description.

DAFSMS Framework

DAFSMS uses four pillars and the DAFSMS framework to structure the mishap prevention program through continuous improvement and the Plan-Do-Check-Act model.



Policy and Leadership

Safety policy provides the structure for a proactive mishap prevention program. Active leadership involvement at every level is critical to implementation and sustained execution.

Risk Management

Integrate risk management into all safety-related activities so hazards are identified early, controls are implemented, and the safety culture stays proactive.

Assurance

Use evaluations, monitoring, and review processes to measure conformance to standards and drive continuous improvement across the mishap prevention program.

Promotion, Education, and Training

Provide safety awareness, embed ongoing training, implement effective controls, and keep airmen and guardians actively engaged in mishap prevention.

Department of the Air Force SMS Framework

Policy and Leadership

- Leadership planning, organization, direction, and control

- Management roles, responsibilities, and relationships
- Procedures and controls that are developed, documented, maintained, and monitored
- Safety and quality balance, integration, and goal setting

Risk Management

- Hazard identification through mission/task analysis and hazard lists
- Hazard assessment using exposure, probability, severity, and risk level
- Control options, effects, prioritization, selection, and decisions
- Implementation, communication, accountability, support, supervision, and feedback

Assurance

- Performance requirements, expectations, and control effectiveness
- Continuous monitoring, self-inspections, internal and external inspections
- Mishap and event investigation, reporting, metrics, and improvement opportunities
- Change management and continuous improvement actions

Promotion, Education, and Training

- Culture built on informed, flexible, learning, just, and reporting behaviors
- Competency through training and education
- Awareness through internal communication, external communication, and information access

Job Specific Training Items

The following modules apply to this work center and should be reviewed with trainees before task performance.


Hazard CommunicationHearing ConservationManual and Powered HoistsRespiratory Protection ProgramForklift / Material Handling EquipmentCPR TrainingLadder SafetyActive Shooter ResponseGovernment Vehicle / Utility Vehicle UseManual Lifting and Material HandlingJewelry / Loose Articles RestrictionsPersonal Protective Equipment (PPE)

- **Hazard Communication:** Provide HazCom training upon initial assignment, whenever a new chemical hazard is introduced, and when new tasks expose workers to different hazardous materials. Ensure workers know how to access local SDS information and labeling guidance. Train personnel on hazardous chemicals in their work area, labeling systems, safety data sheets, and the measures they can take to protect themselves during normal operations and foreseeable emergencies. DAFI 90-821; 29 CFR 1910.1200 - Hazard Communication
  Link to training: https://usaf.percipio.com/
- **Hearing Conservation:** power point training on sdrive_CEOHP_SAFETY
- **Manual and Powered Hoists:** Use local lesson plans or manufacturer instructions to cover pre-use inspections, operator limitations, suspended-load controls, and maintenance reporting requirements. Provide task-specific training on safe use, load limits, inspections, and operating procedures before workers use hoists in material handling operations. DAFMAN 91-203 - Air Force

Occupational Safety, Fire and Health Standards, Chapter 35
Link to training: https://usaf.percipio.com/

- **Respiratory Protection Program:** power point training on sdrive_CEOHP_SAFETY
- **Forklift / Material Handling Equipment:** Use approved lesson plans, hands-on evaluation, and recurring reevaluation before certifying operators. Cover spotter requirements, aircraft proximity rules, and local route restrictions. Train powered industrial truck operators in truck-related and workplace-related topics, evaluate performance, and conduct refresher training when unsafe operation, incidents, or workplace changes occur. DAFMAN 91-203 - Air Force Occupational Safety, Fire and Health Standards, Chapter 35; 29 CFR 1910.178 - Powered industrial trucks
  Link to training: https://usaf.percipio.com/
- **CPR Training:** Hands on class members every 2 years
- **Ladder Safety:** power point training on sdrive_CEOHP_SAFETY
- **Active Shooter Response:** Use local emergency response procedures, shelter locations, and mass notification methods applicable to the duty location. Brief personnel on how to recognize an active shooter event, how to summon help, and how to apply local run-hide-fight guidance based on the facility layout. Installation emergency management guidance / local procedures
  Link to training: https://usaf.percipio.com/
- **Government Vehicle / Utility Vehicle Use:** power point training on sdrive_CEOHP_VCO
- **Manual Lifting and Material Handling:** Provide verbal and written guidance on manual lifting, lifting devices, and local reporting actions for strain or overexertion symptoms. Train workers on proper lifting techniques, team lifting, load assessment, and use of lifting aids to reduce musculoskeletal injury risk. DAFMAN 91-203 - Air Force Occupational Safety, Fire and Health Standards, Chapter 20
  Link to training: https://usaf.percipio.com/
- **Jewelry / Loose Articles Restrictions:** Use local work-center restrictions and equipment guidance to define prohibited items and exceptions for mission-essential tasks. Train workers on removing jewelry and securing loose articles when working around machinery, electrical hazards, rotating equipment, or snag hazards. Local procedures / equipment guidance
  Link to training: https://usaf.percipio.com/
- **Personal Protective Equipment (PPE):** Use the work-center JHA, BE occupational health assessment, manufacturer instructions, DAFMAN 91-203 Chapter 14, and local safety office guidance to identify PPE requirements. Supervisors must ensure PPE is provided, used, cleaned, inspected, maintained in sanitary and serviceable condition, and documented in JSTO training records. Cover eye and face protection, head protection, foot protection, hand protection, protective clothing, and respiratory or hearing protection when those programs apply. Train each affected worker on when PPE is necessary, what PPE is necessary, how to properly don, doff, adjust, and wear PPE, the limitations of assigned PPE, and the proper care, maintenance, useful life, and disposal of PPE. Require workers to demonstrate understanding and proper use before performing work requiring PPE, and retrain when workplace conditions, job assignments, PPE types, or worker knowledge gaps make prior training obsolete. DAFMAN 91-203 - Air Force Occupational Safety, Fire and Health Standards, Chapter 14; 29 CFR Part 1910 - Occupational Safety and Health Standards (General Industry Standards) Subpart I; 29 CFR 1910.132; 29 CFR 1910.133; 29 CFR 1910.135; 29 CFR 1910.136; 29 CFR 1910.138
  Link to training: https://usaf.percipio.com/

Ergonomics Workstation Posture Guide:



Use this guide while briefing office and administrative workstation setup.

References

Reference List
29 CFR 1910.1200 - Hazard Communication
29 CFR 1910.66 - Powered platforms for building maintenance
29 CFR 1910.132
29 CFR 1910.178 - Powered industrial trucks
29 CFR 1910.1030 - Bloodborne Pathogens
29 CFR 1910.147 - The control of hazardous energy (lockout/tagout)
29 CFR 1926.503 - Training requirements
29 CFR 1960
AF Form 110
AF Form 1118
AF Form 1313
AF Form 1492
AF Form 2767 - Occupational Health Training & Protective Equipment Fit Testing
AF Form 422
AF Form 4391
AF Form 457
AF Form 483
AF Form 55
AF Form 978
AF Form 979
AFI 21-101
AFI 48-101
DAFI 48-145 - Occupational and Environmental Health Program
AFI 48-20
AFI 90-821 - Hazard Communication (HAZCOM) Program
AFI 91-20

AFI 91-202
AFI 91-207
AFI 91-209
AFI 91-301
AFMAN 91-203
AFOSH Standard 48-137
AFOSH Standard 48-20
AFVA 91-209
AFVA 91-307
AMC Sup 1 (to AFI 21-101 / AFMAN 91-203)
CA 10
DAFBI 21-105
DAFBI 48-101
NFPA 70E
NFPA 101 (Life Safety Code)
SF 513
436 AW Mishap Notification Procedures
436th/512th High Risk Activity Guide
Technical Orders (T.O.s)
OEM Guidelines (Kubota / Hyster 4K)
Annual Bioenvironmental Engineering Industrial Hygiene Survey

Required Documents

- CA-10
  What a Federal Employee Should Do When Injured at Work. Use this as the workplace reference for employee injury reporting and follow-up actions.
- DAF Form 457
  Hazard Report. Use this form to identify, document, and elevate unsafe conditions, equipment, or procedures in the workplace.
- DAFVA 91-209 **UNITS MUST FILL OUT THEIR OWN LOCATION POSTED**
  Department of the Air Force Occupational Safety and Health Program visual aid. Keep this available so personnel know the core safety rights, responsibilities, and reporting expectations.
  Location Posted: building 922 break room upstairs
- LS-201
  Notice of Employee's Injury or Death (Non-Appropriated Funds). Use this when applicable for NAF employee injury or death reporting.

Emergency Information

- **Emergency Numbers:** Organization / Agency Contact Number
  On-Base Emergencies (Fire / Police / Medical) 911 (or 302-677-3333 from a cell phone to reach base dispatch)
  Dover AFB Command Post 302-677-4201
  Bioenvironmental Engineering (BE) 302-677-2605 (or via Base Operator at 302-677-3000)
  Public Health Flight (Fetal Protection & Medical Exams) 302-730-4633 (Primary Appointment & Clinic Routing)
  436th Security Forces Squadron (SFS) 302-677-6664
  Military Health System Nurse Advice Line 1-800-TRICARE (874-2273)
- **Medical Facility / Treatment:** 1. Ambulance & Emergency Response (Life, Limb, or Eyesight)
  Immediate Call: Dial 911 (or 302-677-3333 if calling from a cellular device on base) .

  On-Base Response: Emergency medical dispatch coordinates through the Dover AFB Emergency

Communication Center. On base, emergency medical response is provided 24/7 by the Ambulance Response Team (ART) (436th Medical Group / Civil Engineer Squadron Fire Station) in coordination with local Kent County/City of Dover EMS .

Actions On Scene:
State your exact building number (e.g., Bldg 615 / Horizontal Construction Shop), specific shop area/bay, and nature of injury.

Direct someone to flag down the emergency vehicle at the hangar/bay apron or street entrance.

For chemical contamination (e.g., methanol, solvent splashes, silica in eyes), begin immediate flushing at the eyewash station/drench shower and inform dispatch of the chemical involved.

2. Hospital & Emergency Room (Off-Base)
The 436th Medical Group Clinic on base does NOT have an Emergency Room . For severe trauma, life-threatening injuries, or after-hours emergencies requiring hospital care:
Primary Designated Emergency Room:
Bayhealth Hospital, Kent Campus (Kent General)

Address: 640 S. State St., Dover, DE 19901

Phone: (302) 674-4700

Reporting Requirement: If an active duty member is admitted to or treated at a civilian emergency department, notify the Primary Care Manager (PCM) / Flight Medicine and the workplace supervisor within 24 hours to ensure authorization and documentation .

3. Outpatient Clinic Procedures (436th Medical Group)
Location: Building 300, Tuskegee Blvd, Dover AFB .

Routine & Occupational Care:
Appointment Line: Call (302) 730-4633 .

Occupational Health / Bioenvironmental / Public Health: Coordinates annual medical surveillance, audiograms, respirator clearances, and fetal protection program restrictions .

Non-Emergency After-Hours:
Call the MHS Nurse Advice Line at 1-800-TRICARE (874-2273) prior to seeking off-base urgent care to avoid unauthorized medical billing

- **Evacuation / Muster Point:** building 918 parking lot and alternate building 921 parking lot muster point
- **Shelter in Place:** Tornado / Severe Weather Shelter-in-Place
  When a Tornado Warning is issued for Dover AFB, immediately move to designated structural shelters:
  Primary Shelter Location: The locker rooms, restrooms, or interior administrative hallways of the facility. These are structural load-bearing concrete/block areas located away from exterior walls, windows, and high-span hangar roof hazard points.

  Prohibited Areas (DO NOT Shelter Here):
  Avoid the main vehicle bays/hangar garage spaces. High-clearance ceilings and large overhead bay doors are highly susceptible to structural failure, high-wind collapse, and flying debris hazards.

  Avoid any exterior-facing office spaces with windows.

☣ Chemical, Biological, Radiological, or Nuclear (CBRN) / Hazardous Release SIP
If an airborne hazard (e.g., toxic chemical spill, flightline fuel release, or off-base industrial accident) requires sheltering in place to avoid contaminated outside air:
Primary Shelter Location: Designated Interior Breakroom or Office Space that can be rapidly sealed.

Immediate Actions:
Seal the Room: Close all interior doors and windows.

Isolate Ventilation: Turn off all HVAC/exhaust systems, window fans, and air conditioning units immediately to prevent drawing in contaminated outside air.

Seal Gaps: If a CBRN kit is available, use heavy plastic sheeting and duct tape to block under-door drafts and vents .

 Shelter-in-Place Responsibilities
Supervisors: Ensure a head count is taken immediately once the shop is sheltered.

Communication: Monitor the Giant Voice (base siren), desktop pop-up alerts, or the Command Post frequency (302-677-4201) for official "All Clear" messages.

- **Active Shooter Response Methods:** 🏃‍♂️ 1. RUN (Evacuate)
If there is an accessible escape path, attempt to evacuate the premises immediately.
Action: Evacuate the shop floor or office space and run to a safe distance away from the facility.

Flightline & Yards: If you are outdoors on the vehicle apron or concrete yards, seek immediate cover behind heavy earthmoving equipment, concrete barriers, or masonry walls.

Guidelines:
Leave your belongings behind.

Keep your hands visible, empty, and raised above your head to show Security Forces responder teams that you are unarmed.

Prevent others from entering the area if safe to do so.

 2. HIDE (Barricade)
If evacuation is not possible, find a place to hide where the active shooter is less likely to find you.
Best Locations in Bldg 615:
Locked administrative offices, restrooms, or utility/storage rooms.

Tool Cribs / Secure Supply Cages: These areas often feature heavy metal lock doors that can act as formidable physical barriers.

Barricade & Secure:
Lock the door and block it using heavy office furniture, filing cabinets, or structural tools.

Turn off the lights, silence all cell phones (turn off vibrate mode), and remain completely quiet.

Stay out of the shooter's line of sight through door windows or sidelights.

 3. FIGHT (Defend)
As a last resort, and only when your life is in imminent danger, attempt to disrupt or incapacitate the active shooter.
Action: Act with maximum physical aggression. Throw items, improvised weapons, and commit to

your actions.

Improvised Shop Weapons: The Horizontal Construction shop contains heavy, solid tools (wrenches, pry bars, shovels, heavy flashlights) that can be utilized to defend your life if cornered.
 Contacting Security Forces (SFS)
Once you are in a safe or secure position, dial 911 or 302-677-3333 (Dover Base Dispatch) / 302-677-6664 (SFS Desk).

Provide the operator with your exact location (Building 615 / Horizontal Construction), number of shooters, physical description, and types of weapons observed.

- **Adverse Weather Shelter:** Tornado Warnings & High Wind Events
In the event of a tornado warning, severe thunderstorm warning, or extreme high-wind advisory (gusts exceeding 50+ knots) on Dover AFB, immediately seek shelter within Building 615 or nearest hardened facility:
Primary Shelter Location: The locker rooms, restrooms, or central interior hallways. These areas are constructed with heavy concrete/masonry walls and do not have exterior windows or doors.

Prohibited Hazard Zones:
Main Vehicle & Heavy Equipment Bays: DO NOT remain in the large open bays or maintenance garages. The wide-span roofing and large overhead bay doors are highly susceptible to buckling, collapsing, or letting in high-velocity flying debris.

Offices with Windows: Avoid any office space with windows or glass sidelights.

⚡ Lightning Events (Lightning Within 5 Nautical Miles)
The flightline and open concrete yards utilized by Horizontal Construction are highly vulnerable to lightning strikes.
Action: Immediately halt all outdoor work, flightline maintenance, and concrete pouring.

Shelter: Move indoors to Building 615.

Heavy Equipment Warning: Large earthmovers, graders, and dump trucks do not guarantee total lightning safety. Get inside a fully enclosed metal-cab vehicle with windows rolled up if a building is inaccessible, and avoid touching any exposed interior metal connected to the frame.

❄ Winter Storms & Extreme Cold
Horizontal Construction personnel are critical for winter airfield operations (snow and ice removal):
Shelter Strategy: Utilize the administrative breakrooms to cycle personnel through warm environments during extended snow-clearing operations.

Monitoring: Ensure buddy checks are actively performed to monitor for signs of frostbite or hypothermia.

 Base Weather Alerts & Communications
Monitor the Giant Voice (outdoor siren system).

Keep a shop computer open to the AtHoc emergency notification pop-ups.

If communication lines are needed, contact the Civil Engineer (CE) Control Center or the Dover AFB Weather Flight at 302-677-2705 / 302-677-4201 (Command Post).

No evacuation route image uploaded.

Emergency Equipment and Safety Board

Safety Bulletin Board Location: upstair building 922 break room

multiple locations on the map

No emergency equipment maps or location photos uploaded.

Traffic Safety Program

DAF Traffic Safety Program (DAFI 91-207): Train personnel on mandatory use of seat belts and helmets, speed limits, local traffic hazards, spotters while backing, vehicle training requirements, and restrictions on electronic device use while operating vehicles on- or off-base.

Seat Belts / Occupant Restraints: All persons operating or riding in motor vehicles must wear installed restraint systems as prescribed by the manufacturer. Drivers are responsible for ensuring all passengers are briefed on and use required restraints.

Motorcycle / ATV Training: Personnel must complete required safety training before riding a motorcycle, and local units should address required PPE, licensing, refresher training, and safety representative contacts.

Pedestrian / Bicycle Awareness: Emphasize local roadway crossing hazards, visibility requirements, spotter use, and other pedestrian or bicycle precautions specific to the installation.

Local Traffic Hazards / Vehicle Notes:
For Horizontal Construction (Dirtboyz) personnel operating heavy equipment, dump trucks, and standard government motor vehicles (GMVs) around Dover AFB, local traffic hazards and specific vehicle guidelines are structured as follows:
 Local Gate Hazards & Traffic Concerns

Area / Hazard Point Specific Risk & Action Required
Main Gate (Main / North Gate) High-volume commercial and POV traffic. Heavy equipment transit is restricted during peak hours (0630-0830 and 1530-1730). Use caution when navigating barriers designed for Force Protection.
Commercial Gate (South Gate) Primary entry point for construction deliveries and oversized loads. Watch for blind spots, slow-turning semi-trucks, and security check queues blocking the lane.
Airfield / Flightline Access Gates ✈ FOD (Foreign Object Damage) Hazards: Ensure tires are checked and cleared of stones or debris before entering airfield access points. Ground equipment must yield to all taxiing aircraft and emergency response vehicles.
Pavement Maintenance Zones ⚠ Transition zones between gravel yards and paved base roads. Mud and debris tracked onto public base roads by heavy equipment must be cleared immediately to prevent motorcycle and vehicle slippage.

 Safety Contacts
Base Safety Office (436 AW/SE): 302-677-2204 (For reporting roadway safety hazards or vehicle mishaps)


Security Forces Desk (SFS dispatch): 302-677-6664 (For traffic control, escort assistance, or road blockages)

CE Control Center (U-Drive): 302-677-4654 (For local road maintenance and heavy vehicle routing

coordination)
Vehicle Training & Documentation
To legally operate GMVs and specialized construction equipment, training must be explicitly tracked and documented:
AF Form 2293 (USAF Motor Vehicle Operator Identification Card): Must be carried by the operator, detailing every specific class of equipment they are authorized to operate (e.g., graders, loaders, dump trucks).

AF Form 483 (Flightline Driver's License): Must be in possession of any operator driving on the airfield flightline, complete with current annual flightline driver training certification

Motorcycle Safety Representatives / Traffic Contacts:
USR-MSgt Kelley



No routine-use GVO risk assessment files uploaded.

Reporting Unsafe Equipment, Conditions, or Procedures

Notify the supervisor immediately when unsafe equipment, conditions, or procedures are identified. Personnel may report hazards without fear of retaliation, coercion, discrimination, or reprisal.

- **DAF Form 457:** Use to document and elevate unsafe conditions, equipment, or processes.
- **SAFEREP:** Use the approved mishap or hazard reporting channel for additional reporting when directed by local procedures.


Safety Reporting … All In One Place


SAFEREP APP!


Why Safety Reporting?

Quickly and easily tell safety about safety issues you see

- In the dorms
- At work
- Anywhere on base
- In flight
- While maintaining aircraft
- On the ramp







What to report?

- Dangerous conditions
- "Near miss" events
- Aviation specific reporting
- Cultural issues that could lead to an accident, damage, or injury
- Supervisor mishap report

Report anonymously
Reports go direct to the safety office

New name, new website, new app, and a whole new look

SAFEREP is a web- and app-based way for members from every career field to identify hazards and report near-misses and even some mishaps directly to their safety offices using any computer or mobile device.

SAFEREP

Download to your mobile device from your preferred App Store

Or

Go to https://saferep.safety.af.mil









Reporting Unsafe Equipment Reference Files:

- daf1118_CEOHP.pdf

Please wait...

If this message is not eventually replaced by the proper contents of the document, your PDF viewer may not be able to display this type of document.

You can upgrade to the latest version of Adobe Reader for Windows®, Mac, or Linux® by visiting http://www.adobe.com/go/reader_download.

For more assistance with Adobe Reader visit http://www.adobe.com/go/acrreader.

Windows is either a registered trademark or a trademark of Microsoft Corporation in the United States and/or other countries. Mac is a trademark of Apple Inc., registered in the United States and other countries. Linux is the registered trademark of Linus Torvalds in the U.S. and other countries.

Documentation and Review

Training will be documented using TBA 2.0

Bioenvironmental Workplace Survey:

DEPARTMENT OF THE AIR FORCE
436TH AIRLIFT WING (AMC)
DOVER AIR FORCE BASE, DELAWARE 19902

30 October 2026

MEMORANDUM FOR 436 CES/CEOHP
ATTN: SSgt Davien Williams

FROM 436 OMRS/SGXB

SUBJECT: Annual High-Risk Process Health Risk Assessment (HRA), Horizontal Construction, Demolition and Cutting (Silica) Operations, WPID: 065A, Bldg. 922

1. **Introduction:** On 28 October 2026, 1st Lt Owen Burk, SrA Addison Cann and A1C Zhi Xiang Lin from Bioenvironmental Engineering (BE) conducted a high-risk process HRA assessment within your workplace IAW DAFI 48-145, *Occupational and Environmental Health Program*, and DAFMAN 48-146, *Occupational and Environmental Health Management*. **BE will conduct "high risk" process HRAs annually.** Shop processes that are not defined as high-risk will be assessed every 36 months. SSgt Davien Williams was our point of contact.

2. **Purpose:** The purpose of this assessment to conduct a thorough review high risk processes within your workplace, assess the adequacy of existing controls and identify special surveillance required to better characterize the hazardous exposure. A high-risk process is defined as any process with an airborne exposure estimate greater than the action level, Short Term Exposure Limit (STEL) or ceiling. The High-Risk Process Assessment Letter (**Attachment 1**) briefly summarizes the identified high-risk process, the associated hazard exposure details, and the required controls.

3. **Deficiencies:** Please note, all deficiencies during the review have been sent to your Squadron Commander (or equivalent) in an executive summary. Currently, there are 9 deficiencies associated with the process evaluated. BE allows 60 days for resolution of occupational health deficiencies. If deficiencies are not resolved within this timeframe, BE will no longer track administrative deficiencies. IAW DAFI 48-145 para 4.3.4, "Unit commanders, workplace supervisors, facility manager and mission owners shall monitor, report and track any identified deficiencies until closure". The following are the deficiencies identified during this assessment.

a. HAZCOM: Written program- Missing/inadequate written HAZCOM program

b. Respiratory Protection: Cleaning- Improper respirator cleaning procedures

c. Respiratory Protection: Approved respirators not worn when required

d. Respiratory Protection: RPOI was not up to date or signed.

e. Safety Data Sheets: Needs reviewed and updated.

f. Noise: Hearing protection not worn in hazardous noise area when hazardous noise sources are operating.

g. Other: OSHA Expanded Standards: No OSHA Expanded Standard training is provided to employees.

h. Housekeeping Plan: Members do not properly clean off the equipment & uniforms after the process.

i. Disposal: Improper disposal of Silica dust.

4. **Summary of Changes:** No changes were identified during this assessment.

5. **Workplace Monitoring:** The following items have been targeted by BE for additional monitoring or evaluation. Sampling results will be reported to you via a separate letter(s).

a. Air sampling for crystalline silica during the cutting and grinding concrete process.

6. **Conclusion:** All workers must be informed of the contents of this report and be able to view this report at any time upon request. The information contained in this report should be posted on your safety bulletin board and briefed to all employees. Employees have the right to view their individual exposure records. Any questions may be addressed to the BE Flight at 677-2595.

BURK.OWEN.ANDREW.1593519160 Digitally signed by BURK.OWEN.ANDREW.1593519160 Date: 2026.11.02 15:06:59 -05'00'

OWEN A. BURK, 1st Lt, USAF, BSC
Bioenvironmental Engineering

Attachment:
1. High-Risk Process Assessment Letter

cc:
436 CES/CC
436 AW/SEG
436 MDG/SGP
436 OMRS/SGXM

Attachment 1

High-Risk Process Assessment Letter

Table 1. Significant Exposure Assessment Table

Hazard Name	Process Name	Occupational Exposure Limit	Exposure Level	Similar Exposure Group Association
Silica, Crystalline	Demolition and Cutting (Silica) Operations	0.005 mg/m3 (8-hr TWA)	**0.287 mg/m3**	065A Horizontal Construction
Rationale:	Personnel can potentially be exposed to Crystalline Silica which is a confirmed carcinogen when performing this process monthly for 2-4 hours. The last time this hazard was sampled was in 2025. Silica is generated when destroying and cutting of asphalt, concrete, and structures creating an airborne dust. Personnel wear a 3M 7800S Air Purifying Respirator to prevent the dust from being inhaled, they also use the wet method meaning the hazard can't aerosolize. Further air sampling will be conducted to have more recent quantitative data.			

Applicable Job Hazard Analyses:

- written comm plan.pdf

WRITTEN WORK AREA-SPECIFIC HAZARD COMMUNICATION PROGRAM PLAN

1. This written program provides information specific to the implementation of Air Force Instruction 90-821, *Hazard Communication (HAZCOM)*, at **[*Horizontal Shop*].** The written work area hazard communication program includes the following:

1.1. WORK AREA-SPECIFIC PLAN: A copy of this written work area plan. See Paragraph 2.

1.2. AIR FORCE INSTRUCTION 90-821: A hard copy of Air Force Instruction 90-821, *Hazard Communication*.

1.3. HAZARDOUS CHEMICAL LIST: The work area hazardous chemical list. See Paragraph 3 and Attachment 2.

1.4. SDSs ACCESS and LOCATION: See Paragraph 4 and Attachment 1.

1.5. NON-ROUTINE TASKS: A list of the non-routine tasks involving hazardous materials. See Paragraph 5 and Attachment 1.

1.6. CONTRACTOR IN AF WORK AREAS: See Paragraph 6.

1.7. EMPLOYEE INFORMATION AND TRAINING: See Paragraph 7 and Attachment 1.

1.8. BIOENVIRONMENTAL ENGINEERING (BE) SURVEY: A copy of your shop's current Bioenvironmental Engineering (BE) survey and including the following: *Certified PPE and Health Risk Control, Process Hazard Evaluation (PHE), other products from the Defense Occupational and Environmental Health Readiness System (DOEHRS) or chemical sampling survey reports*. Attachment 3.

2. Written Work Area-Specific Hazard Communication Program. Supervisors of work areas, whose employees use, handled and/or will potentially be exposed to hazardous materials must prepare and implement a written work area-specific HAZCOM program. Written programs must be immediately accessible (in either paper or electronic format) to all employees.

3. Hazardous Chemical List. The written work area-specific HAZCOM program must include a list of the hazardous chemicals present in a work area. The product identifier that is used on the Safety Data Sheets (SDS) must be cross-referenced to the inventory. The Enterprise Environmental, Safety, and Occupational Health Management Information System (EESOH-MIS) authorization report with product data may serve as the work area hazardous chemical inventory. At least annually, the supervisor will reconcile SDSs on file and the work area hazardous chemical inventory and maintain documentation of the reconciliation.

4. Safety Data Sheets.

4.1. An SDS must be immediately accessible (in either paper or electronic format) for every item on the work area-specific hazardous chemical inventory. The SDS on file must match the product identifier of the material on-hand. If a new SDS is received, but the old material is still on-hand, the SDS, which matched the old material, must be retained as long as the old material is present in the work area.

4.2. SDSs may be obtained from several sources. These include, but are not limited to, the chemical manufacturer or supplier, Defense Logistics Agency Hazardous Material Data Management System, or through the EESOH-MIS. If the SDS is not available from these sources, contact the Hazardous Material Tracking Activities (HTA) or BE Flight for further assistance at 677-2595.

5. Non-Routine Tasks Involving Hazardous Materials.

5.1. Non-routine tasks are:

5.1.1. Those tasks included within a work area's normal activities but performed infrequently, for example, cleaning a solvent tank and changing the solvent.

5.1.2. Temporary duties outside an individual's normal Air Force Specialty Code (AFSC) or job series.

5.2. Supervisors will ensure work area Operating Instructions (OIs), specific task lists, and Job Safety Analysis (JSAs) thoroughly describe non-routine tasks, associated hazards, and controls and that employees review the procedures before performing the non-routine tasks.

5.3. When workers temporarily perform duties outside their normal jobs, the supervisor of the gaining activity will ensure these workers receive initial work area-specific HAZCOM training prior to beginning the activity.

6. Contractors in AF Work Areas. When an Air Force work area uses hazardous chemicals in a way that contractor employees (e.g., a painting contractor working in an industrial shop) may be exposed, then access to the work area-specific written hazard communication plan must be provided to the contractors in accordance with 29 CFR 1910.1200(e)(2). The contractor is responsible to determine the adequacy of the HAZCOM information for assessments of contractor employees, and is responsible for their own HAZCOM program.

7. Employee Information and Training. Supervisors and employees who handle, use, or are potentially exposed to hazardous materials in the course of official Air Force duties must be provided training on the AF HAZCOM Program, including training to address work area-specific hazards ***prior*** to the use of hazardous chemicals.

7.1. **Supervisor Training**. All work area supervisors must review the U.S. Air Force School of Aerospace Medicine (USAFSAM) AF Supervisor HAZCOM training at least once. Prior to assuming supervisory duties in a new work area, supervisors must review the existing work area-specific HAZCOM training plan with BE. If a work area-specific HAZCOM training plan has not been developed, then the supervisor must develop one using USAFSAM's work area-specific training plan template. Supervisors will ensure Bioenvironmental Engineering (BE), Public Health (PH), Wing Safety(SEG), Fire Department (FES) and any other locally determined organizations as necessary, review and approve new or modified work area-specific HAZCOM training plans for technical accuracy and completeness prior to implementation in the work area.

7.2. **Initial Worker Training.** Workers will receive comprehensive work area-specific HAZCOM training from their supervisors at the time of their initial assignment in a work area. This training, at a minimum, will include the following:

7.2.1. The location and details of the work area-specific written hazard communication program, including the hazardous chemical inventory and SDSs for the work area.

7.2.2. Identification of operations or processes, including non-routine processes, in the work area where hazardous chemicals are present or used. Supervisors may use the hazardous chemical authorization in EESOH-MIS or BE assessment letters as sources of information to meet this training requirement.

7.2.3. Identification of the hazard categories (e.g., flammability, carcinogenicity) or specific chemicals present in the work area and identification of chemicals that pose physical, health, simple asphyxiation, combustible dust, and pyrophoric gas hazards, as well as hazards not otherwise classified.

7.2.4. Proper labeling of hazardous materials, including an explanation of the labels received on shipped containers and the work area labeling system.

7.2.5. How to access and read SDSs, including the order of information and how employees can obtain and use the appropriate hazard information.

7.2.6. Controls (engineering controls, administrative controls, and personal protective equipment) workers must use to minimize or eliminate exposure to hazardous chemicals while performing a specific process (e.g., the specific respirator for a specific spray painting process). Supervisors shall refer to the BE work area assessment reports for specific control requirements.

7.2.7. Emergency procedures, such as recognition of a spill or accidental chemical release (e.g., visual, odor, alarm) and escape procedures to include the locations of emergency eye wash stations, showers, and monitoring capabilities.

7.2.8. Methods and observations that may be used to detect the presence or release of a hazardous chemical in the work area (such as monitoring conducted by the employer, continuous monitoring devices, visual appearance or odor of hazardous chemicals when being released, etc.).

7.2.9. Additional training on expanded standards as required by Occupational Safety and Health Administration (OSHA). Refer to BE assessment letters to identify if expanded standards apply in this work area and obtain the training template from BE.

7.3. **Supplemental Worker Training.** Training for all potentially affected employees is required when a new chemical hazard that the employees have not previously been trained about is introduced into the work area. The work area-specific training plan must be updated with the information concerning the new hazard or chemical and reviewed and approved by BE, PH, SEG, FES, and any other locally determined organizations as necessary.

7.4. **Documentation of Hazard Communication Training.** Work area supervisors shall document both worker initial and supplemental hazard communication training on the AF Form 55, Employee Safety and Health Record, in another electronic form or in the ESOH-MIS. This information shall be accessible electronically or in hard copy. This record should also include external HAZCOM training provided to AF supervisors and employees from contractor organizations where applicable.

7.5. **Determining the Effectiveness of Hazard Communication Training.** HAZCOM is a performance-based standard. Therefore, work area supervisors will assess worker knowledge of basic hazard communication concepts and their work area-specific HAZCOM procedures. Completion of the annual knowledge assessment must be documented.

Approved By:

Organization/Name	*Signature*
Your HAZCOM PROGRAM MANAGER: *SSGT Davien Williams* *TSGT SOURIDET THONGRIVONG* • *Building 922* • *DSN:677-6121*	WILLIAMS.DAVIEN.MARKEL KEE.1565652873 Digitally signed by WILLIAMS.DAVIEN.MARKEL KEE.1565652873 Date: 2026.11.04 11:28:47 -05'00'
Public Health • *POC: SSgt Ashley Pechin and Brian Adams* • *Resource for HAZCOM Training* • *Building 300* • *DSN: 445-2564*	
Bioenvironmental Engineering • *POC: A1C Addison Cann and A1C Manuel Rojas* • *Provides HAZCOM Program Approval and Guidance* • *Building 216* • *DSN: 445-2595*	
Wing Safety • *POC: Lorie Bellamy* • *Resource for Safety / PPE Guidance* • *Building 201* • *DSN: 445-3369*	
Fire Department • *POC: MSgt Robert Perricone* • *Provides additional Guidance* • *Building 140* • *DSN: 445-4407*	

3 Attachments:

1. Work Area-Specific HAZCOM Training
2. Shop's Chemical List
3. Shop's Bioenvironmental Engineering Survey

Annual Review Log:
11/05/2026 reviewed TSgt Souridet Thongrivong-FY27

Trainee Name	Employee ID / Last 4	Date Trained	Trainer / Supervisor Signature