Job Safety Training Outline

Built to align with DAFI 91-202 paragraph 14.1 requirements.

Unit: 733 FSS

Work Center: Army Community Service

Work Area / Office Symbol: Rm 126/733 FSS FSH, 650 Monroe Ave.

Phone: 757-878-3638

Supervisor: Yomaira Fontanez, ACS Safety Monitor

Reviewer: Not entered

Review Date: 2026-11-03

Effective Date: 2026-11-03

Work Center Overview

The mission of Army Community Service (ACS) is to strengthen our community and enhance mission readiness, retention, and adaptation to the military lifestyle by providing total force members, their families, and leadership with effective, measurable services. While we do not provide clinical counseling, we help prioritize concerns and identify the resources or new behaviors needed to navigate the client's situation.
We are location in the Soldier Support Building to the far left entrance, 650 Monroe Ave., Room 126.

Work Area Hazard Analysis / JHA Notes

OFFICE HAZARDS
Major causes of office injuries are falls, pushing/pulling, tripping and manual lifting. Personnel working in offices should keep file draws closed when not in use. Do not drape extension cords across walking areas or any other object that could be stepped on or cause a person to lose their balance. Avoid placing objects in high traffic areas and do not stand on chairs with wheels or wobbly desks or other unsuitable surfaces. Clean up spills immediately and post signs denoting wet floors. Remove obstructions from doorways and hallways.

ELECTRICAL SHOCK / EXTENSION CORDS
Before plugging a cord into the outlet, take a moment to look at the cord. The cord should be free from cracks, cuts or abrasions. If any defects in the cord are found, the cord needs to be replaced. Covering up the defect with electrical tape is not an approved fix. Notify your supervisor about the defected equipment. Electricity and water don’t mix.

HAZARDOUS CHEMICALS
When using cleaning supplies, do not mix different products (especially bleach and ammonia). Open doors or turn on fans when using strong disinfecting sprays. Use gloves when handling concentrated liquids or strong solutions. Keep all items away from skin/eyes.


Required Training Topics

Workplace HazardsPersonal Protective EquipmentEmergency Action and Fire PreventionReporting Unsafe Equipment, Conditions, or ProceduresMishap, Occupational Injury, and Illness ReportingCA-10 and LS-201DAF Traffic Safety ProgramDAFVA 91-209 Location and ContentDAFSMS Responsibilities

- **Workplace hazards:** Describe crushing, burn, chemical, ladder, weather, flight line, and noise hazards specific to the work center, plus the technical orders, JHAs, and instructions workers must follow.
- **Personal protective equipment:** Train employees on required PPE, including donning, doffing, cleaning, maintenance, storage, disposal, and reporting contact-lens or medical issues that could affect wear.
- **Emergency action and fire prevention:** Cover alarms, AEDs, extinguishers, evacuation routes, shelter locations, and response procedures tied to the work center.
- **Reporting unsafe conditions:** Instruct personnel to report unsafe equipment, conditions, procedures, and injuries without fear of reprisal, including use of DAF Form 457 and applicable reporting channels.
- **Mishap / injury / illness reporting:** Explain on-duty and off-duty reporting requirements, medical treatment procedures, and emergency response contacts.
- **Traffic safety:** Brief seat belt, speed limit, spotter, electronic device, and motorcycle safety requirements applicable to the work center.
- **DAFVA 91-209 and DAFSMS:** Review the location of DAFVA 91-209 and how workers contribute to the unit safety management system.

Hierarchy of Controls


Apply these controls from most effective to least effective when reducing workplace hazards under DAFI 91-202 paragraph 14.1.2.1.4.



Use the highest level of control feasible first. PPE should protect workers only after elimination, substitution, engineering, and administrative controls have been considered.

Active Shooter Response

In the event of an active shooter, individuals should employ the **Avoid, Deny, Defend** response method. This strategy is adaptable to the specific situation and environment.



Avoid (Run): The first and preferred course of action is to evacuate the area if a safe route is available. Maintain awareness of your surroundings and have an escape route planned. Leave your belongings, evacuate regardless of whether others follow, and do not attempt to move wounded people. Once you have reached a safe location, call 911 and provide any information you have.


Deny (Hide): If you cannot evacuate, your next priority is to deny the attacker access to your location. This involves more than just hiding; it means securing your position. Lock and blockade doors with heavy furniture, turn off lights, silence your phone, and remain out of the shooter's view. Remember that concealment only hides you, while cover can offer protection from bullets.

Defend (Fight): As a last resort, when your life is in immediate danger, you must be prepared to defend yourself. Act aggressively, improvise weapons from your surroundings, and commit fully to your actions. Taking action may be risky, but it could be your best or only chance for survival.

When law enforcement arrives: Remain calm, follow all instructions, keep your hands visible with fingers spread, and be prepared to provide information about the shooter’s location, number, and description.

DAFSMS Framework

DAFSMS uses four pillars and the DAFSMS framework to structure the mishap prevention program through continuous improvement and the Plan-Do-Check-Act model.



Policy and Leadership

Safety policy provides the structure for a proactive mishap prevention program. Active leadership involvement at every level is critical to implementation and sustained execution.

Risk Management

Integrate risk management into all safety-related activities so hazards are identified early, controls are implemented, and the safety culture stays proactive.

Assurance

Use evaluations, monitoring, and review processes to measure conformance to standards and drive continuous improvement across the mishap prevention program.

Promotion, Education, and Training

Provide safety awareness, embed ongoing training, implement effective controls, and keep airmen and guardians actively engaged in mishap prevention.

Department of the Air Force SMS Framework

Policy and Leadership

- Leadership planning, organization, direction, and control

- Management roles, responsibilities, and relationships
- Procedures and controls that are developed, documented, maintained, and monitored
- Safety and quality balance, integration, and goal setting

Risk Management

- Hazard identification through mission/task analysis and hazard lists
- Hazard assessment using exposure, probability, severity, and risk level
- Control options, effects, prioritization, selection, and decisions
- Implementation, communication, accountability, support, supervision, and feedback

Assurance

- Performance requirements, expectations, and control effectiveness
- Continuous monitoring, self-inspections, internal and external inspections
- Mishap and event investigation, reporting, metrics, and improvement opportunities
- Change management and continuous improvement actions

Promotion, Education, and Training

- Culture built on informed, flexible, learning, just, and reporting behaviors
- Competency through training and education
- Awareness through internal communication, external communication, and information access

Job Specific Training Items

The following modules apply to this work center and should be reviewed with trainees before task performance.

Ladder SafetyActive Shooter ResponseGovernment Vehicle / Utility Vehicle UseManual Lifting and Material HandlingFire Protection and PreventionHazard CommunicationElectrical & Office Appliance Safety

- **Ladder Safety:** Provide hands-on ladder safety training at first assignment, including local storage, damaged-tag procedures, and fall prevention expectations. Train workers to inspect ladders before use, maintain three points of contact, set ladders on stable surfaces, and avoid overreaching or using damaged ladders. DAFMAN 91-203 - Air Force Occupational Safety, Fire and Health Standards, Chapter 7
- **Active Shooter Response:** Use local emergency response procedures, shelter locations, and mass notification methods applicable to the duty location. Brief personnel on how to recognize an active shooter event, how to summon help, and how to apply local run-hide-fight guidance based on the facility layout. Installation emergency management guidance / local procedures
- **Government Vehicle / Utility Vehicle Use:** Brief operators on unit-specific government vehicle training requirements, local route restrictions, low-speed vehicle rules, and documentation of qualification. Train vehicle operators on seat belts, speed limits, local traffic hazards, spotter use

while backing, and restrictions on electronic device use while driving. DAFI 91-207; local procedures
- **Manual Lifting and Material Handling:** Provide verbal and written guidance on manual lifting, lifting devices, and local reporting actions for strain or overexertion symptoms. Train workers on proper lifting techniques, team lifting, load assessment, and use of lifting aids to reduce musculoskeletal injury risk. DAFMAN 91-203 - Air Force Occupational Safety, Fire and Health Standards, Chapter 20
- **Fire Protection and Prevention:** Use the JSTO and local fire prevention plan to brief workers on work-center fire hazards, alarm reporting, extinguisher use, and evacuation accountability. Train personnel on fire hazards, reporting procedures, extinguisher locations, evacuation routes, pull stations, and local emergency response actions. DAFMAN 91-203 - Air Force Occupational Safety, Fire and Health Standards; local fire prevention plan
- **Hazard Communication:** Provide HazCom training upon initial assignment, whenever a new chemical hazard is introduced, and when new tasks expose workers to different hazardous materials. Ensure workers know how to access local SDS information and labeling guidance. Train personnel on hazardous chemicals in their work area, labeling systems, safety data sheets, and the measures they can take to protect themselves during normal operations and foreseeable emergencies. DAFI 90-821; 29 CFR 1910.1200 - Hazard Communication
- **Electrical & Office Appliance Safety:** Use of shredders, laminators, microwaves, space heaters, and conference audiovisual racks. Electrical shock, trip hazards, fire hazards from daisy-chained surge protectors or unapproved space heaters.

References

All required documents can be found at the ACS SharePoint, Safety Folder: https://usaf.dps.mil/_layouts/15/sharepoint.aspx/onedrive

Required Documents

- CA-10
  What a Federal Employee Should Do When Injured at Work. Use this as the workplace reference for employee injury reporting and follow-up actions.
- DAF Form 457
  Hazard Report. Use this form to identify, document, and elevate unsafe conditions, equipment, or procedures in the workplace.
- DAFVA 91-209 **UNITS MUST FILL OUT THEIR OWN LOCATION POSTED**
  Department of the Air Force Occupational Safety and Health Program visual aid. Keep this available so personnel know the core safety rights, responsibilities, and reporting expectations.
  Location Posted: The DAFVA 91-209 is posted on the safety bulletin board which is located in the back wall in Staff Room 8A
- LS-201
  Notice of Employee's Injury or Death (Non-Appropriated Funds). Use this when applicable for NAF employee injury or death reporting.

Emergency Information

- **Emergency Numbers:** Ambulance, Fire Department, Security Forces: Dail 911 from a DSN Phone.

  733 Security Forces: 757-878-4555

  733 Fire Department: 757-878-4281

633 ABW Command Post: 757-225-5411, 757-764-1511

Off Base: Dial 911

- **Medical Facility / Treatment:** McDonald Army Health Center
(757) 314-7500 | Appointments: 1-866-645-4584

  Air Force civilian personnel must complete a Form CA-1 and CA-2 (obtained from your supervisor) prior to seeking treatment at the base hospital for any work-related injury or illness (emergencies excepted).

  All active-duty military personnel, Air Force civilian personnel, and Non-Appropriated Funds personnel, whether full-time or part-time, are authorized to use the hospital for emergency treatment.
- **Evacuation / Muster Point:** When directed, evacuate the building (taking your CAC) to a distance of at least 100 feet. Leave Bldg. 650 via front door and assemble in the secondary parking lot so all personnel may be accounted for by the senior ranking member.
- **Shelter in Place:** 1.“Sheltering-in-place” is in response to a chemical, biological or radiological contamination that may have been released into the environment.
2. Shelter-in-place areas in Army Community Service building 650 are designated with yellow signs. The ACS has pre-identified the Conference Room, Rm 11A as our shelter-in-place area.
3. When instructed to “shelter-in-place,” swiftly move to the Conference Room. Once inside, seal windows, doors, and ventilation systems using tape, plastic, and weather stripping to avoid a chemical disturbance.
- **Active Shooter Response Methods:** 1. When instructed to “lockdown,” it is in response to an active shooter event. During an active shooter emergency, you will be asked to lock/barricade yourself in a room with no windows, if possible.
2. If a room with no windows is not available in the building, try to take cover or stay out of view from any potential threat.
3. The idea of a “lockdown” is to remain properly secured and out of the active shooter’s line of vision until the area is secure.
- **Adverse Weather Shelter:** In case of severe weather and we need to shelter in place, directly move to the ACS Conference Room, Rm 6A. Stay away from windows and falling debris.

Emergency Evacuation Route Image:



Screenshot 2026-11-05 101139.png


Emergency Equipment and Safety Board

Safety Bulletin Board Location: Personnel should review the safety board once a month to ensure they are aware of all current safety policies. The safety bulletin board is located in the back wall in Staff Room 8A.

Fire Reporting: Activate fire alarm. Alarms are located next to main exit the other inside the kitchen by door. Shout FIRE FIRE FIRE! Evacuate the building then dial 911. (Note: if using your cell phone, state you are calling from base). State the emergency, give Bldg. address 650 Monroe Ave., name, rank and phone number. “As a last resort” fight the fire with a fire extinguisher.
Review map to see where are the emergency equipment's located for ACS.

Emergency Equipment Maps / AED & Fire Extinguisher Location Photos:

Floor plan ACS 2026.pdf



Page 1 of 1

Traffic Safety Program

DAF Traffic Safety Program (DAFI 91-207): Train personnel on mandatory use of seat belts and helmets, speed limits, local traffic hazards, spotters while backing, vehicle training requirements, and restrictions on electronic device use while operating vehicles on- or off-base.

Seat Belts / Occupant Restraints: All persons operating or riding in motor vehicles must wear installed restraint systems as prescribed by the manufacturer. Drivers are responsible for ensuring all passengers are briefed on and use required restraints.


Motorcycle / ATV Training: Personnel must complete required safety training before riding a motorcycle, and local units should address required PPE, licensing, refresher training, and safety representative contacts.

Pedestrian / Bicycle Awareness: Emphasize local roadway crossing hazards, visibility requirements, spotter use, and other pedestrian or bicycle precautions specific to the installation.

Local Traffic Hazards / Vehicle Notes:
Annual crash data for the local area can be acquired at http://www.511virginia.org/

All personnel will obey posted speed limits on and off-base.

Motorcycle Safety Representatives / Traffic Contacts:
We do not have a Unit Motorcycle Rep because our squadron is all civilians.



No routine-use GVO risk assessment files uploaded.

Reporting Unsafe Equipment, Conditions, or Procedures

Notify the supervisor immediately when unsafe equipment, conditions, or procedures are identified. Personnel may report hazards without fear of retaliation, coercion, discrimination, or reprisal.

- **DAF Form 457:** Use to document and elevate unsafe conditions, equipment, or processes.
- **SAFEREP:** Use the approved mishap or hazard reporting channel for additional reporting when directed by local procedures.


Safety Reporting … All In One Place


SAFEREP APP!


Why Safety Reporting?

Quickly and easily tell safety about safety issues you see

- In the dorms
- At work
- Anywhere on base
- In flight
- While maintaining aircraft
- On the ramp







What to report?

- Dangerous conditions
- "Near miss" events
- Aviation specific reporting
- Cultural issues that could lead to an accident, damage, or injury
- Supervisor mishap report

Report anonymously
Reports go direct to the safety office

New name, new website, new app, and a whole new look

SAFEREP is a web- and app-based way for members from every career field to identify hazards and report near-misses and even some mishaps directly to their safety offices using any computer or mobile device.

SAFEREP

Download to your mobile device from your preferred App Store

Or

Go to https://saferep.safety.af.mil









Reporting Unsafe Equipment Reference Files:

- daf457.pdf_safe.pdf

HAZARD REPORT

To be competed IAW DAFI 91-202

	Control Number *(Assigned by safety professional)*	Date Submitted
To: Installation Safety Office *(Organization & Location)*	From: Contact Information *(Individual reporting hazard has right to remain anonymous)*	

PART I **HAZARD** *(To be completed by individual reporting hazard)*

Description (*Date, Time, Summary - Who, What, When, Where, How)*

Type (*Unsafe procedures, practices or conditions affecting flight, occupational (ground), weapons, system or space safety. Is health or fire hazard involved?)*

Recommendations (*Optional)*

PART II **INVESTIGATION OF HAZARD**

Investigator Summary of Investigation Valid Hazard ◯ Yes ◯ No Risk Assessment Code *(RAC)* _____


Date Investigated	Investigator *(Name, Grade and Title/Position)*	Signature

DAF Form 457, 20241002
Prescribing Publication: DAFI 91-202

Previous editions currently in use as of date of this form are authorized - All others are obsolete.

Investigator Recommendations to Mitigate Hazards with Assigned OPR		
Date Forward	Designated OPR *(Name, Grade and Title/Position)*	Suspense Date
Actions Taken to Abate Hazard with Assigned OPR		
Date	Typed or Printed Name and Grade of OPR	Signature
PART III	**CLOSURE OF HAZARD REPORT (To be completed by installation safety office)**	
Date Closed	Typed or Printed Name and Grade of Reviewer	Signature

AF Form 1118



NOTICE OF HAZARD

CONTROL NUMBER

LOCATION:

DATE POSTED

HAZARDOUS CONDITION

RISK ASSESSMENT CODE

INTERIM CONTROL MEASURES

PERMANENT CORRECTIVE ACTION

FOR FURTHER INFORMATION CONTACT

EXPECTED COMPLETION DATE

AF FORM 1118, 20150615
Prescribing Publication: AFI91-202

- AF Form 1118.png

- 633d_Airbase_Wint_Mishap_report_procdeudre.pdf

633d Air Base Wing Mishap Reporting Procedures

The key to **MISHAP REPORTING** is timely notification. Don't delay reporting. If you can't locate an individual, proceed to the next step.

STEPS:

1. A military person is injured on-or off-duty, leave, TDY, a civilian is injured on duty, or government equipment/property is damaged: **NOTIFY SUPERVISOR IMMEDIATELY.**

2. Supervisor: **NOTIFY YOUR UNIT SAFETY REPRESENTATIVE.**


PRIMARY UNIT SAFETY REP.	**Eric Brown**	**878-3102**
ALTERNATE UNIT SAFETY REP.	**Maj Jacob Pfannenstiel**	**878-0661**
ALTERNATE UNIT SAFETY REP.		

ALTERNATE UNIT SAFETY REP.

3. Unit Safety Representative: **NOTIFY YOUR UNIT COMMANDER and WING SAFETY OFFICE during normal duty hours or COMMAND POST after normal duty hours.**

633 ABW SAFETY OFFICE: DSN 574-5058, COMMERCIAL 757-764-5058

633 ABW COMMAND POST: DSN 574-5411, COMMERCIAL 757-764-5411



Documentation and Review

Training documents will be reviewed annually and the safety monitor will log the reviewed material via AF 55.

Bioenvironmental Workplace Survey: No Bioenvironmental Workplace Survey uploaded.


Applicable Job Hazard Analyses:

- PROPER PERSONAL LIFTING TECHNIQUES.pdf

PROPER PERSONAL LIFTING TECHNIQUES (DAFI 91-203, CHAPTER 2)

- Refer to DAFMAN 91-203, *Air Force Occupational Safety, Fire, and Health Standards*, Chapter 2 for proper material handling and lifting techniques. Only occasional lifting is required within this Directorate, and proper lifting methods are used in those rare situations.

- The following charts display proper lifting and carrying techniques.



Annual Review Log:
See attachment.

Trainee Name	Employee ID / Last 4	Date Trained	Trainer / Supervisor Signature