

Job Safety Training Outline

Built to align with DAFI 91-202 paragraph 14.1 requirements.



Unit: 943 RQG

Work Center: 943 RQG Safety/IG

Work Area / Office Symbol: Bldg 5426

Phone: 228-2329

Supervisor: SMSgt Jessica Oliver

Reviewer: SMSgt Jessica Oliver

Review Date: 2026-08-02

Effective Date: 2026-08-02

Work Center Overview

This Job Safety Training Outline (JSTO) establishes the occupational safety requirements for personnel assigned to the combined Safety Office and Inspector General (IG) work centers. These sections are consolidated under a single JSTO due to the similar, dual-natured profile of their operational duties. While a significant portion of their daily workload involves administrative tasks, report writing, and meeting facilitation within a standard, low-risk office environment, personnel in both sections are routinely required to operate in the field.

Both Safety and IG personnel conduct recurring site visits, audits, and compliance inspections that require navigating through active industrial areas, maintenance facilities, and flightlines. During these field activities, personnel may be transiently exposed to industrial hazards such as heavy machinery, high noise levels, moving vehicles, and hazardous materials. Furthermore, Safety Office personnel are responsible for responding to and conducting mishap investigations. This specific duty introduces potential exposure to unpredictable, high-risk environments, which may include structurally compromised areas, biological hazards, chemical spills, and specialized mechanical hazards. Because operations extend beyond a standard office setting, personnel in these work centers require comprehensive hazard recognition training and must be proficient in the use of applicable Personal Protective Equipment (PPE) to safely navigate industrial spaces and mishap scenes.

Work Area Hazard Analysis / JHA Notes

N/A

Required Training Topics


Workplace Hazards
Personal Protective Equipment
Emergency Action and Fire Prevention
Reporting Unsafe Equipment, Conditions, or Procedures
Mishap, Occupational Injury, and Illness Reporting
CA-10 and LS-201
DAF Traffic Safety Program
DAFVA 91-209 Location and Content
DAFSMS Responsibilities

- **Workplace hazards:** Describe crushing, burn, chemical, ladder, weather, flight line, and noise hazards specific to the work center, plus the technical orders, JHAs, and instructions workers must follow.
- **Personal protective equipment:** Train employees on required PPE, including donning, doffing, cleaning, maintenance, storage, disposal, and reporting contact-lens or medical issues that could affect wear.
- **Emergency action and fire prevention:** Cover alarms, AEDs, extinguishers, evacuation routes, shelter locations, and response procedures tied to the work center.
- **Reporting unsafe conditions:** Instruct personnel to report unsafe equipment, conditions, procedures, and injuries without fear of reprisal, including use of DAF Form 457 and applicable reporting channels.
- **Mishap / injury / illness reporting:** Explain on-duty and off-duty reporting requirements, medical treatment procedures, and emergency response contacts.
- **Traffic safety:** Brief seat belt, speed limit, spotter, electronic device, and motorcycle safety requirements applicable to the work center.
- **DAFVA 91-209 and DAFSMS:** Review the location of DAFVA 91-209 and how workers contribute to the unit safety management system.

Hierarchy of Controls

Apply these controls from most effective to least effective when reducing workplace hazards under DAFI 91-202 paragraph 14.1.2.1.4.

HIERARCHY OF **HAZARD CONTROLS**



Use the highest level of control feasible first. PPE should protect workers only after elimination, substitution, engineering, and administrative controls have been considered.

Active Shooter Response

In the event of an active shooter, individuals should employ the **Avoid, Deny, Defend** response method. This strategy is adaptable to the specific situation and environment.

Responses to an Active Shooter include:

Avoid (RUN),

Deny (HIDE),

Defend (FIGHT)

Adapt your response to the weapons used:

Ricocheting bullets

Shrapnel and secondary missiles

Cover vs Concealment

An active shooter situation may be over within 15 minutes, before law enforcement arrives.


Avoid (Run): The first and preferred course of action is to evacuate the area if a safe route is available. Maintain awareness of your surroundings and have an escape route planned. Leave your belongings, evacuate regardless of whether others follow, and do not attempt to move wounded people. Once you have reached a safe location, call 911 and provide any information you have.

Deny (Hide): If you cannot evacuate, your next priority is to deny the attacker access to your location. This involves more than just hiding; it means securing your position. Lock and blockade doors with heavy furniture, turn off lights, silence your phone, and remain out of the shooter's view. Remember that concealment only hides you, while cover can offer protection from bullets.

Defend (Fight): As a last resort, when your life is in immediate danger, you must be prepared to defend yourself. Act aggressively, improvise weapons from your surroundings, and commit fully to your actions. Taking action may be risky, but it could be your best or only chance for survival.

When law enforcement arrives: Remain calm, follow all instructions, keep your hands visible with fingers spread, and be prepared to provide information about the shooter's location, number, and description.

DAFSMS uses four pillars and the DAFSMS framework to structure the mishap prevention program through continuous improvement and the Plan-Do-Check-Act model.



Policy and Leadership

Safety policy provides the structure for a proactive mishap prevention program. Active leadership involvement at every level is critical to implementation and sustained execution.

Risk Management

Integrate risk management into all safety-related activities so hazards are identified early, controls are implemented, and the safety culture stays proactive.

Assurance

Use evaluations, monitoring, and review processes to measure conformance to standards and drive continuous improvement across the mishap prevention program.

Promotion, Education, and Training

Provide safety awareness, embed ongoing training, implement effective controls, and keep airmen and guardians actively engaged in mishap prevention.

Department of the Air Force SMS Framework

Policy and Leadership

- Leadership planning, organization, direction, and control
- Management roles, responsibilities, and relationships
- Procedures and controls that are developed, documented, maintained, and monitored
- Safety and quality balance, integration, and goal setting

Risk Management

- Hazard identification through mission/task analysis and hazard lists
- Hazard assessment using exposure, probability, severity, and risk level
- Control options, effects, prioritization, selection, and decisions
- Implementation, communication, accountability, support, supervision, and feedback

Assurance

- Performance requirements, expectations, and control effectiveness
- Continuous monitoring, self-inspections, internal and external inspections
- Mishap and event investigation, reporting, metrics, and improvement opportunities
- Change management and continuous improvement actions

Promotion, Education, and Training

- Culture built on informed, flexible, learning, just, and reporting behaviors
- Competency through training and education
- Awareness through internal communication, external communication, and information access

Job Specific Training Items

The following modules apply to this work center and should be reviewed with trainees before task performance.

Government Vehicle / Utility Vehicle Use Personal Protective Equipment (PPE)


- **Government Vehicle / Utility Vehicle Use:** Utility Task Vehicle (UTV) training is conducted through a combination of online certification via the Recreational Off-Highway Vehicle Association (ROHVA), a local procedures PowerPoint presentation, and hands-on training with a qualified supervisor. This is a one-time training requirement unless retraining is deemed necessary. All training will be documented on AF 55s.
- **Personal Protective Equipment (PPE):** PPE Training, Selection, and Documentation Because Safety and IG personnel must routinely enter active flightlines, maintenance hangars, and industrial shops—as well as respond to unpredictable mishap environments—proper selection and use of Personal Protective Equipment (PPE) are critical. All required PPE training must be conducted by a competent person qualified in the specific equipment's standards, limitations, and fit. For the Safety and IG staff, standard required equipment includes, but is not limited to: Hearing Protection (Ear Pro): Insert earplugs or earmuffs for high-noise areas like flightlines and industrial shops. Head Protection (Head Pro): Approved safety helmets or hard hats for overhead hazards on active worksites or structurally compromised mishap scenes. Foot Protection (Foot Pro): Steel-toe or composite safety boots compliant with military and OSHA standards. Respiratory Protection: Particulate masks or specialized respirators to be worn if the environmental air quality at a mishap scene or industrial site calls for it. All specialized PPE fit-testing, hazard briefs, and hands-on usage instructions must be officially documented on the member's AF Form 55 prior to entering any hazardous operational area.

Ergonomics Workstation Posture Guide:



CHECK YOUR
BODY POSTURE

WORKING AT DESK



Use this guide while briefing office and administrative workstation setup.

References

- DAFI 91-202 - The Department of the Air Force (DAF) Mishap Prevention Program (MISHAP PREVENTION PROGRAM)
- DAFI 91-202 - The Department of the Air Force (DAF) Mishap Prevention Program_AFRCSUP (MISHAP PREVENTION PROGRAM)
- DAFMAN 91-203 - Air Force Occupational Safety, Fire and Health Standards (OCCUPATIONAL SAFETY, FIRE, AND HEALTH STANDARDS)
- DAFI 91-207 (TRAFFIC SAFETY PROGRAM)
- DAFI 90-802 (RISK MANAGEMENT)
- DAFI 90-821
- 29 CFR 1910 (General Industry Standards)

Required Documents

- [CA-10](#)
What a Federal Employee Should Do When Injured at Work. Use this as the workplace reference for employee injury reporting and follow-up actions.
- [DAF Form 457](#)
Hazard Report. Use this form to identify, document, and elevate unsafe conditions, equipment, or procedures in the workplace.
- [DAFVA 91-209](#) **UNITS MUST FILL OUT THEIR OWN LOCATION POSTED**
Department of the Air Force Occupational Safety and Health Program visual aid. Keep this available so personnel know the core safety rights, responsibilities, and reporting expectations.
Location Posted: This visual aid is located on the official Safety Board, which is situated in the main hallway of Building 5426.

- [LS-201](#)

Notice of Employee's Injury or Death (Non-Appropriated Funds). Use this when applicable for NAF employee injury or death reporting.

Emergency Information

- **Emergency Numbers:** 911 (from an on-base phone)
Fire Department..... 228-3333
Security Forces - 228-3517
Command Post..... 228-7400
Base Operations..... 228-4315/4507
943 RQG Safety..... 228-2329/1608
355th Wing Safety..... 228-3311/5558
Bioenvironmental..... 228-5369
CE Environmental..... 228-5372
- **Medical Facility / Treatment:** 355 Medical Group Base Clinic: Bldg 400 Davis-Monthan AFB, AZ
St Joseph's Hospital 350 N Wilmot Rd Tucson, AZ 85711 (520) 873-3000
St Mary's Hospital 1701 W Anklam Rd Tucson, AZ 85745 (520) 872-6691
Banner University Medical Center (main campus) 1501 N. Campbell Ave. Tucson, AZ 85724 (520) 694-0111
Banner University Medical Center (South Campus) 2800 E Ajo Way Tucson, AZ 85713 (520) 573-2871


In the event that a person (military and/or civilian technician) is injured, the following procedures apply. Immediately notify your supervisor if possible and/or call the Wing Fire Department at 911(from an on-base land line) or 228-3333. The Fire Department will respond with paramedics/EMT's that are on shift at all times. They have the capability to treat, evaluate and recommend further medical attention. If further medical attention is needed, an off-base ambulance may be called and/or you may be able to seek other transportation to an off-base medical provider.

- **Evacuation / Muster Point:** Exit Buildings 5426 or 5434 using the nearest and safest available exit. Personnel must quickly proceed to the designated muster point located in the parking lot northeast of the buildings, commonly known as the TDY parking lot. Once gathered in the TDY parking lot, all personnel must immediately report to their respective section chiefs or designated representatives to conduct physical accountability. Section representatives will then consolidate the roll call and report their status to the Command Staff or On-Scene Commander. Personnel must remain in the TDY parking lot and await further instructions from emergency responders or leadership before attempting to re-enter the facilities.
- **Shelter in Place:** The primary shelter location inside Building 5434, or proceed to the designated secondary shelter location in Building 5426, Room 111, if the primary facility is inaccessible or unsafe.
- **Active Shooter Response Methods:** 1. RUN - Have an escape plan, leave belongings, and Keep hands visible
2. HIDE - Hide out of shooter's view, Block entry/lock doors, DO NOT attempt to move wounded personnel.
3. FIGHT- LAST RESORT

As a reminder, notifications of an active shooter event are divided into three stages: LOCKDOWN, STAY PUT, and ALL CLEAR

- **Adverse Weather Shelter:** The primary shelter location inside Building 5434, or proceed to the designated secondary shelter location in Building 5426, Room 111, if the primary facility is inaccessible or unsafe.

Emergency Evacuation Route Image:



Evac Map.png

Emergency Equipment and Safety Board

Safety Bulletin Board Location: Main Hallway of Bldg. 5426

Both Buildings 5426 and 5434 are equipped with automated wet-pipe sprinkler systems and manual fire alarm pull stations that are clearly marked and located throughout the facilities. For immediate fire suppression, Building 5426 is equipped with two fire extinguishers: one is located in the main hallway near the HVAC cutoff switch, and the second is mounted in the Heritage Room. Building 5434 also houses two fire extinguishers: one is located immediately adjacent to the main entrance, and the other is located in the Training Area. Personnel are not equipped with, nor do these administrative spaces require, automated external defibrillators (AEDs) or chemical eyewash stations.

No emergency equipment maps or location photos uploaded.

Traffic Safety Program

DAF Traffic Safety Program (DAFI 91-207): Train personnel on mandatory use of seat belts and helmets, speed limits, local traffic hazards, spotters while backing, vehicle training requirements, and restrictions on electronic device use while operating vehicles on- or off-base.

Seat Belts / Occupant Restraints: All persons operating or riding in motor vehicles must wear installed restraint systems as prescribed by the manufacturer. Drivers are responsible for ensuring all passengers are briefed on and use required restraints.

Motorcycle / ATV Training: Personnel must complete required safety training before riding a motorcycle, and local units should address required PPE, licensing, refresher training, and safety representative contacts.

Pedestrian / Bicycle Awareness: Emphasize local roadway crossing hazards, visibility requirements, spotter use, and other pedestrian or bicycle precautions specific to the installation.

Local Traffic Hazards / Vehicle Notes:

All personnel must exercise heightened situational awareness when commuting to and from work due to unique local traffic conditions in the Tucson metropolitan area

. Tucson roadways frequently experience congestion, aggressive driving, and seasonal hazards such as flash flooding and low visibility during the summer monsoon season. Additionally, extreme daytime temperatures in the local area pose a risk of rapid vehicle overheating and tire blowouts

. To ensure safety and minimize delays, personnel must plan their commutes around daily peak gate traffic at Davis-Monthan AFB


. All base installation gates experience heavy congestion and significant delays during morning inbound rushes from 0600 to 0800, and again during afternoon outbound rushes from 1500 to 1700

. Personnel are highly encouraged to practice defensive driving, strictly adhere to posted base speed limits, and utilize hands-free mobile devices exclusively while operating vehicles

Motorcycle Safety Representatives / Traffic Contacts:

Any personnel who operate or intend to operate a motorcycle on or off duty must immediately identify themselves to the designated unit Motorcycle Safety Representatives (MSR) to ensure compliance with military rider training and tracking requirements. The primary MSRs for this consolidated work center are SrA Skylar Gohman and TSgt John Wallace. These representatives are responsible for conducting initial rider briefings, verifying proper licensing, tracking mandatory progressive safety training, and ensuring all riders are registered in the tracking database.

Personnel are strictly prohibited from operating motorcycles on base or during official duties without completing these mandatory safety briefings and training requirements. All initial safety training, work center familiarization, emergency procedure briefings, and recurring safety training completed under this JSTO will be officially documented and tracked using AF Form 55 (Employee Safety and Health Record)



No routine-use GVO risk assessment files uploaded.

Reporting Unsafe Equipment, Conditions, or Procedures

Notify the supervisor immediately when unsafe equipment, conditions, or procedures are identified. Personnel may report hazards without fear of retaliation, coercion, discrimination, or reprisal.


- **DAF Form 457:** Use to document and elevate unsafe conditions, equipment, or processes.
- **SAFEREP:** Use the approved mishap or hazard reporting channel for additional reporting when directed by local procedures.



A white tag with a black border and a black header containing the word "DANGER" in red. Below the header is a section labeled "HAZARD" and a section labeled "CONTROL MEASURES". The tag is labeled "AF FORM 979" at the bottom.



A yellow tag with a black border and a black header containing the word "CAUTION" in yellow. Below the header is a section labeled "HAZARD" and a section labeled "CONTROL MEASURES". The tag is labeled "AF FORM 980" at the bottom.



A white tag with a black border and a black header containing the words "OUT OF ORDER" in white. Below the header is a section labeled "HAZARD" and a section labeled "CONTROL MEASURES". The tag is labeled "AF FORM 981" at the bottom.

