



Job Safety Training Outline

Built to align with DAFI 91-202 paragraph 14.1 requirements.

Unit: 48 Civil Engineer Squadron

Work Center: 48 CES/CSS

Office Symbol: 48 CES/CSS

Supervisor: MSgt Jimenez, Kenneth

Phone: 314-226-1901

Reviewer: MSgt Jimenez, Kenneth

Review Date: 2026-05-20

Effective Date: 2026-05-20

WORK CENTER OVERVIEW

The CSS (Commander Support Staff) and the Command Team (Commander, Chief Deputy & Shirt) are located within Building 1156 and the UTM (Unit Training Manager), USR (Unit Safety Representative) & VCO (Vehicle Control Officer) are in Building 1146. All three sections work within an 'Admin Building' but fall under the same section for this JSTO.

REQUIRED TRAINING TOPICS

Workplace Hazards

Personal Protective Equipment

Emergency Action and Fire Prevention

Reporting Unsafe Conditions

Reporting Mishaps and Occupational Injury/Illness

CA-10 and LS-201

DAF Traffic Safety Program

DAFVA 91-209


DAFSMS Responsibilities

- **Hazards and controls:** Address task hazards, environmental hazards, governing instructions, and hierarchy of controls including elimination, engineering, substitution, and administrative controls.
- **PPE:** Cover required protective equipment, wear/use procedures, cleaning, maintenance, storage, disposal, and supervisor notification concerns.
- **Emergency response:** Cover emergency action, fire prevention, alarms, AEDs, extinguishers, evacuation, shelter, active shooter response, and emergency contact procedures.
- **Reporting:** Explain unsafe condition reporting, injury/illness reporting, DAF Form 457, SAFEREP access, and anti-retaliation protections.

- **Program awareness:** Include CA-10 / LS-201 location, traffic safety program requirements, DAFVA 91-209 location, and DAFSMS responsibilities.

Hierarchy of Controls

Apply these controls from most effective to least effective when reducing workplace hazards under DAFI 91-202 paragraph 14.1.2.1.4.



Use the highest level of control feasible first. PPE should protect workers only after elimination, substitution, engineering, and administrative controls have been considered.

Active Shooter Response

In the event of an active shooter, individuals should employ the **Avoid, Deny, Defend** response method. This strategy is adaptable to the specific situation and environment.

Responses to an Active Shooter include:

Avoid (RUN),

Deny (HIDE),

Defend (FIGHT)

Adapt your response to the weapons used:

Ricocheting bullets

Shrapnel and secondary missiles

Cover vs Concealment

An active shooter situation may be over within 15 minutes, before law enforcement arrives.

Avoid (Run): The first and preferred course of action is to evacuate the area if a safe route is available. Maintain awareness of your surroundings and have an escape route planned. Leave your belongings, evacuate regardless of whether others follow, and do not attempt to move wounded people. Once you have reached a safe location, call 911 and provide any information you have.

Deny (Hide): If you cannot evacuate, your next priority is to deny the attacker access to your location. This involves more than just hiding; it means securing your position. Lock and blockade doors with heavy furniture, turn off lights, silence your phone, and remain out of the shooter's view. Remember that concealment only hides you, while cover can offer protection from bullets.

Defend (Fight): As a last resort, when your life is in immediate danger, you must be prepared to defend yourself. Act aggressively and take action against the shooter. Improvise weapons from your surroundings and commit to your actions. Taking action may be risky, but it could be your best or only chance for survival.

When law enforcement arrives: Remain calm, follow all instructions, keep your hands visible with fingers spread, and be prepared to provide information about the shooter's location, number, and description.

DAFSMS FRAMEWORK

DAFSMS uses four pillars and the DAFSMS framework to structure the mishap prevention program through continuous improvement and the Plan-Do-Check-Act model.



Policy and Leadership

Provides the structure for a proactive mishap prevention program through policy, active leadership engagement, and clearly defined responsibilities at every level.

Risk Management

Integrates hazard identification, assessment, and control decisions into daily operations to reduce mishaps and strengthen safety culture.

Assurance

Uses evaluations, monitoring, reviews, and data to confirm the mishap prevention program is implemented and improving over time.

Promotion, Education, and Training

Ensures Airmen and Guardians receive safety awareness information, embedded training, effective risk controls, and active engagement in mishap prevention.

1. Purpose. DAFSMS utilizes the four pillars and the DAFSMS framework to structure the mishap prevention program. Activities associated with each pillar set policy, identify and mitigate hazards and risk, and reduce the occurrence and cost of injuries, illnesses, fatalities, and property damage through continuous improvement and the PDCA model.

2. Policy and Leadership. Safety policy provides the structure for a sound and proactive mishap prevention program. Active leadership involvement in implementation and execution is critical at all levels of command.

3. Risk Management. Ensure the RM process is fully integrated into all safety-related activities to enhance mishap prevention and sustain a proactive safety culture. Refer to DAFI 90-802 and DAFPAM 90-803 for additional detail.

4. Assurance. Safety assurance is how commanders determine whether mishap prevention elements are implemented and guides continuous improvement through evaluation, monitoring, and review.

5. Promotion, Education, and Training. Ensure Airmen and Guardians are provided safety awareness information, organizations have embedded ongoing training into the mishap prevention program, effective risk controls are implemented, and personnel remain actively engaged.

Report it on SAFEREP



HAZARDS ARE EVERYWHERE.



WHAT ARE **YOU** DOING TO
PREVENT INJURY OR DEATH?

More info about SAFEREP
www.safety.af.mil/home/saferep

SAFEREP is the Department of the Air Force's (DAF) premiere digital safety reporting tool and mobile app. It allows Airmen and Guardians to easily report hazardous conditions, near-misses, unintentional errors, or safety concerns across all disciplines, including workplace, traffic, industrial, flight, weapons, and space safety, directly from their devices anytime and anywhere.

Fully integrated with the Air Force Safety Automated System (AFSAS), it replaces the earlier Airman Safety App and serves as the DAF's only fully digital safety reporting avenue. Users simply answer a short series of questions to submit reports that reach the appropriate Major Command (MAJCOM) safety office quickly and efficiently.

Key Benefits for Job Safety Training:

- **Empowers everyone:** Turns every Airman or Guardian into a proactive sensor for hazard identification, encouraging a strong safety culture where people feel comfortable speaking up without barriers like paperwork or word-of-mouth delays.
- **Prevents mishaps:** Enables early mitigation of risks before they lead to incidents, capturing minor events and near-misses that offer the greatest prevention potential.
- **Simple and accessible:** Mobile-first design makes reporting fast, more efficient than traditional methods, and available on the spot through the app on Google Play and the Apple App Store.
- **Broad coverage and integration:** Supports multiple safety areas and includes specialized features such as Aviation Safety Action Program reporting, improving visibility, tracking, and overall risk management across the force.

This tool strengthens operational readiness by fostering a proactive, data-driven approach to safety. You can download it from the app stores or access it through the official SAFEREP site for more details.

SAFEREP portal: <https://saferep.safety.af.mil>

Learn more: <https://www.safety.af.mil/Home/SAFEREP/>

REPORTING UNSAFE EQUIPMENT, CONDITIONS, OR PROCEDURES

Employees must report unsafe equipment, conditions, or procedures to their supervisor immediately. This includes any hazard that could injure personnel, damage equipment, or create an unsafe work process.

Personnel must also be notified that unsafe conditions, work-related injuries, and illnesses may be reported **without fear of retaliation**. Immediate supervisor involvement remains the primary reporting path, with SAFEREP and formal hazard-report channels available when needed.

What To Report

- Unsafe equipment that is broken, damaged, unserviceable, or missing required guards or controls.
- Unsafe conditions or procedures that create a hazard to personnel, operations, or facilities.
- Work-related injuries, illnesses, near-misses, and hazards needing immediate attention.

Immediate Actions

- Notify the supervisor or responsible area lead immediately.
- If the hazard can be safely controlled, stop use and isolate the equipment or area until corrected.
- If the danger is imminent to life or health, evacuate the area and activate emergency response procedures.

Tag use examples: Use the appropriate danger, caution, out-of-order, or do-not-start tag to keep unsafe equipment out of service until the hazard has been corrected and the responsible supervisor authorizes return to use.



Escalation: If the issue cannot be resolved at the lowest level, elevate it through the unit safety representative, DAF Form 457 process, or SAFEREP as appropriate.

LOCAL MISHAP / HAZARD REPORTING PROCEDURES

Uploaded Local Procedures:

SUPERVISOR MISHAP REPORT

Authority: Executive Order 12196, 29 CFR 1960, 10 USC 9013, DoDI 6055.07 and DAFI 91-204. **Privacy Act:** This form requires collecting and maintaining information protected by the Privacy Act of 1974. Form will be safeguarded from unauthorized disclosure. **Purpose:** To assist safety professionals in identification of individuals and to obtain required personal information to complete mishap reports. **Routine Use:** Used to (a) Establish the severity of injury/illness and to ensure proper reporting accountability within the Department of the Air Force; (b) Identify causes of illness/injuries so supervisors and functional managers can take appropriate action to eliminate or control unsafe and unhealthy conditions; (c) Prepare statistical and historical reports as required by Executive Order 12196 and Department of Defense; (d) Provide documentation for cumulative summation of treatment causes. **Disclosure:** Voluntary, however failure to provide requested information may delay appropriate corrective action to ensure personal safety and reporting mishaps to AFSEC.

SECTION I: EVENT INFORMATION (Required)

1. Date of Mishap	2. Time of Mishap	3. On/Off Installation	4. Specific mishap location
5. What was the employee doing just before the mishap occurred? Describe the activity, as well as the tools, equipment, or material the employee was using. Be specific. <i>Examples: Climbing a ladder while carrying roofing materials., Spraying chlorine from hand sprayer., Daily computer key-entry.</i>			
6. What happened? Tell us how the injury occurred. <i>Examples: When ladder slipped on wet floor, worker fell 20 feet., Worker was sprayed with chlorine when gasket broke during replacement., Worker developed soreness in wrist over time.</i>			
7. What object or substance directly harmed the employee? <i>Examples: concrete floor, chlorine, radial arm saw. If this question does not apply to the incident, leave it blank.</i>			
8. Witnesses ☐ YES ☐ NO (Witness Information, name, address, contact number, email etc.)			

SECTION II: EMPLOYEE INFORMATION (as applicable)

9. Name (Last, First MI)	10. Grade/Rank	11. Job title	12. Age	13. Sex	14. DoD ID #
15. Address (Street, City, State & Zip) Type: ☐ Home ☐ Work			16. Phone		
17. Organization	18. DoD Employee Type	19. On/Off duty	20. Duty status	21. Unit	
22. Office symbol	23. Deployed Unit	24. Deployed Office	25. DAFSC/Occ series	26. Date hired (Civilian)	
27. Time shift started	28. # Days since last deployment/TDY	29. # Days Deployed/TDY in last 365	30. Operating object?	31. MUSTT Account?	

SECTION III: MEDICAL & INJURY INFORMATION (as applicable)

32. Treatment (Select all that apply)		☐ No Medical Treatment Needed	☐ Refused Medical Treatment	☐ First/Self Aid Only
☐ Medical Treatment Greater than First Aid		☐ Prescription Medication	☐ Treated at Medical Facility	
☐ Inpatient Hospitalization	# of days	☐ Job Transfer	# of days	☐ Days Away from Work
☐ Returned to Restricted Duties	# of days			
33. What was the injury or illness? Tell us the part of the body that was injured and how it was affected. <i>Examples: strained back, chemical burn, left hand, carpal tunnel syndrome. (Be sure to include side i.e, left shoulder, right index finger, etc.)</i>				
34. If treatment was provided away from worksite, where was it administered? (Facility, Street, City, State & Zip)				
35. Name of physician or health care professional				36. TOX test?

SECTION IV: OBJECT, PROPERTY, MOTOR VEHICLE & DAMAGE INFORMATION (as applicable)

37. Object, property or vehicle description (Include manufacturer, model, designator, part number, serial number, vehicle year, etc. as applicable)

The information herein contains **CONTROLLED UNCLASSIFIED INFORMATION (CUI)** which must be protected under the Freedom of Information Act (5 U.S.C. 552) and/or the Privacy Act of 1974 (5 U.S.C. 552a). Unauthorized disclosure or misuse of this **PERSONAL INFORMATION** may result in disciplinary action, criminal and/or civil penalties.

Page 1 of 2

38. Description of damage to object, property, or vehicle listed above						
39. Owning organization (unit, private, unknown, etc.)		40. Estimated damage cost?	41. Fire or explosion?	42. Was object WRM?	43. Was object NCE?	44. Was object a trainer?
SECTION V: TRAINING						
45. Was employee trained in the task involved in the mishap?		☐ YES ☐ NO (Indicate relevant training below, add rows as needed)				
Action	Date	Training				
+ ▲ ▼ -						
SECTION VI: EVENT CIRCUMSTANCES (as applicable)						
46. Weather	47. Lighting	48. Surface Type	49. Surface Condition	50. Activity Type		
51. Was a safety brief or risk assessment completed before mishap? ☐ YES ☐ NO List who completed briefing/assessment below attach if written						
52. PPE Usage/Required (Check all that apply/add rows as needed)						
+ ▲ ▼ -		☐ Required ☐ Used ☐ Deficient				
SECTION VII: ATTACHMENTS (as applicable)						
ADD ATTACHMENTS (Include documents/photos and/or relevant files NON HIPAA)		Add File/Photo Remove File/Photo				
		Open File/Photo				
SECTION VIII: ADDITIONAL COMMENTS						
SECTION IX: DISTRIBUTION/NOTIFICATION (as applicable/pursuant to local policy)						
(Add as needed)	Office	Grade/Rank	Name			
Commander						
+ ▲ ▼ -						
SECTION X: SUPERVISOR INFORMATION (required to be provided to installation/tenant safety office within 5 workdays)						
Initial corrective actions taken to prevent re-occurrence / Supervisor Comments						
Supervisor's name, grade/rank, duty phone		Date	Signature			
SECTION XI: SAFETY OFFICE USE ONLY						
Date received	Reportable/Recordable	Mishap class	AFSAS #	If employee died, date?		
Reasoning for Non-Reportable/Recordable (do not include Privileged Safety Information (PSI))						
Reviewer name, grade/rank, duty phone		Date	Signature			

The information herein contains **CONTROLLED UNCLASSIFIED INFORMATION (CUI)** which must be protected under the Freedom of Information Act (5 U.S.C. 552) and/or the Privacy Act of 1974 (5 U.S.C. 552a). Unauthorized disclosure or misuse of this **PERSONAL INFORMATION** may result in disciplinary action, criminal and/or civil penalties.

Page 2 of 2



LIBERTY SAFETY



MISHAP REPORTING PROCEDURES



What is required to be reported:

- **Military personnel injured On- or Off-Duty**
 - Including (but not limited to)
 - ☐ Personal vehicle accidents
 - ☐ Sport related injuries
 - ☐ Reporting to the Emergency Room
- **Civilian employee injured On-Duty**
 - ☐ Contractors, under the contractor's day-to-day supervision, will report to their employer
 - ☐ Contractors, under the DAF's day-to-day supervision, will report to the DAF
- Government equipment/property damaged (to include vehicle accidents).

Steps:

- After seeking medical attention, notify a supervisor of injury or damaged property.
- Supervisor will complete a **DAF Form 978, SUPERVISOR MISHAP REPORT**, **with** the personnel that are reporting an injury or damaged property.
- Completed 978's are routed to the Unit Safety Representative's (USR).

Why This is Needed:

All on- and off-duty mishaps resulting in injuries or property damage must be documented on a DAF Form 978 and submitted to the installation safety office within 5 duty days. (DAFI 91-202 para 1.6.28.10, DAFMAN 91-224 para 1.4.4 and DAFI 91-204 para 3.3)

MISHAP REPORTING GUIDANCE

AF Form 978: Supervisor's Preliminary Mishap/Incident Report

This form is used to document all on-duty and off-duty ground mishaps/incidents involving injury or property damage. The involved member's supervisor must complete and submit the form to the installation safety office within **five (5) workdays** of notification.

Reference: DAFMAN 91-224, Para 1.4.4

Military Personnel Reporting

- Any on-duty accidents (including PT)
- Vehicle accidents (on or off-duty)
- Sports, leave, or high-risk activity injuries
- Visits to the Emergency Room*
- Damage to government equipment/property

Civilian (GS/LNDH/MOD)

- Accidents at work
- Vehicle accidents at work
- Damage to government equipment/property

***Note:** Reporting to the Emergency Room for minor illnesses like cold or flu is not required.

Why Reporting is Critical

- **Prevent Future Incidents:** Identify hazards and implement corrective actions.
- **Ensure Member Welfare:** Guarantee appropriate care and support.
- **Protect Assets:** Proper documentation for repair/replacement.

The Reporting Process

1. **Notify:** Inform supervisor immediately.
2. **Action:** Secure scene, get medical care.
3. **Form 978:** Supervisor completes details.
4. **Review:** Commander reviews/signs.
5. **Submit:** To Safety Office (within 5 days).

Frequently Asked Questions & Contacts

Q: What if my supervisor is unavailable?

A: Report to the next person in your chain of command immediately.

Q: Is a "near miss" reportable?

A: Yes! Use AF Form 978 and clearly state it was a near miss to help prevent future injuries.

Installation Safety Office: 226-0748 | **Unit Safety Rep:** 226-2149 | **CSS:** 226-1901

USE OF PORTABLE FIRE EXTINGUISHERS



Portable fire extinguishers are intended for small, incipient-stage fires only. Personnel should use an extinguisher only when they have been trained, the fire is small and contained, the correct extinguisher is available, and there is a clear evacuation path behind them.

Use the **PASS** method when operating a portable fire extinguisher: **Pull** the pin, **Aim** at the base of the fire, **Squeeze** the handle, and **Sweep** side to side.

If the fire grows, smoke conditions worsen, or the extinguisher does not control the fire immediately, evacuate the area, activate the local emergency response process, and report the incident to emergency services and supervision.

WORK AREA HAZARD ANALYSIS

OFFICE HAZARD

To reduce the potential for storage and housekeeping related injuries, each office member is responsible to police their area. Trash will be taken out on a routine basis and storage will be orderly and well kept. All stored items will be kept 18" clear of sprinkler heads. Work center furniture will be positioned to allow free and open movement. Filing cabinets will not be top loaded with heavy items leaving the bottom drawers empty (tip hazard). Filing cabinet drawers will not be left open and unattended. All phone, computer, and electrical cords will be positioned as to not cause a tripping or obstruction hazard. At the end of the day the last person out of your office will check to ensure that items are turned off and no condition exists that could cause damage if left unattended.

OFFICE ERGONOMICS

Workstation design should be tailored to provide you good lighting, sitting position, elbows at 90° and keyboard height. These features provide you with less stress when working at computer workstations. If you are experiencing any symptoms (neck pain, eye strain, back pain, etc.) from your workstation, contact your immediate supervisor and/or military public health for assistance. Repetitive tasks such as typing may create physical problems in some individuals. To avoid such problems, alternate your tasks to prevent the over-exertion of a particular body part or series of parts. Your job provides you the latitude to alternate tasks without hindering mission effectiveness. Schedule your daily tasks with this in mind.

ELECTRICAL OFFICE

Computer equipment and other electrically operated equipment are used in the office environment. Ensure all electrically operated equipment that was manufactured with a ground prong (3 prong) has a ground prong and that all prongs are securely attached. When plugging in and unplugging electrical

equipment, grasp the base of the cord, at the plug, and firmly pull. Do not unplug by pulling on the cord. Frequently inspect cords for damage. If you feel a shock or tingling sensation when you touch a piece of equipment, turn it off at the power strip or circuit breaker (if possible) and report it to your supervisor. Extension cords may not be used in lieu of permanent wiring; this presents a fire hazard/trip hazard. All offices utilize both 220 and 110 voltage appliances. Ensure that you plug in the right plug to the right voltage. Severe equipment damage could occur if plugging a 110-volt appliance into a 220-volt outlet.

OFFICE FURNITURE

Desks, tables and many other pieces of office furniture have sharp corners, which can cause injury. Use caution particularly when walking around desks. Open drawers in filing cabinets and desks, one at a time. Close them when you are finished. If you are tasked with moving office furniture, use mechanical materials handling equipment whenever possible. The workbench area can create many potential hazards depending on the work being done. Pay attention to your surroundings and be aware of potentially hazardous situations.

HEAT/COLD STRESS

Take frequent breaks and drink plenty of fluids (preferably water, not soda) when participating in extended activities in high temperatures and/or humidity. You may be suffering from heat stroke or exhaustion if you have any or all of these symptoms: dizziness, nausea, headache, mental confusion, you stop sweating or your skin is clammy or moist. If you have these or have any other abnormal indication, go indoors, rest, and seek assistance if necessary. During the colder weather, ensure that you have warm layers of clothing. You may be tasked to respond to an exercise, disaster control group, or a mishap that involves extended outdoor activities. Dress appropriately.

RISK MANAGEMENT FUNDAMENTALS

Reference: DAFSMS and local RM program guidance.

Address hazard identification, control selection, local escalation expectations, and when RM refresher training must be completed for this work center.

Risk management (RM) is a logic based common sense approach to making calculated decisions on human, material and environmental factors before, during and after AF operations. Think of risk in the terms of a speedometer to illustrate the impact that risk has on the mission. The higher the speed, the further you go in a shorter amount of time, but the chance of something going wrong will increase the magnitude of damage/injury. The key to managing risk is to arrive at a state where risk and the mission mesh or, said another way, where the risk being accepted meets mission requirements.

Decision makers continually strive for “successful mission accomplishment.” This is ONLY achieved by lending definition and proportion to risk. The worker/employee needs to understand that the commander, functional manager or the supervisor will make decisions based on ALL available information. Without defining risk, such decisions are a gamble. The worker/employee must inform the decision maker(s) when there is an increased level of risk without appropriate control measures. Risk Management is a process that identifies and prioritizes risk in the Air Force workplace. It allows decision makers to possess all the facts that will assist them in determining the right balance of risk against mission objectives.

RM is a continuous, sequential methodology consisting of a defined process depending on mission requirements. The following is the 5-step process:

1. IDENTIFY HAZARDS
2. ASSESS HAZARDS
3. MAKE CONTROL DECISIONS
4. IMPLEMENT CONTROLS

5. SUPERVISE AND REVIEW

Accept No Unnecessary Risk: If not all the hazards are identified, then too much risk may be accepted.
Make Decisions at the Appropriate Level: Those accountable for the success or failure of the mission must be included in the risk-decision process. This establishes clear accountability. Commanders must ensure subordinates know how much risk they may accept and when they must elevate the decision to a higher level.

Integrate RM into Air Force Doctrine And Planning At All Levels: Integrating risk management into planning as early as possible provides the decision-maker the greatest opportunity to apply ORM principles. Usually, it reduces costs and enhances ORM's overall effectiveness too.

Apply the process cyclically and continuously: RM is a continuous process allied across the full spectrum of military operations, training and day-to-day activities both on and off-duty. We must continually apply the RM process to assess hazards, develop and implement controls and provide feedback to our Airmen to save lives and preserve combat resources.

Points to Remember:

- Risk is acceptable when it has been defined and managed.
- Risk is necessary in a changing, reactive environment.
- Safety vital to the mission.

JOB SPECIFIC TRAINING ITEMS

Flight Line Driving

Government Vehicle / Utility Vehicle Use

Ergonomics / Office and Administrative Workstation Safety

Thermal Stress / Heat and Cold Stress

CPR Training

Fire Protection and Prevention


- **Flight Line Driving:** AFMAN 91-203 - Air Force Occupational Safety, Fire and Health Standards Chapter 24 Training basis: DAFMAN 91-203 - Air Force Occupational Safety, Fire and Health Standards / local procedures Use flight-line-specific AF lesson plans and local airfield driving rules. OSHA 2254 - Training Requirements in OSHA Standards does not provide a direct flight-line driving training excerpt for this module. Air Force basis: DAFMAN 91-203 - Air Force Occupational Safety, Fire and Health Standards para. 24.13 and para. 24.13.10 Use Chapter 24 flightline vehicle operations rules and local licensing programs. For specialized equipment like forklifts and hi-lifts around aircraft, only licensed drivers may operate and the owning organization must provide special training with spotter support as required. Michael Ogier is the Vehicle Control Officer (VCO) for the Squadron. Michael.ogier.gb@us.af.mil 314-226-6047
- **Government Vehicle / Utility Vehicle Use:** Local GOV, GVO, or UTV operating rules and licensing expectations Training basis: No direct OSHA 2254 - Training Requirements in OSHA Standards training excerpt; local procedures Document local licensing, route restrictions, spotter use, rollover protection, and unit-specific operating rules. OSHA 2254 - Training Requirements in OSHA Standards does not provide a direct GOV/UTV training excerpt here. Michael Ogier is the Vehicle Control Officer (VCO) for the Squadron. Michael.ogier.gb@us.af.mil 314-226-6047
- **Ergonomics / Office and Administrative Workstation Safety:** DAFMAN 91-203 - Air Force Occupational Safety, Fire and Health Standards; OSHA ergonomics guidance; local Bioenvironmental Engineering or Occupational Health guidance Training basis: OSHA ergonomics guidance; local BE/OEH procedures Cover workstation setup, chair adjustment, monitor height and distance, keyboard and mouse position, neutral posture, repetitive motion, micro-pauses or task variation, safe lifting of office supplies, file cabinet and storage safety, early reporting of discomfort, and how to request a BE ergonomic assessment when needed. Air Force basis: DAFMAN 91-203 - Air Force

Occupational Safety, Fire and Health Standards Chapter 2 Use DAFMAN 91-203 - Air Force Occupational Safety, Fire and Health Standards office safety and ergonomics guidance to brief administrative and computer-based workers on musculoskeletal disorder risk factors, workstation adjustment, posture, repetitive motion controls, manual handling of office materials, and supervisor follow-up for ergonomic concerns.

- **Thermal Stress / Heat and Cold Stress:** DAFMAN 91-203 - Air Force Occupational Safety, Fire and Health Standards; DAFI 48-145 - Occupational and Environmental Health Program; local Bioenvironmental Engineering or Occupational Health guidance Training basis: AF occupational safety and occupational health guidance; local BE/OEH procedures Cover heat stress, cold stress, WBGT or locally directed exposure monitoring, acclimatization, hydration, work/rest cycles, buddy checks, PPE or clothing considerations, symptom recognition, supervisor notification, and emergency response actions for suspected heat illness or cold injury. Air Force basis: DAFMAN 91-203 - Air Force Occupational Safety, Fire and Health Standards and DAFI 48-145 - Occupational and Environmental Health Program Use the occupational health risk assessment, local BE recommendations, and supervisor hazard controls to brief personnel on thermal stress hazards and controls for hot, cold, humid, outdoor, flight line, industrial, or PPE-intensive work areas.
- **CPR Training:** DAFMAN 91-203 - Air Force Occupational Safety, Fire and Health Standards Chapter 1 Training basis: OSHA 2254 - Training Requirements in OSHA Standards / 29 CFR 1910.151 - Medical services and first aid and 1910.269; DAFMAN 91-203 - Air Force Occupational Safety, Fire and Health Standards Where work conditions require trained first-aid responders, ensure personnel are adequately trained and available. OSHA 2254 - Training Requirements in OSHA Standards links first-aid and CPR availability to certain work settings, but local mission risk and AF requirements should define who must hold current CPR credentials. Air Force basis: DAFMAN 91-203 - Air Force Occupational Safety, Fire and Health Standards para. 1.8 Initial first aid and CPR training must be completed before assigning duties that require it, refresher training must occur before certification expires, and CPR training must include PAD instruction. Remote or high-risk work must have an immediate medical response plan.
- **Fire Protection and Prevention:** Local extinguisher, pull station, and fire reporting procedures Training basis: OSHA 2254 - Training Requirements in OSHA Standards / 29 CFR 1910.39 - Fire prevention plans and 1910.157 Review the fire prevention plan with employees when the plan is developed, when responsibilities change, and when the plan changes. If extinguishers are provided for employee use, train employees on the general principles of extinguisher use and the hazards of incipient-stage firefighting at initial assignment and at least annually. Train designated users on the specific equipment they are expected to use. Air Force basis: DAFMAN 91-203 - Air Force Occupational Safety, Fire and Health Standards para. 6.2.1.1 Facility managers and supervisors must establish and maintain a fire prevention training program through the JSTO so employees understand their fire prevention and protection responsibilities in their work areas. This is fulfilled through job safety training and documentation under DAFI 91-202 - The Department of the Air Force (DAF) Mishap Prevention Program.

Link to training: <https://lms-jets.cce.af.mil/moodle/course/view.php?id=13340>

Ergonomics Workstation Posture Guide:



Use this guide while briefing office and administrative workstation setup.

REFERENCES

- DAFMAN 91-203 - Air Force Occupational Safety, Fire and Health Standards Air Force Occupational Safety, Fire and Health Standards
- DAFMAN 91-224 Ground Safety Investigation and Hazard Reporting
- DAFI 90-802 Risk Management
- DAFI 91-204 Safety Investigations and Reports
- DAFI 91-207 Traffic Safety Program
- DAFI 91-202 - The Department of the Air Force (DAF) Mishap Prevention Program Department of The Air Force (DAF) Mishap Prevention program
- DAFI 48-145
- OSHA 2254 - Training Requirements in OSHA Standards
- 29 CFR 1910.39 - Fire prevention plans

REQUIRED DOCUMENTS

- [CA-10](#)
What a Federal Employee Should Do When Injured at Work. Use this as the workplace reference for employee injury reporting and follow-up actions.
- [DAF Form 457](#)
Hazard Report. Use this form to identify, document, and elevate unsafe conditions, equipment, or procedures in the workplace.
- [DAFVA 91-209](#) **UNITS MUST FILL IN THEIR OWN DAFVA 91-209 POSTING/LOCATION INFORMATION.**
Department of the Air Force Occupational Safety and Health Program visual aid. Keep this available so personnel know the core safety rights, responsibilities, and reporting expectations.
Location Posted: Enter where DAFVA 91-209 is posted for this work center.
- [LS-201](#)
Notice of Employee's Injury or Death (Non-Appropriated Funds). Use this when applicable for NAF

employee injury or death reporting.

DAF TRAFFIC SAFETY PROGRAM

Reference: DAFI 91-207. Requirements of the DAF traffic safety program include mandatory use of seat belts and helmets, speed limits, local traffic hazards, spotters while backing, and vehicle training requirements.

Additionally, brief prohibition or restrictions on electronic-device use while operating vehicles on- or off-base, and discuss motorcycle safety training requirements before riding a motorcycle.

On-Base / Vehicle Operations

- Obey posted speed limits, traffic control devices, and local roadway rules.
- Use installed seat belts and occupant restraints as designed by the manufacturer.
- Use spotters while backing when required by local policy, task conditions, or vehicle type.
- Complete required GOV, GVO, golf cart, low-speed vehicle, or mission-specific vehicle training before operation.

Electronic Devices / Headphones

- Do not use non-hands-free electronic devices while operating a motor vehicle.
- Stop in a safe location before using a phone if hands-free operation is not available.
- Do not wear headphones or listening devices in ways that interfere with hearing traffic, alarms, or emergency warnings.

Motorcycle / ATV Safety

- Complete required motorcycle rider training before riding on a roadway.
- Wear required PPE including helmet, eye protection, gloves, protective clothing, and over-the-ankle footwear.
- Carry proof of required training when applicable and comply with state licensing requirements.

Pedestrian / Bicycle Awareness

- Use caution at crossings, follow traffic controls, and wear visibility gear when exposed to roadway hazards.
- Use required lighting and reflective equipment during darkness, reduced visibility, or inclement weather.




Department of the
Air Force Rider

#DAFRider Timeline

Right Training ... Right Time ... Right Bike



So you want to ride?



Every DAFRider should be physically capable, mentally prepared, and their motorcycle mechanically sound.

Local Traffic Hazards / Vehicle Notes:

Licensing: All personnel who operate a private motor vehicle or a government motor vehicle will maintain current a 3AF Form 435, 3AF Driving/Fuel Permit United Kingdom.

The 3AF Form 435 will have a motorcycle endorsement annotated on it for motorcycle rides. Motorcycle riders will also have completed an MSF course within five years to operate in the USAFE. Motorcycle riders will in process the squadron Motorcycle Safety Representative prior to riding in the United Kingdom.

Motorcycle: All riders will see the Unit Motorcycle Representative prior to riding any PMV-2. Members will be registered in MUSTT and complete appropriate safety rider course. Motorcycle riders will also comply with any and all requirements in relevant AFI/Local Supplements.

General Driving Requirements: Refer to the Highway Code for further information and guidance. You will have covered driving in the UK during your Base In-Processing. The following is just a reminder of some of the most important items: More information can be found at:
<http://www.direct.gov.uk/en/TravelAndTransport/Highwaycode/index.htm>

Seatbelts: Seatbelts are mandatory for all occupants in a vehicle both on and off base.

Conditions: Always drive to the prevailing road and weather conditions. These are changeable as the weather affects the road conditions.

Use of Headlights: During times of inclement weather and reduced visibility, 30 Minutes after dawn and 30 minutes before dusk headlights should be used. This is to improve your visibility to other vehicles during these times.

Roadworthiness: Ensure that your vehicle is in a state of roadworthiness at all times. Check that all running lights are working (side, head, indicator, brake, reversing, fog) prior to commencing any journey. If observed by Police Officers, this could result in a fine and penalty points. Check tires

have sufficient tread; wipers are free from defects and that mirrors are clean and serviceable.

Speed Limits: Off Base speed limits are assigned by the type of road and not the hazards associated with the road. These are maximum speed limits, not mandatories. The safe speed to drive on UK Roads is the posted speed limit adjusted to the Road and Weather conditions. This is deemed to be 10-15 mph, in normal conditions, below the posted limit. Any slower and you would become the hazard. In the Urban environment the speed limit is usually 30 mph. This is shown by the presence of the sign or street lamps and houses. Where there is an infant school or area highly populated with young children the speed limit is reduced to 20 mph.

Passing: The Base operates a no-passing policy within 10 miles of Base. The map and exceptions can be viewed on the Safety Bulletin Board.

Cell Phone Use: Hand held mobile device use whilst driving is prohibited in the UK. The current penalty is 6 points and £200 minimum. It is also prohibited in any GMV. Your 3rd AF License can be removed if you are observed using your cell phone when driving on and off base. Bluetooth is permitted in cars, but you can still be prosecuted for distracted driving even with Bluetooth if you commit acts contrary to Rule 144 of the UK Highway Code.

On-Base Traffic: The speed limit on base varies between 10-30 mph. The speed limit in parking lots, dormitory areas and while approaching the gates is 5 mph. Obey all posted speed limits and traffic/road signs.

Operator Fatigue: To reduce the potential for traffic mishaps caused by operator fatigue, personnel are encouraged to apply personal risk management when trip planning on- and off-duty. Periodic breaks should be taken to reduce fatigue and stress. A 14-hour duty day, including driving and all other duties, is the recommended maximum allowed unless under exceptional conditions.

Motorcycle Safety Representatives / Traffic Contacts:

MSgt Ross, Wesley (314-226-5295) & TSgt Gomez, Javier (314-226-4205)

No GVO risk assessment files uploaded.

EMERGENCY INFORMATION

- **Emergency Numbers:**

Fire Department - 911

Ambulance - 911

Security Police - 911

Command Post - 226 4800

Wing Safety - 226 7233/0748

- **Medical Facility / Treatment:**

BIO - 226 8047

Public Health - 226 8777/8203

- **Evacuation / Muster Point:**

In Case of a Fire - Think "SPEED"

Sound the alarm or yell "FIRE FIRE FIRE"

Phone the Fire Department

Evacuate the building and meet up in the parking lot of building 1156

Extinguish the fire if possible

Direct firefighters to the fire

- **Shelter in Place:**

The Shelter in Place (SIP) location is the Resources Office. Report any suspicious activity, which was

seen in route, to Military police.

- **Active Shooter Response Methods:**

In case of active shooter; seek shelter immediately. Lock all windows and doors. Then retreat to a safe location away from all window and doors.

- **Adverse Weather Shelter:**

No required at RAF Lakenheath, UK.

No evacuation route image uploaded.

EMERGENCY EQUIPMENT AND SAFETY BOARD

Safety Bulletin Board Location: Bldg 1156 - Main Corridor

All three buildings have serviceable fire extinguishers. No AEDs, eye washstands or Hazcom lockers are located in these buildings.

No emergency equipment maps or photos uploaded.

DOCUMENTATION AND REVIEW

Document initial, refresher, and task-specific training in the work center record, review annually or when work conditions change, and maintain records per local records management requirements.

No DAF Form 1118 files uploaded.

Bioenvironmental Workplace Survey:



**DEPARTMENT OF THE AIR FORCE
48TH MEDICAL GROUP (USAF)**

18MAR2025

MEMORANDUM FOR 48CES/USR

FROM: 48 OMRS/SGXB

SUBJECT: Noise Survey at Building 1146

1. Introduction: On 20 February 2025 and 13 March 2025, 2d Lt Jason Martin from Bioenvironmental Engineering (BE) completed a noise dosimetry survey to assess Building 1146 personnel exposures to hazardous noise. This noise survey was accomplished IAW DAFI 48-127, *Occupational Noise and Hearing Conservation Program*. Faith Carter was our point of contact.
2. Survey Method: The survey was conducted using three Quest noise dosimeters, serial number(s): EST070059, EST070063 and EST070066. Equipment was calibrated before and checked after use using a TSI Sound Level Calibrator, SN: 025091, with a calibration due date of 15 May 2025. Dosimeters were worn on the collar of each individual and monitoring was performed continuously for an 8-hour period.
3. Results and Discussion: Results (see Attachment 1) indicate shop personnel ARE NOT exposed to hazardous noise and all shop personnel performing similar duties are assumed to have exposures equal to the highest recorded exposure.
4. Recommendations: Based on the results, BE recommends that personnel in the workplace NOT BE enrolled in the Hearing Conservation Program (HCP). Contact BE if there are changes in operations that may result in noise levels increasing.
5. Conclusion: All workers must be informed of the contents of this report and be able to view this report at any time upon request. The information contained in this report should be posted on your safety bulletin board and briefed to all employees. Employees have the right to view their individual exposure records. Any questions may be addressed to the BE Flight at 226-8047.

MARTIN.JASON
.B.1263975460

Digitally signed by
MARTIN.JASON.B.126397546
0
Date: 2025.03.25 15:47:59 Z

JASON B. MARTIN, 2d Lt, BSC
Bioenvironmental Engineer
Bioenvironmental Engineering

Attachments:

1. Summary Results

Attachment 1

Summary Results:

Table 1. Personnel Dosimetry Results

Date Monitored	Employee's Name	Duty Location	Dosimeter Serial #	Daily Noise Levels (dBA)
20 Feb. 2025	Michael Ogier	Bldg. 1146	EST070066	79.5
13 Mar. 2025	Michael Ogier	Bldg. 1146	EST070059	77.9
13 Mar. 2025	Faith Carter	Bldg. 1146	EST070063	77.8

Dosimetry results collected are representative for the operations performed during this 2 day study. Statistical analysis conducted on samples for this exposure group indicates a high level of confidence with a statistical potential for hazardous noise exposures to be below the AF 85 dB(A) Time Weighted Average (TWA) limit 95% of the time.

Report Date: 25-Mar

Task ID	Sample Type	Workplace	SEG	Sample ID	Sample Date (From Sample)	Total Sampling Time	QA Status (Sample)	Noise Type	Primary Noise Source	Frequency Code	Time Duration	Calculated TWA	QA Status (TWA)	Octave Band dBA	Sound Level dBA	dBc	Outdated
2490299	Noise Dosimetry	Bldg 1146 (RAFL)	45CES Bldg 1146 Civilian Dosimetry	00015J3B	2/20/2025 7:45:00 AM	491	Approved by QA		Flight Line		5	79.47	Approved by QA				N
				00015J3C	3/13/2025 7:44:00 AM	455	Approved by QA		Flight Line		5	77.76	Approved by QA				N
				00015J3D	3/13/2025 7:44:00 AM	454	Approved by QA		Flight Line		5	77.94	Approved by QA				N
2490377	Noise Dosimetry	Bldg 1156 (RAFL)	45CES Bldg 1156 Civilian Noise Dosimetry	00015J59	2/20/2025 7:45:00 AM	491	Approved by QA		Flight line		5	55	Approved by QA				N
				00015J5B	2/20/2025 7:45:00 AM	491	Approved by QA		Flight line		5	65	Approved by QA				N
				00015J5D	3/13/2025 7:44:00 AM	457	Approved by QA		Flight line		5	67.3	Approved by QA				N



**DEPARTMENT OF THE AIR FORCE
48TH MEDICAL GROUP (USAF)**

18MAR2025

MEMORANDUM FOR 48CES/CCS, 48CES/CEIA

FROM: 48 OMRS/SGXB

SUBJECT: Noise Survey at Building 1156

1. Introduction: On 20 February 2025 and 13 March 2025, 2d Lt Jason Martin from Bioenvironmental Engineering (BE) completed a noise dosimetry survey to assess Building 1156 personnel exposures to hazardous noise. This noise survey was accomplished IAW DAFI 48-127, *Occupational Noise and Hearing Conservation Program*. Faith Carter was our point of contact.
2. Survey Method: The survey was conducted using three Quest noise dosimeters, serial number(s): EST070054, EST070059 and EST070060. Equipment was calibrated before and checked after use using a TSI Sound Level Calibrator, SN: 025091, with a calibration due date of 15 May 2025. Dosimeters were worn on the collar of each individual and monitoring was performed continuously for an 8-hour period
3. Results and Discussion: Results (see Attachment 1) indicate shop personnel ARE NOT exposed to hazardous noise and all shop personnel performing similar duties are assumed to have exposures equal to the highest recorded exposure.
4. Recommendations: Based on the results, BE recommends that personnel in the workplace NOT BE enrolled in the Hearing Conservation Program (HCP). Contact BE if there are changes in operations that may result in noise levels increasing.
5. Conclusion: All workers must be informed of the contents of this report and be able to view this report at any time upon request. The information contained in this report should be posted on your safety bulletin board and briefed to all employees. Employees have the right to view their individual exposure records. Any questions may be addressed to the BE Flight at 226-8047.

MARTIN.JASON
.B.1263975460

Digitally signed by
MARTIN.JASON.B.12639754
60
Date: 2025.03.25 15:47:21 Z

JASON B. MARTIN, 2d Lt, BSC
Bioenvironmental Engineer
Bioenvironmental Engineering

Attachments:

1. Summary Results

Attachment 1

Summary Results:

Table 1. Personnel Dosimetry Results

Date Monitored	Employee's Name	Duty Location	Dosimeter Serial #	Daily Noise Levels (dBA)
20 Feb. 2025	Victoria Rowe	Bldg. 1156	EST070060	65.2
20 Feb. 2025	Sarah Blakeman	Bldg. 1156	EST070059	57.8
13 Mar. 2025	Sarah Blakeman	Bldg. 1156	EST070054	67.3

Dosimetry results collected are representative for the operations performed during this 2 day study. Statistical analysis conducted on samples for this exposure group indicates a high level of confidence with a statistical potential for hazardous noise exposures to be below the AF 85 dB(A) Time Weighted Average (TWA) limit 95% of the time.

Report Date: 25-Mar																	
Task ID	Sample Type	Workplace	SEG	Sample ID	Sample Date (From Sample)	Total Sampling Time	QA Status (Sample)	Noise Type	Primary Noise Source	Frequency Code	Time Duration	Calculated TWA	QA Status (TWA)	Octave Band dBA	Sound Level dBA	dBC	Outdated
2490299	Noise Dosimetry	Bldg 1146 (RAFL)	45CES Bldg 1146 Civilian Dosimetry	00015J3B	2/20/2025 7:45:00 AM	491	Approved by QA		Flight Line		5	79.47	Approved by QA				N
				00015J3C	3/13/2025 7:44:00 AM	455	Approved by QA		Flight Line		5	77.76	Approved by QA				N
				00015J3D	3/13/2025 7:44:00 AM	454	Approved by QA		Flight Line		5	77.94	Approved by QA				N
2490377	Noise Dosimetry	Bldg 1156 (RAFL)	45CES Bldg 1156 Civilian Noise Dosimetry	00015J59	2/20/2025 7:45:00 AM	491	Approved by QA		Flight line		5	55	Approved by QA				N
				00015J5B	2/20/2025 7:45:00 AM	491	Approved by QA		Flight line		5	65	Approved by QA				N
				00015J5D	3/13/2025 7:44:00 AM	457	Approved by QA		Flight line		5	67.3	Approved by QA				N

Annual Review History:

Each annual review entry is shown in the table below.

Supervisor Name	Date Reviewed	Contact Info
MSgt Jimenez, Kenneth	05/20/2026	314-226-1901

