

Job Safety Training Outline

Built to align with DAFI 91-202 paragraph 14.1 requirements.

Unit: 943 MXS

Work Center: Specialist Flight

Work Area / Office Symbol: MXAAS

Phone: 228-2325

Supervisor: SMSgt Paredes, Michelle

Reviewer: SMSgt Paredes, Michelle

Review Date: 2026-07-14

Effective Date: 2026-07-14

Work Center Overview

This Job Safety Training Outline (JSTO) establishes the occupational safety requirements for personnel assigned to the Avionics and Electrical & Environmental (E&E) Maintenance work centers. While a portion of their workload involves low-risk, precision bench-level testing and system programming within controlled hangar shops, personnel are routinely required to operate on active flightlines and in heavy maintenance bays. During these on-aircraft operations, technicians are directly exposed to severe industrial hazards, including high-voltage electrical circuits, high-intensity Radio Frequency Radiation (RFR), extreme flightline noise, jet engine intake/exhaust, and moving ground equipment. Consequently, personnel in these work centers require comprehensive hazard recognition training and must be proficient in the use of specialized Personal Protective Equipment (PPE) to safely navigate active flightlines and execute live aircraft electronics maintenance.

Work Area Hazard Analysis / JHA Notes

Summarize JHA findings, BE survey notes, major hazards, controls, and special restrictions for this work center.

Required Training Topics


Workplace Hazards
Personal Protective Equipment
Emergency Action and Fire Prevention
Reporting Unsafe Equipment, Conditions, or Procedures
Mishap, Occupational Injury, and Illness Reporting
CA-10 and LS-201
DAF Traffic Safety Program
DAFVA 91-209 Location and Content
DAFSMS Responsibilities

- **Workplace hazards:** Describe crushing, burn, chemical, ladder, weather, flight line, and noise hazards specific to the work center, plus the technical orders, JHAs, and instructions workers must follow.
- **Personal protective equipment:** Train employees on required PPE, including donning, doffing, cleaning, maintenance, storage, disposal, and reporting contact-lens or medical issues that could affect wear.
- **Emergency action and fire prevention:** Cover alarms, AEDs, extinguishers, evacuation routes, shelter locations, and response procedures tied to the work center.
- **Reporting unsafe conditions:** Instruct personnel to report unsafe equipment, conditions, procedures, and injuries without fear of reprisal, including use of DAF Form 457 and applicable reporting channels.
- **Mishap / injury / illness reporting:** Explain on-duty and off-duty reporting requirements, medical treatment procedures, and emergency response contacts.
- **Traffic safety:** Brief seat belt, speed limit, spotter, electronic device, and motorcycle safety requirements applicable to the work center.
- **DAFVA 91-209 and DAFSMS:** Review the location of DAFVA 91-209 and how workers contribute to the unit safety management system.

Hierarchy of Controls

Apply these controls from most effective to least effective when reducing workplace hazards under DAFI 91-202 paragraph 14.1.2.1.4.

HIERARCHY OF **HAZARD CONTROLS**



Use the highest level of control feasible first. PPE should protect workers only after elimination, substitution, engineering, and administrative controls have been considered.

Active Shooter Response

In the event of an active shooter, individuals should employ the **Avoid, Deny, Defend** response method. This strategy is adaptable to the specific situation and environment.

Responses to an Active Shooter include:

Avoid (RUN),

Deny (HIDE),

Defend (FIGHT)

Adapt your response to the weapons used:

Ricocheting bullets

Shrapnel and secondary missiles

Cover vs Concealment

An active shooter situation may be over within 15 minutes, before law enforcement arrives.

Avoid (Run): The first and preferred course of action is to evacuate the area if a safe route is available. Maintain awareness of your surroundings and have an escape route planned. Leave your belongings, evacuate regardless of whether others follow, and do not attempt to move wounded people. Once you have reached a safe location, call 911 and provide any information you have.

Deny (Hide): If you cannot evacuate, your next priority is to deny the attacker access to your location. This involves more than just hiding; it means securing your position. Lock and blockade doors with heavy furniture, turn off lights, silence your phone, and remain out of the shooter's view. Remember that concealment only hides you, while cover can offer protection from bullets.

Defend (Fight): As a last resort, when your life is in immediate danger, you must be prepared to defend yourself. Act aggressively, improvise weapons from your surroundings, and commit fully to your actions. Taking action may be risky, but it could be your best or only chance for survival.

When law enforcement arrives: Remain calm, follow all instructions, keep your hands visible with fingers spread, and be prepared to provide information about the shooter's location, number, and description.

DAFSMS Framework

DAFSMS uses four pillars and the DAFSMS framework to structure the mishap prevention program through continuous improvement and the Plan-Do-Check-Act model.



Policy and Leadership

Safety policy provides the structure for a proactive mishap prevention program. Active leadership involvement at every level is critical to implementation and sustained execution.

Risk Management

Integrate risk management into all safety-related activities so hazards are identified early, controls are implemented, and the safety culture stays proactive.

Assurance

Use evaluations, monitoring, and review processes to measure conformance to standards and drive continuous improvement across the mishap prevention program.

Promotion, Education, and Training

Provide safety awareness, embed ongoing training, implement effective controls, and keep airmen and guardians actively engaged in mishap prevention.

Department of the Air Force SMS Framework

Policy and Leadership

- Leadership planning, organization, direction, and control

- Management roles, responsibilities, and relationships
- Procedures and controls that are developed, documented, maintained, and monitored
- Safety and quality balance, integration, and goal setting

Risk Management

- Hazard identification through mission/task analysis and hazard lists
- Hazard assessment using exposure, probability, severity, and risk level
- Control options, effects, prioritization, selection, and decisions
- Implementation, communication, accountability, support, supervision, and feedback

Assurance

- Performance requirements, expectations, and control effectiveness
- Continuous monitoring, self-inspections, internal and external inspections
- Mishap and event investigation, reporting, metrics, and improvement opportunities
- Change management and continuous improvement actions

Promotion, Education, and Training

- Culture built on informed, flexible, learning, just, and reporting behaviors
- Competency through training and education
- Awareness through internal communication, external communication, and information access

Job Specific Training Items

The following modules apply to this work center and should be reviewed with trainees before task performance.

Hazard CommunicationHearing ConservationBloodborne PathogensExplosives Safety
TrainingElectromagnetic Field TrainingLadder SafetyGovernment Vehicle / Utility Vehicle UseManual
Lifting and Material HandlingFire Protection and PreventionJewelry / Loose Articles RestrictionsPersonal
Protective Equipment (PPE)Hangar Door Awareness

- **Hazard Communication:** Provide HazCom training upon initial assignment, whenever a new chemical hazard is introduced, and when new tasks expose workers to different hazardous materials. Ensure workers know how to access local SDS information and labeling guidance. Train personnel on hazardous chemicals in their work area, labeling systems, safety data sheets, and the measures they can take to protect themselves during normal operations and foreseeable emergencies. NOTE: The physical HAZCOM Program Binder is housed in the APG office (room 106). Primary POC: SMSgt Benjamin Wells (MXAAA), Ph: 228-2235; Alternate POCs: MSgt Jesus Munoz (MXAAA), Ph: 228-5975 and MSgt Anthony Campas (MXAASA), Ph: 228-2325. DAFI 90-821; 29 CFR 1910.1200 - Hazard Communication.

Link to training:

<https://usaf.dps.mil/b:r/teams/SpecialistSection488/Shared%20Documents/Safety%20and%20HAZCOM/HAZCOM/01%20Tab%20E1%20->

[%20Work%20Area%20Specific%20HAZCOM%20Training%20\(cao%2009%20Jun%2026\).pdf?d=w3bcd52fdb0eb4ca6ba8a68d5485156f1&csf=1&web=1&e=cmYs8F](#)

- **Hearing Conservation:** The primary source of noise exposure to personnel above 92 dBA is active aircraft. BE has determined that engineering controls are not technologically feasible for this type of noise source. Consequently, personnel shall follow AFI 48-127_DAVISMONTANAFBSUP for flightline hearing protection requirements, which may require the use of double hearing protection, and an octave band analysis is not required. Supervisors must conduct initial and annual workplace specific hearing conservation training for all personnel assigned and potentially exposed to hazardous noise. Additionally, personnel enrolled in the HCP must receive annual audiograms and training IAW OSHA 29 CFR 1910.95(k) and DAFI 48-127. Training slides can be obtained by calling 355 OMRS Public Health Flight at DSN: 228-2714. Training slides must be readily available, and annual training must be documented on the AF Form 55 or equivalent. DAFI 48-127; 29 CFR 1910.95 - Occupational noise exposure.

Link to training:

<https://usaf.dps.mil/sites/943RQG/943RQGSTAFF/safety/Shared%20Documents/02%20-%20Occupational%20Safety/Safety%20Training/2017%20Hearing%20Conservation%20Training.pptx?d=w1b6a7f54d31f46e59dbda9fdc32e9821>

- **Bloodborne Pathogens:** Enroll applicable workers in the local bloodborne pathogens program and ensure exposure control plan requirements, reporting actions, and PPE procedures are covered before task performance. Provide bloodborne pathogens training at initial assignment and at least annually thereafter, covering exposure control, modes of transmission, and protective measures. 29 CFR 1910.1030 - Bloodborne Pathogens

Link to training:

<https://usaf.dps.mil/sites/943RQG/943RQGSTAFF/safety/Shared%20Documents/02%20-%20Occupational%20Safety/Safety%20Training/Bloodborne%20Pathogens%20training.pptx?d=w11f37f74e73473eb2a979fcd3ce8da2>

- **Explosives Safety Training:** Provide initial and task-specific explosives safety training using approved lesson plans, local instructions, and quantity-distance / compatibility controls before personnel work with explosives. Use explosives-specific AF lesson plans and local operating instructions. OSHA 2254 includes transportation and explosives references, but the Air Force explosives program should remain the primary training basis for this module. DESR 6055.09_DAFMAN 91-201 - Explosives Safety Standards; DAFI 91-202 - The Department of the Air Force (DAF) Mishap Prevention Program

Link to training:

[https://usaf.dps.mil/p:r/teams/SpecialistSection488/Shared%20Documents/Safety%20and%20HAZCOM/Training/943%20MXS%20Maintenance%20on%20Explosives%20Loaded%20Aircraft%20\(cao%2008%20Jan%2013\).pptx?d=w66910313922b4a1fb1f04089dbba21ef&csf=1&web=1&e=SNNsgN](https://usaf.dps.mil/p:r/teams/SpecialistSection488/Shared%20Documents/Safety%20and%20HAZCOM/Training/943%20MXS%20Maintenance%20on%20Explosives%20Loaded%20Aircraft%20(cao%2008%20Jan%2013).pptx?d=w66910313922b4a1fb1f04089dbba21ef&csf=1&web=1&e=SNNsgN)

- **Electromagnetic Field Training:** Use approved EMF hazard assessments and local instructions to brief workers on hazard zones, signs, and restrictions before exposure. Provide task-specific training on electromagnetic field hazards, posting requirements, access controls, and reporting expectations where EMF sources are present. DAFI 48-109

Link to training:

[https://usaf.dps.mil/p:r/teams/SpecialistSection488/Shared%20Documents/Safety%20and%20HAZCOM/Training/EMF%20Awareness%20Training%20\(cao%2009%20Jun%2026\).pptx?d=w0932d7583aef4567ac672c7ac275da57&csf=1&web=1&e=icNy2a](https://usaf.dps.mil/p:r/teams/SpecialistSection488/Shared%20Documents/Safety%20and%20HAZCOM/Training/EMF%20Awareness%20Training%20(cao%2009%20Jun%2026).pptx?d=w0932d7583aef4567ac672c7ac275da57&csf=1&web=1&e=icNy2a)

- **Ladder Safety:** Provide hands-on ladder safety training at first assignment, including local storage, damaged-tag procedures, and fall prevention expectations. Train workers to inspect ladders before use, maintain three points of contact, set ladders on stable surfaces, and avoid overreaching or using damaged ladders. DAFMAN 91-203 - Air Force Occupational Safety, Fire and Health Standards, Chapter 7

Link to training:

<https://usaf.dps.mil/sites/943RQG/943RQGSTAFF/safety/Shared%20Documents/02%20-%20Occupational%20Safety/Safety%20Training/Ladder%20Safety%20Training.pptx?d=w0932d7583aef4567ac672c7ac275da57&csf=1&web=1&e=icNy2a>

<https://usaf.dps.mil/sites/943RQG/943RQGSTAFF/safety/Shared%20Documents/02%20-%20Occupational%20Safety/Safety%20Training/laddersafety.pptx?d=w4dc06d5bdb554f5798b65613761de4d5>

- **Government Vehicle / Utility Vehicle Use:** Brief operators on unit-specific government vehicle training requirements, local route restrictions, low-speed vehicle rules, and documentation of qualification. Train vehicle operators on seat belts, speed limits, local traffic hazards, spotter use while backing, and restrictions on electronic device use while driving. DAFI 91-207; local procedures
- **Manual Lifting and Material Handling:** Know your limitations. Supervisors shall ensure their workers receive thorough instruction and training on proper manual lifting techniques both routine or high risk and any PPE required. When a heavy object must be moved, get help or utilize mechanical equipment to move it. Supervisors shall instruct workers on their use. Also, proper lifting procedures must be used when moving any material. Proper lifting of heavy objects requires use of legs to lift the weight, not the back. Always use proper lifting techniques as learned in Manual Lifting training. Get help if you have any doubts about your ability to lift an object. Technicians are briefed annually through their work center JSTO which is documented on the member's DAF 55. DAFMAN 91-203 - Air Force Occupational Safety, Fire and Health Standards, Chapter 20

Link to training:

<https://usaf.dps.mil/sites/943RQG/943RQGSTAFF/safety/Shared%20Documents/02%20-%20Occupational%20Safety/Safety%20Training/Manual%20Lifting%20Training.pptx?d=w8c098687e2654b39bb0c06f38f7043cc>

- **Fire Protection and Prevention:** Personnel are briefed on fire hazards, reporting procedures, extinguisher locations, evacuation routes, pull stations, and local emergency response actions annually through their work center JSTO which is documented on the member's DAF 55. • Fire Extinguisher (A,B,C): Use on Ordinary Combustibles, Flammable Liquids, and Electrical Equipment. Located in the Avionics Vault, room 138. • Fire Alarm Stations (pull boxes): Next door on the South side of the Avionics Room. • When inspecting halon fire extinguishers prior to performing maintenance, make sure the metal tag has been signed for the current month and year. Do not proceed with maintenance. Notify the production section of findings, they will perform monthly inspection or replace fire extinguisher. DAFMAN 91-203 - Air Force Occupational Safety, Fire and Health Standards; local fire prevention plan

Link to training:

<https://usaf.dps.mil/sites/943RQG/943RQGSTAFF/safety/Shared%20Documents/02%20-%20Occupational%20Safety/Safety%20Training/943%20RQG%20Fire%20Extinguisher%20Training.pptx?d=w94f2b44f0a1f4222ac311ae6e31a10f2>

- **Jewelry / Loose Articles Restrictions:** Maintenance Technicians must remove jewelry and secure loose articles when working around machinery, electrical hazards, rotating equipment, or snag hazards. During performance of duties in the office, wear of jewelry is not restricted. Jewelry will NOT be worn while conducting maintenance on the flight line, equipment and material handling, or other physical tasks. If there's any doubt as to whether jewelry should be worn, remove it until you can get your supervisor's approval. Technicians are briefed annually through their work center JSTO which is documented on the member's DAF 55. DAFMAN 21-101 – Aircraft and Equipment Maintenance Management.
- **Personal Protective Equipment (PPE):** The work-center JHA, BE occupational health assessment, manufacturer instructions, DAFMAN 91-203 Chapter 14, and local safety office guidance are used to identify PPE requirements. Supervisors will ensure PPE is provided, used, cleaned, inspected, and maintained in sanitary and serviceable condition. Technicians are briefed annually through their work center JSTO which is documented on the member's DAF 55. PPE is designed to protect the worker against biological, chemical, or physical hazards associated with the work environment. Normally, employees do not have a need for PPE in an office setting. However, there may be occasions when PPE may be necessary during some non-routine activities. Examples are moving furniture, painting or other minor cosmetic construction/facility up-keep, and other miscellaneous details. Before starting a task, consider what specific items and uses you may need PPE. • Foot Protection: Safety toe shoes - performing any maintenance and/or moving heavy

equipment. • Arm/Hand Protection: Leather Safety Gloves - Pallet build-up/tear-down, moving heavy equipment, tying down heavy equipment for shipment, crating/uncrating equipment in wooden/fiberglass containers. • Nitrile, butyl, Chemical/Oil Resistant Gloves - Hazardous material or waste handling • Eye Protection: Face shield, safety glasses – soldering operations, compressed air/gasses, grinder/drill use, and safety wire operations, hammering, painting and using a punch or chisel, procedures involving Hydraulic Oil/Dielectric Coolant. Face shields will only be used as secondary eye and face protection in areas where splashing, rather than hazardous impact, is the problem. In the case of primary protection, other protective devices, such as safety goggles will be worn (OSHA 29 CFR 1910.133). • Hearing Protection: Ear plugs, ear defenders - Use as needed. We currently are not required to wear ear protection in the shop. However, both ear plugs and ear defenders are mandatory when performing maintenance on the flightline. • Other: Reflective Belts/Vests - Flightline maintenance during the hours of darkness, and during operation of bicycle/motorcycle. *NOTE: Personnel who wear contact lens or have medical conditions or take medications that may affect the use or wear of PPE must notify their supervisor immediately. DAFMAN 91-203 - Air Force Occupational Safety, Fire and Health Standards, Chapter 14; 29 CFR Part 1910 - Occupational Safety and Health Standards (General Industry Standards) Subpart I; 29 CFR 1910.132; 29 CFR 1910.133; 29 CFR 1910.135; 29 CFR 1910.136; 29 CFR 1910.138

Link to training:


<https://usaf.dps.mil/sites/943RQG/943RQGSTAFF/safety/Shared%20Documents/02%20-%20Occupational%20Safety/Safety%20Training/PPE%20Training.pptx?d=w871e70a7371347c09d316070896f9b14>

- **Hangar Door Awareness:** Hangar door awareness training is required for personnel that operate the hangar doors. Technicians must receive initial and annual refresher training which is documented on the member's 593.

Link to training:

<https://usaf.dps.mil/b:/r/teams/SpecialistSection488/Shared%20Documents/Safety%20and%20HAZCOM/Training/HANGAR%20DOOR%20AWARENESS.pdf?d=w15804bb643754e05b052142ca432650c&csf=1&web=1&e=5s3YDd>

Ergonomics Workstation Posture Guide:



Use this guide while briefing office and administrative workstation setup.

References

DAFI 90-802 Risk Management
 DAIF 90-821 Hazard Communication
 DAFI 91-202 Mishap Prevention Program
 DAFI 91-202_AFRCSUP Mishap Prevention Program
 DAFMAN 91-203 - Air Force Occupational Safety, Fire, and Health Standards
 DAFMAN 91-207 Traffic Safety Program
 DAFMAN 32-1067 Water and Fuels Systems
 DAFI 32-7001 Environmental Management
 OSHA 29 CFR 1910.133

Required Documents

- [CA-10](#)
What a Federal Employee Should Do When Injured at Work. Use this as the workplace reference for employee injury reporting and follow-up actions.
- [DAF Form 457](#)
Hazard Report. Use this form to identify, document, and elevate unsafe conditions, equipment, or procedures in the workplace.
- [DAFVA 91-209](#) **UNITS MUST FILL OUT THEIR OWN LOCATION POSTED**
Department of the Air Force Occupational Safety and Health Program visual aid. Keep this available so personnel know the core safety rights, responsibilities, and reporting expectations.
Location Posted: Posted on the Squadron's Safety Bulletin Boards: Bldg 1750 first floor main hallway and room 138 along the North wall. Bldg 1632 in the engine maintenance bay along the West wall.
- [LS-201](#)
Notice of Employee's Injury or Death (Non-Appropriated Funds). Use this when applicable for NAF

employee injury or death reporting.

Emergency Information

- **Emergency Numbers:** 911 (from an on-base phone)
FIRE DEPT: 228-3333
FIRE DEPT NON-EMERGENCY: 228-4757
SECURITY FORCES NON-EMERGENCY: 228-3200
COMMAND POST: 228-7400
BASE OPS: 228-4315 / 228-4507
943 MXS MOC: 228-2353
PUBLIC HEALTH: 228-2714
943 RQG SAFETY: 228-2329 / 228-1608
355 WING SAFETY: 228-3311 / Cell 520-909-0316
*NOTE: If the base 911 telephone system is down (228-3333), report fire or medical emergencies by calling 520-965-5965, and security forces related incidents, call 520-909-8476.
- **Medical Facility / Treatment:** If you are experiencing an emergency, call 911. Davis-Monthan Air Force Base doesn't offer urgent or emergency care services. If you're unsure about whether you need urgent care, contact the Military Health System Nurse Advice Line to speak to a registered nurse. Visit MHSNurseAdviceLine.com for web chat and video chat, or dial 1-800-TRICARE (874-2273).

NON-EMERGENCIES:

- 1) 355 MDG (base clinic & after-hours nurse), Bldg 400, DMAFB AZ, 520-228-2778
- 2) Health and Wellness Center (HAWC), Bldg 4220, DMAFB AZ, 520-228-2294

HOSPITALS:

- 1) St. Joseph's Hospital, 350 N. Wilmot Rd., Tucson AZ 85711, 520-873-3000
 - 2) St. Mary's Hospital, 1601 W. St. Mary's Rd., Tucson AZ 85745, 520-872-2254
 - 3) Banner UMC (Main), 1501 N. Campbell Ave., Tucson AZ 85724, 520-594-0111
 - 4) Southern AZ VA HCS, 3601 S. 6th Ave., Tucson AZ 85723, 520-792-1450
 - 5) Tucson Medical Center, 5301 E. Grant Rd., Tucson AZ 85712, 520-327-5461
 - 6) NW Medical Center; 6200 N. La Cholla Blvd., Tucson AZ 85741, 520-742-9000
- **Evacuation / Muster Point:** The GATHERING POINT for 943 MXS building 1750 is the parking lot on the SE corner of Arizola Street and First Street. From the hangar, exit the West hangar door and head East around the building towards the parking lot. From room 139, exit the South exterior door and head East towards the parking lot. Personnel must remain in the parking lot and await further instructions from emergency responders or leadership before attempting to re-enter the facilities.
 - **Shelter in Place:** Bldg 1750, Rooms 138 and 137
 - **Active Shooter Response Methods:** Not entered
 - **Adverse Weather Shelter:** Bldg 1750, Room 138

No evacuation route image uploaded.

Emergency Equipment and Safety Board

Safety Bulletin Board Location: Bldg 1750 first floor main hallway and room 138 along the North wall.

EMERGENCY EYE WASH/SHOWERS: No corrosive chemicals are used in the Specialist section. Therefore, the use of an eyewash station is not necessary in the shop. In the event personnel are exposed to corrosives (fuel, hydraulic fluid, etc.) Nearest eye washing station is located within the Phase Bay area of the Maintenance Hangar along the east wall. Additionally, there are additional eye washing stations located in the Phase back shop, along the north wall of the Maintenance Hangar, two stations in Fabrication back shop, and a eye wash/shower in the outside mech area adjacent the Haz Waste SAC.

The path to the eye wash station needs to always be clear in case of an emergency. Be a good wingman. It's everyone's responsibility to take proper actions to assist personnel who are exposed and need to use the emergency shower and eyewash station, to include calling for medical assistance. 29 CFR § 1910.151(c) and 29 CFR § 1926.50(g), Medical Services and First Aid.

//User Guide: How to Use an Emergency Eye Wash Station: In an emergency scenario, an eyewash station can save your sight - if it's properly used. Such accidents are fortunately very rare, but it's paramount that you and your colleagues are prepared should the worst happen.

1) Don't delay. The moment a hazardous material enters your eyes, you should make your way to an eyewash station. Don't hesitate, even if it's only a minor spill - the longer a hazardous substance is in contact with the eye, the more damage it does. Even small amounts of contamination can cause serious injury and even permanent loss of vision.

2) Activate the unit. Push the activation lever on the eyewash station. When the lever has been pushed, the dust covers will pop open and each of the two eyewash nozzles will begin discharging water.

3) Flush out your eyes. Once activated, the eyewash station will continue to discharge water for a minimum of 15 minutes, meaning that it can be operated hands-free. Using your fingers to keep your eyelids open, lower your eyes into the stream of water issuing from the nozzles. Roll your eyes gently up and down and from side to side, ensuring that the water reaches as much of the eyeballs as possible.

4) Contact lenses. If you wear contacts, gently remove them once you have begun the flushing process. While failing to remove contact lenses can prevent the eye wash from properly irrigating the eyes, it is important not to delay flushing to take them out. Only do this once flushing has begun.

5) Keep on flushing. Continue to use the eyewash station in this manner for a full 15 minutes, and no less. This is the minimum amount of time that it takes to sufficiently clear the eyes of harmful chemicals - if you remove your eyes from the stream before this time has elapsed, you run the risk of permanent injury.

6) After flushing. When the 15-minute flushing period is over, seek medical assistance immediately. Have a colleague drive you to the accident and emergency department of your local hospital. Do not be tempted to drive yourself, as your vision may be impaired.

7) Shower Use . •In the event of an emergency, activate drench shower by pulling on pull rod. Begin to remove any clothing exposed to chemical or other hazardous substance (If eyes have been exposed to hazardous materials, follow procedure for eyewash use). •Flush eyes, face and body for 15 minutes.

•After equipment use, seek a medical advisor immediately for further treatment.

EMERGENCY LIGHTING: The location of emergency lighting is found throughout the building, and these lights are checked monthly to ensure serviceability.

AED: Located with UPFM.

No emergency equipment maps or location photos uploaded.

Traffic Safety Program

DAF Traffic Safety Program (DAFI 91-207): Train personnel on mandatory use of seat belts and helmets, speed limits, local traffic hazards, spotters while backing, vehicle training requirements, and restrictions on electronic device use while operating vehicles on- or off-base.

Seat Belts / Occupant Restraints: All persons operating or riding in motor vehicles must wear installed restraint systems as prescribed by the manufacturer. Drivers are responsible for ensuring all passengers are briefed on and use required restraints.

Motorcycle / ATV Training: Personnel must complete required safety training before riding a motorcycle, and local units should address required PPE, licensing, refresher training, and safety representative contacts.

Pedestrian / Bicycle Awareness: Emphasize local roadway crossing hazards, visibility requirements, spotter use, and other pedestrian or bicycle precautions specific to the installation.

Local Traffic Hazards / Vehicle Notes:

LOCAL TRAFFIC HAZARDS: • Poor road quality i.e., potholes, loose or uneven shoulders: Be aware of surface conditions and take added caution in areas of road construction. Move to the opposite lane when you encounter vehicles stopped on the side of the road i.e., Arizona State law requires the driver to move to the left lane when encountering an emergency vehicle on the right shoulder, if unable to move over then driver will slow down and move to the left most part of the lane, passing with extreme caution.

• Weather conditions: Low lying roadways are prone to flooding and this area is subject to flash floods. Slow down at night! With limited sight distance, comes limited reaction time. Expect icy conditions on bridges, overpasses, and shaded areas during colder months when it rains, snow or freezes happen. Dust storms do occur at times in Tucson and in between Tucson and Phoenix. If you are caught in a dust storm and are able to pull to the side of the road turn off your lights, set park brake and keep foot off of brake. If unable to pull off to the side of the road, reduce speed and proceed with caution.

• Animal/Object Strikes: Coyotes and Javelina are mostly the largest animals you will encounter crossing roadways in the Tucson area. In the outer parts of Tucson the roads go through open ranges which are where you may encounter a cow along the side of the road or in the road. If you see a coyote or Javelina or other large animal, SLOW DOWN and attempt to drive by the animal in a controlled manner. Attempting to steer around objects at high speed causes many other issues that can cause the driver to lose control i.e., running off the roadway, uncontrolled spin, roll over.

SPOTTERS: Are required when operator visibility is obscured or in question, when backing a vehicle, and prior to beginning aircraft up/downloading (with pre-positioned chock in place). Backing of government-owned motor vehicles and the usage of spotters will be IAW AFMAN 24-306.

• Spotter(s) will use a reflective belt and flashlight or luminous wand during hours of darkness or periods of reduced visibility: Reflective belt and flashlight or luminous wand.

• Spotter(s) must be trained in standard hand and arm signals and flashlight signals before guiding a vehicle.

• Spotter(s) will position themselves away from the vehicle's path of travel and maintain visual contact with the vehicle operator.

• Government-owned motor vehicle operators will immediately stop if they lose visual contact with the spotter or notice the spotter is dangerously positioned between the vehicle and another object. In such cases, vehicle operators will secure the vehicle, exit and make an on-the-spot correction before continuing operations.


LICENSING/TRAINING REQUIREMENTS: A state driver's license is required to operate any vehicle. Additional training is dependent on duties/responsibilities.

• Certificate of Competency required for all flightline driving and operation must be IAW AFI 13-213.

• Before operating a Polaris Ranger/Razor, utility vehicle and other similar vehicles, personnel must complete LSV/OGMV training.

USE OF ELECTRONIC DEVICES: Unless a hands-free device is used, use of cell phone is prohibited while operating a vehicle on base. Federal employees shall not engage in text messaging (a) when driving GMV, or when driving PMV while on official Government business, or (b) when using electronic equipment supplied by the Government while driving. Arizona law prohibits drivers from using a cellphone or a stand-alone electronic device while driving unless it is being used in a hands-free mode. This includes, but is not limited to, cell phones, tablets, and music & gaming devices.

Motorcycle Safety Representatives / Traffic Contacts:
943 MXS POC: SMSgt Luke Nagele, 520-228-6064



No routine-use GVO risk assessment files uploaded.

Reporting Unsafe Equipment, Conditions, or Procedures

Notify the supervisor immediately when unsafe equipment, conditions, or procedures are identified. Personnel may report hazards without fear of retaliation, coercion, discrimination, or reprisal.

- **DAF Form 457:** Use to document and elevate unsafe conditions, equipment, or processes.
- **SAFEREP:** Use the approved mishap or hazard reporting channel for additional reporting when directed by local procedures.

Safety Reporting ... All In One Place

SAFEREP APP!

Why Safety Reporting?

Quickly and easily tell safety about safety issues you see



- In the dorms
- At work
- Anywhere on base
- In flight
- While maintaining aircraft
- On the ramp



What to report?

- Dangerous conditions
- "Near miss" events
- Aviation specific reporting
- Cultural issues that could lead to an accident, damage, or injury
- Supervisor mishap report

Report anonymously
Reports go direct to the safety office



New name, new website, new app, and a whole new look

SAFEREP is a web- and app-based way for members from every career field to identify hazards and report near-misses and even some mishaps directly to their safety offices using any computer or mobile device.



Download to your mobile device
from your preferred App Store

Or

Go to
<https://saferep.safety.af.mil>



DANGER

HAZARD

CONTROL MEASURES

AF FORM 979

CAUTION

HAZARD

CONTROL MEASURES

AF FORM 980

OUT OF ORDER

HAZARD

CONTROL MEASURES

AF FORM 981

DO NOT START

HAZARD

CONTROL MEASURES

AF FORM 982

Documentation and Review

Document initial, refresher, and task-specific training in the work center record, review annually or when work conditions change, and maintain records per local records management requirements.

Bioenvironmental Workplace Survey: No Bioenvironmental Workplace Survey uploaded.

Applicable Job Hazard Analyses: No Job Hazard Analysis files uploaded.

Annual Review Log:

Record the supervisor annual review history here.

Trainee Name Employee ID / Last 4 Date Trained Trainer / Supervisor Signature