

Job Safety Training Outline

Built to align with DAFI 91-202 paragraph 14.1 requirements.

Unit: 9 Air Support Operations Squadron

Work Center: Command, D-Flight

Work Area / Office Symbol: Bldg. 22038 / CMD/ DFlt

Phone: 254-285-6086

Supervisor: MSgt Frank R. Olszynski

Reviewer: Joshua Stadler

Review Date: 2026-08-13

Effective Date: 2026-08-13

Work Center Overview

The 9th Air Support Operations Squadron (9 ASOS) is a United States Air Force unit located at Fort Hood, Texas. The squadron's mission is to organize, train, equip, and support Tactical Air Control Party (TACP) personnel and associated operations.

Personnel covered by this Job Safety Training Outline (JSTO) include the Command Section, Director of Operations, Command Support Staff, and additional support personnel assigned to D-Flight. D-Flight consists of Resource Management, Intelligence, Cyber, Radio Maintenance, Civil Engineering, Supply, and Vehicle Maintenance personnel.

The work center operates in administrative offices, maintenance and storage facilities, vehicle areas, communications workspaces, and other locations used to support squadron operations. Personnel may also perform duties in field environments, military training areas, and other temporary duty locations.

This JSTO covers the routine and mission-support duties performed by assigned personnel, including administrative support, operational planning, resource management, intelligence support, cybersecurity

and communications activities, radio equipment maintenance, facility support, supply operations, vehicle maintenance, material handling, and general workplace activities. It also addresses the hazards, required safety practices, personal protective equipment, emergency procedures, and risk-control measures associated with these duties.

Work Area Hazard Analysis / JHA Notes

Bioenvironmental Engineering (BE) Survey Notes & Industrial Hygiene Limits

Noise Exposures: BE surveys identify steady-state noise >85 dBA during generator operations and impulse noise >140 dBP in vehicle maintenance/pneumatic tool zones. Annual audiometric testing required for enrolled D-Flight personnel.

Chemical Exposures: Potential chemical hazards include petroleum, oil, and lubricants (POL), aerosol solvents, brake cleaners, and battery electrolyte. Vapor concentrations must remain below OSHA Permissible Exposure Limits (PELs) via mechanical dilution ventilation.

Indoor Air Quality & Ventilation: Battery charging bays must maintain active exhaust systems to prevent hydrogen gas accumulation (>1% concentration limit).

Work Center Special Restrictions

Contact Lenses: Restricted in battery service areas and solvent cleaning zones unless non-vented chemical splash goggles are worn.

Jewelry & Loose Clothing: Rings, watches, neck chains, and loose uniforms are strictly prohibited when operating machinery, working on vehicle engines, or handling MHE.

Chemical Storage: Flammable liquids capped at single-shift quantities outside approved fire safety cabinets. No open flames within 50 feet of fuel or battery charging bays.


Required Training Topics

Workplace Hazards
Personal Protective Equipment
Emergency Action and Fire Prevention
Reporting Unsafe Equipment, Conditions, or Procedures
Mishap, Occupational Injury, and Illness Reporting
CA-10 and LS-201
DAF Traffic Safety Program
DAFVA 91-209 Location and Content
DAFSMS Responsibilities

- **Workplace hazards:** Describe crushing, burn, chemical, ladder, weather, flight line, and noise hazards specific to the work center, plus the technical orders, JHAs, and instructions workers must follow.
- **Personal protective equipment:** Train employees on required PPE, including donning, doffing, cleaning, maintenance, storage, disposal, and reporting contact-lens or medical issues that could affect wear.
- **Emergency action and fire prevention:** Cover alarms, AEDs, extinguishers, evacuation routes, shelter locations, and response procedures tied to the work center.
- **Reporting unsafe conditions:** Instruct personnel to report unsafe equipment, conditions, procedures, and injuries without fear of reprisal, including use of DAF Form 457 and applicable reporting channels.
- **Mishap / injury / illness reporting:** Explain on-duty and off-duty reporting requirements, medical treatment procedures, and emergency response contacts.
- **Traffic safety:** Brief seat belt, speed limit, spotter, electronic device, and motorcycle safety requirements applicable to the work center.
- **DAFVA 91-209 and DAFSMS:** Review the location of DAFVA 91-209 and how workers contribute to the unit safety management system.

Hierarchy of Controls

Apply these controls from most effective to least effective when reducing workplace hazards under DAFI 91-202 paragraph 14.1.2.1.4.



Use the highest level of control feasible first. PPE should protect workers only after elimination, substitution, engineering, and administrative controls have been considered.

Active Shooter Response

In the event of an active shooter, individuals should employ the **Avoid, Deny, Defend** response method. This strategy is adaptable to the specific situation and environment.

Responses to an Active Shooter include:

Avoid (RUN),

Deny (HIDE),

Defend (FIGHT)

Adapt your response to the weapons used:

Ricocheting bullets

Shrapnel and secondary missiles

Cover vs Concealment

An active shooter situation may be over within 15 minutes, before law enforcement arrives.

Avoid (Run): The first and preferred course of action is to evacuate the area if a safe route is available. Maintain awareness of your surroundings and have an escape route planned. Leave your belongings, evacuate regardless of whether others follow, and do not attempt to move wounded people. Once you have reached a safe location, call 911 and provide any information you have.

Deny (Hide): If you cannot evacuate, your next priority is to deny the attacker access to your location. This involves more than just hiding; it means securing your position. Lock and blockade doors with heavy furniture, turn off lights, silence your phone, and remain out of the shooter's view. Remember that concealment only hides you, while cover can offer protection from bullets.

Defend (Fight): As a last resort, when your life is in immediate danger, you must be prepared to defend yourself. Act aggressively, improvise weapons from your surroundings, and commit fully to your actions. Taking action may be risky, but it could be your best or only chance for survival.

When law enforcement arrives: Remain calm, follow all instructions, keep your hands visible with fingers spread, and be prepared to provide information about the shooter's location, number, and description.

DAFSMS Framework

DAFSMS uses four pillars and the DAFSMS framework to structure the mishap prevention program through continuous improvement and the Plan-Do-Check-Act model.



Policy and Leadership

Safety policy provides the structure for a proactive mishap prevention program. Active leadership involvement at every level is critical to implementation and sustained execution.

Risk Management

Integrate risk management into all safety-related activities so hazards are identified early, controls are implemented, and the safety culture stays proactive.

Assurance

Use evaluations, monitoring, and review processes to measure conformance to standards and drive continuous improvement across the mishap prevention program.

Promotion, Education, and Training

Provide safety awareness, embed ongoing training, implement effective controls, and keep airmen and guardians actively engaged in mishap prevention.

Department of the Air Force SMS Framework

Policy and Leadership

- Leadership planning, organization, direction, and control

- Management roles, responsibilities, and relationships
- Procedures and controls that are developed, documented, maintained, and monitored
- Safety and quality balance, integration, and goal setting

Risk Management

- Hazard identification through mission/task analysis and hazard lists
- Hazard assessment using exposure, probability, severity, and risk level
- Control options, effects, prioritization, selection, and decisions
- Implementation, communication, accountability, support, supervision, and feedback

Assurance

- Performance requirements, expectations, and control effectiveness
- Continuous monitoring, self-inspections, internal and external inspections
- Mishap and event investigation, reporting, metrics, and improvement opportunities
- Change management and continuous improvement actions

Promotion, Education, and Training

- Culture built on informed, flexible, learning, just, and reporting behaviors
- Competency through training and education
- Awareness through internal communication, external communication, and information access

Job Specific Training Items

The following modules apply to this work center and should be reviewed with trainees before task performance.

Hazard Communication
Bloodborne Pathogens
Hearing Conservation
Respiratory Protection
Program
Forklift / Material Handling Equipment
Fetal Protection Program
Ladder Safety
Active Shooter Response
Government Vehicle / Utility Vehicle Use
Risk Management Fundamentals
Manual Lifting and Material Handling
Fire Protection and Prevention
Personal Protective Equipment (PPE)
Walking – Working Surfaces
Electrical Safety
Emergency Shower and Eyewash Units
Hand Tools, Portable Power Tools, and Machinery
Mishap Prevention
Safety Signs, Tags and Labeling
Hydrocarbon Fuels
Civil Engineering
Communication Cable, Antenna and Communication Systems
Batteries – Maintenance, Handling, and Storage Requirements
Motor Vehicle – Operations and Maintenance

- **Hazard Communication:** Provide HazCom training upon initial assignment, whenever a new chemical hazard is introduced, and when new tasks expose workers to different hazardous materials. Ensure workers know how to access local SDS information and labeling guidance. Train personnel on hazardous chemicals in their work area, labeling systems, safety data sheets, and the measures they can take to protect themselves during normal operations and foreseeable emergencies. DAFI 90-821; 29 CFR 1910.1200 - Hazard Communication
- **Bloodborne Pathogens:** Enroll applicable workers in the local bloodborne pathogens program and ensure exposure control plan requirements, reporting actions, and PPE procedures are

covered before task performance. Provide bloodborne pathogens training at initial assignment and at least annually thereafter, covering exposure control, modes of transmission, and protective measures. 29 CFR 1910.1030 - Bloodborne Pathogens


- **Hearing Conservation:** Ensure workers enrolled in hearing conservation understand noise hazard areas, double-hearing protection requirements, and local follow-up actions tied to occupational health evaluations. Train noise-exposed employees annually on the effects of noise, the purpose of hearing protectors, the advantages and disadvantages of various protectors, and the purpose of audiometric testing. DAFI 48-127; 29 CFR 1910.95 - Occupational noise exposure
- **Respiratory Protection Program:** Document fit testing and occupational health training on AF Form 2767 and ensure wearers understand emergency-use limits, cartridge change-out, cleaning, and medical qualification requirements. Train users before respirator use and at least annually on why the respirator is necessary, how improper fit or maintenance can compromise protection, and how to inspect, don, doff, use, and store the respirator. DAFI 48-137; 29 CFR 1910.134 - Respiratory protection
- **Forklift / Material Handling Equipment:** Use approved lesson plans, hands-on evaluation, and recurring reevaluation before certifying operators. Cover spotter requirements, aircraft proximity rules, and local route restrictions. Train powered industrial truck operators in truck-related and workplace-related topics, evaluate performance, and conduct refresher training when unsafe operation, incidents, or workplace changes occur. DAFMAN 91-203 - Air Force Occupational Safety, Fire and Health Standards, Chapter 35; 29 CFR 1910.178 - Powered industrial trucks
- **Fetal Protection Program:** Use occupational and environmental health guidance to discuss declaration options, exposure review, and local work restriction procedures. Provide job-specific hazard awareness for reproductive health risks where occupational exposures may affect pregnant workers or fetuses. DAFMAN 48-146
- **Ladder Safety:** Provide hands-on ladder safety training at first assignment, including local storage, damaged-tag procedures, and fall prevention expectations. Train workers to inspect ladders before use, maintain three points of contact, set ladders on stable surfaces, and avoid overreaching or using damaged ladders. DAFMAN 91-203 - Air Force Occupational Safety, Fire and Health Standards, Chapter 7
- **Active Shooter Response:** Use local emergency response procedures, shelter locations, and mass notification methods applicable to the duty location. Brief personnel on how to recognize an active shooter event, how to summon help, and how to apply local run-hide-fight guidance based on the facility layout. Installation emergency management guidance / local procedures
- **Government Vehicle / Utility Vehicle Use:** Brief operators on unit-specific government vehicle training requirements, local route restrictions, low-speed vehicle rules, and documentation of qualification. Train vehicle operators on seat belts, speed limits, local traffic hazards, spotter use while backing, and restrictions on electronic device use while driving. DAFI 91-207; local procedures
- **Risk Management Fundamentals:** Use the DAF risk management process to discuss local hazard reporting, supervisor involvement, and integration into routine tasks. Train workers to identify hazards, assess risk, implement controls, supervise the task, and re-evaluate controls during and after operations. DAFI 90-802; DAFPM 90-803
- **Manual Lifting and Material Handling:** Provide verbal and written guidance on manual lifting, lifting devices, and local reporting actions for strain or overexertion symptoms. Train workers on proper lifting techniques, team lifting, load assessment, and use of lifting aids to reduce musculoskeletal injury risk. DAFMAN 91-203 - Air Force Occupational Safety, Fire and Health Standards, Chapter 20
- **Fire Protection and Prevention:** Use the JSTO and local fire prevention plan to brief workers on work-center fire hazards, alarm reporting, extinguisher use, and evacuation accountability. Train personnel on fire hazards, reporting procedures, extinguisher locations, evacuation routes, pull stations, and local emergency response actions. DAFMAN 91-203 - Air Force Occupational Safety, Fire and Health Standards; local fire prevention plan
- **Personal Protective Equipment (PPE):** Use the work-center JHA, BE occupational health assessment, manufacturer instructions, DAFMAN 91-203 Chapter 14, and local safety office

guidance to identify PPE requirements. Supervisors must ensure PPE is provided, used, cleaned, inspected, maintained in sanitary and serviceable condition, and documented in JSTO training records. Cover eye and face protection, head protection, foot protection, hand protection, protective clothing, and respiratory or hearing protection when those programs apply. Train each affected worker on when PPE is necessary, what PPE is necessary, how to properly don, doff, adjust, and wear PPE, the limitations of assigned PPE, and the proper care, maintenance, useful life, and disposal of PPE. Require workers to demonstrate understanding and proper use before performing work requiring PPE, and retrain when workplace conditions, job assignments, PPE types, or worker knowledge gaps make prior training obsolete. DAFMAN 91-203 - Air Force Occupational Safety, Fire and Health Standards, Chapter 14; 29 CFR Part 1910 - Occupational Safety and Health Standards (General Industry Standards) Subpart I; 29 CFR 1910.132; 29 CFR 1910.133; 29 CFR 1910.135; 29 CFR 1910.136; 29 CFR 1910.138

- **Walking – Working Surfaces:** Document the governing reference, training location, and how completion is tracked for this custom module. Describe the unit-specific hazard, certification, or recurring training requirement that applies to this work center. • Housekeeping: Keep walkways, office floors, and maintenance bays clean, dry, and free of oil, water, or chemical spills. • Trip Hazards: Route power cords, network cables, and pneumatic hoses out of main foot-traffic paths or use heavy-duty floor cable covers. • Elevated Surfaces: Maintain 3-point contact when using ladders. Inspect step ladders and extension ladders before every use; never stand on the top step.
- **Electrical Safety:** Document the governing reference, training location, and how completion is tracked for this custom module. Describe the unit-specific hazard, certification, or recurring training requirement that applies to this work center. • General Safety: Inspect tools, surge protectors, and power cords for fraying or damage prior to use. Damaged equipment must be tagged out immediately. • Clearance Requirements: Maintain a minimum 36-inch clearance in front of all circuit breaker panels and high-voltage distribution boxes. • Prohibited Practices: Daisy-chaining surge protectors or extension cords is strictly prohibited. Keep all liquids clear of computers, radio racks, and electrical test benches.
- **Emergency Shower and Eyewash Units:** Document the governing reference, training location, and how completion is tracked for this custom module. Describe the unit-specific hazard, certification, or recurring training requirement that applies to this work center. • Inspection & Access: Eyewash and emergency shower stations in maintenance bays, battery rooms, and supply areas must remain completely unobstructed. Test eyewash units weekly. • Operation: Flush eyes for a minimum of 15 minutes in the event of chemical exposure. Notify supervisor and report to medical immediately after flushing.
- **Hand Tools, Portable Power Tools, and Machinery:** Document the governing reference, training location, and how completion is tracked for this custom module. Describe the unit-specific hazard, certification, or recurring training requirement that applies to this work center. • Inspection: Inspect hand tools for cracked handles, mushroomed heads, or worn jaws. Inspect power tools for cord integrity and operational safety guards. • Machine Guarding: Ensure grinding wheels, shop presses, and power saws have all factory safety guards properly installed and adjusted before operation. • Personal Safety: Remove rings, watches, neckties, and loose clothing; secure long hair prior to operating rotating machinery or power tools.
- **Mishap Prevention Safety Signs, Tags and Labeling:** Document the governing reference, training location, and how completion is tracked for this custom module. Describe the unit-specific hazard, certification, or recurring training requirement that applies to this work center. • Signage Compliance: Adhere strictly to all posted Danger, Caution, Warning, and Safety Instruction signs across offices, supply rooms, and vehicle maintenance bays. • Tagging Out Equipment: Immediately affix Do Not Operate tags to unsafe, damaged, or unserviceable tools, lifts, or electrical gear.
- **Hydrocarbon Fuels:** Document the governing reference, training location, and how completion is tracked for this custom module. Describe the unit-specific hazard, certification, or recurring training requirement that applies to this work center. • Fuel Handling: Turn off engine ignition and ground equipment/containers prior to transferring fuel. Refueling must be performed in well-ventilated

- outdoor areas. • **Static Bonding & Safety:** Ensure metal-to-metal bonding/grounding connections are established when pumping or transferring fuels to prevent static discharge sparks.
- **Civil Engineering:** Document the governing reference, training location, and how completion is tracked for this custom module. Describe the unit-specific hazard, certification, or recurring training requirement that applies to this work center. • **Facility Work Safety:** Follow established safety controls for facility repair, ladder/scaffolding use, trenching/excavation awareness, and heavy tool handling. • **Coordination:** Coordinate facility maintenance tasks with unit safety representatives to prevent conflicts with routine radio and cyber operations.
 - **Communication Cable, Antenna and Communication Systems:** Document the governing reference, training location, and how completion is tracked for this custom module. Describe the unit-specific hazard, certification, or recurring training requirement that applies to this work center. • **RF Radiation Safety:** Observe posted Radio Frequency Radiation (RFR) hazard zones around tactical antennas, satellite terminals, and high-power radio transmitters. • **Cable & Mast Erecting:** Use proper lifting techniques and guy-wire rigging when raising field antenna masts; inspect cables, connectors, and strain reliefs before deployment. • **ESD Protection:** Wear grounding wrist straps when handling sensitive electronic circuit boards or micro-cyber components.
 - **Batteries – Maintenance, Handling, and Storage Requirements:** Document the governing reference, training location, and how completion is tracked for this custom module. Describe the unit-specific hazard, certification, or recurring training requirement that applies to this work center. • **Lead-Acid & Lithium Batteries:** Handle heavy tactical battery packs using proper lifting techniques or MHE. Store batteries on non-conductive racks in well-ventilated areas. • **Battery Service PPE:** Mandatory splash goggles, face shield, rubber apron, and acid-resistant gloves when servicing wet-cell lead-acid batteries. • **Charging Stations:** Verify hydrogen gas ventilation is active in battery charging bays; keep all sparks and flames out of charging zones.
 - **Motor Vehicle – Operations and Maintenance:** Document the governing reference, training location, and how completion is tracked for this custom module. Describe the unit-specific hazard, certification, or recurring training requirement that applies to this work center. • **Vehicle Operations:** Seatbelts are mandatory for driver and passengers in all government motor vehicles (GMVs) and tactical vehicles. Texting or handheld phone use while driving is prohibited. • **Ground Guides:** Use trained ground guides when backing vehicles, maneuvering tactical trucks, or operating in congested unit motor pools. • **Maintenance Safety:** Use vehicle jack stands and wheel chocks prior to working under or around raised vehicles; never rely solely on hydraulic jacks.

Ergonomics Workstation Posture Guide:



Use this guide while briefing office and administrative workstation setup.

References

The primary overarching publication for all chapters in this JSTO is DAFI 91-203 (Air Force Consolidated Occupational Safety Instruction).

The following primary reference directives, Technical Orders (TOs), AFMANs, and manufacturer guidelines provide detailed, functional safety policy across D-Flight's specific functional areas:

Command, Ops & Office Safety
DAFI 91-203, Chapter 10: Ergonomics and Office Safety.

DAFI 91-203, Chapter 6 & 7: Fire Prevention, Emergency Egress, and Walking-Working Surfaces.

JHA Standard: Air Force Form 4392 (Pre-Task Safety Analysis / Job Hazard Analysis).

Radio Maintenance & Cyber Communications
DAFMAN 17-1301: Computer Security (COMPUSEC).

DAFI 91-203, Chapter 8 & 28: Electrical Safety and Radio Frequency (RF) Radiation/Antenna Systems.

TO 00-33A-1001: General Technical Manual for Ground Electronics Systems Maintenance.

IEEE C95.1 / DoD Instruction 6055.11: Protection Levels for Electromagnetic Field Human Exposure.

Material Handling, Supply & Vehicle Maintenance
DAFMAN 24-306: Operation of Air Force Government Motor Vehicles (GMVs).

AFMAN 24-301: Ground Transportation and Material Handling Equipment Operations.

DAFI 91-203, Chapter 12 & 30: MHE (Forklifts) and Motor Vehicle Operations/Maintenance.

TO 36-1-191: Technical Manual for Motor Vehicle Maintenance and Inspection.

Manufacturer Guidance: Forklift Operator Manuals (e.g., Caterpillar, Hyster, TEREX 10K capacity specifications).

Civil Engineering & Facility Maintenance

DAFI 91-203, Chapters 9, 11, 21, 22: Emergency Eyewash/Showers, Hand/Power Tools, LOTO, and Flammable/Combustible Liquids.

DAFMAN 91-201: Explosive Safety Standards (applies if CE handles site planning or munitions storage facilities).

OSHA 29 CFR Part 1910 - Occupational Safety and Health Standards (General Industry Standards) Subpart S / NFPA 70E: Electrical Safety in the Workplace.

Local Installation Guidance (Fort Cavazos / 9 ASOS)

III Armored Corps & Fort Cavazos Regulation 385-10: Fort Cavazos Safety Program (local range, wildlife, and heat stress/WBGT policies).

9 ASOS Operating Instructions (OIs): Unit-level OIs for vehicle maintenance bay operations, battery charging room procedures, and antenna mast field deployment.

Required Documents

- [CA-10](#)
What a Federal Employee Should Do When Injured at Work. Use this as the workplace reference for employee injury reporting and follow-up actions.
- [DAF Form 457](#)
Hazard Report. Use this form to identify, document, and elevate unsafe conditions, equipment, or procedures in the workplace.
- [DAFVA 91-209](#) **UNITS MUST FILL OUT THEIR OWN LOCATION POSTED**
Department of the Air Force Occupational Safety and Health Program visual aid. Keep this available so personnel know the core safety rights, responsibilities, and reporting expectations.
Location Posted: Enter where DAFVA 91-209 is posted for this work center.
- [LS-201](#)
Notice of Employee's Injury or Death (Non-Appropriated Funds). Use this when applicable for NAF employee injury or death reporting.

Emergency Information

- **Emergency Numbers:** Ambulance 911
Command Post 254-286-6823
93 AGOW Safety DSN 460-9750 Comm 229-257-9750/9749
- **Medical Facility / Treatment:** Carl R. Darnall Regional Medical Center Info Desk: 254-288-8000/8904
Carl R. Darnall Regional Medical Center Appointment Line: 254-288-8888
Russell Collier Health Clinic: 254-553-3146/3147
Patient Advocacy: 254-288-8156
- **Evacuation / Muster Point:** The external rally point for all incidents which require evacuation of the building is the open field directly east of building 22038.

- **Shelter in Place:** Shelter-In-Place location is located in the Mass-Briefing-Room (MBR) located on the first floor of the MBR in the 9 ASOS.

Shelter-In-Place Kit is in the MBR closet.

- **Active Shooter Response Methods:** Quickly determine the most reasonable way to protect your own life. Remember that personnel are likely to follow leaders and people who work in the section during an active shooter situation. Your three options are to Evacuate, Hide out, or Take Action.

Evacuate: If there is an accessible escape path, attempt to evacuate the premises. Be sure to:

- 1) Have an escape route and plan in mind.
- 2) Evacuate regardless of whether others agree to follow.
- 3) Leave your belongings behind.
- 4) Help others escape, if possible.
- 5) Prevent individuals from entering an area where the active shooter may be.
- 6) Keep your hands visible.
- 7) Follow the instructions of any police officers.
- 8) Do not attempt to move wounded people.
- 9) Call 911 when you are safe.

Hide out: If evacuation is not possible, find a place to hide where the active shooter is less likely to find you.

- 1) Your hiding place should:

- a) Be out of the active shooter's view
- b) Provide protection if shots are fired in your direction (i.e., an office with a closed and locked door)
- c) Not trap you or restrict your options for movement.

- 2) To prevent an active shooter from entering your hiding place:

- a) Lock the door.
- b) Blockade the door with heavy furniture.

- 3) If the active shooter is nearby:

- a) Lock the door.
- b) Silence your cell phone and/or pager.
- c) Turn off any source of noise (i.e., radios, televisions)

d) Hide behind large items (i.e., cabinets, desks)

e) Remain quiet.

4) If evacuation and hiding are not possible:

a) Remain calm.

b) Dial 911 if possible, to alert police to the active shooter's location.

c) If you cannot speak, leave the line open and allow the dispatcher to listen.

Take action against the active shooter: As a last resort, and only when your life is in imminent danger, attempt to disrupt and/or incapacitate the active shooter by:

1) Acting as aggressively as possible against him/her.

2) Throwing items and improvising weapons.

3) Yelling.

4) Committing to your actions, you have the rest of your life to make your actions count.

- **Adverse Weather Shelter:** Severe Weather (Tornado/Flooding/Lightning). Severe weather may occur at any time. Take preventative measures to protect injury to personnel or damage to property, facilities or equipment. During periods of severe weather, such as tornados, lightning, flooding, and high winds, the Fort Cavazos Installation Operations Center (IOC) will provide initial tracking and warning of severe weather. If needed, the Emergency Operations Center (EOC) will be activated as determined by the Garrison Commander or Directorate of Plans Training and Mobilization and Security (DPTMS).

Tornado: Tornadoes are the most violent natural hazard. They are rotating, funnel-shaped clouds formed when cold air meets warm and wet air. They usually form around thunderstorms. Strong winds are the most destructive aspect, with gusts reaching as high as 300 mph. The damaged path can be a mile wide. Tornado season is normally March through August, but tornadoes can occur any time of the year. Tornadoes most often occur at the tail end of a thunderstorm. Eighty percent of tornadoes occur between noon and midnight. While some areas are more prone to tornadoes than others, they can occur anywhere, so it is best to be prepared. When a warning is issued via the Installation Mass Notification System (Giant Voice, Desk Top Alert, Public Address System, and/or Land Mobile Radio) seek inside shelter.

1. Preparedness for a Tornado:

a. Stay informed and know tornado terminology:

i. Tornado watch-Weather conditions are favorable for the development of a tornado.

ii. Tornado warning-A tornado has been spotted. Take shelter immediately.

b. Develop and practice an evacuation or shelter-in-place plan. Ensure all personnel know what to do in case of a tornado.

2. Actions during a Tornado:

a. Shelter in place immediately. Go to a small interior room on the lowest floor and without

windows. Shelter in hallways on the lowest floor away from doors and windows, and rooms constructed with reinforced concrete, bricks, or blocks with no windows.

- b. Stay away from outside walls and windows.
- c. Use arms to protect head and neck and remain sheltered until the tornado threat is announced to be over.

Flooding: During the spring rainy season, high winds and prolonged rain can cause flooding in low lying area and may topple trees causing damage to structures and roadblocks. Flooding is the most common natural disaster and can occur anywhere. Flooding can be localized in a particular neighborhood or widespread, affecting entire cities or large portions of states and territories. Floods can develop over a period of days, giving you adequate time to prepare; however, flash floods can develop in a matter of minutes. Flash flood waters can be caused by heavy rain, levee breaches or dam failures. Rushing flood waters can be deeper and stronger than they look. These waters are also destructive and can carry debris, rocks and mud.

1. Flood terminology:

- a. Flood Watch-Flooding is possible. Stay tuned to radio or TV for more information
- b. Flash Flood Watch- Flash-flooding is possible. Stay tuned to radio or TV for more information. Be prepared to move to higher ground
- c. Flood Warning-Flooding is currently occurring or will occur soon. Listen for further instructions. If told to evacuate, do so immediately.
- d. Flash Flood Warning- Flash-flooding is currently occurring or will occur soon. Seek higher ground on foot immediately.

2. Actions during a Flood:

- a. Stay tuned to the radio or TV for further information and instructions.
- b. If you are ordered to evacuate: Take only essential items; unplug electronic equipment; do not walk in moving water; do not drive in flood water; follow the designated evacuation procedure.
- c. If you are NOT ordered to evacuate: Stay tuned to emergency stations on radio or TV for further instructions; Prepare to evacuate to a shelter if your building is damaged.

Lightning: Summer is the peak season for one of the nation's deadliest weather phenomena- lightning. But don't be fooled, lightning strikes year-round.

1. Preparedness for Lightning:

- a. At the ranges or training areas, ensure personnel know where to locate the lightning shelters.
- b. Ensure all personnel know what to do in case of lightning
- c. Actions during Lightning:
- d. Seek shelter immediately
- e. Avoid contact with concrete walls which may contain steel and metal
- f. Stay off the telephone or other communication devices with antennae

Shelter-In-Place. There are several events such as storms, hazardous materials/chemical spills, chemical attack, workplace violence and more that could require action Shelter-In-Place.

Preparedness for Shelter-in-place:

- 1) Assign a primary safety contact for each floor of the building (Building Custodian and Fire

Marshal). Duties such as posting door signs and covering windows, vent and doors, and shutting off HY AC systems should be assigned to specific people.

2) Develop an accountability system and a shelter-in-place plan and perform drills. Ensure all personnel know what to do and understand why they are sheltering in place.

3) Fire Marshals/Building Managers will select a room or rooms to serve as shelter room during emergencies. The rooms should be large enough to provide a place to sit for each person sheltered. A windowless room with few vents and doors as possible is best. The shelter room should also have a telephone (either regular or cellular) for emergency use only.

4) Prepare a shelter-in-place kit containing:

- a) Outside door placards (example enclosed)
- b) Plastic sheeting - to fit over any windows or vents in the sheltering area.
- c) Duct tape - to secure the plastic over windows/vents and to seal doors.
- d) Battery operated radio with fresh batteries
- e) Flashlight and fresh batteries
- f) Bottled water for drinking (optional)
- g) First aid kit

Actions during Shelter-in-place

1) When you are warned of an emergency: "SHELTER-IN-PLACE! SHELTER-IN-PLACE! SHELTER-IN-PLACE!" Warning can come via voice, desktop alert, the mass notification warning system, post PA system, all weather radio, TV, or radio messaging system.

2) Stay in your office and close/lock windows and doors (severe weather). Move to an interior room (tornado warning).

3) Post "SHELTER-IN-PLACE IN EFFECT - NO ENTRY" signs on all entrances identifying POC, phone number and location of safe room. Move personnel to preidentified safe room and take necessary actions (securing hazardous materials and chemicals)

4) Turn off all air handling equipment if appropriate (heating, ventilation, and/or air conditioning). Do not leave until you are given the all clear by the police department or those in authority.

5) If needed, seal any windows and/or vents with sheets of plastic and duct tape.

6) If needed, seal the door(s) with duct tape around the top, bottom and sides.

7) When the "all clear" is announced, open windows and doors, turn on ventilation systems and go outside until the air in the building has been exchanged with clean outdoor air if there has been a HAZMAT incident.

No evacuation route image uploaded.

Emergency Equipment and Safety Board

Safety Bulletin Board Location: Safety Bulletin Board are in the following buildings and areas:

22038 - 9 ASOS - two are upstairs in the main hallway, one downstairs in main hallway.

22026 - Hazmat storage building - NO PERSONNEL PRESENT

22025 - Martial Arts and Combative Gym - Main hallway

22021 - Human Performance Optimization - Main hallway, right of the water fountain.

22019 - Human Performance Optimization Staff Building - Main meeting area

Fire Action Plan

1. Sounding the Fire Alarm

- Activate the nearest fire alarm pull station immediately upon discovering a fire.
- Call 911 when it is safe to do so, providing your exact location and details of the fire.
- Do not assume the alarm is false; always treat it as a genuine emergency.

2. Containing Smoke and Fire

- Close all doors and windows behind you as you evacuate to help confine the fire and smoke.
- Before opening a door, place the back of your hand on it to check for heat. If the door is hot, do not open it; find an alternative exit.
- If trapped, stay low to the ground to avoid smoke inhalation, and signal for help if possible.

3. Using a Fire Extinguisher

If the fire is small (e.g., a wastebasket-sized fire) and you have been trained to use a fire extinguisher, follow the PASS technique:

- Pull the pin.
- Aim at the base of the fire.
- Squeeze the handle.
- Sweep from side to side.

Important: Only attempt to extinguish the fire if:

- You have a clear escape route.
- The fire is small and contained.
- You have been trained in the use of fire extinguishers.

If the fire does not extinguish within 15 seconds or if it begins to spread, evacuate immediately.

4. Evacuating to Areas of Refuge

- Use stairs, not elevators, during a fire evacuation.
- Proceed to the nearest exit and move to a safe location away from the building.
- Do not re-enter the building until you have been instructed to do so by emergency responders.

No emergency equipment maps or location photos uploaded.

Traffic Safety Program

DAF Traffic Safety Program (DAFI 91-207): Train personnel on mandatory use of seat belts and helmets, speed limits, local traffic hazards, spotters while backing, vehicle training requirements, and restrictions on electronic device use while operating vehicles on- or off-base.

Seat Belts / Occupant Restraints: All persons operating or riding in motor vehicles must wear installed restraint systems as prescribed by the manufacturer. Drivers are responsible for ensuring all passengers are briefed on and use required restraints.

Motorcycle / ATV Training: Personnel must complete required safety training before riding a motorcycle, and local units should address required PPE, licensing, refresher training, and safety representative contacts.

Pedestrian / Bicycle Awareness: Emphasize local roadway crossing hazards, visibility requirements, spotter use, and other pedestrian or bicycle precautions specific to the installation.

Local Traffic Hazards / Vehicle Notes:

DAF Traffic Safety Program (DAFI 91-207)

Installation Gate Hazards & Entry Protocols

- **Primary Access Control Points (ACPs):** TJ Mills Gate, Clear Creek Gate, and Warrior Way Gate. Expect severe traffic backups and lane merges during morning PT hours (0600–0730) and evening end-of-shift hours (1600–1730).

- **Gate Speed Controls:** Speed limit drops immediately to 20 mph (or 15 mph in active inspection queues) through serpentine barriers. Sudden stops are frequent; maintain 2-second follow distance.

- **Commercial & Heavy Vehicle Routing:** Tactical vehicles, MHE transports, and heavy trucks must utilize designated commercial access points. Verify mast and overhead clearance before approaching gate canopies.

Base-Specific Traffic Concerns & Range Roads

- **Troop Formations:** Vehicles must yield to organized PT formations. Speed limit is 10 mph when passing marching troops or runners.

- **Heavy Armor & Tracked Vehicles:** Watch for heavy armor and tracked vehicle crossings along modular range roads (e.g., West Range Road, East Range Road). Mud, gravel, and unpaved shoulders present traction hazards; maintain increased follow distances.

- **Wildlife Hazards:** High risk of white-tailed deer and feral hog crossings during dawn/dusk hours along tank trails, range access roads, and unlit perimeter sectors.

Vehicle Operational Notes & Restrictions

- **Cellular & Electronic Devices:** Handheld cell phone use, texting, or wearing dual-ear headphones while operating any GMV, Tactical Vehicle, or POV on base is strictly prohibited. Hands-free devices are permitted only if the vehicle is safely parked.

- **Occupant Restraints:** Mandatory 100% seatbelt usage for driver and all passengers prior to vehicle movement.

- **Extreme Weather (Texas Heat & Rain):** Hydroplaning risks rise during sudden flash storms; inspect tire tread depth and wiper blades regularly. Monitor tire pressures during extreme summer heat to prevent blowouts.

Ground Guide & Spotter Rules

- **Mandatory Use:** A designated ground guide is mandatory anytime a GMV, tactical vehicle, or Material Handling Equipment (MHE/10K Forklift) is backing up, maneuvering in tight motor pools, or operating in confined warehouse/bay spaces.

- **Positioning & Line of Sight:** Ground guides must stay visible in the driver's side mirror at all times (never walk directly behind or in the path of a moving vehicle).

- **Driver Protocol:** If the driver loses sight of the ground guide for even a second, they must immediately STOP the vehicle until visual contact is re-established.


- **Night Operations:** Ground guides must use operational flashlights equipped with red/amber cones during night or low-visibility operations.

Documentation & Vehicle Training Tracking

- **Driver Licensing:** Personnel operating GMVs/Tactical Vehicles must hold a valid state driver's license and be documented on AF Form 2293 (U.S. Air Force Motor Vehicle Operator Identification Card).
- **Training Records:** Official vehicle training, orientation certifications, and license documentation are located and tracked in the Teams VM, FM&A folder.
- **Pre-Task Assessments:** Daily vehicle inspection checklists (AF Form 1800 or unit equivalent) must be completed and stored in the vehicle dispatch binder prior to operation.

Motorcycle Safety Representatives / Traffic Contacts:

List unit or group motorcycle safety representatives, traffic safety contacts, and local rider briefing requirements.



No routine-use GVO risk assessment files uploaded.

Reporting Unsafe Equipment, Conditions, or Procedures

Notify the supervisor immediately when unsafe equipment, conditions, or procedures are identified. Personnel may report hazards without fear of retaliation, coercion, discrimination, or reprisal.

- **DAF Form 457:** Use to document and elevate unsafe conditions, equipment, or processes.
- **SAFEREP:** Use the approved mishap or hazard reporting channel for additional reporting when directed by local procedures.



Safety Reporting ... All In One Place

SAFEREP APP!

Why Safety Reporting?

Quickly and easily tell safety about safety issues you see

- In the dorms
- At work
- Anywhere on base
- In flight
- While maintaining aircraft
- On the ramp



What to report?

- Dangerous conditions
- “Near miss” events
- Aviation specific reporting
- Cultural issues that could lead to an accident, damage, or injury
- Supervisor mishap report

Report anonymously
Reports go direct to the safety office



New name, new website, new app, and a whole new look

SAFEREP is a web- and app-based way for members from every career field to identify hazards and report near-misses and even some mishaps directly to their safety offices using any computer or mobile device.



Download to your mobile device
from your preferred App Store

Or

Go to
<https://saferep.safety.af.mil>



DANGER

HAZARD

CONTROL MEASURES

AF FORM 979

CAUTION

HAZARD

CONTROL MEASURES

AF FORM 980

OUT OF ORDER

HAZARD

CONTROL MEASURES

AF FORM 981

DO NOT START

HAZARD

CONTROL MEASURES

AF FORM 982

Documentation and Review

Document initial, refresher, and task-specific training in the work center record, review annually or when work conditions change, and maintain records per local records management requirements.

Bioenvironmental Workplace Survey: No Bioenvironmental Workplace Survey uploaded.

Applicable Job Hazard Analyses: No Job Hazard Analysis files uploaded.

Annual Review Log:

Record the supervisor annual review history here.

Trainee Name Employee ID / Last 4 Date Trained Trainer / Supervisor Signature