Job Safety Training Outline

Built to align with DAFI 91-202 paragraph 14.1 requirements.

Unit: 436 CES

Work Center: Electric/Alarm Shop

Work Area / Office Symbol: CEOFE

Phone: (302) 677-4843

Supervisor: Giancarlo Cornejo/ TSgt/ Section Chief

Reviewer: SSgt Alvin Sosa

Review Date: 2026-10-02

Effective Date: 2026-10-02

Work Center Overview

1.1. Background
This Job Safety Training Outline (JSTO) meets the requirements of DAFI 91-202 (The US Air Force Mishap Prevention Program), Chapter 14. It
covers mandatory general safety items as well as work-center-specific hazards for Civil Engineer Electrical Systems personnel. It incorporates
requirements applicable to Dover AFB, the 436th Airlift Wing, and Air Mobility Command (AMC).
1.2. Implementation

The immediate/frontline supervisor must brief this JSTO to all newly assigned military and civilian personnel prior to performing work in the shop or
field. Additional briefings are required whenever new equipment, processes, chemicals, or revised safety/fire/health directives are introduced. Work
center supervisors (NCOICs, Shop Chiefs, Foremen) will review, update, and re-certify this JSTO annually or upon any operational change.

1.3. Mandatory Items

The 10 mandatory safety items outlined in DAFI 91-202, paragraph 14.1, must be briefed and understood by all personnel prior to unsupervised
work.

1.4. Job-Specific Items

Shop-specific training modules based on the mission requirements of the Electrical Systems Shop (CEOFE) must be instructed to the application
level and fully documented prior to performing unsupervised tasks.

1.5. Methods of Documentation

Training completion is documented on the AF Form 55 (Employee Safety and Health Record) or through an approved digital equivalent (e.g., Air
Force Safety Automated System / myLearning). The form requires digital or physical signatures from both the trainee and supervisor and must be
retained in shop records.

Work Area Hazard Analysis / JHA Notes

Aircraft & Flightline Environment (Airfield Electrical & Snow Removal Operations)

Governing Directives: DAFMAN 91-203; AFI 21-101, AMC Sup 1; 436 AW Airfield Driving Instruction; Latest Annual BE Industrial Hygiene
Survey.

Procedures: Strictly observe all flightline and airfield safety rules. When accessing active taxiways or runways (for runway lighting,
PAPI/VASI maintenance, airfield vaults, or snow clearance), maintain two-way radio contact with the Dover Air Traffic Control Tower and
Base Operations/Airfield Management. State exact vehicle call sign, location, and requested access route/runway.

Flightline Speed Limits:

General-purpose vehicles: 15 MPH

Special-purpose vehicles / towing: 10 MPH

Within 50 feet of aircraft: 5 MPH

Aircraft parking ramp: 15 MPH

Vehicle parking areas: 5 MPH

Snow/ice removal equipment: Safe operating speed dictated by surface conditions and visibility.

Seasonal Weather Extremes

Governing Directives: DAFMAN 91-203; 436 AW Severe Weather OIs.

Hazards & Controls: Dover AFB experiences mid-Atlantic extremes—freezing rain, heavy snow, high winds, hurricane/tropical storm force
winds, thunderstorms, lightning (Lightning within 5 nautical miles requires cessation of outside aerial/high-reach and airfield electrical
maintenance), high summer heat index, and sunburn. Dress in authorized layers, hydrate, utilize sunscreen, and seek shelter during
inclement weather advisories.

General Electrical Safety Awareness

Governing Directives: DAFMAN 91-203; AFMAN 32-1065; UFC 3-560-01 (Electrical Safety, O&M); NFPA 70E.

Controls: Recognize and respect electrical hazards including arc flash, arc blast, electrical shock, phase shorts, damaged cable insulation,

and faulty disconnects. Never work on energized circuits without an approved Energized Electrical Work Permit and proper PPE rated for the
incident energy exposure. Inspect tools, extension cords, GFCI devices, and protective equipment prior to every use.

Mechanical Safety & Shop Equipment

Governing Directives: DAFMAN 91-203.

Controls: Follow established safety protocols when operating shop drill presses, conduit benders, pipe threaders, hydraulic knockout sets,
and powered machinery. Ensure all safety guards and interlocks are in place before operation. Wear appropriate eye and hand protection.

Material Handling & Lifting Techniques

Governing Directives: DAFMAN 91-203.

Controls: Lift with the legs, keeping loads close to the body; do not twist during lifting. Utilize mechanical lifting aids (hand trucks, pallet
jacks, hoists, forklift support) for transformers, heavy conduit bundles, switchgear components, and reels of cable. Utilize team lifts for items
exceeding individual lifting limits or awkward dimensions.

Compressed Gas & High-Pressure Elements

Governing Directives: DAFMAN 91-203.

Controls: Secure all compressed gas cylinders (nitrogen, calibration gases) upright with safety chains or approved brackets. Cylinder caps
must remain installed when not connected for use. Never direct compressed gas at skin or clothing. When supporting environmental or
emergency response, review chemical flammability, toxicity, and pressure hazards.

Confined Space Awareness

Governing Directives: DAFMAN 91-203, Chapter 23; 436 AW Confined Space Program.

Shop Policy: The 436 CES Electrical Systems Shop does not operate under a Master Entry Plan (MEP) because entries into electrical
manholes, pull boxes, and vaults are non-routine.

Entry Protocol: Any entry into a permit-required confined space requires prior coordination with Bioenvironmental Engineering (BEE),
436 AW Occupational Safety (SEG), and the Dover Fire Emergency Services (FES). A current AF Form 1024 (Confined Space Entry
Permit) must be completed, signed by all three agencies, and retained on file for one year. Rescue gear (e.g., tripod/winch coordinated with
the WFSM shop) and calibrated atmospheric monitors must be on site and tested prior to breaking the plane of any manhole or vault.

Waste Disposal & Environmental Compliance

Governing Directives: DAFBI 48-101; AFI 90-821; 436 CES Environmental Management Guidelines.

Procedures: Dispose of hazardous wastes (transformer oils, dielectric fluids, degreasers, solvent-soaked rags) strictly per environmental
guidelines. The CEOFE shop maintains universal-waste collection containers for lead-acid/lithium/Ni-Cad batteries, fluorescent lamps, high
pressure sodium (HPS) and metal-halide bulbs, and empty aerosol cans. Keep all waste containers closed, labeled, and dated.

Hazardous Noise

Governing Directives: DAFMAN 48-20; 436 OMRS/Bioenvironmental Engineering Survey.

Controls: Wear approved hearing protection (pre-molded earplugs or sound-attenuating earmuffs) when operating equipment generating 85
dBA or higher (e.g., concrete saws, power tools, large generators, or when working on the flightline near operating C-5M Super Galaxy or C
17 Globemaster III aircraft). Custom or replacement hearing protection is coordinated through Public Health.

Foreign Object Damage (FOD) Prevention

Governing Directives: DAFBI 21-105; 436 AW FOD Prevention Program.
Controls: Strict tool and hardware accountability is mandatory on the flightline and airfield. Conduct 100% foreign object sweeps before
departing airfield vaults, runway/taxiway lighting fixtures, or aircraft parking ramps. Secure all wire clippings, screws, connectors, and tools in
closed tool bags.
Civil Engineer Fall Protection & Elevated Work
Governing Directives: DAFMAN 91-203, Chapter 13 & 14; 29 CFR 1910 / 1926.
Shop Application: Fall protection is mandatory when working at heights of four (4) feet or more in general industry settings or six (6) feet
or more during facility construction/maintenance, including work on utility poles, aerial bucket trucks, scissors lifts, facility roofs, high-bay
hangar light fixtures, and substations.
Controls: Inspect full-body harnesses, shock-absorbing lanyards, self-retracting lifelines (SRLs), and anchor straps prior to use. Personnel
operating bucket trucks or boom lifts must be tied off to approved anchor points 100% of the time while in the basket. Ensure an approved
rescue plan is established before any elevated operation begins.
Walking-Working Surfaces & Housekeeping
Governing Directives: DAFMAN 91-203.
Controls: Keep all aisles, electrical panel clear zones (minimum 36-inch clearance), exit doors, and shop floors free of cords, tools, scrap
metal, oil slicks, and debris. Clean up spills immediately. Report exterior ice/snow hazards around Building 615 entrances to facility
managers.
Electrically Powered Tools & Shop Equipment
Governing Directives: OSHA 29 CFR 1910; NFPA 70E; NFPA 101; DAFMAN 91-203.
Controls: Inspect all portable tools and cords before use for broken pins, frayed cords, or cracked casings. Never defeat ground pins or
daisy-chain power strips/surge protectors. Personally owned electrical tools and appliances are prohibited without supervisor authorization.
Space heaters and high-draw breakroom appliances must be plugged directly into wall outlets, never into modular furniture or extension
cords.
Hazardous Chemicals & Hazard Communication (HAZCOM)
Governing Directives: AFI 90-821; 29 CFR 1910.1200; DAFMAN 91-203.
Controls: Review Safety Data Sheets (SDSs) for all dielectric oils, cable pulling lubricants, spray solvents, insulating varnishes, and battery
acids prior to handling. Ensure secondary containers have GHS-compliant labels displaying product identifier, hazard statements, signal
words, and pictograms. Use mandatory chemical-resistant PPE (nitrile/neoprene gloves, splash goggles, aprons).
Hazardous Energy Control (Lockout / Tagout - LOTO)
Governing Directives: DAFMAN 91-203, Chapter 21; UFC 3-560-01.
Controls: Zero Energy State must be verified using the "Test-Before-Touch" principle with a calibrated, properly rated multimeter. Only
qualified Authorized Employees may perform LOTO. Use standardized locksets and AF Form 983 (Danger - Equipment Lockout Tag) or AF
Form 979 (Danger Tag). Never remove another worker's lock or tag without following the formal emergency removal procedure approved by
the Section Chief/Squadron Commander.


Required Training Topics

Workplace HazardsPersonal Protective EquipmentEmergency Action and Fire PreventionReporting Unsafe Equipment, Conditions, or ProceduresMishap, Occupational Injury, and Illness ReportingCA-10 and LS-201DAF Traffic Safety ProgramDAFVA 91-209 Location and ContentDAFSMS Responsibilities

- **Workplace hazards:** Describe crushing, burn, chemical, ladder, weather, flight line, and noise hazards specific to the work center, plus the technical orders, JHAs, and instructions workers must follow.
- **Personal protective equipment:** Train employees on required PPE, including donning, doffing, cleaning, maintenance, storage, disposal, and reporting contact-lens or medical issues that could affect wear.
- **Emergency action and fire prevention:** Cover alarms, AEDs, extinguishers, evacuation routes, shelter locations, and response procedures tied to the work center.
- **Reporting unsafe conditions:** Instruct personnel to report unsafe equipment, conditions, procedures, and injuries without fear of reprisal, including use of DAF Form 457 and applicable reporting channels.
- **Mishap / injury / illness reporting:** Explain on-duty and off-duty reporting requirements, medical treatment procedures, and emergency response contacts.
- **Traffic safety:** Brief seat belt, speed limit, spotter, electronic device, and motorcycle safety requirements applicable to the work center.
- **DAFVA 91-209 and DAFSMS:** Review the location of DAFVA 91-209 and how workers contribute to the unit safety management system.

Hierarchy of Controls


Apply these controls from most effective to least effective when reducing workplace hazards under DAFI 91-202 paragraph 14.1.2.1.4.



Use the highest level of control feasible first. PPE should protect workers only after elimination, substitution, engineering, and administrative controls have been considered.

Active Shooter Response

In the event of an active shooter, individuals should employ the **Avoid, Deny, Defend** response method. This strategy is adaptable to the specific situation and environment.



Avoid (Run): The first and preferred course of action is to evacuate the area if a safe route is available. Maintain awareness of your surroundings and have an escape route planned. Leave your belongings, evacuate regardless of whether others follow, and do not attempt to move wounded people. Once you have reached a safe location, call 911 and provide any information you have.


Deny (Hide): If you cannot evacuate, your next priority is to deny the attacker access to your location. This involves more than just hiding; it means securing your position. Lock and blockade doors with heavy furniture, turn off lights, silence your phone, and remain out of the shooter's view. Remember that concealment only hides you, while cover can offer protection from bullets.

Defend (Fight): As a last resort, when your life is in immediate danger, you must be prepared to defend yourself. Act aggressively, improvise weapons from your surroundings, and commit fully to your actions. Taking action may be risky, but it could be your best or only chance for survival.

When law enforcement arrives: Remain calm, follow all instructions, keep your hands visible with fingers spread, and be prepared to provide information about the shooter's location, number, and description.

DAFSMS Framework

DAFSMS uses four pillars and the DAFSMS framework to structure the mishap prevention program through continuous improvement and the Plan-Do-Check-Act model.



Policy and Leadership

Safety policy provides the structure for a proactive mishap prevention program. Active leadership involvement at every level is critical to implementation and sustained execution.

Risk Management

Integrate risk management into all safety-related activities so hazards are identified early, controls are implemented, and the safety culture stays proactive.

Assurance

Use evaluations, monitoring, and review processes to measure conformance to standards and drive continuous improvement across the mishap prevention program.

Promotion, Education, and Training

Provide safety awareness, embed ongoing training, implement effective controls, and keep airmen and guardians actively engaged in mishap prevention.

Department of the Air Force SMS Framework

Policy and Leadership

- Leadership planning, organization, direction, and control
- Management roles, responsibilities, and relationships
- Procedures and controls that are developed, documented, maintained, and monitored
- Safety and quality balance, integration, and goal setting

Risk Management

- Hazard identification through mission/task analysis and hazard lists
- Hazard assessment using exposure, probability, severity, and risk level
- Control options, effects, prioritization, selection, and decisions
- Implementation, communication, accountability, support, supervision, and feedback

Assurance

- Performance requirements, expectations, and control effectiveness
- Continuous monitoring, self-inspections, internal and external inspections
- Mishap and event investigation, reporting, metrics, and improvement opportunities
- Change management and continuous improvement actions

Promotion, Education, and Training

- Culture built on informed, flexible, learning, just, and reporting behaviors
- Competency through training and education
- Awareness through internal communication, external communication, and information access

Job Specific Training Items

No job-specific modules selected yet.

No modules selected

References

Enter TOs, JHAs, DAFIs, DAFMANs, local guidance, and manufacturer instructions used by this work center.

Required Documents

- CA-10
  What a Federal Employee Should Do When Injured at Work. Use this as the workplace reference for employee injury reporting and follow-up actions.

- DAF Form 457
  Hazard Report. Use this form to identify, document, and elevate unsafe conditions, equipment, or procedures in the workplace.
- DAFVA 91-209 **UNITS MUST FILL OUT THEIR OWN LOCATION POSTED**
  Department of the Air Force Occupational Safety and Health Program visual aid. Keep this available so personnel know the core safety rights, responsibilities, and reporting expectations.
  Location Posted: Enter where DAFVA 91-209 is posted for this work center.
- LS-201
  Notice of Employee's Injury or Death (Non-Appropriated Funds). Use this when applicable for NAF employee injury or death reporting.

Emergency Information

- **Emergency Numbers:** Organization / Agency
  All Emergencies (Fire, Medical, Security) Contact Number
  911 (Base / Cell)
  Dover Base Defense Operations Center (BDOC / Security Forces) Commercial: (302) 677-6664 / 677-2100
  Dover Fire Emergency Services (FES - Non-Emergency / Dispatch) Commercial: (302) 677-4407
  Emergency Management (EM / Disaster Preparedness) Commercial: (302) 677-6218
  436 AW Command Post (CP) Commercial: (302) 677-4201
  Bioenvironmental Engineering (BEE - 436 OMRS) Commercial: (302) 677-2595
  Public Health Flight (PH) Commercial: (302) 677-2564
  436 CES Unit Control Center (UCC) / Service Call Desk Commercial: (302) 677-4840 / 677-4841
  Airfield Management (Base Operations) Commercial: (302) 677-4183
  Maintenance Operations Control Center (MOCC) Commercial: (302) 677-5436 / 677-4217
- **Medical Facility / Treatment:** Not entered
- **Evacuation / Muster Point:** Not entered
- **Shelter in Place:** Not entered
- **Active Shooter Response Methods:** Not entered
- **Adverse Weather Shelter:** Not entered

No evacuation route image uploaded.

Emergency Equipment and Safety Board

Safety Bulletin Board Location: Not entered

List fire pull stations, extinguishers, power cutoffs, eyewash stations, AEDs, foam systems, and any local fire/emergency equipment notes.

No emergency equipment maps or location photos uploaded.

Traffic Safety Program

DAF Traffic Safety Program (DAFI 91-207): Train personnel on mandatory use of seat belts and helmets, speed limits, local traffic hazards, spotters while backing, vehicle training requirements, and restrictions on electronic device use while operating vehicles on- or off-base.


Seat Belts / Occupant Restraints: All persons operating or riding in motor vehicles must wear installed restraint systems as prescribed by the manufacturer. Drivers are responsible for ensuring all passengers are briefed on and use required restraints.

Motorcycle / ATV Training: Personnel must complete required safety training before riding a motorcycle, and local units should address required PPE, licensing, refresher training, and safety representative contacts.

Pedestrian / Bicycle Awareness: Emphasize local roadway crossing hazards, visibility requirements, spotter use, and other pedestrian or bicycle precautions specific to the installation.

Local Traffic Hazards / Vehicle Notes:
Enter local gate hazards, base-specific traffic concerns, spotter rules, and where vehicle training is documented.

Motorcycle Safety Representatives / Traffic Contacts:
List unit or group motorcycle safety representatives, traffic safety contacts, and local rider briefing requirements.



No routine-use GVO risk assessment files uploaded.

Reporting Unsafe Equipment, Conditions, or Procedures

Notify the supervisor immediately when unsafe equipment, conditions, or procedures are identified. Personnel may report hazards without fear of retaliation, coercion, discrimination, or reprisal.

- **DAF Form 457:** Use to document and elevate unsafe conditions, equipment, or processes.
- **SAFEREP:** Use the approved mishap or hazard reporting channel for additional reporting when directed by local procedures.


Safety Reporting … All In One Place


SAFEREP APP!


Why Safety Reporting?

Quickly and easily tell safety about safety issues you see

- In the dorms
- At work
- Anywhere on base
- In flight
- While maintaining aircraft
- On the ramp







What to report?

- Dangerous conditions
- "Near miss" events
- Aviation specific reporting
- Cultural issues that could lead to an accident, damage, or injury
- Supervisor mishap report

Report anonymously
Reports go direct to the safety office

New name, new website, new app, and a whole new look

SAFEREP is a web- and app-based way for members from every career field to identify hazards and report near-misses and even some mishaps directly to their safety offices using any computer or mobile device.

SAFEREP

Download to your mobile device from your preferred App Store

Or

Go to https://saferep.safety.af.mil









Documentation and Review

Document initial, refresher, and task-specific training in the work center record, review annually or when work conditions change, and maintain records per local records management requirements.

Bioenvironmental Workplace Survey: No Bioenvironmental Workplace Survey uploaded.

Applicable Job Hazard Analyses: No Job Hazard Analysis files uploaded.

Annual Review Log:
Record the supervisor annual review history here.

Trainee Name	Employee ID / Last 4	Date Trained	Trainer / Supervisor Signature