Job Safety Training Outline

Built to align with DAFI 91-202 paragraph 14.1 requirements.

Unit: 62 AW

Work Center: Safety Office

Office Symbol: SEG

Supervisor: Heath, GS-12

Phone: 982-5307

Reviewer: Kenneth Heath, GS-12

Review Date: 2026-04-21

Effective Date: 2026-04-21

WORK CENTER OVERVIEW

The 62 Airlift Wing Occupational Safety Office (62 AW/SEG) executes the Wing's ground and occupational safety program in support of C-17 Globemaster III global airlift operations at Joint Base Lewis-McChord, Washington. The office provides centralized safety oversight for more than 2,500 personnel across 12 squadrons and 25 work centers. Primary responsibilities include conducting workplace inspections and hazard assessments, performing accident/incident investigations, developing and delivering safety training, managing the Wing's risk management program, and ensuring compliance with Air Force Instructions, OSHA, and DoD standards. The team advises commanders on safety policy, promotes a proactive safety culture, and partners with maintenance, logistics, and operations organizations to identify and mitigate risks in flightline, industrial, and administrative environments.

REQUIRED TRAINING TOPICS

Workplace Hazards **Personal Protective Equipment**

Emergency Action and Fire Prevention **Reporting Unsafe Conditions**

Reporting Mishaps and Occupational Injury/Illness **CA-10 and LS-201**

DAF Traffic Safety Program **DAFVA 91-209** **DAFSMS Responsibilities**

- **Hazards and controls:** Address task hazards, environmental hazards, governing instructions, and hierarchy of controls including elimination, engineering, substitution, and administrative controls.
- **PPE:** Cover required protective equipment, wear/use procedures, cleaning, maintenance, storage, disposal, and supervisor notification concerns.

- **Emergency response:** Cover emergency action, fire prevention, alarms, AEDs, extinguishers, evacuation, shelter, active shooter response, and emergency contact procedures.
- **Reporting:** Explain unsafe condition reporting, injury/illness reporting, DAF Form 457, SAFEREP access, and anti-retaliation protections.
- **Program awareness:** Include CA-10 / LS-201 location, traffic safety program requirements, DAFVA 91-209 location, and DAFSMS responsibilities.

Hierarchy of Controls

Apply these controls from most effective to least effective when reducing workplace hazards under DAFI 91-202 paragraph 14.1.2.1.4.

Hierarchy of Controls reference image

Use the highest level of control feasible first. PPE should protect workers only after elimination, substitution, engineering, and administrative controls have been considered.

Active Shooter Response

In the event of an active shooter, individuals should employ the **Avoid, Deny, Defend** response method. This strategy is adaptable to the specific situation and environment.

Active shooter response reference image

Avoid (Run): The first and preferred course of action is to evacuate the area if a safe route is available. Maintain awareness of your surroundings and have an escape route planned. Leave your belongings, evacuate regardless of whether others follow, and do not attempt to move wounded people. Once you have reached a safe location, call 911 and provide any information you have.

Deny (Hide): If you cannot evacuate, your next priority is to deny the attacker access to your location. This involves more than just hiding; it means securing your position. Lock and blockade doors with heavy furniture, turn off lights, silence your phone, and remain out of the shooter's view. Remember that concealment only hides you, while cover can offer protection from bullets.

Defend (Fight): As a last resort, when your life is in immediate danger, you must be prepared to defend yourself. Act aggressively and take action against the shooter. Improvise weapons from your surroundings and commit to your actions. Taking action may be risky, but it could be your best or only chance for survival.

When law enforcement arrives: Remain calm, follow all instructions, keep your hands visible with fingers spread, and be prepared to provide information about the shooter's location, number, and description.

DAFSMS FRAMEWORK

DAFSMS uses four pillars and the DAFSMS framework to structure the mishap prevention program through continuous improvement and the Plan-Do-Check-Act model.

DAFSMS reference image

Policy and Leadership

Provides the structure for a proactive mishap prevention program through policy, active leadership engagement, and clearly defined responsibilities at every level.

Risk Management

Integrates hazard identification, assessment, and control decisions into daily operations to reduce mishaps and strengthen safety culture.

Assurance

Uses evaluations, monitoring, reviews, and data to confirm the mishap prevention program is implemented and improving over time.

Promotion, Education, and Training

Ensures Airmen and Guardians receive safety awareness information, embedded training, effective risk controls, and active engagement in mishap prevention.

1. Purpose. DAFSMS utilizes the four pillars and the DAFSMS framework to structure the mishap prevention program. Activities associated with each pillar set policy, identify and mitigate hazards and risk, and reduce the occurrence and cost of injuries, illnesses, fatalities, and property damage through continuous improvement and the PDCA model.

2. Policy and Leadership. Safety policy provides the structure for a sound and proactive mishap prevention program. Active leadership involvement in implementation and execution is critical at all levels of command.

3. Risk Management. Ensure the RM process is fully integrated into all safety-related activities to enhance mishap prevention and sustain a proactive safety culture. Refer to DAFI 90-802 and DAFPAM 90-803 for additional detail.

4. Assurance. Safety assurance is how commanders determine whether mishap prevention elements are implemented and guides continuous improvement through evaluation, monitoring, and review.

5. Promotion, Education, and Training. Ensure Airmen and Guardians are provided safety awareness information, organizations have embedded ongoing training into the mishap prevention program, effective risk controls are implemented, and personnel remain actively engaged.

SAFEREP

SAFEREP reporting portal

SAFEREP is the Department of the Air Force's (DAF) premiere digital safety reporting tool and mobile app. It allows Airmen and Guardians to easily report hazardous conditions, near-misses, unintentional errors, or safety concerns across all disciplines, including workplace, traffic, industrial, flight, weapons, and space safety, directly from their devices anytime and anywhere.

Fully integrated with the Air Force Safety Automated System (AFSAS), it replaces the earlier Airman Safety App and serves as the DAF's only fully digital safety reporting avenue. Users simply answer a short series of questions to submit reports that reach the appropriate Major Command (MAJCOM) safety office quickly and efficiently.

Key Benefits for Job Safety Training:

- **Empowers everyone:** Turns every Airman or Guardian into a proactive sensor for hazard identification, encouraging a strong safety culture where people feel comfortable speaking up

without barriers like paperwork or word-of-mouth delays.

- **Prevents mishaps:** Enables early mitigation of risks before they lead to incidents, capturing minor events and near-misses that offer the greatest prevention potential.
- **Simple and accessible:** Mobile-first design makes reporting fast, more efficient than traditional methods, and available on the spot through the app on Google Play and the Apple App Store.
- **Broad coverage and integration:** Supports multiple safety areas and includes specialized features such as Aviation Safety Action Program reporting, improving visibility, tracking, and overall risk management across the force.

This tool strengthens operational readiness by fostering a proactive, data-driven approach to safety. You can download it from the app stores or access it through the official SAFEREP site for more details.

SAFEREP portal: https://saferep.safety.af.mil

Learn more: https://www.safety.af.mil/Home/SAFEREP/

REPORTING UNSAFE EQUIPMENT, CONDITIONS, OR PROCEDURES

Employees must report unsafe equipment, conditions, or procedures to their supervisor immediately. This includes any hazard that could injure personnel, damage equipment, or create an unsafe work process.

Personnel must also be notified that unsafe conditions, work-related injuries, and illnesses may be reported **without fear of retaliation**. Immediate supervisor involvement remains the primary reporting path, with SAFEREP and formal hazard-report channels available when needed.

What To Report

- Unsafe equipment that is broken, damaged, unserviceable, or missing required guards or controls.
- Unsafe conditions or procedures that create a hazard to personnel, operations, or facilities.
- Work-related injuries, illnesses, near-misses, and hazards needing immediate attention.

Immediate Actions

- Notify the supervisor or responsible area lead immediately.
- If the hazard can be safely controlled, stop use and isolate the equipment or area until corrected.
- If the danger is imminent to life or health, evacuate the area and activate emergency response procedures.

Tag use examples: Use the appropriate danger, caution, out-of-order, or do-not-start tag to keep unsafe equipment out of service until the hazard has been corrected and the responsible supervisor authorizes return to use.

AF Form 979 danger tag | AF Form 980 caution tag | AF Form 981 out of order tag | AF Form 982 do not start tag

Escalation: If the issue cannot be resolved at the lowest level, elevate it through the unit safety representative, DAF Form 457 process, or SAFEREP as appropriate.

USE OF PORTABLE FIRE EXTINGUISHERS

PASS method for portable fire extinguishers

Portable fire extinguishers are intended for small, incipient-stage fires only. Personnel should use an extinguisher only when they have been trained, the fire is small and contained, the correct extinguisher is available, and there is a clear evacuation path behind them.

Use the **PASS** method when operating a portable fire extinguisher: **Pull** the pin, **Aim** at the base of the fire, **Squeeze** the handle, and **Sweep** side to side.

If the fire grows, smoke conditions worsen, or the extinguisher does not control the fire immediately, evacuate the area, activate the local emergency response process, and report the incident to emergency services and supervision.

WORK AREA HAZARD ANALYSIS

Primarily an administrative workplace. May be exposed to industrial hazards, flight line hazards, weather hazards, noise exposure, blood-borne pathogens, Etc.

RISK MANAGEMENT FUNDAMENTALS

Reference: DAFSMS and local RM program guidance.

Address hazard identification, control selection, local escalation expectations, and when RM refresher training must be completed for this work center.

RM Fundamentals are required for all SE personnel and is tracked by the UTM. RM ART is also required and tracked by the UTM.

JOB-SPECIFIC A LA CARTE MODULES

Manual Lifting and Material Handling | **Government Vehicle / Utility Vehicle Use** | **Hazard Communication** | **Bloodborne Pathogens** | **Hearing Conservation** | **Confined Space Program** | **Flight Line Driving** | **Fetal Protection Program** | **Ladder Safety** | **Jewelry / Loose Articles Restrictions**

- **Manual Lifting and Material Handling:** There are times when heavy or awkward items must be lifted. Strains, sprains, hernias, fractures and bruises are the common injuries associated with manual materials handling. Lifting, carrying, dropping and lowering are common physical acts responsible for these injuries. Strains account for a considerable amount of the lost time injuries in the Air Force. Many of the strains are the direct result of improper lifting techniques….lifting with no assistance or failure to use required and available material handling equipment Team lifting shall be evaluated when items weigh more than 25 lbs or when lifting awkward objects. Use dolly/lifting bars/lifting equipment (with appropriate load rating) when lifting heavy objects There are three basic methods of lifting: • Straight back with knees bent • Free Style • Kinetic
- **Government Vehicle / Utility Vehicle Use:** We have a two Pickups and a Van. Speed limit 35 mph unless otherwise posted. See newcomers briefing for additional guidance.
- **Hazard Communication:** None specific for our office, however may be exposures while inspecting or mishap investigations.

- **Bloodborne Pathogens:** Potential exposure during mishap investigations.
- **Hearing Conservation:** Use hearing protection when on the flight line or in a hangar and/or in any other hazardous area when equipment is operating, i.e. motors, engines, AGE, air, high pitch sounds Double hearing protection is required when working around running engines and the APU
- **Confined Space Program:** Wing Safety does not have any job related requirements for entry into a “permit required” confined space; however, we may have job related tasks which are “non-permit” required. Therefore, this training outline will not discuss in detail the requirements for “permit required entry, but rather the difference between the two and our requirements for “non-permit” required entry.
- **Flight Line Driving:** See the VCO for Flightline training guidance/requirements.
- **Fetal Protection Program:** The Air Force requires every pregnant worker to notify their supervisor and be interviewed by Public Health (PH) to ensure they are informed about potential occupational risks to their fetus and about potential transmission of toxins in her breast milk A military health care provider will document all duty restrictions on AF Form 469, Duty Limiting Condition Report, and forward the form to the Force health Management section. When the obstetrical healthcare provider is a civilian, recommendations will be reviewed by a military medical provider (PCM) through the Force Health Management section, who will make a final duty recommendation to the military member and her supervisor via AF Form 469 In some cases, a duty position change may be recommended The most critical period for fetal damage is early in the pregnancy. Therefore, it is important that they call PH as soon as they learn they are pregnant Male personnel should be aware of preventative measures for protection of an unborn child According to the National Institute for Occupational Safety & Health (NIOSH), reproductive hazards are substances or agents that affect the reproductive health of women or men or the ability of couples to have healthy children (NIOSH). Reproductive hazards in the workplace are an increasing health concern. A large number of workplace chemicals, physical and biological agents can damage the reproductive systems of both male and female workers. Occupational exposures can produce a wide range of effects on reproduction. The effects of parental exposure before conception include reduced fertility, unsuccessful fertilization or implantation, an abnormal fetus, reduced libido, or menstrual dysfunction. Maternal exposure after conception may result in prenatal death, low birth weight, birth defects, developmental or behavioral disabilities, and cancer.
- **Ladder Safety:** Always inspect all ladders for cracks, broken welds and any other unserviceable condition Most falls are caused by using ladders that are in poor condition and/or unsafe acts such as running up and down, jumping, reaching too far out to the sides and workers being physically unfit for this activity Use ladders of sufficient length to permit workers to reach their work when standing no higher than the third rung from the top of a straight ladder, or the second step from the top of a stepladder. Note: The top of a stepladder is not a step and is not counted as a step when the ladder is greater than five (5) feet in length.
- **Jewelry / Loose Articles Restrictions:** During performance of normal duties wear of jewelry is not restricted. Jewelry however, will not be worn while on the flightline, equipment and material handling, or other physical tasks due to amputation/de-gloving risks. If there is any question as to whether jewelry should be worn, remove it until you can get your supervisor’s approval to wear it.

REFERENCES

DAFI 91-202
DAFMAN 91-203
DAFI 91-204
DAFI 91-207
DAFI 90-802
Technical Orders, Job Hazard Analyses (JHAs), Manufacturer's Guidance, Etc.
OSHA, NEC, NFPA, ANSI

REQUIRED DOCUMENTS

- CA-10
  What a Federal Employee Should Do When Injured at Work. Use this as the workplace reference for employee injury reporting and follow-up actions.
- DAF Form 457
  Hazard Report. Use this form to identify, document, and elevate unsafe conditions, equipment, or procedures in the workplace.
- DAFVA 91-209 **UNITS MUST FILL IN THEIR OWN DAFVA 91-209 POSTING/LOCATION INFORMATION.**
  Department of the Air Force Occupational Safety and Health Program visual aid. Keep this available so personnel know the core safety rights, responsibilities, and reporting expectations.
- LS-201
  Notice of Employee's Injury or Death (Non-Appropriated Funds). Use this when applicable for NAF employee injury or death reporting.

DAF TRAFFIC SAFETY PROGRAM

Reference: DAFI 91-207. Requirements of the DAF traffic safety program include mandatory use of seat belts and helmets, speed limits, local traffic hazards, spotters while backing, and vehicle training requirements.
Additionally, brief prohibition or restrictions on electronic-device use while operating vehicles on- or off-base, and discuss motorcycle safety training requirements before riding a motorcycle.

On-Base / Vehicle Operations

- Obey posted speed limits, traffic control devices, and local roadway rules.
- Use installed seat belts and occupant restraints as designed by the manufacturer.
- Use spotters while backing when required by local policy, task conditions, or vehicle type.
- Complete required GOV, GVO, golf cart, low-speed vehicle, or mission-specific vehicle training before operation.

Electronic Devices / Headphones

- Do not use non-hands-free electronic devices while operating a motor vehicle.
- Stop in a safe location before using a phone if hands-free operation is not available.
- Do not wear headphones or listening devices in ways that interfere with hearing traffic, alarms, or emergency warnings.

Motorcycle / ATV Safety

- Complete required motorcycle rider training before riding on a roadway.
- Wear required PPE including helmet, eye protection, gloves, protective clothing, and over-the-ankle footwear.
- Carry proof of required training when applicable and comply with state licensing requirements.

Pedestrian / Bicycle Awareness

- Use caution at crossings, follow traffic controls, and wear visibility gear when exposed to roadway hazards.
- Use required lighting and reflective equipment during darkness, reduced visibility, or inclement weather.

Motorcycle safety reference image

Local Traffic Hazards / Vehicle Notes:
See the local area conditions briefing. Be aware of Traffic Circles & Roundabouts as they are becoming common in the local areas.

Motorcycle Safety Representatives / Traffic Contacts:
See the WSA MSR (MSR list is in the Safety Database).

No GVO risk assessment files uploaded.

EMERGENCY INFORMATION

- **Emergency Numbers:**
  911 for all emergencies (may need to tell them you're on JBLM, McChord Field)
  62 AW Safety - 982-9999 (phone tree)
  446 AW Safety - 982-9136
  Maintenance Operations Control: 982-3336
  Command Post: 982-2635
  Helping Hand: 982-5624
  Security Forces LE Desk: 982-5624
- **Medical Facility / Treatment:**
  McChord Clinic: 690 Barnes Blvd, JBLM, 982-2273
  Madigan Army Medical Center: Bldg 9040 Fitzsimmons Drive, JBLM, 968-1110
  McChord Dental Clinic: 690 barnes Blvd, JBLM, 982-5505
- **Evacuation / Muster Point:**
  Go down closest set of stairs meet at the flag pole in front of building 100 for accountability.
- **Shelter in Place:**
  A shelter-in-place room is designed to protect occupants in the event of:
  • Enemy engagement or Active Shooter
  • Natural disaster
  • Hazardous material emergency
  • Chemical/biological release
  • Munitions explosion
  Use the Shelter-in-Place:
  • When it is impossible to evacuate the area or places personnel in danger to be outside
  • For protection up to 36 hours
  • After you have been notified by the base alarm or siren, intercom, radio or wing leadership to enter the shelter
  Our Shelter-in-Place is located in building 100, mall area..
  • When ordered to report, locate the Shelter-in-Place Kit and checklist
  • Implement the checklist or assist those already implementing the checklist
  • Be aware of your surroundings if located elsewhere and note where shelters are located
- **Active Shooter Response Methods:**
  Be aware of your environment and any possible dangers
  Take note of the nearest exits in any facility you visit.
  If you are in an office, stay there and secure the door.
  If you are in a hallway, get into a room and secure the door.
  Close blinds, block windows, turn off radios or unnecessary noise, remember any signs you post on windows can be seen by the enemy.
  Keep calm and seek protective cover.
  Notify emergency responders if possible.

 Unfamiliar voices or cries for help could be the shooter attempting to lure victims from safe places.
 Do not yell or scream at approaching police or responding emergency services personnel. You could be perceived as the threat. (NOTE: Police and Emergency personnel will only treat the wounded once the threat has been neutralized.)
 As a last resort, attempt to take down the shooter. When the shooter is in close range and you cannot flee, your chance of survival is much greater if you can incapacitate them.

- **Adverse Weather Shelter:**
  Mt. Rainier is an active volcano and one of the largest in the world. Though unlikely, should an eruption occur; evacuate immediately, as recommended by authorities and avoid areas that may be prone to lava flows, mud flows, and projectiles caused by flying rocks or debris.
  Wear repertory protection or damp clothes over your face, such as dust masks and close off any air vents within your car or home. Volcanic ash contains silica which will act like asbestos in your lungs and cause many problems.
  Avoid any rivers and low-lying areas.
  Wear goggles, long sleeved shirts and pants.
  Sweep away any ash from your roof as the collective weight can cause implosion. Wear protection during such clean-ups.
  Ash can also damage engines and metal parts, attempt driving at low speeds (35 MPH or less).
  See Seattle.gov Emergency Management for additional information on hazards such as Lahars and other Emergency Management data.

No evacuation route image uploaded.

EMERGENCY EQUIPMENT AND SAFETY BOARD

Safety Bulletin Board Location: Main safety office near entrance.

Fire extinguishers in main office near copier and in the hallway outside the classroom. AED on the column right outside Safety and IG.

No emergency equipment maps or photos uploaded.

DOCUMENTATION AND REVIEW

Training should be documented on the DAF Form 55.

No DAF Form 1118 files uploaded.

No Bioenvironmental Workplace Survey uploaded.

Annual Review Log:
21 April 2026 - Supervisor annual review - Mr. Ken Heath

Supervisor Name	Date Reviewed	Contact Info

Supervisor Name	Date Reviewed	Contact Info