

Job Safety Training Outline

Built to align with DAFI 91-202 paragraph 14.1 requirements.



Unit: 149 FW

Work Center: MXS

Work Area / Office Symbol: MXMCP

Phone: 210-925-7815

Supervisor: TSGt Renker, Pual

Reviewer: Lt Col Cienski, Caleb

Review Date: 2026-09-23

Effective Date: 2026-09-23

Work Center Overview

Additive manufacturing used to make prototype parts for airframe in place of using conventional means.

Work Area Hazard Analysis / JHA Notes

Potential hazards include cuts, burns, pinch points, hot surfaces, inhalation of particles and injuries from flying hot debris.


Required Training Topics

Workplace Hazards Personal Protective Equipment Emergency Action and Fire Prevention Reporting Unsafe Equipment, Conditions, or Procedures Mishap, Occupational Injury, and Illness Reporting CA-10 and LS-201 DAF Traffic Safety Program DAFVA 91-209 Location and Content DAFSMS Responsibilities

- **Workplace hazards:** Describe crushing, burn, chemical, ladder, weather, flight line, and noise hazards specific to the work center, plus the technical orders, JHAs, and instructions workers must follow.
- **Personal protective equipment:** Train employees on required PPE, including donning, doffing, cleaning, maintenance, storage, disposal, and reporting contact-lens or medical issues that could affect wear.
- **Emergency action and fire prevention:** Cover alarms, AEDs, extinguishers, evacuation routes, shelter locations, and response procedures tied to the work center.
- **Reporting unsafe conditions:** Instruct personnel to report unsafe equipment, conditions, procedures, and injuries without fear of reprisal, including use of DAF Form 457 and applicable reporting channels.
- **Mishap / injury / illness reporting:** Explain on-duty and off-duty reporting requirements, medical treatment procedures, and emergency response contacts.
- **Traffic safety:** Brief seat belt, speed limit, spotter, electronic device, and motorcycle safety requirements applicable to the work center.
- **DAFVA 91-209 and DAFSMS:** Review the location of DAFVA 91-209 and how workers contribute to the unit safety management system.

Hierarchy of Controls

Apply these controls from most effective to least effective when reducing workplace hazards under DAFI 91-202 paragraph 14.1.2.1.4.



Use the highest level of control feasible first. PPE should protect workers only after elimination, substitution, engineering, and administrative controls have been considered.

Active Shooter Response

In the event of an active shooter, individuals should employ the **Avoid, Deny, Defend** response method. This strategy is adaptable to the specific situation and environment.

Responses to an Active Shooter include:

Avoid (RUN),

Deny (HIDE),

Defend (FIGHT)

Adapt your response to the weapons used:

Ricocheting bullets

Shrapnel and secondary missiles

Cover vs Concealment

An active shooter situation may be over within 15 minutes, before law enforcement arrives.

Avoid (Run): The first and preferred course of action is to evacuate the area if a safe route is available. Maintain awareness of your surroundings and have an escape route planned. Leave your belongings, evacuate regardless of whether others follow, and do not attempt to move wounded people. Once you have reached a safe location, call 911 and provide any information you have.

Deny (Hide): If you cannot evacuate, your next priority is to deny the attacker access to your location. This involves more than just hiding; it means securing your position. Lock and blockade doors with heavy furniture, turn off lights, silence your phone, and remain out of the shooter's view. Remember that concealment only hides you, while cover can offer protection from bullets.

Defend (Fight): As a last resort, when your life is in immediate danger, you must be prepared to defend yourself. Act aggressively, improvise weapons from your surroundings, and commit fully to your actions. Taking action may be risky, but it could be your best or only chance for survival.

When law enforcement arrives: Remain calm, follow all instructions, keep your hands visible with fingers spread, and be prepared to provide information about the shooter's location, number, and description.

DAFSMS Framework

DAFSMS uses four pillars and the DAFSMS framework to structure the mishap prevention program through continuous improvement and the Plan-Do-Check-Act model.



Policy and Leadership

Safety policy provides the structure for a proactive mishap prevention program. Active leadership involvement at every level is critical to implementation and sustained execution.

Risk Management

Integrate risk management into all safety-related activities so hazards are identified early, controls are implemented, and the safety culture stays proactive.

Assurance

Use evaluations, monitoring, and review processes to measure conformance to standards and drive continuous improvement across the mishap prevention program.

Promotion, Education, and Training

Provide safety awareness, embed ongoing training, implement effective controls, and keep airmen and guardians actively engaged in mishap prevention.

Department of the Air Force SMS Framework

Policy and Leadership

- Leadership planning, organization, direction, and control
- Management roles, responsibilities, and relationships
- Procedures and controls that are developed, documented, maintained, and monitored
- Safety and quality balance, integration, and goal setting

Risk Management

- Hazard identification through mission/task analysis and hazard lists
- Hazard assessment using exposure, probability, severity, and risk level
- Control options, effects, prioritization, selection, and decisions
- Implementation, communication, accountability, support, supervision, and feedback

Assurance

- Performance requirements, expectations, and control effectiveness
- Continuous monitoring, self-inspections, internal and external inspections
- Mishap and event investigation, reporting, metrics, and improvement opportunities
- Change management and continuous improvement actions

Promotion, Education, and Training

- Culture built on informed, flexible, learning, just, and reporting behaviors
- Competency through training and education
- Awareness through internal communication, external communication, and information access

Job Specific Training Items


The following modules apply to this work center and should be reviewed with trainees before task performance.

Hazardous Energy ControlHazard CommunicationHearing ConservationRespiratory Protection
ProgramPersonal Protective Equipment (PPE)

- **Hazardous Energy Control:** If any machine is worked on for servicing and maintenance, a Hazardous Energy Program will be established.
- **Hazard Communication:** Provide HazCom training upon initial assignment, whenever a new chemical hazard is introduced, and when new tasks expose workers to different hazardous materials. Ensure workers know how to access local SDS information and labeling guidance. Train personnel on hazardous chemicals in their work area, labeling systems, safety data sheets, and the measures they can take to protect themselves during normal operations and foreseeable emergencies. DAFI 90-821; 29 CFR 1910.1200 - Hazard Communication

- **Hearing Conservation:** Ensure workers enrolled in hearing conservation understand noise hazard areas, double-hearing protection requirements, and local follow-up actions tied to occupational health evaluations. Train noise-exposed employees annually on the effects of noise, the purpose of hearing protectors, the advantages and disadvantages of various protectors, and the purpose of audiometric testing. DAFI 48-127; 29 CFR 1910.95 - Occupational noise exposure
- **Respiratory Protection Program:** Document fit testing and occupational health training on AF Form 2767 and ensure wearers understand emergency-use limits, cartridge change-out, cleaning, and medical qualification requirements. Train users before respirator use and at least annually on why the respirator is necessary, how improper fit or maintenance can compromise protection, and how to inspect, don, doff, use, and store the respirator. DAFI 48-137; 29 CFR 1910.134 - Respiratory protection
- **Personal Protective Equipment (PPE):** Use the work-center JHA, BE occupational health assessment, manufacturer instructions, DAFMAN 91-203 Chapter 14, and local safety office guidance to identify PPE requirements. Supervisors must ensure PPE is provided, used, cleaned, inspected, maintained in sanitary and serviceable condition, and documented in JSTO training records. Cover eye and face protection, head protection, foot protection, hand protection, protective clothing, and respiratory or hearing protection when those programs apply. Train each affected worker on when PPE is necessary, what PPE is necessary, how to properly don, doff, adjust, and wear PPE, the limitations of assigned PPE, and the proper care, maintenance, useful life, and disposal of PPE. Require workers to demonstrate understanding and proper use before performing work requiring PPE, and retrain when workplace conditions, job assignments, PPE types, or worker knowledge gaps make prior training obsolete. DAFMAN 91-203 - Air Force Occupational Safety, Fire and Health Standards, Chapter 14; 29 CFR Part 1910 - Occupational Safety and Health Standards (General Industry Standards) Subpart I; 29 CFR 1910.132; 29 CFR 1910.133; 29 CFR 1910.135; 29 CFR 1910.136; 29 CFR 1910.138

Ergonomics Workstation Posture Guide:



Use this guide while briefing office and administrative workstation setup.

References

DAFI 91-203, International Organization of Standardization 17296-2 Additive Manufacturing

Required Documents

- [CA-10](#)
What a Federal Employee Should Do When Injured at Work. Use this as the workplace reference for employee injury reporting and follow-up actions.
- [DAF Form 457](#)
Hazard Report. Use this form to identify, document, and elevate unsafe conditions, equipment, or procedures in the workplace.
- [DAFVA 91-209](#) **UNITS MUST FILL OUT THEIR OWN LOCATION POSTED**
Department of the Air Force Occupational Safety and Health Program visual aid. Keep this available so personnel know the core safety rights, responsibilities, and reporting expectations.
Location Posted: Safety Board.
- [LS-201](#)
Notice of Employee's Injury or Death (Non-Appropriated Funds). Use this when applicable for NAF employee injury or death reporting.

Emergency Information

- **Emergency Numbers:** 911 Fire department and Emergency Services
- **Medical Facility / Treatment:** Wilford Hall Medical Facility
- **Evacuation / Muster Point:** Assemble at the Civil Engineering Squadron parking lot accross from Bldg 937.
- **Shelter in Place:** 149 CES building 970.
- **Active Shooter Response Methods:** Lock all door and take cover in Additive Manufacturing facility.
- **Adverse Weather Shelter:** For severe weather conditions, evacuate he facility and shelter in Civil Engineering Squadron (Bldg 970) across the street.

No evacuation route image uploaded.

Emergency Equipment and Safety Board

Safety Bulletin Board Location: Safety Bulletin Board is posted in the Additive Manufacturing facility.

Two fire extinguishers are located in the facility in case of a fire.

No emergency equipment maps or location photos uploaded.

Traffic Safety Program

DAF Traffic Safety Program (DAFI 91-207): Train personnel on mandatory use of seat belts and helmets, speed limits, local traffic hazards, spotters while backing, vehicle training requirements, and restrictions on electronic device use while operating vehicles on- or off-base.


Seat Belts / Occupant Restraints: All persons operating or riding in motor vehicles must wear installed restraint systems as prescribed by the manufacturer. Drivers are responsible for ensuring all passengers are briefed on and use required restraints.

Motorcycle / ATV Training: Personnel must complete required safety training before riding a motorcycle, and local units should address required PPE, licensing, refresher training, and safety representative contacts.

Pedestrian / Bicycle Awareness: Emphasize local roadway crossing hazards, visibility requirements, spotter use, and other pedestrian or bicycle precautions specific to the installation.

Local Traffic Hazards / Vehicle Notes:
If evacuation of the 3D printing shop is required utilize the pedestrian crossing lights located in front of building 970.

Motorcycle Safety Representatives / Traffic Contacts:
List unit or group motorcycle safety representatives, traffic safety contacts, and local rider briefing requirements.



No routine-use GVO risk assessment files uploaded.

Reporting Unsafe Equipment, Conditions, or Procedures

- Notify the supervisor immediately when unsafe equipment, conditions, or procedures are identified. Personnel may report hazards without fear of retaliation, coercion, discrimination, or reprisal.
- **DAF Form 457:** Use to document and elevate unsafe conditions, equipment, or processes.
 - **SAFEREP:** Use the approved mishap or hazard reporting channel for additional reporting when directed by local procedures.



Safety Reporting ... All In One Place

SAFEREP APP!

Why Safety Reporting?

Quickly and easily tell safety about safety issues you see

- In the dorms
- At work
- Anywhere on base
- In flight
- While maintaining aircraft
- On the ramp



What to report?

- Dangerous conditions
- "Near miss" events
- Aviation specific reporting
- Cultural issues that could lead to an accident, damage, or injury
- Supervisor mishap report

Report anonymously
Reports go direct to the safety office



New name, new website, new app, and a whole new look

SAFEREP is a web- and app-based way for members from every career field to identify hazards and report near-misses and even some mishaps directly to their safety offices using any computer or mobile device.



Download to your mobile device
from your preferred App Store

Or

Go to
<https://saferep.safety.af.mil>



DANGER

HAZARD

CONTROL MEASURES

AF FORM 979

CAUTION

HAZARD

CONTROL MEASURES

AF FORM 980

OUT OF ORDER

HAZARD

CONTROL MEASURES

AF FORM 981

DO NOT START

HAZARD

CONTROL MEASURES

AF FORM 982

Reporting Unsafe Equipment Reference Files:

Please wait...

If this message is not eventually replaced by the proper contents of the document, your PDF viewer may not be able to display this type of document.

You can upgrade to the latest version of Adobe Reader for Windows®, Mac, or Linux® by visiting http://www.adobe.com/go/reader_download.

For more assistance with Adobe Reader visit <http://www.adobe.com/go/acrreader>.

Windows is either a registered trademark or a trademark of Microsoft Corporation in the United States and/or other countries. Mac is a trademark of Apple Inc., registered in the United States and other countries. Linux is the registered trademark of Linus Torvalds in the U.S. and other countries.

HAZARD REPORT To be completed IAW DAFI 91-202		Control Number <i>(Assigned by safety professional)</i>	Date Submitted
To: Installation Safety Office <i>(Organization & Location)</i>		From: Contact Information <i>(Individual reporting hazard has right to remain anonymous)</i>	
PART I	HAZARD <i>(To be completed by individual reporting hazard)</i>		
Description <i>(Date, Time, Summary - Who, What, When, Where, How)</i>			
Type <i>(Unsafe procedures, practices or conditions affecting flight, occupational (ground), weapons, system or space safety. Is health or fire hazard involved?)</i>			
Recommendations <i>(Optional)</i>			
PART II	INVESTIGATION OF HAZARD		
Investigator Summary of Investigation		Valid Hazard	☐ Yes ☐ No Risk Assessment Code <i>(RAC)</i>
Date Investigated	Investigator <i>(Name, Grade and Title/Position)</i>	Signature	

DAF Form 457, 20241002
 Prescribing Publication: DAFI 91-202

Previous editions currently in use as of date of this form are authorized - All others are obsolete.

- 1.png

Investigator Recommendations to Mitigate Hazards with Assigned OPR		
Date Forward	Designated OPR (<i>Name, Grade and Title/Position</i>)	Suspense Date
Actions Taken to Abate Hazard with Assigned OPR		
Date	Typed or Printed Name and Grade of OPR	Signature
		
PART III	CLOSURE OF HAZARD REPORT (To be completed by installation safety office)	
Date Closed	Typed or Printed Name and Grade of Reviewer	Signature
		

DAF Form 457, 20241002 Prescribing Publication: DAFI 91-202

- 2.png

Documentation and Review

Report all identified hazards to the Wing Safety office using the DAF Form 457.

Bioenvironmental Workplace Survey: No Bioenvironmental Workplace Survey uploaded.

Applicable Job Hazard Analyses:

Please wait...

If this message is not eventually replaced by the proper contents of the document, your PDF viewer may not be able to display this type of document.

You can upgrade to the latest version of Adobe Reader for Windows®, Mac, or Linux® by visiting http://www.adobe.com/go/reader_download.

For more assistance with Adobe Reader visit <http://www.adobe.com/go/acrreader>.

Windows is either a registered trademark or a trademark of Microsoft Corporation in the United States and/or other countries. Mac is a trademark of Apple Inc., registered in the United States and other countries. Linux is the registered trademark of Linus Torvalds in the U.S. and other countries.

Annual Review Log:

Record the supervisor annual review history here.

Trainee Name Employee ID / Last 4 Date Trained Trainer / Supervisor Signature