



# Job Safety Training Outline

Built to align with DAFI 91-202 paragraph 14.1 requirements.

**Unit:** 406 AEW Staff

**Work Center:** 406 AEW Staff

**Office Symbol:** 406 AEW/Staff

**Supervisor:** TSgt Miklo Miller

**Phone:** 314-478-3202

**Reviewer:** TSgt Miklo Miller

**Review Date:** 2026-05-13

**Effective Date:** 2026-05-13

---

## WORK CENTER OVERVIEW

The 406 AEW staff operates primarily within an administrative office environment. Personnel perform command support, legal, historical, public affairs, spiritual, and advisory duties. The physical workspace consists of office suites, cubicles, conference rooms, and standard administrative equipment (computers, copiers, paper shredders). Operations are generally conducted during standard duty hours, with the exception of the Command Post, which operates 24/7.

## REQUIRED TRAINING TOPICS

Workplace Hazards

Personal Protective Equipment

Emergency Action and Fire Prevention

Reporting Unsafe Conditions

Reporting Mishaps and Occupational Injury/Illness

CA-10 and LS-201

DAF Traffic Safety Program

DAFVA 91-209


DAFSMS Responsibilities

- **Hazards and controls:** Address task hazards, environmental hazards, governing instructions, and hierarchy of controls including elimination, engineering, substitution, and administrative controls.
- **PPE:** Cover required protective equipment, wear/use procedures, cleaning, maintenance, storage, disposal, and supervisor notification concerns.
- **Emergency response:** Cover emergency action, fire prevention, alarms, AEDs, extinguishers, evacuation, shelter, active shooter response, and emergency contact procedures.

- **Reporting:** Explain unsafe condition reporting, injury/illness reporting, DAF Form 457, SAFEREP access, and anti-retaliation protections.
- **Program awareness:** Include CA-10 / LS-201 location, traffic safety program requirements, DAFVA 91-209 location, and DAFSMS responsibilities.

## Hierarchy of Controls

Apply these controls from most effective to least effective when reducing workplace hazards under DAFI 91-202 paragraph 14.1.2.1.4.



**Use the highest level of control feasible first.** PPE should protect workers only after elimination, substitution, engineering, and administrative controls have been considered.

## Active Shooter Response

In the event of an active shooter, individuals should employ the **Avoid, Deny, Defend** response method. This strategy is adaptable to the specific situation and environment.

## Responses to an Active Shooter include:

Avoid (RUN),

Deny (HIDE),

Defend (FIGHT)

## Adapt your response to the weapons used:

Ricocheting bullets

Shrapnel and secondary missiles

Cover vs Concealment

An active shooter situation may be over within 15 minutes, before law enforcement arrives.

**Avoid (Run):** The first and preferred course of action is to evacuate the area if a safe route is available. Maintain awareness of your surroundings and have an escape route planned. Leave your belongings, evacuate regardless of whether others follow, and do not attempt to move wounded people. Once you have reached a safe location, call 911 and provide any information you have.

**Deny (Hide):** If you cannot evacuate, your next priority is to deny the attacker access to your location. This involves more than just hiding; it means securing your position. Lock and blockade doors with heavy furniture, turn off lights, silence your phone, and remain out of the shooter's view. Remember that concealment only hides you, while cover can offer protection from bullets.

**Defend (Fight):** As a last resort, when your life is in immediate danger, you must be prepared to defend yourself. Act aggressively and take action against the shooter. Improvise weapons from your surroundings and commit to your actions. Taking action may be risky, but it could be your best or only chance for survival.

**When law enforcement arrives:** Remain calm, follow all instructions, keep your hands visible with fingers spread, and be prepared to provide information about the shooter's location, number, and description.

## DAFSMS FRAMEWORK

**DAFSMS** uses four pillars and the DAFSMS framework to structure the mishap prevention program through continuous improvement and the Plan-Do-Check-Act model.



### Policy and Leadership

Provides the structure for a proactive mishap prevention program through policy, active leadership engagement, and clearly defined responsibilities at every level.

### Risk Management

Integrates hazard identification, assessment, and control decisions into daily operations to reduce mishaps and strengthen safety culture.

### Assurance

Uses evaluations, monitoring, reviews, and data to confirm the mishap prevention program is implemented and improving over time.

### Promotion, Education, and Training

Ensures Airmen and Guardians receive safety awareness information, embedded training, effective risk controls, and active engagement in mishap prevention.

**1. Purpose.** DAFSMS utilizes the four pillars and the DAFSMS framework to structure the mishap prevention program. Activities associated with each pillar set policy, identify and mitigate hazards and risk, and reduce the occurrence and cost of injuries, illnesses, fatalities, and property damage through continuous improvement and the PDCA model.

**2. Policy and Leadership.** Safety policy provides the structure for a sound and proactive mishap prevention program. Active leadership involvement in implementation and execution is critical at all levels of command.

**3. Risk Management.** Ensure the RM process is fully integrated into all safety-related activities to enhance mishap prevention and sustain a proactive safety culture. Refer to DAFI 90-802 and DAFPAM 90-803 for additional detail.

**4. Assurance.** Safety assurance is how commanders determine whether mishap prevention elements are implemented and guides continuous improvement through evaluation, monitoring, and review.

**5. Promotion, Education, and Training.** Ensure Airmen and Guardians are provided safety awareness information, organizations have embedded ongoing training into the mishap prevention program, effective risk controls are implemented, and personnel remain actively engaged.

# Report it on SAFEREP



HAZARDS ARE EVERYWHERE.



WHAT ARE **YOU** DOING TO  
PREVENT INJURY OR DEATH?

More info about SAFEREP  
[www.safety.af.mil/home/saferep](http://www.safety.af.mil/home/saferep)

SAFEREP is the Department of the Air Force's (DAF) premiere digital safety reporting tool and mobile app. It allows Airmen and Guardians to easily report hazardous conditions, near-misses, unintentional errors, or safety concerns across all disciplines, including workplace, traffic, industrial, flight, weapons, and space safety, directly from their devices anytime and anywhere.

Fully integrated with the Air Force Safety Automated System (AFSAS), it replaces the earlier Airman Safety App and serves as the DAF's only fully digital safety reporting avenue. Users simply answer a short series of questions to submit reports that reach the appropriate Major Command (MAJCOM) safety office quickly and efficiently.

#### Key Benefits for Job Safety Training:

- **Empowers everyone:** Turns every Airman or Guardian into a proactive sensor for hazard identification, encouraging a strong safety culture where people feel comfortable speaking up without barriers like paperwork or word-of-mouth delays.
- **Prevents mishaps:** Enables early mitigation of risks before they lead to incidents, capturing minor events and near-misses that offer the greatest prevention potential.
- **Simple and accessible:** Mobile-first design makes reporting fast, more efficient than traditional methods, and available on the spot through the app on Google Play and the Apple App Store.
- **Broad coverage and integration:** Supports multiple safety areas and includes specialized features such as Aviation Safety Action Program reporting, improving visibility, tracking, and overall risk management across the force.

This tool strengthens operational readiness by fostering a proactive, data-driven approach to safety. You can download it from the app stores or access it through the official SAFEREP site for more details.

**SAFEREP portal:** <https://saferep.safety.af.mil>

**Learn more:** <https://www.safety.af.mil/Home/SAFEREP/>

## REPORTING UNSAFE EQUIPMENT, CONDITIONS, OR PROCEDURES

**Employees must report unsafe equipment, conditions, or procedures to their supervisor immediately.** This includes any hazard that could injure personnel, damage equipment, or create an unsafe work process.

Personnel must also be notified that unsafe conditions, work-related injuries, and illnesses may be reported **without fear of retaliation**. Immediate supervisor involvement remains the primary reporting path, with SAFEREP and formal hazard-report channels available when needed.

#### What To Report

- Unsafe equipment that is broken, damaged, unserviceable, or missing required guards or controls.
- Unsafe conditions or procedures that create a hazard to personnel, operations, or facilities.
- Work-related injuries, illnesses, near-misses, and hazards needing immediate attention.

#### Immediate Actions

- Notify the supervisor or responsible area lead immediately.
- If the hazard can be safely controlled, stop use and isolate the equipment or area until corrected.
- If the danger is imminent to life or health, evacuate the area and activate emergency response procedures.



**Tag use examples:** Use the appropriate danger, caution, out-of-order, or do-not-start tag to keep unsafe equipment out of service until the hazard has been corrected and the responsible supervisor authorizes return to use.



**Escalation:** If the issue cannot be resolved at the lowest level, elevate it through the unit safety representative, DAF Form 457 process, or SAFEREP as appropriate.

## USE OF PORTABLE FIRE EXTINGUISHERS



**Portable fire extinguishers are intended for small, incipient-stage fires only.** Personnel should use an extinguisher only when they have been trained, the fire is small and contained, the correct extinguisher is available, and there is a clear evacuation path behind them.

Use the **PASS** method when operating a portable fire extinguisher: **Pull** the pin, **Aim** at the base of the fire, **Squeeze** the handle, and **Sweep** side to side.

If the fire grows, smoke conditions worsen, or the extinguisher does not control the fire immediately, evacuate the area, activate the local emergency response process, and report the incident to emergency services and supervision.

## WORK AREA HAZARD ANALYSIS

Not Applicable

## RISK MANAGEMENT FUNDAMENTALS

**Reference:** DAFSMS and local RM program guidance.

Address hazard identification, control selection, local escalation expectations, and when RM refresher training must be completed for this work center.

Address hazard identification, control selection, local escalation expectations, and when RM refresher training must be completed for this work center.

### The Four Principles of RM

These principles govern when and how to apply the RM process.

**Accept No Unnecessary Risk:** The Air Force inherently accepts risk to accomplish the mission, but any risk that does not contribute to the objective is unnecessary and must be mitigated or avoided.

**Make Risk Decisions at the Appropriate Level:** The person making the decision must have the authority, resources, and experience to accept the risk. If a hazard cannot be mitigated at the squadron level, the risk decision must be elevated to the Group or Wing Commander.

**Integrate RM into Operations, Activities, and Planning At All Levels:** RM is not an after thought or an add-on. It must be built into planning from the very beginning (e.g., assessing electrical capacity before moving a new high-powered printer into an office).

**Apply the Process Cyclically and Continuously:** RM doesn't stop once a plan is executed. You must continuously monitor the situation and adjust mitigations if the environment or mission changes.

**The Two Levels of RM** How you apply RM depends on how much time you have.

**Deliberate RM:** Used when there is ample time for formal planning. It involves thorough research, formal hazard identification, documented risk assessments (like a formal Deliberate Risk Assessment Worksheet - DRAW), and coordinated approval. (Example: Planning a large-scale CRG deployment exercise).

**Real-Time RM:** The mental process applied "on the fly" when time is short or the situation changes rapidly. It relies heavily on experience, training, and situational awareness. (Example: A forklift driver pausing an operation because sudden heavy rain drastically reduces visibility on the flightline).

## JOB SPECIFIC TRAINING ITEMS

### Ergonomics / Office and Administrative Workstation Safety

### Fetal Protection Program


### Ladder Safety

- **Ergonomics / Office and Administrative Workstation Safety:** Use DAFMAN 91-203 office safety and ergonomics guidance to brief administrative and computer-based workers on musculoskeletal disorder risk factors, workstation adjustment, posture, repetitive motion controls, manual handling of office materials, and supervisor follow-up for ergonomic concerns. Cover workstation setup, chair adjustment, monitor height and distance, keyboard and mouse position, neutral posture, repetitive motion, micro-pauses or task variation, safe lifting of office supplies, file cabinet and storage safety, early reporting of discomfort, and how to request a BE ergonomic assessment when needed. DAFMAN 91-203 - Air Force Occupational Safety, Fire and Health Standards; OSHA ergonomics guidance; local Bioenvironmental Engineering or Occupational Health guidance



- **Fetal Protection Program:** Use AF occupational and public health guidance to brief reproductive hazards, reporting expectations, and referral procedures. No direct OSHA 2254 module is mapped here. DAFMAN 48-146 - Occupational Health Program Management; AFRCI 41-104 - Professional Board and National Certification Examinations as applicable
- **Ladder Safety:** Personnel using ladders at any working height must be trained when first assigned, and that training must include hands-on instruction covering ladder defects, electrocution hazards, positioning, and placement for various job sites. Training must be documented under DAFI 91-202. Use local ladder lesson plans, manufacturer instructions, and AF walking-working surface guidance. OSHA 2254 (2015 edition) does not provide a dedicated general-industry ladder training summary in the same way it does for lockout, forklifts, or confined spaces, so this remains primarily AF/local-driven. Common local training item often broken out separately with fixed and portable ladder rules

## Ergonomics Workstation Posture Guide:



Use this guide while briefing office and administrative workstation setup.

## REFERENCES

DAFI 91-202 - The Department of the Air Force (DAF) Mishap Prevention Program, The US Air Force Mishap Prevention Program

DAFMAN 91-203 - Air Force Occupational Safety, Fire and Health Standards, Air Force Occupational Safety, Fire, and Health Standards (Specifically Chapters 2, 6,7, and 10)

DAF Form 55, Employee Safety and Health Record

DAFMAN 48-146

AFRCI 41-104 - Professional Board and National Certification Examinations

OSHA 2254 - Training Requirements in OSHA Standards

## REQUIRED DOCUMENTS

- [CA-10](#)  
What a Federal Employee Should Do When Injured at Work. Use this as the workplace reference for employee injury reporting and follow-up actions.
- [DAF Form 457](#)  
Hazard Report. Use this form to identify, document, and elevate unsafe conditions, equipment, or procedures in the workplace.
- [DAFVA 91-209](#) **UNITS MUST FILL IN THEIR OWN DAFVA 91-209 POSTING/LOCATION INFORMATION.**  
Department of the Air Force Occupational Safety and Health Program visual aid. Keep this available so personnel know the core safety rights, responsibilities, and reporting expectations.  
**Location Posted:** The DAFVA 91-209 is located on the safety bulletin board.
- [LS-201](#)  
Notice of Employee's Injury or Death (Non-Appropriated Funds). Use this when applicable for NAF employee injury or death reporting.

## DAF TRAFFIC SAFETY PROGRAM

**Reference:** DAFI 91-207. Requirements of the DAF traffic safety program include mandatory use of seat belts and helmets, speed limits, local traffic hazards, spotters while backing, and vehicle training requirements.

Additionally, brief prohibition or restrictions on electronic-device use while operating vehicles on- or off-base, and discuss motorcycle safety training requirements before riding a motorcycle.

### On-Base / Vehicle Operations

- Obey posted speed limits, traffic control devices, and local roadway rules.
- Use installed seat belts and occupant restraints as designed by the manufacturer.
- Use spotters while backing when required by local policy, task conditions, or vehicle type.
- Complete required GOV, GVO, golf cart, low-speed vehicle, or mission-specific vehicle training before operation.

### Electronic Devices / Headphones

- Do not use non-hands-free electronic devices while operating a motor vehicle.
- Stop in a safe location before using a phone if hands-free operation is not available.
- Do not wear headphones or listening devices in ways that interfere with hearing traffic, alarms, or emergency warnings.

### Motorcycle / ATV Safety

- Complete required motorcycle rider training before riding on a roadway.
- Wear required PPE including helmet, eye protection, gloves, protective clothing, and over-the-ankle footwear.
- Carry proof of required training when applicable and comply with state licensing requirements.

### Pedestrian / Bicycle Awareness


- Use caution at crossings, follow traffic controls, and wear visibility gear when exposed to roadway hazards.
- Use required lighting and reflective equipment during darkness, reduced visibility, or inclement weather.



Department of the  
Air Force Rider

# #DAFRider Timeline

Right Training ... Right Time ... Right Bike



**Every DAFRider should be physically capable, mentally prepared, and their motorcycle mechanically sound.**

## Local Traffic Hazards / Vehicle Notes:

Enter local gate hazards, base-specific traffic concerns, spotter rules, and where vehicle training is documented.

## Motorcycle Safety Representatives / Traffic Contacts:

Motorcycle Safety Representatives (MSRs):

TSgt Miklo Miller  
DSN: 478-3202  
Email: miklo.miller@us.af.mil

TSgt Reust, Cody  
DSN: 480-0511  
Email: cody.reust@us.af.mil

No GVO risk assessment files uploaded.

## EMERGENCY INFORMATION

### • Emergency Numbers:

EMERGENCY ON-BASE (FIRE, MEDICAL, POLICE): 112  
EMERGENCY OFF-BASE (FIRE, MEDICAL, POLICE): 112  
COMMAND POST DSN: 480-2121  
406 AEW Safety DSN: 478-3202  
Fire Reporting (24hr): 112  
86 AW Law Enforcement Desk (24hr) DSN: 480-2050

### • Medical Facility / Treatment:

For sick call or non-threatening illnesses report to the Ramstein Clinic located in bldg. 2114, address is Flugplatz Ramstein Geb 2114, 66877 Ramstein-Miesenbach. For urgent or emergency care

services report to the Landstuhl Regional Medical Center located in building 3711, address is Dr Hitzelberger Straße, 66849. If you're unsure about whether you need urgent care, contact the Military Health System Nurse Advise Line. Visit <https://mhsnurseadviceline.com/> to find your country-specific number and video chat or call 1-800-TRICARE.

- **Evacuation / Muster Point:**  
In the case of an emergency below are the two muster points:

Primary meet-up location: The aquatic center parking lot (bldg 422)  
Secondary meet-up location: The Ramstein Community Center parking lot (bldg 412)

- **Shelter in Place:**  
Not entered
- **Active Shooter Response Methods:**  
Not entered
- **Adverse Weather Shelter:**  
Not entered

No evacuation route image uploaded.

**EMERGENCY EQUIPMENT AND SAFETY BOARD**

**Safety Bulletin Board Location:** The safety bulletin board is located near the vault door on the second floor of building 413.

**Fire Extinguisher Locations:**  
Personnel can locate extinguishers at every building exit, as well as in specific, designated interior locations. These additional placements include adjacent to the second-floor kitchen, centrally located within the vault hallway, and at the terminus of the corridor near the Chief of Staff's office.

**Fire Alarm Pull-Station Locations:**  
Pll stations are located at every building egress point for immediate use during an evacuation. Furthermore, pull-stations are prominently mounted on the walls along all designated fire escape routes, ensuring personnel can easily activate the alarm while egressing the facility.

No emergency equipment maps or photos uploaded.

**DOCUMENTATION AND REVIEW**

Safety Training documentation is located in the Microsoft Teams location below:

406 AEW WSA File Plan > 10. Special Staff > Safety

No DAF Form 1118 files uploaded.

No Bioenvironmental Workplace Survey uploaded.

**Annual Review History:**  
Each annual review entry is shown in the table below.

| Supervisor Name   | Date Reviewed | Contact Info |
|-------------------|---------------|--------------|
| TSgt Miklo Miller | 05/13/2026    | 314-478-3202 |
|                   |               |              |

| Supervisor Name | Date Reviewed | Contact Info |
|-----------------|---------------|--------------|
|                 |               |              |
|                 |               |              |
|                 |               |              |
|                 |               |              |