

Job Safety Training Outline

Built to align with DAFI 91-202 paragraph 14.1 requirements.

Unit: 943 MXS

Work Center: Specialist Flight

Work Area / Office Symbol: MXAAS

Phone: 228-2325

Supervisor: SMSgt Paredes, Michelle

Reviewer: SMSgt Paredes, Michelle

Review Date: 2026-07-14

Effective Date: 2026-07-14

Work Center Overview

This Job Safety Training Outline (JSTO) establishes the occupational safety requirements for personnel assigned to the Avionics and Electrical & Environmental (E&E) Maintenance work centers. While a portion of their workload involves low-risk, precision bench-level testing and system programming within controlled hangar shops, personnel are routinely required to operate on active flightlines and in heavy maintenance bays. During these on-aircraft operations, technicians are directly exposed to severe industrial hazards, including high-voltage electrical circuits, high-intensity Radio Frequency Radiation (RFR), extreme flightline noise, jet engine intake/exhaust, and moving ground equipment. Consequently, personnel in these work centers require comprehensive hazard recognition training and must be proficient in the use of specialized Personal Protective Equipment (PPE) to safely navigate active flightlines and execute live aircraft electronics maintenance.

Work Area Hazard Analysis / JHA Notes

JHA: Fall Protection Guidance for HH-60 (13 Jan 25)

BE Survey: 258A - July 2026 - Routine Occupational and Environmental Health Risk Assessment (HRA) of 943 MXS, Flightline Maintenance

Bldg 1750 Active Notices: DD4437 Risk Assessment for HiX Foam System Inop (09 Jun 22) & Bldg 1750 DAF1118 Hangar Door Hazardous Condition (30 Jul 26)

OFFICE: Practice good housekeeping. Clean the office at the end of the day. Practice all safety rules and do not horseplay in the office. Use everything as the manufacture intended. Do not use chairs for ladders, or set heavy loads on shelves. Don't leave file cabinet drawers, desk drawers open or unevenly balanced; keep all legs of chairs on the floor. Do not position telephone, Ethernet or power cords across traffic lanes. If you need to move any cords previously mentioned, contact the units IT department for help. Always have computer connected to an Uninterrupted Power Supply. Do not plug a surge protector or power strip into an existing surge protector or UPS. This practice is called "daisy chaining" or "piggy backing" and can lead to serious problems. Never drink around computers because of the electrical hazards and potential damage costs if you spill fluids on the keyboards or components. Report all broken items to your supervisor or building manager. Do not tape, staple, or tack extension cords to building surfaces. Extension cords shall not be spliced, coiled, or placed where they may be damaged or create a hazard. Cords will not be walked on nor will equipment be allowed to run over them. If cords must be placed in travel lanes, they will be protected by molded housings or bridges. Cords will not be kinked, stretched, or bent excessively. Practices of this nature will damage internal wire strands (AFMAN 91-203, Chapter 8).

SURGE PROTECTOR/POWER STRIP/EXTENSION CORDS:

- Use only as a temporary measure.
- They will not be placed in such a manner that will present a tripping hazard.
- Visually inspect all surge protectors or power strips on a regular basis.
- You must ensure the extension cord being used is rated for the capacity of the item or items to be plugged in.
- Use only surge protectors or power strips that have an internal circuit breaker. These units will trip the breaker if the power strip is overloaded or shorted to prevent overheating.
- Never plug medical equipment into a surge protector or power strip unless it is approved for this purpose.

SHARP OBJECTS: Paper cutters, scissors, razors, knives, etc., must be carefully handled to prevent injuries. Use razor knives with the type that allows the blade to be protected when not in use. Unprotected razor blades will not be used. Do not store these razors with the blade exposed. Keep fingers away from moving and/or sharp parts when using tools such as the following: staplers, hole-punchers, staple removers, paper cutters, scissors, and paper shredders.

ERGONOMICS: The position you put yourself in can be harmful. Prolonged crouching, bending or hanging upside down can lead to stiff and sore joints and muscles, lightheadedness, and even blood clots. Remember to take breaks when you need them and stay hydrated. Prolonged use of a typewriter, word processor or computer terminal can result in back and wrist discomfort. Keeping your back straight and maintaining a good posture can help in reducing the stress on the lower back. Taking a 10-minute break after typing for an hour can also reduce/prevent back pain and eye fatigue. Proper height adjustment of seats and adequate lighting are important preventive measures.

REPETITIVE MOTION HAZARDS: Repetitive tasks may create physical problems in some individuals. To avoid such problems, alternate your tasks to prevent the over-exertion of a particular body part or series of parts. Your job provides you the latitude to alternate tasks without hindering mission effectiveness. Schedule your daily tasks with this in mind. Work performed at a video display terminal

(VDT) may require a worker to sit for a long period of time and involve small frequent movements of the eyes, head, arms, and fingers. Sitting at a fixed posture for a long period of time can cause muscle fatigue and can eventually lead to muscle pain and injury. VDT operators may also develop various musculoskeletal disorders such as carpal tunnel syndrome, and tendonitis.

CLIMBING AND LIFTING: Know your limitations. Climbing, stooping, bending, reaching, stretching and working in tiring, uncomfortable positions are things we must contend with to perform certain tasks. Do not climb on or jump from makeshift items.

SLIPS, TRIPS, AND FALLS: Major causes of office injuries are slips, trips and falls. Falls can occur because of objects in the pathway. Some key factors to remember in preventing falls are:

- Always use handrails.
- Do not carry items stacked above eye level up or down stairs.
- Do not read while going up or down stairs.
- Make sure wheels on stands are locked and 90 deg. off from one another.
- Keep desk, file cabinets and other furniture doors closed when not in immediate use.
- Do not place electrical cords, air hoses, hydraulic lines, computer wires or phone lines across walking areas. Use rubber bridges if there is no other choice.
- Do not stand on any chair, desk or box, use a ladder.
- Do not leave objects like boxes, trashcans, pens and pencils, etc., in pathways.
- Spills - Clean up immediately. If you have to leave the area to get cleaning materials, identify the affected area by covering it with a chair or by posting a warning sign at the entrance to advise people of the hazard. Also post signs for freshly mopped and waxed floors.
- Ensure mats are placed at all exterior entrances to prevent wet floors.

SHIFT FATIGUE: Fatigue is a critical occupational safety concern for shift workers. Irregular working hours, monotonous work, long shifts, and prescription or some over the counter drugs increase drowsiness and reduce alertness. Sleep deprivation affects a person's carefulness and ability to respond to an emergency. Symptoms can include decreased judgment, decision-making and memory; slower reaction time; lack of concentration; fixation; and a worsened mood. The environment and nature of the work can further magnify the effects of sleep debt. Environments with dim lighting, limited visual acuity (e.g. due to weather), high temperatures, and high noise tend to enhance fatigue. Also, a worker's susceptibility to fatigue is increased by tasks where attention must be sustained for a long period, and those which are long, repetitive, paced, difficult, boring and monotonous. Workers can reduce fatigue through proper nutrition, stress control and exercise. Regular exercise is important -- cardiovascular, muscle strengthening and flexibility. Employers can avoid placing workers in jeopardy by analyzing working conditions and addressing operational safety disincentives. Work rotation schedules that go in the direction of the sun (morning, afternoon, night) have been found to reduce the negative effects. Urge personnel traveling from out of town to carefully and intelligently plan the trip, allowing time for rest prior to departure and at least every two hours while traveling. Supervisors should adjust the working schedule of travelers so that the drivers receive adequate rest before traveling long distances.

ATTENTIVENESS: Attentiveness is part of every task, but it is equally important to be aware of hazards of the work area even if you don't work in a particular area. Attention to detail and the task at hand are important concepts to any job and key components to the safety and well-being of personnel.

WEATHER: Work is required to be accomplished under all types of weather conditions. Surfaces of aircraft, stands, ladders, ramps and other walking surfaces are extremely slippery when wet or icy. Heat and sun exposure are also environmental hazards. Personnel must drink plenty of water when working in heat. Proper clothing must be worn in both cold and hot weather. During summer months, take frequent breaks and drink plenty of fluids. Be aware of symptoms of heat exhaustion and heat stroke. Be aware of lightning during the summer monsoon season. During periods of heavy rainfall, many roadways in the local area flood. Be aware of low water crossings and do not attempt to cross them. Avoid crossing any roadway where water has covered it. The water depth and current speed is deceiving.

HEAT EXHAUSTION: If you or a coworker experience any of these symptoms the victim should rest in a cool place and drink water or an electrolyte solution. Severe cases involving victims who vomit or lose consciousness may require longer treatment under medical supervision.

- High body temp 101-104 F
- Pale skin
- Muscle cramps
- Headaches
- Dizziness
- Weakness and fatigue
- Rapid breathing and increased heart rate
- Nausea and vomiting

HEAT STROKE: If you or a coworker experience any of these symptoms, seek medical attention immediately.

- High body temp above 104 F
- Dry, red skin
- Inability to sweat
- Seizures
- Dizziness or fainting
- Slurred speech
- Hallucinations and altered mental state
- Confusion, aggression, or agitation

ELECTRICAL EQUIPMENT: Ensure all electrical equipment is properly grounded unless it is double insulated. Grounded plugs are the three-prong types and double insulated are the two-prong type. Do not bypass the ground by using adapters or extension cords. Sometimes the plug on the equipment may have to be replaced if a grounded adapter cannot be located. Improper grounding causes serious shocks and fires. Do not unplug by pulling on the cord. Frequently inspect cords for damage. If you feel a shock or tingling sensation when you touch a piece of equipment, turn it off at the power strip or circuit breaker (if possible) and report it to your supervisor.

TEST EQUIPMENT: Use Caution and ALWAYS follow Tech Data.

- Make sure that you have your equipment grounded if needed.
- Make sure the 244 is signed off, and there is no defects.
- Make sure the equipment is properly warmed up if needed.

STORAGE: It is important to keep your workplace neat. To avoid the dangers of improper storage in the workplace, follow these guidelines:

- Do not stockpile office supplies. Over-abundance can make storage unsafe.
- Store flammable material in their proper containers and place in the Flammable Locker when material is not being used.
- Keep aisles clear; place item where they do not present a tripping hazard.

USE OF OTHER TOOLS/EQUIPMENT: There is an assortment of tools in the office that are available for use. Ensure all tools are used for the purpose they were designed. Inspect tools prior to use. Look for cracking, chipping, dull edges, undressed tools, or any other defect that could make a tool unsafe. If you discover an unsafe tool, remove it from service immediately and dispose of it properly or give it to your supervisor.

LIGHTING: Poor lighting in the work area is a hazard that can occur at any time without forewarning. It can be caused by burned out or stroboscopic fluorescent lights, or bad ballast in the light fixture. Prolonged exposure while reading or writing under poor lighting conditions that can result in unnecessary eyestrain. If a bad ballast causes the lighting problem, contact the building custodian to have a work

order submitted to CES. If you are uncertain of the adequacy of the lighting in your work section contact the hospital Health Engineers for assistance.

DESIGNATED SMOKING AREAS: There is no smoking allowed in the building. Use designated smoking areas for tobacco use.

Required Training Topics


Workplace Hazards
Personal Protective Equipment
Emergency Action and Fire Prevention
Reporting Unsafe Equipment, Conditions, or Procedures
Mishap, Occupational Injury, and Illness Reporting
CA-10 and LS-201
DAF Traffic Safety Program
DAFVA 91-209 Location and Content
DAFSMS Responsibilities

- **Workplace hazards:** Describe crushing, burn, chemical, ladder, weather, flight line, and noise hazards specific to the work center, plus the technical orders, JHAs, and instructions workers must follow.
- **Personal protective equipment:** Train employees on required PPE, including donning, doffing, cleaning, maintenance, storage, disposal, and reporting contact-lens or medical issues that could affect wear.
- **Emergency action and fire prevention:** Cover alarms, AEDs, extinguishers, evacuation routes, shelter locations, and response procedures tied to the work center.
- **Reporting unsafe conditions:** Instruct personnel to report unsafe equipment, conditions, procedures, and injuries without fear of reprisal, including use of DAF Form 457 and applicable reporting channels.
- **Mishap / injury / illness reporting:** Explain on-duty and off-duty reporting requirements, medical treatment procedures, and emergency response contacts.
- **Traffic safety:** Brief seat belt, speed limit, spotter, electronic device, and motorcycle safety requirements applicable to the work center.
- **DAFVA 91-209 and DAFSMS:** Review the location of DAFVA 91-209 and how workers contribute to the unit safety management system.

Hierarchy of Controls

Apply these controls from most effective to least effective when reducing workplace hazards under DAFI 91-202 paragraph 14.1.2.1.4.

HIERARCHY OF **HAZARD CONTROLS**



Use the highest level of control feasible first. PPE should protect workers only after elimination, substitution, engineering, and administrative controls have been considered.

Active Shooter Response

In the event of an active shooter, individuals should employ the **Avoid, Deny, Defend** response method. This strategy is adaptable to the specific situation and environment.

Responses to an Active Shooter include:

Avoid (RUN),

Deny (HIDE),

Defend (FIGHT)

Adapt your response to the weapons used:

Ricocheting bullets

Shrapnel and secondary missiles

Cover vs Concealment

An active shooter situation may be over within 15 minutes, before law enforcement arrives.

Avoid (Run): The first and preferred course of action is to evacuate the area if a safe route is available. Maintain awareness of your surroundings and have an escape route planned. Leave your belongings, evacuate regardless of whether others follow, and do not attempt to move wounded people. Once you have reached a safe location, call 911 and provide any information you have.

Deny (Hide): If you cannot evacuate, your next priority is to deny the attacker access to your location. This involves more than just hiding; it means securing your position. Lock and blockade doors with heavy furniture, turn off lights, silence your phone, and remain out of the shooter's view. Remember that concealment only hides you, while cover can offer protection from bullets.

Defend (Fight): As a last resort, when your life is in immediate danger, you must be prepared to defend yourself. Act aggressively, improvise weapons from your surroundings, and commit fully to your actions. Taking action may be risky, but it could be your best or only chance for survival.

When law enforcement arrives: Remain calm, follow all instructions, keep your hands visible with fingers spread, and be prepared to provide information about the shooter's location, number, and description.

DAFSMS Framework

DAFSMS uses four pillars and the DAFSMS framework to structure the mishap prevention program through continuous improvement and the Plan-Do-Check-Act model.



Policy and Leadership

Safety policy provides the structure for a proactive mishap prevention program. Active leadership involvement at every level is critical to implementation and sustained execution.

Risk Management

Integrate risk management into all safety-related activities so hazards are identified early, controls are implemented, and the safety culture stays proactive.

Assurance

Use evaluations, monitoring, and review processes to measure conformance to standards and drive continuous improvement across the mishap prevention program.

Promotion, Education, and Training

Provide safety awareness, embed ongoing training, implement effective controls, and keep airmen and guardians actively engaged in mishap prevention.

Department of the Air Force SMS Framework

Policy and Leadership

- Leadership planning, organization, direction, and control

- Management roles, responsibilities, and relationships
- Procedures and controls that are developed, documented, maintained, and monitored
- Safety and quality balance, integration, and goal setting

Risk Management

- Hazard identification through mission/task analysis and hazard lists
- Hazard assessment using exposure, probability, severity, and risk level
- Control options, effects, prioritization, selection, and decisions
- Implementation, communication, accountability, support, supervision, and feedback

Assurance

- Performance requirements, expectations, and control effectiveness
- Continuous monitoring, self-inspections, internal and external inspections
- Mishap and event investigation, reporting, metrics, and improvement opportunities
- Change management and continuous improvement actions

Promotion, Education, and Training

- Culture built on informed, flexible, learning, just, and reporting behaviors
- Competency through training and education
- Awareness through internal communication, external communication, and information access

Job Specific Training Items

The following modules apply to this work center and should be reviewed with trainees before task performance.

Hazard CommunicationHearing ConservationBloodborne PathogensExplosives Safety
TrainingElectromagnetic Field TrainingLadder SafetyGovernment Vehicle / Utility Vehicle UseManual
Lifting and Material HandlingFire Protection and PreventionJewelry / Loose Articles RestrictionsPersonal
Protective Equipment (PPE)Hangar Door Awareness

- **Hazard Communication:** Provide HazCom training upon initial assignment, whenever a new chemical hazard is introduced, and when new tasks expose workers to different hazardous materials. Ensure workers know how to access local SDS information and labeling guidance. Train personnel on hazardous chemicals in their work area, labeling systems, safety data sheets, and the measures they can take to protect themselves during normal operations and foreseeable emergencies. NOTE: The physical HAZCOM Program Binder is housed in the APG office (room 106). Primary POC: SMSgt Benjamin Wells (MXAAA), Ph: 228-2235; Alternate POCs: MSgt Jesus Munoz (MXAAA), Ph: 228-5975 and MSgt Anthony Campas (MXAASA), Ph: 228-2325. Members receive HAZCOM training and complete Knowledge Assessment annually which are documented on their DAF Form 55. DAFI 90-821; 29 CFR 1910.1200 - Hazard Communication.

Link to training:

<https://usaf.dps.mil/b:r/teams/SpecialistSection488/Shared%20Documents/Safety%20and%20HA>

[ZCOM/HAZCOM/01%20Tab%20E1%20-%20Work%20Area%20Specific%20HAZCOM%20Training%20\(cao%2009%20Jun%2026\).pdf?d=w3bcd52fdb0eb4ca6ba8a68d5485156f1&csf=1&web=1&e=cmYs8F](https://usaf.dps.mil/sites/943RQG/943RQGSTAFF/safety/Shared%20Documents/02%20-%20Work%20Area%20Specific%20HAZCOM%20Training%20(cao%2009%20Jun%2026).pdf?d=w3bcd52fdb0eb4ca6ba8a68d5485156f1&csf=1&web=1&e=cmYs8F)

- **Hearing Conservation:** The primary source of noise exposure to personnel above 92 dBA is active aircraft. BE has determined that engineering controls are not technologically feasible for this type of noise source. Consequently, personnel shall follow AFI 48-127_DAVISMONTHANAFBSUP for flightline hearing protection requirements, which may require the use of double hearing protection, and an octave band analysis is not required. Supervisors must conduct initial and annual workplace-specific hearing conservation training for all personnel assigned and potentially exposed to hazardous noise. Additionally, personnel enrolled in the HCP must receive annual audiograms and training IAW OSHA 29 CFR 1910.95(k) and DAFI 48-127. Training slides can be obtained by calling 355 OMRS Public Health Flight at DSN: 228-2714. Training slides must be readily available, and annual training must be documented on the DAF Form 55. DAFI 48-127; 29 CFR 1910.95 - Occupational noise exposure.

Link to training:

<https://usaf.dps.mil/sites/943RQG/943RQGSTAFF/safety/Shared%20Documents/02%20-%20Occupational%20Safety/Safety%20Training/2017%20Hearing%20Conservation%20Training.pptx?d=w1b6a7f54d31f46e59dbda9fdc32e9821>

- **Bloodborne Pathogens:** Enroll applicable workers in the local bloodborne pathogens program and ensure exposure control plan requirements, reporting actions, and PPE procedures are covered before task performance. Provide bloodborne pathogens training at initial assignment and at least annually thereafter, covering exposure control, modes of transmission, and protective measures. Technicians are briefed annually through their work center JSTO which is documented on the member's DAF Form 55. 29 CFR 1910.1030 - Bloodborne Pathogens

Link to training:

<https://usaf.dps.mil/sites/943RQG/943RQGSTAFF/safety/Shared%20Documents/02%20-%20Occupational%20Safety/Safety%20Training/Bloodborne%20Pathogens%20training.pptx?d=w11f37f7f4e73473eb2a979fcd3ce8da2>

- **Explosives Safety Training:** Provide initial and task-specific explosives safety training using approved lesson plans, local instructions, and quantity-distance / compatibility controls before personnel work with explosives. Use explosives-specific AF lesson plans and local operating instructions. Training is available through PowerPoint and must be reviewed and documented annually on member's 593. OSHA 2254 includes transportation and explosives references, but the Air Force explosives program should remain the primary training basis for this module. DESR 6055.09_DAFMAN 91-201 - Explosives Safety Standards; DAFI 91-202 - The Department of the Air Force (DAF) Mishap Prevention Program

Link to training:

[https://usaf.dps.mil/p:/r/teams/SpecialistSection488/Shared%20Documents/Safety%20and%20HAZCOM/Training/943%20MXS%20Maintenance%20on%20Explosives%20Loaded%20Aircraft%20\(cao%2008%20Jan%2013\).pptx?d=w66910313922b4a1fb1f04089dbba21ef&csf=1&web=1&e=SNNsgN](https://usaf.dps.mil/p:/r/teams/SpecialistSection488/Shared%20Documents/Safety%20and%20HAZCOM/Training/943%20MXS%20Maintenance%20on%20Explosives%20Loaded%20Aircraft%20(cao%2008%20Jan%2013).pptx?d=w66910313922b4a1fb1f04089dbba21ef&csf=1&web=1&e=SNNsgN)

- **Electromagnetic Field Training:** Use approved EMF hazard assessments and local instructions to brief workers on hazard zones, signs, and restrictions before exposure. Provide task-specific training on electromagnetic field hazards, posting requirements, access controls, and reporting expectations where EMF sources are present. Technicians are briefed annually through their work center JSTO and receive additional training through PowerPoint which is documented on the member's DAF Form 55. DAFI 48-109 - Electromagnetic Field Radiation Occ Health and Environmental Health Program

Link to training:

[https://usaf.dps.mil/p:/r/teams/SpecialistSection488/Shared%20Documents/Safety%20and%20HAZCOM/Training/EMF%20Awareness%20Training%20\(cao%2009%20Jun%2026\).pptx?d=w0932d7583aef4567ac672c7ac275da57&csf=1&web=1&e=icNy2a](https://usaf.dps.mil/p:/r/teams/SpecialistSection488/Shared%20Documents/Safety%20and%20HAZCOM/Training/EMF%20Awareness%20Training%20(cao%2009%20Jun%2026).pptx?d=w0932d7583aef4567ac672c7ac275da57&csf=1&web=1&e=icNy2a)

- **Ladder Safety:** Workers must inspect ladders before use, maintain three points of contact, set ladders on stable surfaces, and avoid overreaching or using damaged ladders. If damaged, do not

use it, and report it to Toolroom immediately. Ladders will be maintained by Support and stored the Toolroom. Reference applicable Fall Prevention program for fall prevention expectations. Technicians are briefed annually through their work center JSTO which is documented on the member's DAF Form 55. DAFMAN 91-203 - Air Force Occupational Safety, Fire and Health Standards, Chapter 7

Link to training:

<https://usaf.dps.mil/sites/943RQG/943RQGSTAFF/safety/Shared%20Documents/02%20-%20Occupational%20Safety/Safety%20Training/laddersafety.pptx?d=w4dc06d5bdb554f5798b65613761de4d5>

- **Government Vehicle / Utility Vehicle Use:** A valid state driver's license is required for driving government owned commercial design, general purpose vehicles of 1-1/2 ton cargo or 15 passengers or less. A military license will be required if an individual is on mobility and the job requires driving military vehicles in an overseas location. Observe vehicle speed limits on base and flight line. Be observant of other vehicles, pedestrians and obstacles. Obey all traffic safety rules. Seat belts are required while in a government vehicle or private vehicles on base. Use caution when towing equipment. VEHICLE SAFETY: Make certain that any vehicle that you operate is in a safe operating condition. Make sure the brakes and parking brake work. Also, check to make sure all lights, windshield wipers, and emission system work properly (no exhaust leaks). It is best not to drive off any paved surface unless necessary. If you must leave the paved surface, and need to enter an aircraft parking ramp, or taxiway, you must first inspect the vehicle for FOD. This includes the tires, fender wells, and undercarriage. TRAFFIC: There are many crosswalks. As a pedestrian, use caution when crossing a roadway. Ensure you allow vehicle traffic adequate time to stop before entering their path. As a vehicle operator, yield to pedestrian traffic. Pedestrians have the right-of-way when they are crossing at a marked crossing. SPEED LIMIT: The speed limit on Davis-Monthan AFB is 30 MPH Unless otherwise posted. Yield to pedestrians when they are at a marked crosswalk. MOBILE DEVICE: Federal employees shall not engage in text messaging (a) when driving GMV, or when driving PMV while on official Government business, or (b) when using electronic equipment supplied by the Government while driving. SPOTTERS: Are required when operator visibility is obscured or in question, when backing a vehicle, and prior to beginning aircraft up/downloading (with pre-positioned chock in place). Backing of government-owned motor vehicles and the usage of spotters will be IAW DAFMAN 24-306. • Spotter(s) will use a reflective belt and flashlight or luminous wand during hours of darkness or periods of reduced visibility: Reflective belt and flashlight or luminous wand. • Spotter(s) must be trained in standard hand and arm signals and flashlight signals before guiding a vehicle. • Spotter(s) will position themselves away from the vehicle's path of travel and maintain visual contact with the vehicle operator. • Government-owned motor vehicle operators will immediately stop if they lose visual contact with the spotter or notice the spotter is dangerously positioned between the vehicle and another object. In such cases, vehicle operators will secure the vehicle, exit and make an on-the-spot correction before continuing operations. LICENSING/TRAINING REQUIREMENTS: A state driver's license is required to operate any vehicle. Additional training is dependent on duties/responsibilities. • Certificate of Competency required for all flightline driving and operation must be IAW AFI 13-213. • Before operating a Polaris Ranger/Razor, utility vehicle and other similar vehicles, personnel must complete LSV/OGMV training.----Technicians are briefed annually through their work center JSTO and documented on the member's DAF Form 55. Airfield Drivers are trained and tracked separately through Support. DAFI 91-207; local procedures.
- **Manual Lifting and Material Handling:** Know your limitations. Supervisors shall ensure their workers receive thorough instruction and training on proper manual lifting techniques both routine or high risk and any PPE required. When a heavy object must be moved, get help or utilize mechanical equipment to move it. Supervisors shall instruct workers on their use. Also, proper lifting procedures must be used when moving any material. Proper lifting of heavy objects requires use of legs to lift the weight, not the back. Always use proper lifting techniques as learned in Manual Lifting training. Get help if you have any doubts about your ability to lift an object. Technicians are briefed annually through their work center JSTO which is documented on the member's DAF Form 55. DAFMAN 91-203 - Air Force Occupational Safety, Fire and Health

Link to training:

<https://usaf.dps.mil/sites/943RQG/943RQGSTAFF/safety/Shared%20Documents/02%20-%20Occupational%20Safety/Safety%20Training/Manual%20Lifting%20Training.pptx?d=w8c098687e2654b39bb0c06f38f7043cc>

- **Fire Protection and Prevention:** Personnel are briefed on fire hazards, reporting procedures, extinguisher locations, evacuation routes, pull stations, and local emergency response actions annually through their work center JSTO and receive additional training through PowerPoint which is documented on the member's DAF Form 55. • **FIRE EXTINGUISHER (A,B,C):** Use on Ordinary Combustibles, Flammable Liquids, and Electrical Equipment. Located in the Avionics Vault, room 138. • **FIRE ALARM STATIONS (PULL BOXES):** Next door on the South side of the Avionics Room. • When inspecting halon fire extinguishers prior to performing maintenance, make sure the metal tag has been signed for the current month and year. Do not proceed with maintenance. Notify the production section of findings, they will perform monthly inspection or replace fire extinguisher. DAFMAN 91-203 - Air Force Occupational Safety, Fire and Health Standards; local fire prevention plan

Link to training:

<https://usaf.dps.mil/sites/943RQG/943RQGSTAFF/safety/Shared%20Documents/02%20-%20Occupational%20Safety/Safety%20Training/943%20RQG%20Fire%20Extinguisher%20Training.pptx?d=w94f2b44f0a1f4222ac311ae6e31a10f2>

- **Jewelry / Loose Articles Restrictions:** Maintenance Technicians must remove jewelry and secure loose articles when working around machinery, electrical hazards, rotating equipment, or snag hazards. During performance of duties in the office, wear of jewelry is not restricted. Jewelry will NOT be worn while conducting maintenance on the flight line, equipment and material handling, or other physical tasks. If there's any doubt as to whether jewelry should be worn, remove it until you can get your supervisor's approval. Technicians are briefed annually through their work center JSTO which is documented on the member's DAF Form 55. DAFMAN 21-101 – Aircraft and Equipment Maintenance Management.
- **Personal Protective Equipment (PPE):** The work-center JHA, BE occupational health assessment, manufacturer instructions, DAFMAN 91-203 Chapter 14, and local safety office guidance are used to identify PPE requirements. Supervisors will ensure PPE is provided, used, cleaned, inspected, and maintained in sanitary and serviceable condition. Technicians are briefed annually through their work center JSTO and receive additional training through PowerPoint which is documented on the member's DAF Form 55. PPE is designed to protect the worker against biological, chemical, or physical hazards associated with the work environment. Normally, employees do not have a need for PPE in an office setting. However, there may be occasions when PPE may be necessary during some non-routine activities. Examples are moving furniture, painting or other minor cosmetic construction/facility up-keep, and other miscellaneous details. Before starting a task, consider what specific items and uses you may need PPE. **FOOT PROTECTION:** • Safety toe shoes - performing any maintenance and/or moving heavy equipment. **ARM/HAND PROTECTION:** • Leather Safety Gloves - Pallet build-up/tear-down, moving heavy equipment, tying down heavy equipment for shipment, crating/uncrating equipment in wooden/fiberglass containers. • Nitrile, butyl, Chemical/Oil Resistant Gloves - Hazardous material or waste handling **EYE PROTECTION:** • Face shield, safety glasses – soldering operations, compressed air/gasses, grinder/drill use, and safety wire operations, hammering, painting and using a punch or chisel, procedures involving Hydraulic Oil/Dielectric Coolant. • Face shields will only be used as secondary eye and face protection in areas where splashing, rather than hazardous impact, is the problem. In the case of primary protection, other protective devices, such as safety goggles will be worn (OSHA 29 CFR 1910.133). **HEARING PROTECTION:** • Ear plugs, ear defenders - Use as needed. We currently are not required to wear ear protection in the shop. However, both ear plugs and ear defenders are mandatory when performing maintenance on the flightline. **OTHER:** • Reflective Belts/Vests - Flightline maintenance during the hours of darkness, and during operation of bicycle/motorcycle. *NOTE: Personnel who wear contact lens or have medical conditions or take medications that may affect the use or wear of PPE must notify their

supervisor immediately. DAFMAN 91-203 - Air Force Occupational Safety, Fire and Health Standards, Chapter 14; 29 CFR Part 1910 - Occupational Safety and Health Standards (General Industry Standards) Subpart I; 29 CFR 1910.132; 29 CFR 1910.133; 29 CFR 1910.135; 29 CFR 1910.136; 29 CFR 1910.138

Link to training:


<https://usaf.dps.mil/sites/943RQG/943RQGSTAFF/safety/Shared%20Documents/02%20-%20Occupational%20Safety/Safety%20Training/PPE%20Training.pptx?d=w871e70a7371347c09d316070896f9b14>

- **Hangar Door Awareness:** Hangar door awareness training is required for personnel that operate the hangar doors. Technicians must receive initial and annual refresher training which is documented on the member's 593.

Link to training:

<https://usaf.dps.mil/b:r/teams/SpecialistSection488/Shared%20Documents/Safety%20and%20HAZCOM/Training/HANGAR%20DOOR%20AWARENESS.pdf?d=w15804bb643754e05b052142ca432650c&csf=1&web=1&e=5s3YDd>

Ergonomics Workstation Posture Guide:



Use this guide while briefing office and administrative workstation setup.

References

DAFI 90-802 Risk Management

DAIF 90-821 Hazard Communication

DAFI 91-202 - The Department of the Air Force (DAF) Mishap Prevention Program Mishap Prevention Program

DAFI 91-202 - The Department of the Air Force (DAF) Mishap Prevention Program_AFRCSUP Mishap Prevention Program

DAFMAN 91-203 - Air Force Occupational Safety, Fire and Health Standards Air Force Occupational Safety, Fire and Health Standards

DAFMAN 91-207 Traffic Safety Program

Required Documents

- [CA-10](#)
What a Federal Employee Should Do When Injured at Work. Use this as the workplace reference for employee injury reporting and follow-up actions.
- [DAF Form 457](#)
Hazard Report. Use this form to identify, document, and elevate unsafe conditions, equipment, or procedures in the workplace.
- [DAFVA 91-209](#) **UNITS MUST FILL OUT THEIR OWN LOCATION POSTED**
Department of the Air Force Occupational Safety and Health Program visual aid. Keep this available so personnel know the core safety rights, responsibilities, and reporting expectations.
Location Posted: Posted on the Squadron's Safety Bulletin Board in Bldg 1750 first floor main hallway
- [LS-201](#)
Notice of Employee's Injury or Death (Non-Appropriated Funds). Use this when applicable for NAF employee injury or death reporting.

Emergency Information

- **Emergency Numbers:** 911 (from an on-base phone)
FIRE DEPT: 228-3333
FIRE DEPT NON-EMERGENCY: 228-4757
SECURITY FORCES NON-EMERGENCY: 228-3200
COMMAND POST: 228-7400
BASE OPS: 228-4315 / 228-4507
943 MXS MOC: 228-2353
PUBLIC HEALTH: 228-2714
943 RQG SAFETY: 228-2329 / 228-1608
355 WING SAFETY: 228-3311 / Cell 520-909-0316
*NOTE: If the base 911 telephone system is down (228-3333), report fire or medical emergencies by calling 520-965-5965, and security forces related incidents, call 520-909-8476.
- **Medical Facility / Treatment:** If you are experiencing an emergency, call 911. Davis-Monthan Air Force Base doesn't offer urgent or emergency care services. If you're unsure about whether you need urgent care, contact the Military Health System Nurse Advice Line to speak to a registered nurse. Visit MHSNurseAdviceLine.com for web chat and video chat, or dial 1-800-TRICARE (874-2273).

NON-EMERGENCIES:

- 1) 355 MDG (base clinic & after-hours nurse), Bldg 400, DMAFB AZ, 520-228-2778
- 2) Health and Wellness Center (HAWC), Bldg 4220, DMAFB AZ, 520-228-2294

HOSPITALS:

- 1) St. Joseph's Hospital, 350 N. Wilmot Rd., Tucson AZ 85711, 520-873-3000
- 2) St. Mary's Hospital, 1601 W. St. Mary's Rd., Tucson AZ 85745, 520-872-2254
- 3) Banner UMC (Main), 1501 N. Campbell Ave., Tucson AZ 85724, 520-594-0111
- 4) Southern AZ VA HCS, 3601 S. 6th Ave., Tucson AZ 85723, 520-792-1450
- 5) Tucson Medical Center, 5301 E. Grant Rd., Tucson AZ 85712, 520-327-5461
- 6) NW Medical Center, 6200 N. La Cholla Blvd., Tucson AZ 85741, 520-742-9000

- **Evacuation / Muster Point:** The GATHERING POINT for 943 MXS building 1750 is the parking lot on the SE corner of Arizola Street and First Street. From the hangar, exit the West hangar door and head East around the building towards the parking lot. From room 139, exit the South exterior door and head East towards the parking lot. Personnel must remain in the parking lot and await further instructions from emergency responders or leadership before attempting to re-enter the facilities.
- **Shelter in Place:** Bldg 1750, Rooms 138 and 137
- **Active Shooter Response Methods:** RUN-choose the closest exterior door to exit. HIDE-shelter in room 138 and 137, block entry, stay quiet, and stay out of site. FIGHT-use as a LAST RESORT.
- **Adverse Weather Shelter:** Bldg 1750, Room 138

No evacuation route image uploaded.

Emergency Equipment and Safety Board

Safety Bulletin Board Location: Bldg 1750 first floor main hallway

EMERGENCY EYE WASH/SHOWERS: No corrosive chemicals are used in the Specialist section. Therefore, the use of an eyewash station is not necessary in the shop. In the event personnel are exposed to corrosives (fuel, hydraulic fluid, etc.) Nearest eye washing station is located within the Phase Bay area of the Maintenance Hangar along the East wall. Additionally, there are additional eye washing stations located in the Phase back shop, along the North wall of the Maintenance Hangar, two stations in Fabrication back shop, and a eye wash/shower in the outside mech area adjacent the Haz Waste SAC. The path to the eye wash station needs to always be clear in case of an emergency. Be a good wingman. It's everyone's responsibility to take proper actions to assist personnel who are exposed and need to use the emergency shower and eyewash station, to include calling for medical assistance. 29 CFR § 1910.151(c) and 29 CFR § 1926.50(g), Medical Services and First Aid.

//User Guide: How to Use an Emergency Eye Wash Station: In an emergency scenario, an eyewash station can save your sight - if it's properly used. Such accidents are fortunately very rare, but it's paramount that you and your colleagues are prepared should the worst happen.

- 1) Don't delay. The moment a hazardous material enters your eyes, you should make your way to an eyewash station. Don't hesitate, even if it's only a minor spill - the longer a hazardous substance is in contact with the eye, the more damage it does. Even small amounts of contamination can cause serious injury and even permanent loss of vision.
- 2) Activate the unit. Push the activation lever on the eyewash station. When the lever has been pushed, the dust covers will pop open and each of the two eyewash nozzles will begin discharging water.
- 3) Flush out your eyes. Once activated, the eyewash station will continue to discharge water for a minimum of 15 minutes, meaning that it can be operated hands-free. Using your fingers to keep your eyelids open, lower your eyes into the stream of water issuing from the nozzles. Roll your eyes gently up and down and from side to side, ensuring that the water reaches as much of the eyeballs as possible.
- 4) Contact lenses. If you wear contacts, gently remove them once you have begun the flushing process. While failing to remove contact lenses can prevent the eye wash from properly irrigating the eyes, it is important not to delay flushing to take them out. Only do this once flushing has begun.
- 5) Keep on flushing. Continue to use the eyewash station in this manner for a full 15 minutes, and no less. This is the minimum amount of time that it takes to sufficiently clear the eyes of harmful chemicals - if you remove your eyes from the stream before this time has elapsed, you run the risk of permanent injury.
- 6) After flushing. When the 15-minute flushing period is over, seek medical assistance immediately. Have a colleague drive you to the accident and emergency department of your local hospital. Do not be tempted to drive yourself, as your vision may be impaired.
- 7) Shower Use . •In the event of an emergency, activate drench shower by pulling on pull rod. Begin to remove any clothing exposed to chemical or other hazardous substance (If eyes have been exposed to hazardous materials, follow procedure for eyewash use). •Flush eyes, face and body for 15 minutes. •After equipment use, seek a medical advisor immediately for further treatment.

EMERGENCY LIGHTING: The location of emergency lighting is found throughout the building, and these lights are checked monthly to ensure serviceability.

AED: Located with UPFM.

No emergency equipment maps or location photos uploaded.

Traffic Safety Program

DAF Traffic Safety Program (DAFI 91-207): Train personnel on mandatory use of seat belts and helmets, speed limits, local traffic hazards, spotters while backing, vehicle training requirements, and restrictions on electronic device use while operating vehicles on- or off-base.

Seat Belts / Occupant Restraints: All persons operating or riding in motor vehicles must wear installed restraint systems as prescribed by the manufacturer. Drivers are responsible for ensuring all passengers are briefed on and use required restraints.

Motorcycle / ATV Training: Personnel must complete required safety training before riding a motorcycle, and local units should address required PPE, licensing, refresher training, and safety representative contacts.

Pedestrian / Bicycle Awareness: Emphasize local roadway crossing hazards, visibility requirements, spotter use, and other pedestrian or bicycle precautions specific to the installation.

Local Traffic Hazards / Vehicle Notes:

All personnel must exercise heightened situational awareness when commuting to and from work due to unique local traffic conditions in Tucson and the surrounding area. Tucson roadways frequently experience congestion, aggressive driving, and seasonal hazards such as flash flooding and low visibility during the summer monsoon season. Additionally, extreme daytime temperatures in the local area pose a risk of rapid vehicle overheating and tire blowouts. To ensure safety and minimize delays, personnel must plan their commutes around daily peak gate traffic at Davis-Monthan AFB. All base installation gates experience heavy congestion and significant delays during morning inbound rushes from 0600 to 0800, and again during afternoon outbound rushes from 1500 to 1700. Personnel are highly encouraged to practice defensive driving, strictly adhere to posted base speed limits, and utilize hands-free mobile devices exclusively while operating vehicles • Arizona State law requires the driver to move to the left lane when encountering an emergency vehicle on the right shoulder, if unable to move over then driver will slow down and move to the left most part of the lane, passing with extreme caution. • Weather conditions: Low lying roadways are prone to flooding and this area is subject to flash floods. Dust storms (haboobs) occur at any time throughout the year but are more frequent during monsoon. If you're caught in a dust storm, pull to the side of the road, turn off your lights, set the parking brake, and keep your foot off the brakes (this keeps drivers behind you from following your lights). If unable to pull off to the side of the road, reduce speed and proceed with caution. • Animal Strikes: Coyotes and Javelina are the most frequented animals you'll encounter crossing roadways in the Tucson area. Some areas surrounding Tucson are open range, and you may encounter some cattle in the roadway. • Mobile phone: Arizona law prohibits drivers from using a cellphone or a stand-alone electronic device while driving unless it is being used in a hands-free mode. This includes, but is not limited to, cell phones, tablets, and music & gaming devices.

Motorcycle Safety Representatives / Traffic Contacts:

943 MXS POC: SMSgt Luke Nagele, 520-228-6064




Department of the
Air Force Rider

#DAFRider Timeline

Right Training ... Right Time ... Right Bike



So you want to ride?



Every DAFRider should be physically capable, mentally prepared, and their motorcycle mechanically sound.

No routine-use GVO risk assessment files uploaded.

Reporting Unsafe Equipment, Conditions, or Procedures

Notify the supervisor immediately when unsafe equipment, conditions, or procedures are identified. Personnel may report hazards without fear of retaliation, coercion, discrimination, or reprisal.

- **DAF Form 457:** Use to document and elevate unsafe conditions, equipment, or processes.
- **SAFEREP:** Use the approved mishap or hazard reporting channel for additional reporting when directed by local procedures.


Safety Reporting ... All In One Place

SAFEREP APP!

Why Safety Reporting?

Quickly and easily tell safety about safety issues you see


- In the dorms
- At work
- Anywhere on base
- In flight
- While maintaining aircraft
- On the ramp



What to report?

- Dangerous conditions
- "Near miss" events
- Aviation specific reporting
- Cultural issues that could lead to an accident, damage, or injury
- Supervisor mishap report

Report anonymously
Reports go direct to the safety office



New name, new website, new app, and a whole new look

SAFEREP is a web- and app-based way for members from every career field to identify hazards and report near-misses and even some mishaps directly to their safety offices using any computer or mobile device.



Download to your mobile device
from your preferred App Store

Or

Go to
<https://saferep.safety.af.mil>



DANGER

HAZARD

CONTROL MEASURES

AF FORM 979

CAUTION

HAZARD

CONTROL MEASURES

AF FORM 980

OUT OF ORDER

HAZARD

CONTROL MEASURES

AF FORM 981

DO NOT START

HAZARD

CONTROL MEASURES

AF FORM 982

Documentation and Review

All initial and recurring safety training, work center familiarization, and emergency procedure briefings completed under this JSTO will be officially documented and tracked using DAF Form 55.

Bioenvironmental Workplace Survey: No Bioenvironmental Workplace Survey uploaded.

Applicable Job Hazard Analyses: No Job Hazard Analysis files uploaded.

Annual Review Log:

Supervisor Review Completed by SMSgt Paredes 19Aug26

Trainee Name Employee ID / Last 4 Date Trained Trainer / Supervisor Signature