Job Safety Training Outline

Built to align with DAFI 91-202 paragraph 14.1 requirements.



Unit: 436 CES

Work Center: Structures

Work Area / Office Symbol: CEOHS

Phone: 302-677-4856

Supervisor: Erik Thompson, Foreman

Reviewer: Jacob Tieman

Review Date: 2026-11-09

Effective Date: 2026-11-09

Work Center Overview

Manages, constructs, repairs, and modifies structural systems and wooden, masonry, metal, and concrete buildings. Fabricates and repairs components of buildings, utility systems, and real property equipment. Ensures compliance with environmental regulations.
Duties and Responsibilities:
- Prepares and interprets working drawings and schematics for maintaining, altering, and repairing buildings and structures. Surveys proposed work sites to determine material and labor requirements. Prepares cost estimates. Reviews structural work progress and coordinates changes in schedules.

Constructs and repairs footings, floors, slabs, foundations, walls, roofs, steps, doors, and windows for prefabricated and permanent structures. Constructs and modifies buildings. Prepares, applies, and finishes mortar, concrete, plaster, and stucco. Fabricates repairs and installs metal parts and assemblies for utility systems and buildings.
- Erects steel and lays out trusses and structures to specific dimensions. Welds, cuts, brazes, and solders ferrous and nonferrous metals using various welding processes. Welds butt, lap, tee, and edge joints in all working positions. Inspects, maintains, repairs, and installs overhead and rollup doors, and mechanical gates. Installs forms and reinforcing material. Applies protective coatings such as primers, stains, and sealants.
- Troubleshoots, repairs, and installs commercially manufactured locking devices such as keyed, combination, cipher, panic hardware/exit device, and pad locks.
- Erects scaffolding and works from ladders and mobile platforms.
- Identifies and selects construction materials considering strength, moisture content, grade, mix, application procedures, and curing.
- Manages, inspects, and evaluates work center activities. Ensures compliance with commercial and military publications. Submits and reviews supply and equipment requisitions. Discusses inspection findings and recommends corrective action.

Work Area Hazard Analysis / JHA Notes

Summarize JHA findings, BE survey notes, major hazards, controls, and special restrictions for this work center.


Required Training Topics

Workplace HazardsPersonal Protective EquipmentEmergency Action and Fire PreventionReporting Unsafe Equipment, Conditions, or ProceduresMishap, Occupational Injury, and Illness ReportingCA-10 and LS-201DAF Traffic Safety ProgramDAFVA 91-209 Location and ContentDAFSMS Responsibilities

- **Workplace hazards:** Describe crushing, burn, chemical, ladder, weather, flight line, and noise hazards specific to the work center, plus the technical orders, JHAs, and instructions workers must follow.
- **Personal protective equipment:** Train employees on required PPE, including donning, doffing, cleaning, maintenance, storage, disposal, and reporting contact-lens or medical issues that could affect wear.
- **Emergency action and fire prevention:** Cover alarms, AEDs, extinguishers, evacuation routes, shelter locations, and response procedures tied to the work center.
- **Reporting unsafe conditions:** Instruct personnel to report unsafe equipment, conditions, procedures, and injuries without fear of reprisal, including use of DAF Form 457 and applicable reporting channels.
- **Mishap / injury / illness reporting:** Explain on-duty and off-duty reporting requirements, medical treatment procedures, and emergency response contacts.
- **Traffic safety:** Brief seat belt, speed limit, spotter, electronic device, and motorcycle safety requirements applicable to the work center.
- **DAFVA 91-209 and DAFSMS:** Review the location of DAFVA 91-209 and how workers contribute to the unit safety management system.

Hierarchy of Controls


Apply these controls from most effective to least effective when reducing workplace hazards under DAFI 91-202 paragraph 14.1.2.1.4.



Use the highest level of control feasible first. PPE should protect workers only after elimination, substitution, engineering, and administrative controls have been considered.

Active Shooter Response

In the event of an active shooter, individuals should employ the **Avoid, Deny, Defend** response method. This strategy is adaptable to the specific situation and environment.



Avoid (Run): The first and preferred course of action is to evacuate the area if a safe route is available. Maintain awareness of your surroundings and have an escape route planned. Leave your belongings, evacuate regardless of whether others follow, and do not attempt to move wounded people. Once you have reached a safe location, call 911 and provide any information you have.


Deny (Hide): If you cannot evacuate, your next priority is to deny the attacker access to your location. This involves more than just hiding; it means securing your position. Lock and blockade doors with heavy furniture, turn off lights, silence your phone, and remain out of the shooter's view. Remember that concealment only hides you, while cover can offer protection from bullets.

Defend (Fight): As a last resort, when your life is in immediate danger, you must be prepared to defend yourself. Act aggressively, improvise weapons from your surroundings, and commit fully to your actions. Taking action may be risky, but it could be your best or only chance for survival.

When law enforcement arrives: Remain calm, follow all instructions, keep your hands visible with fingers spread, and be prepared to provide information about the shooter’s location, number, and description.

DAFSMS Framework

DAFSMS uses four pillars and the DAFSMS framework to structure the mishap prevention program through continuous improvement and the Plan-Do-Check-Act model.



Policy and Leadership

Safety policy provides the structure for a proactive mishap prevention program. Active leadership involvement at every level is critical to implementation and sustained execution.

Risk Management

Integrate risk management into all safety-related activities so hazards are identified early, controls are implemented, and the safety culture stays proactive.

Assurance

Use evaluations, monitoring, and review processes to measure conformance to standards and drive continuous improvement across the mishap prevention program.

Promotion, Education, and Training

Provide safety awareness, embed ongoing training, implement effective controls, and keep airmen and guardians actively engaged in mishap prevention.

Department of the Air Force SMS Framework

Policy and Leadership

- Leadership planning, organization, direction, and control

- Management roles, responsibilities, and relationships
- Procedures and controls that are developed, documented, maintained, and monitored
- Safety and quality balance, integration, and goal setting

Risk Management

- Hazard identification through mission/task analysis and hazard lists
- Hazard assessment using exposure, probability, severity, and risk level
- Control options, effects, prioritization, selection, and decisions
- Implementation, communication, accountability, support, supervision, and feedback

Assurance

- Performance requirements, expectations, and control effectiveness
- Continuous monitoring, self-inspections, internal and external inspections
- Mishap and event investigation, reporting, metrics, and improvement opportunities
- Change management and continuous improvement actions

Promotion, Education, and Training

- Culture built on informed, flexible, learning, just, and reporting behaviors
- Competency through training and education
- Awareness through internal communication, external communication, and information access

Job Specific Training Items

The following modules apply to this work center and should be reviewed with trainees before task performance.


Hazardous Energy ControlRespiratory Protection ProgramFall Arrest SystemsHearing ConservationHazard CommunicationLadder SafetyPersonal Protective Equipment (PPE)Bloodborne Pathogens

- **Hazardous Energy Control:** LOCK OUT/TAG OUT PROCESS DE-ENERGIZE: STEP ONE – PREPARATION: Determine if equipment specific written energy control procedures are applicable to the task. Methods for energy isolation may include, but are not limited to, circuit breakers, disconnect switches, or valves. STEP TWO – NOTIFICATION: Notify Supervision and all affected workers of the impending shutdown and that they shall not disturb lockout devices or attempt to restart the equipment until informed it is safe to resume normal operations. STEP THREE – SHUTDOWN: Verify it is safe to shut down the equipment or machine. The equipment or machine shall be turned off or shut down using normal stopping and shutdown procedures. STEP FOUR – ISOLATION AND VERIFICATION: Isolate all energy sources. Verify the correct energy isolating device has been switched off. For example, if it’s safe to do so, try to turn the equipment on. STEP FIVE – LOTO DEVICE APPLICATION: Affix LOTO Devices (typically locks) to secure energy isolating devices in an “OFF” or “SAFE” position. Both tags and locks shall be installed. STEP SIX – ADDITIONAL MEASURES: Once the system is locked and tagged out, all potentially hazardous

stored or residual energy shall be relieved, disconnected, restrained or otherwise rendered safe. The authorized worker shall completely release or otherwise control any stored energy and block any unexpected motion. STEP SEVEN – ISOLATION CONFIRMATION: Physically attempt to operate energy isolating devices and attempt to restart the equipment or machine using normal controls. STEP EIGHT – KEEP LOTO DEVICES IN PLACE: A lock and tag shall remain in place until work on the equipment or machine is complete. RE-ENERGIZE: STEP NINE – NOTIFICATION: Before restoring machines and equipment to service, Supervision and authorized employee will ensure all personnel, tools, and maintenance or servicing equipment have been removed and guards re-installed. Remove all locks and tags to restore the energy isolating device to the “ON” position. Start the machine or equipment to ensure it is safe for normal use. Notify all personnel the locks and tags have been removed and equipment is in service.

- **Respiratory Protection Program:** SrA Barbour is the Respirator Rep. He keeps all documents in the binder and tracks it on an excel sheet.
- **Fall Arrest Systems:** Cover anchorage selection, rescue planning, and equipment inspections before personnel use personal fall arrest systems in assigned tasks. Train employees exposed to fall hazards to recognize fall hazards and the procedures to minimize them, including use and inspection of fall arrest systems. DAFMAN 91-203 - Air Force Occupational Safety, Fire and Health Standards, Chapter 13; 29 CFR 1910.66 - Powered platforms for building maintenance; 29 CFR 1926.503 - Training requirements
- **Hearing Conservation:** Ensure workers enrolled in hearing conservation understand noise hazard areas, double-hearing protection requirements, and local follow-up actions tied to occupational health evaluations. Train noise-exposed employees annually on the effects of noise, the purpose of hearing protectors, the advantages and disadvantages of various protectors, and the purpose of audiometric testing. DAFI 48-127; 29 CFR 1910.95 - Occupational noise exposure
- **Hazard Communication:** Provide HazCom training upon initial assignment, whenever a new chemical hazard is introduced, and when new tasks expose workers to different hazardous materials. Ensure workers know how to access local SDS information and labeling guidance. Train personnel on hazardous chemicals in their work area, labeling systems, safety data sheets, and the measures they can take to protect themselves during normal operations and foreseeable emergencies. DAFI 90-821; 29 CFR 1910.1200 - Hazard Communication
- **Ladder Safety:** Provide hands-on ladder safety training at first assignment, including local storage, damaged-tag procedures, and fall prevention expectations. Train workers to inspect ladders before use, maintain three points of contact, set ladders on stable surfaces, and avoid overreaching or using damaged ladders. DAFMAN 91-203 - Air Force Occupational Safety, Fire and Health Standards, Chapter 7
- **Personal Protective Equipment (PPE):** Use the work-center JHA, BE occupational health assessment, manufacturer instructions, DAFMAN 91-203 Chapter 14, and local safety office guidance to identify PPE requirements. Supervisors must ensure PPE is provided, used, cleaned, inspected, maintained in sanitary and serviceable condition, and documented in JSTO training records. Cover eye and face protection, head protection, foot protection, hand protection, protective clothing, and respiratory or hearing protection when those programs apply. Train each affected worker on when PPE is necessary, what PPE is necessary, how to properly don, doff, adjust, and wear PPE, the limitations of assigned PPE, and the proper care, maintenance, useful life, and disposal of PPE. Require workers to demonstrate understanding and proper use before performing work requiring PPE, and retrain when workplace conditions, job assignments, PPE types, or worker knowledge gaps make prior training obsolete. DAFMAN 91-203 - Air Force Occupational Safety, Fire and Health Standards, Chapter 14; 29 CFR Part 1910 - Occupational Safety and Health Standards (General Industry Standards) Subpart I; 29 CFR 1910.132; 29 CFR 1910.133; 29 CFR 1910.135; 29 CFR 1910.136; 29 CFR 1910.138
- **Bloodborne Pathogens:** Enroll applicable workers in the local bloodborne pathogens program and ensure exposure control plan requirements, reporting actions, and PPE procedures are covered before task performance. Provide bloodborne pathogens training at initial assignment and at least annually thereafter, covering exposure control, modes of transmission, and protective measures. 29 CFR 1910.1030 - Bloodborne Pathogens

Ergonomics Workstation Posture Guide:



Use this guide while briefing office and administrative workstation setup.

References

Enter TOs, JHAs, DAFIs, DAFMANs, local guidance, and manufacturer instructions used by this work center.

Required Documents


- CA-10
  What a Federal Employee Should Do When Injured at Work. Use this as the workplace reference for employee injury reporting and follow-up actions.
- DAF Form 457
  Hazard Report. Use this form to identify, document, and elevate unsafe conditions, equipment, or procedures in the workplace.
- DAFVA 91-209 **UNITS MUST FILL OUT THEIR OWN LOCATION POSTED**
  Department of the Air Force Occupational Safety and Health Program visual aid. Keep this available so personnel know the core safety rights, responsibilities, and reporting expectations.
  Location Posted: Enter where DAFVA 91-209 is posted for this work center.
- LS-201
  Notice of Employee's Injury or Death (Non-Appropriated Funds). Use this when applicable for NAF employee injury or death reporting.

Emergency Information

- **Emergency Numbers:** -911 is the emergency phone number for Fire, Police, or Ambulance on Dover AFB.
  -BDOC use 302-677-2100 or 302-677-6664.

- **Medical Facility / Treatment:** Anytime a military member is injured ON or OFF duty or an Air Force civilian is injured ON duty, or there is damage to government property or equipment, the mishap must be investigated and reported to 436/512 AW/SE regardless of severity. A good rule to follow is if a person gets injured and seeks medical treatment, it's serious enough to be investigated and reported to a supervisor and Wing Safety Office.
  It is important to note that if a mishap is very serious (fatality, amputation, serious bodily injury, in-patient hospitalization of personnel, suspected property damage of over $2,000 etc...) notification of Wing SEG is required.
  Supervisors shall know, and be briefed on the requirement to complete AF Form 978, Mishap Report of Injury/Illness and Treatment for mishaps that happen to their workers. If your subordinate is treated and cannot fill out the form then the supervisor is required to complete and sign the mishap form. This form must be completely filled out and signed. Turn this form into the Unit Safety Representative for forwarding to Wing Safety.
  The AF Form 978, Supervisor's Mishap Report helps you to record the facts as soon as possible after the incident before a significant amount of time has passed. The AF Form 978 must be used to document all mishap (personnel) injuries. You can obtain blank forms from EPUBS, your Unit Safety Representative or from the Wing Safety EIM page.
  Mandatory: individuals and supervisors must provide documents if seen at an off-base facility to report incident/illness. Many times the Primary Care Manager cannot see the patient until a few days have passed. Any information that can be gathered regarding the incident helps all safety personnel involved plan ahead.
  For both military and civilian members, light duty assignments may be available. The Air Force wants to make every effort to return injured employees to duty as soon as the attending physician deems feasible. To reduce lost time and to help employees maintain their pay status, options are available to provide light duty work for those who are capable. This could include answer telephones, filing, mail distribution or other duties that may be within the capacity of the injured party.
- **Evacuation / Muster Point:** Muster point is the parking lot between Bldg 600 and the Sign Shop. Alternate muster point is the parking lot north of CE compound.
- **Shelter in Place:** Shelter in Place location for builidng 607 is in Rm 9, the breakroom.
- **Active Shooter Response Methods:** Assess Situation:
  Determine most reasonable way to protect your own life
  Do Not confuse Lockdown with Shelter-In-Place response
  React:
  Determine the location of the shooter (inside or outside). Key decision factors:
  (1) Your proximity to the shooter
  (2) The accessibility of egress routes.
  Shooter may be moving through the facility or the parking areas. Be aware of the incident in regard to crossfire between the attacker and responding Security Forces.
  Call Security Forces:
  When safe: contact Security Forces: use local procedures!
  (1) ESCAPE (Run or Evacuate):
  If the shooter is in the facility and it is safe to do so, evacuate (escape) from the facility.
  Once outside, all personnel should disperse and take cover until the threat has been neutralized.
  (2) BARRICADE (Lockdown):
  Barricade yourself in a lock room; close/lock all windows, close blinds and turn off all lights, silence cell phones.
  If door cannot be locked; block with desks, chairs, etc.
  (3) FIGHT (Take Action):
  As a last resort and only when your life is in imminent danger – attempt to incapacitate the shooter.
  Act with physical aggression and throw items
- **Adverse Weather Shelter:** Not entered

Emergency Evacuation Route Image:



Fire evacuation route.PNG

Emergency Equipment and Safety Board

Safety Bulletin Board Location: Safety Board in located in the NCO office, Rm 2.

Building 607 (Main Shop)

Fire Extinguisher:
1 in NCO office
1 in Carpenter Shop
1 in HAZMAT area
2 in breakroom
1 in the graphics shop
1 in mech room

AED:
1 in the NCO office

First Aid Kits:
1 in Carpentry Shop

Eye Wash:
1 in Carpentry Shop

Building 615 (Metal Shop)
2 Fire Extinguisher
1 First Aid Kit
1 Eye Wash Station

No emergency equipment maps or location photos uploaded.

Traffic Safety Program

DAF Traffic Safety Program (DAFI 91-207): Train personnel on mandatory use of seat belts and helmets, speed limits, local traffic hazards, spotters while backing, vehicle training requirements, and restrictions on electronic device use while operating vehicles on- or off-base.


Seat Belts / Occupant Restraints: All persons operating or riding in motor vehicles must wear installed restraint systems as prescribed by the manufacturer. Drivers are responsible for ensuring all passengers are briefed on and use required restraints.

Motorcycle / ATV Training: Personnel must complete required safety training before riding a motorcycle, and local units should address required PPE, licensing, refresher training, and safety representative contacts.

Pedestrian / Bicycle Awareness: Emphasize local roadway crossing hazards, visibility requirements, spotter use, and other pedestrian or bicycle precautions specific to the installation.

Local Traffic Hazards / Vehicle Notes:
Enter local gate hazards, base-specific traffic concerns, spotter rules, and where vehicle training is documented.

Motorcycle Safety Representatives / Traffic Contacts:
Unit Motorcycle Safety Rep: MSgt Hubbard
VCO: SrA Johnson



No routine-use GVO risk assessment files uploaded.

Reporting Unsafe Equipment, Conditions, or Procedures

Notify the supervisor immediately when unsafe equipment, conditions, or procedures are identified. Personnel may report hazards without fear of retaliation, coercion, discrimination, or reprisal.

- **DAF Form 457:** Use to document and elevate unsafe conditions, equipment, or processes.
- **SAFEREP:** Use the approved mishap or hazard reporting channel for additional reporting when directed by local procedures.


Safety Reporting … All In One Place


SAFEREP APP!


Why Safety Reporting?

Quickly and easily tell safety about safety issues you see

- In the dorms
- At work
- Anywhere on base
- In flight
- While maintaining aircraft
- On the ramp







What to report?

- Dangerous conditions
- "Near miss" events
- Aviation specific reporting
- Cultural issues that could lead to an accident, damage, or injury
- Supervisor mishap report

Report anonymously
Reports go direct to the safety office

New name, new website, new app, and a whole new look

SAFEREP is a web- and app-based way for members from every career field to identify hazards and report near-misses and even some mishaps directly to their safety offices using any computer or mobile device.

SAFEREP

Download to your mobile device from your preferred App Store

Or

Go to https://saferep.safety.af.mil









Documentation and Review

Document initial, refresher, and task-specific training in the work center record, review annually or when work conditions change, and maintain records per local records management requirements.

Bioenvironmental Workplace Survey: No Bioenvironmental Workplace Survey uploaded.

Applicable Job Hazard Analyses: No Job Hazard Analysis files uploaded.

Annual Review Log:
Record the supervisor annual review history here.

Trainee Name	Employee ID / Last 4	Date Trained	Trainer / Supervisor Signature