

Job Safety Training Outline

Built to align with DAFI 91-202 paragraph 14.1 requirements.



Unit: 113 WG

Work Center: Safety

Work Area / Office Symbol: 113 SE

Phone: 857-5039

Supervisor: CMSgt Otero

Reviewer: MSgt Pedro E Perez

Review Date: 2026-10-04

Effective Date: 2026-10-04

Work Center Overview

Wing Staff Agency personnel include the Wing Command Staff, Command Post, Inspector General, Safety, Public Affairs, Judge Advocate General, Chaplain Corps, and Comptroller Flight (Finance). These offices primarily perform administrative duties in an office environment. Job Hazard Analysis (JHA) findings and Bioenvironmental Engineering (BE) survey notes should address typical administrative hazards, including ergonomic stressors from prolonged computer use, slips/trips/falls, electrical hazards, office equipment use, emergency evacuation procedures, and workplace stress/fatigue.

Safety and Public Affairs personnel may be required to perform duties on the flightline and in areas containing moving vehicles, ground support equipment, and aircraft. Major hazards in these areas include aircraft operations, vehicle traffic, moving equipment, jet blast, prop/rotor wash, high noise levels, foreign object debris (FOD), uneven surfaces, weather exposure, and restricted operational areas.

Required controls include completion of required flightline and local safety training; use of appropriate personal protective equipment, including hearing protection and high-visibility apparel as required; compliance with flightline driving, pedestrian, FOD, and airfield procedures; maintaining situational awareness around aircraft and vehicles; use of designated walkways and safe stand-off distances; and coordination with the responsible airfield or maintenance organization before entering operational areas. Personnel will not enter restricted areas, approach operating aircraft, operate vehicles or equipment, or conduct photography/public affairs activities near aircraft without required authorization, training, and escort requirements as applicable.

Work Area Hazard Analysis / JHA Notes

Primary work hazards include:- Office ergonomics, including repetitive-motion, workstation, and manual-material-handling hazards.- Slips, trips, and falls from cords, wet floors, uneven surfaces, stairways, ladders, and elevated work.- Electrical hazards associated with office equipment, power strips, damaged cords, and unauthorized equipment.- Fire, evacuation, severe weather, and emergency response hazards.- Cleaning chemical exposure, including disinfectants, bleach, and other common-area cleaning products.- Noise, flying debris, high-pressure water, chemical splash, vibration, and struck-by hazards when personnel volunteer or are assigned lawn-care, pressure-washing, facility-maintenance, or similar support tasks.- Vehicle, pedestrian, bicycle, parking-lot, and flight-line hazards when performing duties outside the office area.

Applicable guidance and references:

Employees will follow applicable technical orders, job guides, manufacturer instructions, Safety Data Sheets (SDS), approved work instructions, job orders, risk-management documentation (Deliberate Risks Assessment Worksheets), and Job Hazard Analyses (JHAs), when applicable

Required Training Topics


Workplace Hazards
Personal Protective Equipment
Emergency Action and Fire Prevention
Reporting Unsafe Equipment, Conditions, or Procedures
Mishap, Occupational Injury, and Illness Reporting
CA-10 and LS-201
DAF Traffic Safety Program
DAFVA 91-209 Location and Content
DAFSMS Responsibilities

- **Workplace hazards:** Describe crushing, burn, chemical, ladder, weather, flight line, and noise hazards specific to the work center, plus the technical orders, JHAs, and instructions workers must follow.
- **Personal protective equipment:** Train employees on required PPE, including donning, doffing, cleaning, maintenance, storage, disposal, and reporting contact-lens or medical issues that could affect wear.
- **Emergency action and fire prevention:** Cover alarms, AEDs, extinguishers, evacuation routes, shelter locations, and response procedures tied to the work center.
- **Reporting unsafe conditions:** Instruct personnel to report unsafe equipment, conditions, procedures, and injuries without fear of reprisal, including use of DAF Form 457 and applicable reporting channels.
- **Mishap / injury / illness reporting:** Explain on-duty and off-duty reporting requirements, medical treatment procedures, and emergency response contacts.
- **Traffic safety:** Brief seat belt, speed limit, spotter, electronic device, and motorcycle safety requirements applicable to the work center.

- **DAFVA 91-209 and DAFSMS:** Review the location of DAFVA 91-209 and how workers contribute to the unit safety management system.

Hierarchy of Controls

Apply these controls from most effective to least effective when reducing workplace hazards under DAFI 91-202 paragraph 14.1.2.1.4.



Use the highest level of control feasible first. PPE should protect workers only after elimination, substitution, engineering, and administrative controls have been considered.

Active Shooter Response

In the event of an active shooter, individuals should employ the **Avoid, Deny, Defend** response method. This strategy is adaptable to the specific situation and environment.

Responses to an Active Shooter include:

Avoid (RUN),

Deny (HIDE),

Defend (FIGHT)

Adapt your response to the weapons used:

Ricocheting bullets

Shrapnel and secondary missiles

Cover vs Concealment

An active shooter situation may be over within 15 minutes, before law enforcement arrives.

Avoid (Run): The first and preferred course of action is to evacuate the area if a safe route is available. Maintain awareness of your surroundings and have an escape route planned. Leave your belongings, evacuate regardless of whether others follow, and do not attempt to move wounded people. Once you have reached a safe location, call 911 and provide any information you have.

Deny (Hide): If you cannot evacuate, your next priority is to deny the attacker access to your location. This involves more than just hiding; it means securing your position. Lock and blockade doors with heavy furniture, turn off lights, silence your phone, and remain out of the shooter's view. Remember that concealment only hides you, while cover can offer protection from bullets.

Defend (Fight): As a last resort, when your life is in immediate danger, you must be prepared to defend yourself. Act aggressively, improvise weapons from your surroundings, and commit fully to your actions. Taking action may be risky, but it could be your best or only chance for survival.

When law enforcement arrives: Remain calm, follow all instructions, keep your hands visible with fingers spread, and be prepared to provide information about the shooter's location, number, and description.

DAFSMS Framework

DAFSMS uses four pillars and the DAFSMS framework to structure the mishap prevention program through continuous improvement and the Plan-Do-Check-Act model.



Policy and Leadership

Safety policy provides the structure for a proactive mishap prevention program. Active leadership involvement at every level is critical to implementation and sustained execution.

Risk Management

Integrate risk management into all safety-related activities so hazards are identified early, controls are implemented, and the safety culture stays proactive.

Assurance

Use evaluations, monitoring, and review processes to measure conformance to standards and drive continuous improvement across the mishap prevention program.

Promotion, Education, and Training

Provide safety awareness, embed ongoing training, implement effective controls, and keep airmen and guardians actively engaged in mishap prevention.

Department of the Air Force SMS Framework

Policy and Leadership

- Leadership planning, organization, direction, and control

- Management roles, responsibilities, and relationships
- Procedures and controls that are developed, documented, maintained, and monitored
- Safety and quality balance, integration, and goal setting

Risk Management

- Hazard identification through mission/task analysis and hazard lists
- Hazard assessment using exposure, probability, severity, and risk level
- Control options, effects, prioritization, selection, and decisions
- Implementation, communication, accountability, support, supervision, and feedback

Assurance

- Performance requirements, expectations, and control effectiveness
- Continuous monitoring, self-inspections, internal and external inspections
- Mishap and event investigation, reporting, metrics, and improvement opportunities
- Change management and continuous improvement actions

Promotion, Education, and Training

- Culture built on informed, flexible, learning, just, and reporting behaviors
- Competency through training and education
- Awareness through internal communication, external communication, and information access

Job Specific Training Items

The following modules apply to this work center and should be reviewed with trainees before task performance.

Hearing Conservation Flight Line Driving Fire Protection and Prevention Risk Management
Fundamentals Bloodborne Pathogens Government Vehicle / Utility Vehicle Use

- **Hearing Conservation:** Ensure workers enrolled in hearing conservation understand noise hazard areas, double-hearing protection requirements, and local follow-up actions tied to occupational health evaluations. Train noise-exposed employees annually on the effects of noise, the purpose of hearing protectors, the advantages and disadvantages of various protectors, and the purpose of audiometric testing. DAFI 48-127; 29 CFR 1910.95 - Occupational noise exposure
- **Flight Line Driving:** Use installation or unit-approved training and certification for airfield/fight line operations, to include local speed, spotter, and no-lone-zone requirements. Provide local flight line driving rules, markings, vehicle lighting requirements, restricted areas, and aircraft hazard awareness before granting driving privileges. DAFMAN 91-203 - Air Force Occupational Safety, Fire and Health Standards, Chapter 24
- **Fire Protection and Prevention:** Use the JSTO and local fire prevention plan to brief workers on work-center fire hazards, alarm reporting, extinguisher use, and evacuation accountability. Train personnel on fire hazards, reporting procedures, extinguisher locations, evacuation routes, pull

stations, and local emergency response actions. DAFMAN 91-203 - Air Force Occupational Safety, Fire and Health Standards; local fire prevention plan

- **Risk Management Fundamentals:** Use the DAF risk management process to discuss local hazard reporting, supervisor involvement, and integration into routine tasks. Train workers to identify hazards, assess risk, implement controls, supervise the task, and re-evaluate controls during and after operations. DAFI 90-802; DAFPAM 90-803
- **Bloodborne Pathogens:** Enroll applicable workers in the local bloodborne pathogens program and ensure exposure control plan requirements, reporting actions, and PPE procedures are covered before task performance. Provide bloodborne pathogens training at initial assignment and at least annually thereafter, covering exposure control, modes of transmission, and protective measures. 29 CFR 1910.1030 - Bloodborne Pathogens
- **Government Vehicle / Utility Vehicle Use:** Personnel authorized to operate government-owned vehicles (GOVs), utility vehicles, or other government-furnished transportation will comply with all applicable Department of the Air Force, installation, unit, and local traffic requirements. Only properly licensed, trained, and authorized personnel may operate a GOV or utility vehicle for official duties. Before operating a vehicle, the driver will conduct a basic pre-use inspection to identify apparent safety concerns, including damage, tire condition, lights, mirrors, fuel level, brakes, safety equipment, and any required vehicle documentation. Drivers will report vehicle deficiencies, damage, malfunctions, or unsafe conditions to their supervisor or designated vehicle control official before operating the vehicle. Vehicle operators will wear seat belts at all times, comply with posted speed limits and traffic-control devices, avoid distracted driving, and maintain safe following distances. Use of handheld electronic devices while driving is prohibited. Drivers will not operate a vehicle while impaired, fatigued, or otherwise unable to safely perform driving duties. When operating near buildings, parking lots, flightline areas, loading zones, pedestrians, or moving equipment, drivers will reduce speed and use heightened caution. Operators will yield to pedestrians, use spotters when required or when visibility is limited, and avoid backing whenever practical. When backing is necessary, the driver will ensure the area is clear and use a spotter when available. GOVs and utility vehicles will be used only for official purposes and by authorized personnel. Operators will secure vehicles when unattended, remove keys when required, park only in authorized areas, and ensure the vehicle does not block fire lanes, emergency access routes, building exits, aircraft movement areas, or other restricted locations. Any vehicle accident, damage, traffic violation, or unsafe operating condition will be reported immediately through the appropriate supervisory, vehicle control, and emergency-response channels.

References

Wing Staff Agency personnel will comply with all applicable Department of the Air Force Instructions (DAFIs), Department of the Air Force Manuals (DAFMANS), installation directives, and local operating procedures relevant to their assigned duties and work locations. Supervisors are responsible for ensuring personnel receive required training, understand applicable safety and emergency procedures, and comply with established workplace controls.

Where DAFI, DAFMAN, installation, or local guidance differs, personnel will follow the most restrictive applicable requirement unless otherwise directed by the appropriate authority. Personnel will notify their supervisor or unit safety representative of unclear requirements, unsafe conditions, or conflicts between procedures before proceeding with work.

List of Instruction applicable to the workplace is:

DAFMAN 91-203 - Air Force Occupational Safety, Fire and Health Standards

DAFI 91-202 - The Department of the Air Force (DAF) Mishap Prevention Program

DAFI 91-207

DODI 6055.01

Required Documents

- [CA-10](#)
What a Federal Employee Should Do When Injured at Work. Use this as the workplace reference for employee injury reporting and follow-up actions.
- [DAF Form 457](#)
Hazard Report. Use this form to identify, document, and elevate unsafe conditions, equipment, or procedures in the workplace.
- [DAFVA 91-209](#) **UNITS MUST FILL OUT THEIR OWN LOCATION POSTED**
Department of the Air Force Occupational Safety and Health Program visual aid. Keep this available so personnel know the core safety rights, responsibilities, and reporting expectations.
Location Posted: Enter where DAFVA 91-209 is posted for this work center.
- [LS-201](#)
Notice of Employee's Injury or Death (Non-Appropriated Funds). Use this when applicable for NAF employee injury or death reporting.

Emergency Information

- **Emergency Numbers:** From Land line: 911

From cell phone: 301-981-9911 In the event of a fire, medical emergency, security incident, hazardous condition, or other immediate threat to life or property, personnel will promptly contact emergency services.

From a landline: Dial 911.

From a cellular phone: Dial 301-981-9911.

When contacting emergency dispatch, remain calm and provide the following information:

Exact location, including building number, floor, room, or nearest identifiable landmark.

Nature of the emergency (e.g., medical emergency, fire, injury, aircraft-related hazard, suspicious activity, or hazardous material spill).

Number of personnel involved or injured and the apparent severity of injuries, if known.

Any immediate hazards present, such as fire, smoke, fuel, moving vehicles, aircraft operations, electrical hazards, or unsafe conditions.

A callback telephone number and point of contact, if available.

Personnel should not place themselves at risk while reporting an emergency. If safe to do so, notify nearby personnel, activate the appropriate alarm system, provide basic aid within the limits of training, and direct emergency responders to the location. Follow installation emergency procedures, evacuation routes, and instructions from emergency responders or designated building personnel.

- **Medical Facility / Treatment:** AGR personnel will use Malcolm Grow Medical Clinics and Surgery Center at Joint Base Andrews for routine medical care, treatment, and occupational health support. When performing duties at another military installation, personnel may use the local military treatment facility in accordance with installation procedures and eligibility requirements.

If medical assistance is required outside normal on-base clinic hours, personnel should seek care

at a local emergency room or urgent care facility, as appropriate to the severity of the condition. For life-threatening emergencies, personnel should immediately call 911 from a landline or 301-981-9911 from a cellular phone.

On Base ER hours: 0700 to 1900 hours, 7 days a week.

- **Evacuation / Muster Point:** Evacuation Routes and Assembly Areas

Fire:

In the event of a fire or other evacuation emergency, personnel will immediately use the nearest safe, designated exit from their office or work area. Do not use elevators during a fire evacuation. If the primary exit is unsafe or inaccessible, use an alternate designated exit. After exiting the building, proceed to the Building 3252 parking lot and report to the designated representative for your office, workplace, or directorate for accountability. Remain at the assembly area until released or directed otherwise by emergency responders or designated building personnel.

Bomb Threat:

In the event of a bomb threat, personnel will follow instructions announced through the Giant Voice system, building emergency notification system, or provided by emergency responders and building officials. When directed to evacuate, exit the building through the nearest safe, designated exit and proceed to the assembly area at the east-side running track section. Report to the designated accountability representative for your office, workplace, or directorate. Do not reenter the building or leave the assembly area until authorized by emergency responders or designated building personnel.

- **Shelter in Place:** When directed to shelter in place, personnel will proceed to the designated shelter location in the lower level of Building 3252, Room 113. The room is located at the end of the hallway adjacent to the wing break room.

Personnel will follow instructions provided through the Giant Voice system, building emergency notification system, emergency responders, or designated building personnel. Remain in the shelter location until an all-clear is announced or personnel are directed to relocate.

- **Active Shooter Response Methods:** 113TH WG defines an active-shooter/hostile-person situation as where an individual is actively engaged in killing or attempting to kill people in a confined and other populated area and continues until stopped by law enforcement, suicide, or intervention.

NOTIFICATION

1. Notify bystanders of the emergency and dictate their assistance; direct an individual to call the SF call 9-1-1 from a land line or 301-981-9911 from cell phone and state the location; and remain on the line until situation is handled or becomes too hazardous to remain.
2. Initiate the Pre-Accident Plan specific to the Squadron or flight 's mission profile.

RESPONSE

1. Run
 - a. Have an escape route and plan in mind.
 - b. Leave your belongings behind.
 - c. Help others escape, if possible.
 - d. Evacuate regardless of others.
 - e. Warn/prevent individuals from entering.
 - f. Do not attempt to move wounded people.
 - g. Keep your hands visible.
 - h. Follow police instructions.
 - i. Call 9-1-1 when safe.
2. Hide
 - a. Lock doors.

- b. Hide behind large items (e.g., cabinet, desk) offering protection, if shots are fired.
- c. Out of the active shooter's view.
- d. Silence cell phone/pager.
- e. Remain quiet.
- f. Do not restrict options for movement.
- g. Provide Law Enforcement with Information (if safe to do so)
 - Location of shooters.
 - Number of shooters.
 - Physical description of shooters.
 - Number and types of weapons.
 - Number of potential victims.
- 3. Fight (as last resort)
 - a. Act as aggressively as possible.
 - b. Throw items and use improvised weapons.
 - c. Work together to incapacitate the shooter.
 - d. Commit to your actions.

EVACUATION

- 1. Personnel are to evacuate the facility by the closest exit following published procedures.
- 2. 113TH WG representatives are to escort contractors and visitors.
- 3. Supervisors are to verify their areas are clear of personnel.
- 4. Personnel, temporary workers, contractors, and visitors are to report to an established assembly area and wait to be released.
- 5. Supervisors and 113TH WG representatives will take accountability of their personnel, temporary workers, contractors, or visitors. If personnel are not accounted for, UNDER NO CIRCUMSTANCE WILL PERSONNEL RETURN TO THE BUILDING.
- 6. Supervisors and 113TH WG representatives will report accountability to their chain-of-command.
- 7. Supervisors and 113TH WG representatives will report accountability to the law enforcement incident commander.
- 8. During adverse climate weather and after accountability is complete, Supervisors and 113TH WG representatives will coordinate with the incident commander on options for personnel shelter.

REACTING TO LAW ENFORCEMENT

- 1. Remain calm.
- 2. Put down any items.
- 3. Raise hands and spread fingers.
- 4. Avoid quick movements.
- 5. Avoid pointing, screaming, or yelling.
- 6. Proceed in direction from which Security Forces personnel are entering.

RECOVERY

- 1. The law enforcement incident commander will direct actions to those effected by the situation.
- 2. The law enforcement incident commander will declare if the area is safe to return to operations.
- 3. 113TH WG will:
 - a. Determine a method for notifying families.
 - b. Assess psychological state of individuals.
 - c. Identify and fill critical personnel or operational gaps.

REPORTING AND INVESTIGATION

- The effected Squadron or flight Command will coordinate an After-Action Review with supervisors, USR's, and security by completing:
- 1. Appropriate incident forms.
 - 2. Initiate an incident investigation.

3. Conduct an EAP evaluation.
 4. Conduct root-cause analysis and corrective-action development.
 5. Complete an AFSAS report, if appropriate, to be completed by the 113th Wing safety office qualified personnel.
- **Adverse Weather Shelter:** 113TH WG defines a severe weather emergency as natural disasters including tornados, floods, mudslides, earthquakes, or severe weather (such as hail, lightning, extended snow, and thunderstorms) that results in property damage or serious risk of injury. Weather related emergencies might result in disruption of services or personal risk.

NOTIFICATION

1. The 113TH WG Staff Duty will maintain a weather-alert radio (or other real-time weather monitoring and notification process) and personnel will receive training on its use.
2. If a weather-alert is received:
 - a. The 113TH WG Staff Duty will notify subordinate Squadron or flights of the alert.
 - b. Subordinate Squadron or flight commands will monitor the weather via computer or smartphone (or other real-time weather monitoring and notification process).
3. If the severe weather is headed towards the facility, 113TH WG Staff Duty will determine the necessity for shelter.
4. Initiate the Pre-Accident Plan specific to the Squadron or flight's mission profile.

RESPONSE

If it is determined to shelter:

1. Equipment operators are to shut down their equipment in an orderly, safe, and expedited manner.
2. 113TH WG representatives are to escort contractors and visitors.
3. Supervisors are to verify their areas are clear of personnel.
4. Personnel, temporary workers, contractors, and visitors are to report to an established shelter and wait to be released.
5. Supervisors and 113TH WG representatives will take accountability of their personnel, temporary workers, contractors, or visitors. If personnel are not accounted for, UNDER NO CIRCUMSTANCE WILL PERSONNEL LEAVE THE SHELTER.
6. Supervisors and 113TH WG representatives will report accountability to their chain-of-command.
7. Supervisors and 113TH WG representatives will report accountability to the emergency incident commander.

RECOVERY


1. USR's will inventory shelter supplies and replenish those used.
2. Operators will bring equipment shut down during the incident back up to operation using normal procedures.

REPORTING AND INVESTIGATION

The effected Squadron or flight Command will coordinate an After-Action Review with supervisors, USR's:

1. Appropriate incident forms.
2. Initiate an incident investigation.
3. Conduct an EAP evaluation.
4. Conduct root-cause analysis and corrective-action development.
5. Complete an AFSAS report, if appropriate, to be completed by the 113th Wing safety office qualified personnel.

Emergency Evacuation Route Image:



3252 evac route.png

Emergency Equipment and Safety Board

Safety Bulletin Board Location: The Wing information bulletin board is located in the Wing break room, Room 109. Personnel should review the bulletin board regularly for current safety information, emergency procedures, policy updates, training announcements, and other Wing notices.

FIRE EXTINGUISHERS, AUTOMATED EXTERNAL DEFIBRILLATORS, AND FIRST AID KITS:

Personnel should familiarize themselves with the location of emergency equipment within Building 3252 and report missing, damaged, expired, or inaccessible equipment to the appropriate facility or safety representative.

Automated External Defibrillators (AEDs) are located at the following locations:

Lower floor, near the Wing break room.

Auditorium entrance.

Second floor, to the left of the elevator.

In the event of a suspected cardiac emergency, immediately contact emergency services, send someone to retrieve the nearest AED, and provide care within the limits of your training until emergency responders arrive.


Fire extinguishers are located along building hallways and near designated exit routes. Personnel should only attempt to use a fire extinguisher when trained, the fire is small and contained, and a clear, safe exit

route is available. If the fire cannot be safely controlled, evacuate immediately and contact emergency services.

Manual fire alarm pull stations are located along designated paths of egress, generally near exit doors. When a fire or smoke condition is identified, activate the nearest manual fire alarm pull station, if safe to do so; evacuate using the nearest safe exit; and report to the designated assembly area for accountability.

First aid kits are maintained in designated work areas. Personnel should use first aid kits for minor injuries only and seek appropriate medical assistance for injuries requiring further evaluation or treatment.

Emergency Equipment Maps / AED & Fire Extinguisher Location Photos:



3252 FE and AED map.png

Traffic Safety Program

DAF Traffic Safety Program (DAFI 91-207): Train personnel on mandatory use of seat belts and helmets, speed limits, local traffic hazards, spotters while backing, vehicle training requirements, and restrictions on electronic device use while operating vehicles on- or off-base.

Seat Belts / Occupant Restraints: All persons operating or riding in motor vehicles must wear installed restraint systems as prescribed by the manufacturer. Drivers are responsible for ensuring all passengers are briefed on and use required restraints.

Motorcycle / ATV Training: Personnel must complete required safety training before riding a motorcycle, and local units should address required PPE, licensing, refresher training, and safety representative contacts.

Pedestrian / Bicycle Awareness: Emphasize local roadway crossing hazards, visibility requirements, spotter use, and other pedestrian or bicycle precautions specific to the installation.

Local Traffic Hazards / Vehicle Notes:

Traffic Safety, Local Hazards, and Vehicle Notes

Personnel who operate or ride in government-owned, rental, or privately owned vehicles for official duties at Joint Base Andrews (JBA) or throughout the Washington, DC, Maryland, and Virginia region will comply with applicable installation, federal, state, and local traffic laws; posted speed limits; parking restrictions; and direction from security forces, traffic controllers, or emergency personnel. Civilian drivers operating privately owned vehicles on JBA are subject to Maryland traffic laws, and installation driving privileges may be affected by traffic violations. af.mil

The National Capital Region presents elevated driving hazards due to dense traffic, frequent lane changes, aggressive or distracted drivers, pedestrians, cyclists, buses, emergency vehicles, road construction, and limited parking. Drivers will maintain situational awareness, avoid distracted driving, use hands-free communication only when permitted, wear seat belts, maintain safe following distances, and adjust speed and vehicle operation for traffic, weather, visibility, and road conditions.

Personnel operating in Washington, DC, must pay particular attention to pedestrians, cyclists, crosswalks, bike lanes, automated traffic enforcement areas, and lower speed limits. Unless otherwise posted, the District's maximum lawful speed is 20 mph; lower limits may apply near schools, playgrounds, alleys, or other specially marked areas.

When traveling in Maryland or Virginia, personnel should exercise caution near stopped emergency vehicles, disabled vehicles, roadside workers, and work zones. Maryland's Move Over Law requires drivers to move over or slow down when approaching stopped vehicles displaying warning signals. Virginia similarly requires drivers to move over when safe or slow down for stopped vehicles and pedestrians; Virginia also identifies work zones as areas requiring reduced speed, increased following distance, and heightened awareness of workers and equipment.

Personnel will not operate a vehicle while impaired, fatigued, distracted, or otherwise unable to drive safely. Drivers will use only authorized parking areas, comply with base speed limits and pedestrian right-of-way requirements, avoid blocking fire lanes or emergency access routes, and immediately report vehicle accidents, injuries, or hazardous road conditions through the appropriate installation, local law-enforcement, or supervisory channels.

On-Base Traffic and Pedestrian Safety — Joint Base Andrews

Personnel operating vehicles, bicycles, or traveling as pedestrians on Joint Base Andrews will comply with all posted traffic control devices, installation rules, and instructions from Security Forces or traffic-control personnel.

JBA personnel should anticipate congestion, delays, and changing traffic patterns near installation gates, during peak arrival and departure periods, weather events, construction, special events, and heightened security conditions. Gate hours and access procedures may change; personnel should check current JBA information before travel and allow sufficient time to reach their duty location safely.

- **Speed Limits:** The installation speed limit is 25 mph unless otherwise posted. Parking-lot speed limits are generally 5–10 mph, or as posted. Drivers will reduce speed when approaching intersections, crosswalks, parking areas, pedestrians, cyclists, and congested work areas.
- **Pedestrian Safety:** Pedestrians will use designated sidewalks, crosswalks, and marked pedestrian

routes when available. Before entering a roadway or crossing a parking lot, pedestrians will remain alert for moving vehicles and make eye contact with drivers when practical. Drivers will yield to pedestrians in marked crosswalks and exercise added caution near building entrances, parking areas, and fitness areas.


- **Headphones and Earpieces:** The use of headphones or earpieces is authorized only while using the base gym or running track. Personnel will not wear headphones or earpieces while walking, running, cycling, operating vehicles, or performing duties in areas where situational awareness is required.

- **Bicycle Safety:** Bicycle riders will wear required personal protective equipment and use reflective belts or other high-visibility equipment during periods of low visibility, including darkness, dawn, dusk, or inclement weather. Cyclists will obey all traffic signs, signals, and right-of-way requirements and remain alert for vehicle and pedestrian traffic.

- **Installation Gates and Active Vehicle Barriers:** Joint Base Andrews access points include the Main Gate on the north side of the installation, Pearl Harbor Gate on the east side, and Virginia Gate on the south side. Gate areas contain emergency pop-up vehicle barriers. Drivers must remain alert for posted signs, signals, and instructions indicating potential barrier activation. Do not attempt to rush through a gate or cross a barrier when it is being activated. A yellow warning light indicates that the barrier is about to activate. Drivers will approach all barriers cautiously, maintain adequate spacing from the vehicle ahead, and never stop a vehicle on top of a barrier.

Motorcycle Safety Representatives / Traffic Contacts:

List unit or group motorcycle safety representatives, traffic safety contacts, and local rider briefing requirements.



Risk Assessment for Routine Use of GVOs in Traffic, Industrial, or Pedestrian Environments:

The assistant said:

Assumption: GVO means **government-owned vehicle**. Below is a draft **Job Safety Analysis (JSA)/risk assessment** for routine GVO use in traffic, industrial, and pedestrian environments. Tailor the risk ratings, speed limits, routes, and approval authority to the installation's current traffic instruction, local procedures, and unit safety requirements. Department of the Air Force risk management is intended to be integrated into day-to-day operations, and installation traffic programs govern safe vehicle and pedestrian movement locally. [af.mil+1](#)

Risk Assessment: Routine Operation of Government-Owned Vehicles

Task: Routine operation of GVOs in road traffic, industrial/work areas, and pedestrian-dense environments

Scope: Sedan, van, pickup, utility vehicle, and similar light-duty GVOs; excludes specialized vehicles, emergency response, flightline, towing, and material-handling operations unless separately assessed.

Personnel: Authorized operators, supervisors, passengers, pedestrians, and nearby workers

Initial overall risk: Moderate

Residual overall risk: Low to Moderate, contingent on controls and local conditions

Hazard	Potential outcome	Initial risk	Controls / mitigation measures	Residual risk
Operator not qualified, licensed, rested, or fit to drive	Collision, injury, property damage	High	Verify valid driver authorization and applicable vehicle training; conduct pre-use self-assessment for fatigue, illness, medication effects, alcohol/drug impairment, and stress; supervisor removes unfit personnel from driving duties.	Low
Poor vehicle condition	Mechanical failure, collision, injury	High	Conduct documented/pre-use inspection: brakes, tires, steering, lights, mirrors, horn, windshield/wipers,	Low

Hazard	Potential outcome	Initial risk	Controls / mitigation measures	Residual risk
			seat belts, fluid leaks, backup alarm/camera if installed, and load security; remove unsafe vehicle from service and report defects.	
Distracted driving	Collision with vehicle, object, or pedestrian	High	No handheld device use while vehicle is moving; program GPS/radio before movement; stop in a safe location before making calls, texting, or adjusting equipment; minimize in-vehicle distractions.	Low
Traffic congestion, intersections, backing, lane changes	Collision, injury, mission delay	High	Obey posted/local traffic controls; maintain following distance; use turn signals; scan intersections and blind spots; avoid aggressive driving; plan route and allow adequate travel time; use a spotter when backing is restricted or visibility is inadequate.	Low–Moderate
Pedestrians, cyclists, and personnel in shared-use areas	Struck pedestrian; serious injury or fatality	High	Reduce speed in pedestrian areas; actively scan crosswalks, doors, corners, and blind areas; yield as required by local rules; establish eye contact where possible; avoid passing stopped vehicles near crosswalks; do not block	Low–Moderate

Hazard	Potential outcome	Initial risk	Controls / mitigation measures	Residual risk
			walkways, exits, fire lanes, or accessibility routes.	
Industrial/work-area traffic: forklifts, delivery vehicles, equipment, loading docks	Vehicle/equipment collision, crush injury	High	Use designated routes; observe industrial-area signs and right-of-way rules; maintain separation from operating equipment; do not enter active loading, staging, or equipment zones without coordination; park only in approved areas; use spotters/ground guides as required.	Low–Moderate
Reversing and limited visibility	Backing collision, pedestrian strike	High	Avoid backing when a pull-through or turn-around option exists; conduct 360-degree walk-around before backing; back slowly; use mirrors/camera but do not rely on them alone; use trained spotter when people, obstacles, or blind zones are present. Stop immediately if visual contact with spotter is lost.	Low
Adverse weather, darkness, glare, or reduced visibility	Loss of control, delayed recognition of hazards	High	Check conditions before departure; use headlights as appropriate; clear windows/mirrors; adjust speed and following distance; defer travel when conditions exceed vehicle/operator capability	Low–Moderate

Hazard	Potential outcome	Initial risk	Controls / mitigation measures	Residual risk
			or local restrictions; do not operate with obscured visibility.	
Improper passenger or cargo management	Injury, distraction, shifting load, vehicle instability	Moderate	Require seat belt use for all occupants; limit passengers to available seating; secure cargo to prevent movement; do not exceed vehicle payload; separate cargo from occupants where practicable; prohibit riding in cargo areas unless vehicle is designed and authorized for it.	Low
Parking, curbside stops, and loading/unloading	Pedestrian conflict, vehicle strike, trip/fall, blocked access	Moderate	Park in designated spaces; set parking brake; remove keys/secure vehicle when unattended; use hazard warning lights only when necessary and permitted; select safe loading/unloading locations away from traffic flow; inspect surrounding area before opening doors or exiting.	Low
Fueling/charging	Fire, spill, injury	Moderate	Shut off vehicle unless charging procedures require otherwise; no smoking/open flame; follow site fueling/charging procedures; address spills immediately under local spill-response	Low

Hazard	Potential outcome	Initial risk	Controls / mitigation measures	Residual risk
			procedures; report damaged charging/fueling equipment.	
Collision, breakdown, or near miss	Secondary collision, injury, delayed response	High	Stop safely; protect scene consistent with local procedures; render aid within training and conditions; notify emergency services/security forces/supervisor as applicable; report accident, damage, and near miss through unit and installation processes; do not move vehicle unless safety, traffic control, or authorities require it.	Moderate

Required Controls Before Operation

1. **Operator:** Authorized, fit for duty, familiar with vehicle and intended route.
2. **Vehicle:** Pre-use inspection complete; defects corrected or vehicle removed from service.
3. **Mission/route:** Route accounts for construction, high-pedestrian areas, industrial activity, weather, and parking availability.
4. **Communications:** Operator understands local emergency, accident, and reporting procedures.
5. **Backing plan:** Spotter/ground guide identified when required; pull-through parking used whenever available.
6. **Supervision:** Supervisor reviews unusual conditions—night operations, severe weather, high congestion, unfamiliar vehicles/routes, or elevated industrial activity—and applies additional controls.

Stop-Work / Reassess Triggers

Stop, park safely, and reassess when:

- Vehicle develops a safety defect or warning indication.
- Operator is fatigued, impaired, distracted, or otherwise unfit.
- Weather or visibility becomes unsafe.
- Pedestrian density, traffic congestion, or industrial activity prevents safe movement.
- A spotter is required but unavailable, or visual contact is lost.
- The planned route becomes blocked, unfamiliar, or inconsistent with local restrictions.

Supervisor Acceptance Statement

I have reviewed the hazards, controls, local installation requirements, and mission conditions for routine GVO operations. Personnel will not operate vehicles outside their authorization, vehicle capability, or applicable local procedures. Changes in conditions will be managed using real-time risk management and reported through the chain of command as appropriate.

Supervisor name/rank: _____

Date/time: _____

Residual risk decision: Low / Moderate / High

Approving authority: _____

Reporting Unsafe Equipment, Conditions, or Procedures

Notify the supervisor immediately when unsafe equipment, conditions, or procedures are identified. Personnel may report hazards without fear of retaliation, coercion, discrimination, or reprisal.

- **DAF Form 457:** Use to document and elevate unsafe conditions, equipment, or processes.
- **SAFEREP:** Use the approved mishap or hazard reporting channel for additional reporting when directed by local procedures.



Safety Reporting ... All In One Place

SAFEREP APP!

Why Safety Reporting?

Quickly and easily tell safety about safety issues you see

- In the dorms
- At work
- Anywhere on base
- In flight
- While maintaining aircraft
- On the ramp



What to report?

- Dangerous conditions
- “Near miss” events
- Aviation specific reporting
- Cultural issues that could lead to an accident, damage, or injury
- Supervisor mishap report

Report anonymously
Reports go direct to the safety office



New name, new website, new app, and a whole new look

SAFEREP is a web- and app-based way for members from every career field to identify hazards and report near-misses and even some mishaps directly to their safety offices using any computer or mobile device.



Download to your mobile device
from your preferred App Store

Or

Go to
<https://saferep.safety.af.mil>



DANGER

HAZARD

CONTROL MEASURES

AF FORM 979

CAUTION

HAZARD

CONTROL MEASURES

AF FORM 980

OUT OF ORDER

HAZARD

CONTROL MEASURES

AF FORM 981

DO NOT START

HAZARD

CONTROL MEASURES

AF FORM 982

Documentation and Review

Document initial, refresher, and task-specific training in the work center record, review annually or when work conditions change, and maintain records per local records management requirements.

Bioenvironmental Workplace Survey: No Bioenvironmental Workplace Survey uploaded.

Applicable Job Hazard Analyses: No Job Hazard Analysis files uploaded.

Annual Review Log:

Record the supervisor annual review history here.

Trainee Name Employee ID / Last 4 Date Trained Trainer / Supervisor Signature