



Job Safety Training Outline

Built to align with DAFI 91-202 paragraph 14.1 requirements.

Unit: 194 Wing

Work Center: Wing Staff Agencies

Office Symbol: Wing Staff / Admin

Supervisor: John Austin, Command Chief, CMSgt

Phone: 370-3388

Reviewer: Wes Colberg

Review Date: 2026-05-07

Effective Date: 2026-05-07

WORK CENTER OVERVIEW

- Coordinates wing-level command management, legal, and specialized administrative support while delivering comprehensive financial management, budget execution, and customer pay services.
- Located in Bldgs. 54, 51, 50. Airman Readiness Center and CPTS are upstairs in 109.
- Duties include executing specialized command advisory, legal, safety, and readiness functions, alongside comprehensive financial management, budget oversight, and customer pay services.

REQUIRED TRAINING TOPICS

Workplace Hazards

Personal Protective Equipment

Emergency Action and Fire Prevention

Reporting Unsafe Conditions

Reporting Mishaps and Occupational Injury/Illness

CA-10 and LS-201

DAF Traffic Safety Program

DAFVA 91-209


DAFSMS Responsibilities

- **Hazards and controls:** Address task hazards, environmental hazards, governing instructions, and hierarchy of controls including elimination, engineering, substitution, and administrative controls.
- **PPE:** Cover required protective equipment, wear/use procedures, cleaning, maintenance, storage, disposal, and supervisor notification concerns.
- **Emergency response:** Cover emergency action, fire prevention, alarms, AEDs, extinguishers, evacuation, shelter, active shooter response, and emergency contact procedures.

- **Reporting:** Explain unsafe condition reporting, injury/illness reporting, DAF Form 457, SAFEREP access, and anti-retaliation protections.
- **Program awareness:** Include CA-10 / LS-201 location, traffic safety program requirements, DAFVA 91-209 location, and DAFSMS responsibilities.

Hierarchy of Controls

Apply these controls from most effective to least effective when reducing workplace hazards under DAFI 91-202 paragraph 14.1.2.1.4.



Use the highest level of control feasible first. PPE should protect workers only after elimination, substitution, engineering, and administrative controls have been considered.

Active Shooter Response

In the event of an active shooter, individuals should employ the **Avoid, Deny, Defend** response method. This strategy is adaptable to the specific situation and environment.

Responses to an Active Shooter include:

Avoid (RUN),

Deny (HIDE),

Defend (FIGHT)

Adapt your response to the weapons used:

Ricocheting bullets

Shrapnel and secondary missiles

Cover vs Concealment

An active shooter situation may be over within 15 minutes, before law enforcement arrives.

Avoid (Run): The first and preferred course of action is to evacuate the area if a safe route is available. Maintain awareness of your surroundings and have an escape route planned. Leave your belongings, evacuate regardless of whether others follow, and do not attempt to move wounded people. Once you have reached a safe location, call 911 and provide any information you have.

Deny (Hide): If you cannot evacuate, your next priority is to deny the attacker access to your location. This involves more than just hiding; it means securing your position. Lock and blockade doors with heavy furniture, turn off lights, silence your phone, and remain out of the shooter's view. Remember that concealment only hides you, while cover can offer protection from bullets.

Defend (Fight): As a last resort, when your life is in immediate danger, you must be prepared to defend yourself. Act aggressively and take action against the shooter. Improvise weapons from your surroundings and commit to your actions. Taking action may be risky, but it could be your best or only chance for survival.

When law enforcement arrives: Remain calm, follow all instructions, keep your hands visible with fingers spread, and be prepared to provide information about the shooter's location, number, and description.

DAFSMS FRAMEWORK

DAFSMS uses four pillars and the DAFSMS framework to structure the mishap prevention program through continuous improvement and the Plan-Do-Check-Act model.



Policy and Leadership

Provides the structure for a proactive mishap prevention program through policy, active leadership engagement, and clearly defined responsibilities at every level.

Risk Management

Integrates hazard identification, assessment, and control decisions into daily operations to reduce mishaps and strengthen safety culture.

Assurance

Uses evaluations, monitoring, reviews, and data to confirm the mishap prevention program is implemented and improving over time.

Promotion, Education, and Training

Ensures Airmen and Guardians receive safety awareness information, embedded training, effective risk controls, and active engagement in mishap prevention.

1. Purpose. DAFSMS utilizes the four pillars and the DAFSMS framework to structure the mishap prevention program. Activities associated with each pillar set policy, identify and mitigate hazards and risk, and reduce the occurrence and cost of injuries, illnesses, fatalities, and property damage through continuous improvement and the PDCA model.

2. Policy and Leadership. Safety policy provides the structure for a sound and proactive mishap prevention program. Active leadership involvement in implementation and execution is critical at all levels of command.

3. Risk Management. Ensure the RM process is fully integrated into all safety-related activities to enhance mishap prevention and sustain a proactive safety culture. Refer to DAFI 90-802 and DAFPAM 90-803 for additional detail.

4. Assurance. Safety assurance is how commanders determine whether mishap prevention elements are implemented and guides continuous improvement through evaluation, monitoring, and review.

5. Promotion, Education, and Training. Ensure Airmen and Guardians are provided safety awareness information, organizations have embedded ongoing training into the mishap prevention program, effective risk controls are implemented, and personnel remain actively engaged.

Report it on SAFEREP



HAZARDS ARE EVERYWHERE.



WHAT ARE **YOU** DOING TO
PREVENT INJURY OR DEATH?

More info about SAFEREP
www.safety.af.mil/home/saferep

SAFEREP is the Department of the Air Force's (DAF) premiere digital safety reporting tool and mobile app. It allows Airmen and Guardians to easily report hazardous conditions, near-misses, unintentional errors, or safety concerns across all disciplines, including workplace, traffic, industrial, flight, weapons, and space safety, directly from their devices anytime and anywhere.

Fully integrated with the Air Force Safety Automated System (AFSAS), it replaces the earlier Airman Safety App and serves as the DAF's only fully digital safety reporting avenue. Users simply answer a short series of questions to submit reports that reach the appropriate Major Command (MAJCOM) safety office quickly and efficiently.

Key Benefits for Job Safety Training:

- **Empowers everyone:** Turns every Airman or Guardian into a proactive sensor for hazard identification, encouraging a strong safety culture where people feel comfortable speaking up without barriers like paperwork or word-of-mouth delays.
- **Prevents mishaps:** Enables early mitigation of risks before they lead to incidents, capturing minor events and near-misses that offer the greatest prevention potential.
- **Simple and accessible:** Mobile-first design makes reporting fast, more efficient than traditional methods, and available on the spot through the app on Google Play and the Apple App Store.
- **Broad coverage and integration:** Supports multiple safety areas and includes specialized features such as Aviation Safety Action Program reporting, improving visibility, tracking, and overall risk management across the force.

This tool strengthens operational readiness by fostering a proactive, data-driven approach to safety. You can download it from the app stores or access it through the official SAFEREP site for more details.

SAFEREP portal: <https://saferep.safety.af.mil>

Learn more: <https://www.safety.af.mil/Home/SAFEREP/>

REPORTING UNSAFE EQUIPMENT, CONDITIONS, OR PROCEDURES

Employees must report unsafe equipment, conditions, or procedures to their supervisor immediately. This includes any hazard that could injure personnel, damage equipment, or create an unsafe work process.

Personnel must also be notified that unsafe conditions, work-related injuries, and illnesses may be reported **without fear of retaliation**. Immediate supervisor involvement remains the primary reporting path, with SAFEREP and formal hazard-report channels available when needed.

What To Report

- Unsafe equipment that is broken, damaged, unserviceable, or missing required guards or controls.
- Unsafe conditions or procedures that create a hazard to personnel, operations, or facilities.
- Work-related injuries, illnesses, near-misses, and hazards needing immediate attention.

Immediate Actions

- Notify the supervisor or responsible area lead immediately.
- If the hazard can be safely controlled, stop use and isolate the equipment or area until corrected.
- If the danger is imminent to life or health, evacuate the area and activate emergency response procedures.

Tag use examples: Use the appropriate danger, caution, out-of-order, or do-not-start tag to keep unsafe equipment out of service until the hazard has been corrected and the responsible supervisor authorizes return to use.



Escalation: If the issue cannot be resolved at the lowest level, elevate it through the unit safety representative, DAF Form 457 process, or SAFEREP as appropriate.

USE OF PORTABLE FIRE EXTINGUISHERS



Portable fire extinguishers are intended for small, incipient-stage fires only. Personnel should use an extinguisher only when they have been trained, the fire is small and contained, the correct extinguisher is available, and there is a clear evacuation path behind them.

Use the **PASS** method when operating a portable fire extinguisher: **Pull** the pin, **Aim** at the base of the fire, **Squeeze** the handle, and **Sweep** side to side.

If the fire grows, smoke conditions worsen, or the extinguisher does not control the fire immediately, evacuate the area, activate the local emergency response process, and report the incident to emergency services and supervision.

WORK AREA HAZARD ANALYSIS

- Ergonomics: Potential for musculoskeletal strain due to prolonged computer use, improper workstation setup, and repetitive data entry tasks.

- Trips, Slips, & Falls: Risk of injury from unorganized office supplies, loose electrical/network cabling, and wet floors in common transition areas.
- Electrical Safety: Potential for fire or shock from overloaded power strips, daisy-chained extension cords, and damaged office equipment wiring.
- Physical Environment: Risks associated with improper manual lifting of heavy office files or equipment and the use of non-industrial step stools.
- Emergency Egress: Potential for delayed evacuation if hallways, fire exits, or electrical panels are blocked by stored administrative materials.

RISK MANAGEMENT FUNDAMENTALS

Reference: DAFSMS and local RM program guidance.

Address hazard identification, control selection, local escalation expectations, and when RM refresher training must be completed for this work center.

□ Hazard Identification & Reporting

Your Responsibility: Mishap prevention relies on you identifying, reporting, and correcting hazards immediately.

Guidelines for Personnel:

- How to Report: Report any hazardous conditions placing people or property at risk to your Supervisor, Facility Manager, Unit Safety Representative (USR), or Safety Office.
- Reporting Tools: Use DAF Form 457 (Hazard Report) or the SAFEREP electronic system.
- Your Protections: You can report anonymously. Supervisors/Managers are strictly prohibited from reprisal, coercion, or discrimination against anyone reporting a safety hazard.
- Near Misses: Report near misses. They are leading indicators of future mishaps involving manpower, equipment, environment, or methods.

□ Control Selection & Hazard Abatement: When a hazard cannot be fixed on the spot, leadership uses a systemic approach to prioritize and control the risk.

Risk Assessment Codes (RAC): Hazards are assigned a RAC by the safety office to prioritize how quickly they must be abated.

How We Control Hazards:

- Engineering/Planning: The preferred method is to engineer the hazard out completely (e.g., redesigning the workspace or equipment).
- Procedural Actions: If it cannot be engineered out, we implement procedures to minimize risk (e.g., mandatory PPE, operational limits, or frequent inspections).
- Interim Controls: Temporary safety measures put in place while waiting for a permanent fix. You must strictly follow all interim controls.

- Imminent Danger: If a situation is critical or presents imminent danger, STOP OPERATIONS immediately and withdraw personnel. Notify the commander or supervisor in charge right away. Work cannot resume until the hazard is mitigated or risk is formally accepted by the appropriate commander.

□ Daily Risk Management (RM): RM is Everyone's Job: Commanders mandate RM use at all levels, but personal accountability falls on the individual executing the job.

- Constantly Reevaluate: If anything about your job changes (weather, equipment status, personnel changes, new procedures), you must reevaluate the risk and adjust your controls before continuing.

- Risk Decision Escalation: Accountability is a critically important area of RM. The accountable person is the one who makes the decision (approves the control measures), and hence, the right person, at the appropriate level, must make the decision. The following risk acceptance authority levels are established for all deliberate RM assessments IAW AFI 90-802, paragraph 2.9.3.2.

-Extremely High and High = Wing CC

-Medium = Group CC/CV

-Low = Squadron CC/CV or Staff Agency Director

These risk acceptance authority levels are not applicable to formal test operations or acquisition/system safety. Other guidance assigns these authority levels.

Training:

- RM Fundamentals: Mandatory initial course on myLearning IAW DAFI 91-802, Para 4.1.1, covering DAF RM processes for on/off-duty situations.

- RM Refresher (ART): Mandatory annual training IAW DAFI 91-802, Para 4.1.4, to reinforce RM proficiency and ensure continuous safety awareness. Training materials that support RM ART including PowerPoint slides, and exercise example scenarios are available on the AFSEC Risk Management AF Portal site.

- Training Repository : Wing Safety maintains training materials, briefings and examples on their SharePoint site and AFSEC Risk Management AF Portal site.

JOB SPECIFIC TRAINING ITEMS

Ladder Safety

Active Shooter Response

Office Safety

Job Safety Training Outline Review

- **Ladder Safety:** Frequency: Annual Regulation: 91-203. 29 CFR 1910.23 Description: Critical Safety; This course is conducted at local level. Personnel who use ladders at working heights of six feet or more will be adequately trained in the care and use of different types of ladders. Training will be conducted IAW 29 CFR 1910.23. The supervisor, or a designated trainer, will conduct this training when a worker is first assigned and periodically as needed. Wing Safety will provide training and presentation materials. This course covers hands-on instruction on the safe use of ladders. To include: inspection of ladders for defects, possible electrocution hazards, and proper positioning and placement of ladders for various job sites. It is provided by the supervisor or a designated trainer and is mandatory for all individuals who utilize a ladder.

Link to training: <https://share.percipio.com/cd/cgVTGcbE->

- **Active Shooter Response:** Active Shooter: Annual training via Percipio covering "Avoid, Deny, Defend" principles, with local procedures directing personnel to barricade in place or evacuate to the Bldg. 81 (PCRC) rally point for accountability. Local Hazards: Potential for workplace violence or

active shooter incidents within Wing Staff facilities (Bldgs. 50, 51, 54, and 109). Local Procedures: Execute "Avoid, Deny, Defend." Evacuate if possible or barricade in a secure area away from windows. Once safe or when officially cleared by Law Enforcement, proceed to the primary rally point at Bldg. 81 (PCRC) for accountability. Training Summary: Mandatory course preparing personnel to identify active shooter characteristics, understand "Avoid-Deny-Defend" principles, and learn appropriate actions to take during an attack and when law enforcement arrives. Training Location: Completed via DAF E-Learning (Percipio): <https://share.percipio.com/cd/VzXuGtFnx> Interval / Documentation: Annual requirement. Completion records are automatically maintained within the Percipio learning management system.

Link to training: <https://share.percipio.com/cd/VzXuGtFnx>

- **Office Safety:** Frequency: One Time Regulation: DAFMAN 91-203 Description: Non-Critical Safety; This course is conducted at local level. Employers are required to provide an office environment free from hazards. Management should ensure that employees are educated about the many office hazards which many workers may not be aware of, such as noise, poor ergonomics, damaged electrical wires, inoperative fire extinguishers, and lack of emergency plans. Personnel assigned to office work environments are required to complete office safety training. Supervisors can be provided training when personnel assigned. Records are maintained in Percipio.

Link to training: <https://share.percipio.com/cd/-lUDIMeRk>

- **Job Safety Training Outline Review:** Training on the mandatory core items of the JSTO can be documented as a single consolidated entry (e.g., using a single course code for JSTO mandatory training), whereas job-specific items and any training identified in a Bioenvironmental Engineering (BE) survey must be documented individually. -Authorized methods for this documentation include the AF Form 55 (Employee Safety and Health Record), electronic tracking systems like AFFORMs, MAF LOG C2, or G081, or other locally developed products, provided they capture the minimum required data: the trainee's full name, the type of training, and the date completed. Note: Neither the trainer's nor the trainee's signature is required for this documentation unless it is specifically mandated in writing by the applicable chain of authority for high-risk programs such as lockout/tagout, fall protection, or HAZCOM.

Link to training: <https://share.percipio.com/cd/P8T-q4Nly>

REFERENCES

DAFI 91-202 - The Department of the Air Force (DAF) Mishap Prevention Program
DAFMAN 91-203 - Air Force Occupational Safety, Fire and Health Standards

REQUIRED DOCUMENTS

- [CA-10](#)
What a Federal Employee Should Do When Injured at Work. Use this as the workplace reference for employee injury reporting and follow-up actions.
- [DAF Form 457](#)
Hazard Report. Use this form to identify, document, and elevate unsafe conditions, equipment, or procedures in the workplace.
- [DAFVA 91-209](#) **UNITS MUST FILL IN THEIR OWN DAFVA 91-209 POSTING/LOCATION INFORMATION.**
Department of the Air Force Occupational Safety and Health Program visual aid. Keep this available so personnel know the core safety rights, responsibilities, and reporting expectations.
Location Posted: Enter where DAFVA 91-209 is posted for this work center.
- [LS-201](#)
Notice of Employee's Injury or Death (Non-Appropriated Funds). Use this when applicable for NAF employee injury or death reporting.

DAF TRAFFIC SAFETY PROGRAM

Reference: DAFI 91-207. Requirements of the DAF traffic safety program include mandatory use of seat belts and helmets, speed limits, local traffic hazards, spotters while backing, and vehicle training requirements.

Additionally, brief prohibition or restrictions on electronic-device use while operating vehicles on- or off-base, and discuss motorcycle safety training requirements before riding a motorcycle.

On-Base / Vehicle Operations

- Obey posted speed limits, traffic control devices, and local roadway rules.
- Use installed seat belts and occupant restraints as designed by the manufacturer.
- Use spotters while backing when required by local policy, task conditions, or vehicle type.
- Complete required GOV, GVO, golf cart, low-speed vehicle, or mission-specific vehicle training before operation.

Electronic Devices / Headphones

- Do not use non-hands-free electronic devices while operating a motor vehicle.
- Stop in a safe location before using a phone if hands-free operation is not available.
- Do not wear headphones or listening devices in ways that interfere with hearing traffic, alarms, or emergency warnings.

Motorcycle / ATV Safety

- Complete required motorcycle rider training before riding on a roadway.
- Wear required PPE including helmet, eye protection, gloves, protective clothing, and over-the-ankle footwear.
- Carry proof of required training when applicable and comply with state licensing requirements.

Pedestrian / Bicycle Awareness

- Use caution at crossings, follow traffic controls, and wear visibility gear when exposed to roadway hazards.
- Use required lighting and reflective equipment during darkness, reduced visibility, or inclement weather.




Department of the
Air Force Rider

#DAFRider Timeline

Right Training ... Right Time ... Right Bike



So you want to ride?



Every DAFRider should be physically capable, mentally prepared, and their motorcycle mechanically sound.

Local Traffic Hazards / Vehicle Notes:

As a collateral organization on Camp Murray, a joint base under WMD authority, the 194th Wing will support and adhere to all installation, DAF and ANG policies.

NOTE: Motorcycle Riders in Military Status: DSGs - The MUSTT requirement applies when they are in a military status (e.g., during Unit Training Assemblies [UTAs] or active-duty periods). However, units may track DSG riders even outside drill periods to ensure compliance year-round, especially given the Air Force's emphasis on reducing motorcycle mishaps (e.g., seven airmen fatalities from October 2022 to January 2023, three without proper training).

Local Traffic & Driving Hazards:

Winter Driving (October - April):

Rain & Hydroplaning: Persistent heavy rain increases stopping distances and hydroplaning risk (especially in I-5 ruts). Mitigation: Reduce speed.

Black Ice & Frost: The "freeze-thaw" cycle creates invisible black ice, particularly during early morning commutes. High Risk Areas: Bridges, overpasses, and shaded roads.

Fog & Low Visibility: Dense morning fog requires the use of low-beam headlights only.

Snow Disruptions: Even minor snow (1-3 inches) causes major gridlock due to limited clearing equipment and driver inexperience. Mitigation: Utilize telework or alternate plans if forecasted.

Mountain Passes: Snoqualmie/Stevens Passes experience severe winter conditions separate from the lowlands. Mandatory: WSDOT compliance and traction chains.

Interstate 5 Corridor (DuPont / JBLM / Tacoma):

Extreme Congestion: Severe stop-and-go traffic is common, especially during peak commute hours (0600-0900 / 1500-1800) and near JBLM gates.

Choke Points: Anticipate major delays and merging hazards near the Tacoma Dome, Puyallup River Bridge, and the "Fife Curve."

High Mishap Risk: High traffic volume and constant construction/lane shifts lead to frequent rear-end collisions.

Deceptive Hazards & Wildlife:

Sun Glare: Low-angle sun on wet roads causes blinding glare; polarized sunglasses are highly recommended.

Wildlife (Deer): High risk of deer strikes on rural/suburban routes, especially during dawn and dusk.

Rural & Residential Roads:

Slow Vehicles: Expect farm equipment on State Routes (e.g., SR 7, 507, 410). Pass only when legal and safe.

Lower Priority Clearing: Rural and residential roads are low priority for snow/ice removal and may remain hazardous long after highways are clear.

Speed vs. Conditions: Posted limits (up to 60 mph) may not be safe during adverse weather.

Motorcycle Safety Representatives / Traffic Contacts:

- Primary Motorcycle & Traffic Safety Rep: MSgt Terence Kung, DSN 370-3397
- Alternate / Traffic Safety Rep: Mr. Wes Colberg, DSN 370-3265

- Motorcycle riders must attend local conditions information during the installation newcomers' orientation program and receive an Initial Motorcycle Safety Briefing from their unit Motorcycle Safety Reps. Additionally, military personnel who operate or intend to operate a motorcycle on a roadway, operators of government-owned motorcycles, and AF civilian personnel whose position description requires operating a motorcycle, will comply with all motorcycle safety training requirements IAW DoDI 6055.04 and DAFI 91-207, Table 4.1.

No GVO risk assessment files uploaded.

EMERGENCY INFORMATION

- **Emergency Numbers:**

Emergency - 911

Regional Command Post - Primary: 509-247-7100

Alternate: 509-247-4045

During Duty Hours (Local Dispatch), 194 SFS BDOC - DSN: 370-3841

After Duty Hours (Local Dispatch): Joint Operations Center - 253-512-8130

- **Medical Facility / Treatment:**

Madigan Emergency Room and Urgent Care

9040A Jackson Ave.

Joint Base Lewis-McChord, WA 98431

(253) 968-1110

MultiCare Allenmore Hospital Emergency Department
1901 S Union Ave, Tacoma, WA 98405
(253) 459-6400

St. Clare Hospital - Emergency Room
11315 Bridgeport Way Southwest First Floor, Lakewood, WA 98499
(253) 985-1711

- MultiCare Good Samaritan Emergency – Parkland
14815 Pacific Ave S, Tacoma, WA 98444
(253) 697-8660

There is not an emergency medical treatment facility located on Camp Murray. The nearest Emergency medical facility is located on JBLM at the Madigan Army Medical Center. If emergency responders are needed, call 911 from any base telephone. (Note: If you dial 911 from your cell phone, it may delay response since the call goes to an off-base responder). The Fire Department will respond with paramedics/EMTs that are on shift. They can evaluate the injuries and recommend further medical attention. If further medical attention is needed, an ambulance may be called to transport the individual to a medical facility. If it is not a severe injury, but the person feels that a doctor needs to check it, they may go to an off-base medical provider of their choice within a reasonable distance (25 miles).

- **Evacuation / Muster Point:**

Primary Meetup Point: Base Flag Pole in Front of Bldg. 107

Alternate Meetup Point: South Side or the PCRC Bldg. 81

Active Shooter Meetup Point: South Side or the PCRC Bldg. 81

- **Shelter in Place:**

- Bldg. 54: Room 115
- Bldg. 50: Close and lock outer doors and office doors, remain in your offices.
- Bldg. 51: Close and lock outer doors and office doors, remain in your offices.
- Bldg. 109: Airman Care – Auditorium
- Bldg. 109: CPTS – Auditorium


- **Active Shooter Response Methods:**

SAFE LOCATION: Unit personnel need to have a location that they can meet at if they are able to safely escape from the ASI area. The safe location to go to on Camp Murray is Bldg. 81 - Pierce County Readiness Center (PCRC). This location is also where wing staff personnel will meet up for in-person accountability post-ASL

- **Adverse Weather Shelter:**

Shelter in Place

Emergency Evacuation Route:



EMERGENCY EQUIPMENT AND SAFETY BOARD

Safety Bulletin Board Location: Bldg. 54 Rm. 115 bulletin board Bldg. 109 across from Rm. 230 CPTS bulletin board in the hallway Bldg. 50 Main Hallway

Emergency Power Cutoff Type Location

Bldg. 50 Circuit breaker panel(s) Room 107 Janitors closet
Bldg. 51 Circuit breaker panel(s) Room 107 Janitors closet
Bldg. 54 Circuit breaker panel(s) Room 112 Utility Room

LOCATION OF EMERGENCY EQUIPMENT:

Fire Alarm Pull Box Locations:

Bldg. 50: 1 - Next to main entrance – building (local only) not connected to JBLM fire Call 911
Bldg. 51: 3 - Next to each Exit - building (local only) not connected to JBLM fire Call 911
Bldg. 54: None - Call 911
Bldg. 109: Next to each exit and at the south CPTS hallway entrance

Fire Extinguishers:

Bldg. 50: Next to Woman's Restroom
Bldg. 51: Next to Woman's Restroom
Bldg. 54: One near the restrooms, one near the electrical room, and one near each exit.
Bldg. 109: Fire extinguishers are located across from the restrooms in the north hallway, in the hallway the south end of the finance hallway and outside of the entry to the to the CPTS area near customer service.

First Aid Kits:

Bldg. 50: Next to Woman's Restroom


Bldg. 51: Next to Woman's Restroom
Bldg. 54: One near the restrooms.
Bldg. 109: located in lower floor Med Grp Lobby.

AEDs:


Bldg. 50: N/A
Bldg. 51: N/A
Bldg. 54: N/A
Bldg. 109: located in lower floor Med Grp Lobby.

Emergency Shower And Eyewash Equipment: - N/A
N/A


Emergency Equipment Maps / Photos:




109 Emergency Equip.png



150 Emergency Equip.png



151 Emergency Equip.png



154 Emergency Equip.png

DOCUMENTATION AND REVIEW

Documentation And Maintenance:

Training can be logged as a single entry. Direct the employee to log into Percipio and complete the ANG - Job Safety Training Outline Review. This fulfills the baseline requirement.

<https://usaf.percipio.com/linked-contents/e86851b1-2dfe-4732-88cb-3a2daaa91ea3/landing>.

Training Record: Supervisors will document all safety, fire, and health training using AF Form 55, Employee Safety and Health Record, or an equivalent electronic system (e.g., a printout from ARCNET, or a local digital record).

Note: If the AF Form 55 is mandated for use as the training documentation device, the entity that mandated the form usage will prescribe the requirement in writing to include entries that require signatures, e.g., HAZCOM, respirator, low powered industrial, hazardous energy control (LOTO), fall protection, confined spaces, radiation safety, laser safety, etc.

Refresher Training:

- Will be conducted and documented when employees demonstrate a lack of understanding of their required safety responsibilities or,
- If training has a specified frequency for recurrence (e.g. such as is called for in DAFMAN 91-203, Chapter 21, Hazardous Energy Control).

Disposition: When an individual permanently changes station (PCS), separates, or retires, the supervisor

or Unit Training Manager (UTM) will provide them with a copy of their completed training record to hand-carry. The unit will destroy its copy one year after the member's departure.

No DAF Form 1118 files uploaded.

No Bioenvironmental Workplace Survey uploaded.

Annual Review History:

Each annual review entry is shown in the table below.

Supervisor Name	Date Reviewed	Contact Info
Wes Colberg	05/07/2026	370-3388

