

Job Safety Training Outline

Built to align with DAFI 91-202 paragraph 14.1 requirements.



Unit: 306 Rescue Squadron

Work Center: Radio/Comm

Work Area / Office Symbol: Radio/Comm/SCMR

Phone: 520-228-7816

Supervisor: William C. Lundvall MSgt Comm Flight Chief

Reviewer: William C. Lundvall MSgt Comm Flight Chief

Review Date: 2026-08-13

Effective Date: 2026-08-13

Work Center Overview

The 306th Rescue Squadron Communications Shop provides reliable communications support for Guardian Angel operations. The team maintains and manages the communications equipment needed to keep personnel connected during training, exercises, and real-world missions. They also provide technical support, equipment accountability, and communications planning to ensure teams can effectively coordinate and accomplish the rescue mission.

Work Area Hazard Analysis / JHA Notes

Electrical/RF exposure, battery handling, lifting and material handling, slips/trips/falls, cuts and pinch points, ergonomic strain, antenna/mast setup, environmental exposure, and hazards associated with powered test and communications equipment.

Required Training Topics


Workplace Hazards
Personal Protective Equipment
Emergency Action and Fire Prevention
Reporting Unsafe Equipment, Conditions, or Procedures
Mishap, Occupational Injury, and Illness Reporting
CA-10 and LS-201
DAF Traffic Safety Program
DAFVA 91-209 Location and Content
DAFSMS Responsibilities

- **Workplace hazards:** Describe crushing, burn, chemical, ladder, weather, flight line, and noise hazards specific to the work center, plus the technical orders, JHAs, and instructions workers must follow.
- **Personal protective equipment:** Train employees on required PPE, including donning, doffing, cleaning, maintenance, storage, disposal, and reporting contact-lens or medical issues that could affect wear.
- **Emergency action and fire prevention:** Cover alarms, AEDs, extinguishers, evacuation routes, shelter locations, and response procedures tied to the work center.
- **Reporting unsafe conditions:** Instruct personnel to report unsafe equipment, conditions, procedures, and injuries without fear of reprisal, including use of DAF Form 457 and applicable reporting channels.
- **Mishap / injury / illness reporting:** Explain on-duty and off-duty reporting requirements, medical treatment procedures, and emergency response contacts.
- **Traffic safety:** Brief seat belt, speed limit, spotter, electronic device, and motorcycle safety requirements applicable to the work center.
- **DAFVA 91-209 and DAFSMS:** Review the location of DAFVA 91-209 and how workers contribute to the unit safety management system.

Hierarchy of Controls

Apply these controls from most effective to least effective when reducing workplace hazards under DAFI 91-202 paragraph 14.1.2.1.4.

HIERARCHY OF **HAZARD CONTROLS**



Use the highest level of control feasible first. PPE should protect workers only after elimination, substitution, engineering, and administrative controls have been considered.

Active Shooter Response

In the event of an active shooter, individuals should employ the **Avoid, Deny, Defend** response method. This strategy is adaptable to the specific situation and environment.

Responses to an Active Shooter include:

Avoid (RUN),

Deny (HIDE),

Defend (FIGHT)

Adapt your response to the weapons used:

Ricocheting bullets

Shrapnel and secondary missiles

Cover vs Concealment

An active shooter situation may be over within 15 minutes, before law enforcement arrives.

Avoid (Run): The first and preferred course of action is to evacuate the area if a safe route is available. Maintain awareness of your surroundings and have an escape route planned. Leave your belongings, evacuate regardless of whether others follow, and do not attempt to move wounded people. Once you have reached a safe location, call 911 and provide any information you have.

Deny (Hide): If you cannot evacuate, your next priority is to deny the attacker access to your location. This involves more than just hiding; it means securing your position. Lock and blockade doors with heavy furniture, turn off lights, silence your phone, and remain out of the shooter's view. Remember that concealment only hides you, while cover can offer protection from bullets.

Defend (Fight): As a last resort, when your life is in immediate danger, you must be prepared to defend yourself. Act aggressively, improvise weapons from your surroundings, and commit fully to your actions. Taking action may be risky, but it could be your best or only chance for survival.

When law enforcement arrives: Remain calm, follow all instructions, keep your hands visible with fingers spread, and be prepared to provide information about the shooter's location, number, and description.

DAFSMS Framework

DAFSMS uses four pillars and the DAFSMS framework to structure the mishap prevention program through continuous improvement and the Plan-Do-Check-Act model.



Policy and Leadership

Safety policy provides the structure for a proactive mishap prevention program. Active leadership involvement at every level is critical to implementation and sustained execution.

Risk Management

Integrate risk management into all safety-related activities so hazards are identified early, controls are implemented, and the safety culture stays proactive.

Assurance

Use evaluations, monitoring, and review processes to measure conformance to standards and drive continuous improvement across the mishap prevention program.

Promotion, Education, and Training

Provide safety awareness, embed ongoing training, implement effective controls, and keep airmen and guardians actively engaged in mishap prevention.

Department of the Air Force SMS Framework

Policy and Leadership

- Leadership planning, organization, direction, and control

- Management roles, responsibilities, and relationships
- Procedures and controls that are developed, documented, maintained, and monitored
- Safety and quality balance, integration, and goal setting

Risk Management

- Hazard identification through mission/task analysis and hazard lists
- Hazard assessment using exposure, probability, severity, and risk level
- Control options, effects, prioritization, selection, and decisions
- Implementation, communication, accountability, support, supervision, and feedback

Assurance

- Performance requirements, expectations, and control effectiveness
- Continuous monitoring, self-inspections, internal and external inspections
- Mishap and event investigation, reporting, metrics, and improvement opportunities
- Change management and continuous improvement actions

Promotion, Education, and Training

- Culture built on informed, flexible, learning, just, and reporting behaviors
- Competency through training and education
- Awareness through internal communication, external communication, and information access

Job Specific Training Items

The following modules apply to this work center and should be reviewed with trainees before task performance.

Hazard Communication

- **Hazard Communication:** Provide HazCom training upon initial assignment, whenever a new chemical hazard is introduced, and when new tasks expose workers to different hazardous materials. Ensure workers know how to access local SDS information and labeling guidance. Train personnel on hazardous chemicals in their work area, labeling systems, safety data sheets, and the measures they can take to protect themselves during normal operations and foreseeable emergencies. DAFI 90-821; 29 CFR 1910.1200 - Hazard Communication

References

HAZARDOUS ENERGY CONTROL- LOCKOUT/TAGOUT (LOTO) AWARENESS.
 REFERENCE: AFMAN 91-203, Chapter 21. When to use a tag out device: AFMAN 91-203, Chapter 29.
 Person Protective Equipment (PPE). Reference: 29 CFR 1910.132, AFMAN 91-203 Chapter 14. 306th
 RQS' ORM program. Ref AFMAN 11-411, 11-420, AFI 11-410, AFI 10-3502 Vol 1 and 2, and US Navy
 Dive Manual.

Required Documents


- [CA-10](#)
What a Federal Employee Should Do When Injured at Work. Use this as the workplace reference for employee injury reporting and follow-up actions.
- [DAF Form 457](#)
Hazard Report. Use this form to identify, document, and elevate unsafe conditions, equipment, or procedures in the workplace.
- [DAFVA 91-209](#) **UNITS MUST FILL OUT THEIR OWN LOCATION POSTED**
Department of the Air Force Occupational Safety and Health Program visual aid. Keep this available so personnel know the core safety rights, responsibilities, and reporting expectations.
Location Posted: Enter where DAFVA 91-209 is posted for this work center.
- [LS-201](#)
Notice of Employee's Injury or Death (Non-Appropriated Funds). Use this when applicable for NAF employee injury or death reporting.

Emergency Information

- **Emergency Numbers:** 355 Medical Group (520) 228-2778, Patient Administration/ Central Records (520) 228-2816, Dental Clinic Normal care: (520) 228-2651 Urgent Dental Care: (520) 228-2651,
- **Medical Facility / Treatment:** St Joseph's Hospital 350 N Wilmot Rd Tucson, AZ 85711 (520) 873-3000,
St Mary's Hospital 1601 W St. Mary's Rd Tucson, AZ 85745 (520) 872-3000
Banner University Medical Center (main campus) 1625 N. Campbell Ave. Tucson, AZ 85719 (520) 694-0111
Banner University Medical Center (South Campus) 2800 E Ajo Way Tucson, AZ 85713 (520) 874-2000
- **Evacuation / Muster Point:** Primary: Exit shop east door to courtyard, exit courtyard to exterior of building and muster in the front parking lot.

Alternate: Exit shop to main hallway exit through west hall door and muster in the front parking lot.
- **Shelter in Place:** Shelter in interior offices away from windows and doors that lead to the outside.
- **Active Shooter Response Methods:** Run, hide, fight, depending on proximity to shooter. Lock and secure all doors, turn off lights, and do not answer or engage with personnel outside of baraded office.
- **Adverse Weather Shelter:** Shelter in place in interior offices away from doors and windows.

Emergency Evacuation Route Image:



Screenshot 2026-08-13 120924.png


Emergency Equipment and Safety Board

Safety Bulletin Board Location: Outside room 143 in the main hallway the safety bulletin is posted.

Fire Extinguishers Locations: Rm 112, 114, 116, 121, 124, 125, 129, 134, 139. There are 2 fire extinguishers in the hallway.

Fire alarm: Rm 112, 121, west hallway, east hallway.

Emergency Equipment Maps / AED & Fire Extinguisher Location Photos:



Screenshot 2026-08-13 120924.png

Traffic Safety Program

DAF Traffic Safety Program (DAFI 91-207): Train personnel on mandatory use of seat belts and helmets, speed limits, local traffic hazards, spotters while backing, vehicle training requirements, and restrictions on electronic device use while operating vehicles on- or off-base.

Seat Belts / Occupant Restraints: All persons operating or riding in motor vehicles must wear installed restraint systems as prescribed by the manufacturer. Drivers are responsible for ensuring all passengers are briefed on and use required restraints.

Motorcycle / ATV Training: Personnel must complete required safety training before riding a motorcycle, and local units should address required PPE, licensing, refresher training, and safety representative contacts.

Pedestrian / Bicycle Awareness: Emphasize local roadway crossing hazards, visibility requirements, spotter use, and other pedestrian or bicycle precautions specific to the installation.

Local Traffic Hazards / Vehicle Notes:

AFI 91-207 covers all traffic safety guidelines including motorcycle safety requirements. This instruction applies to:

- All AF military personnel at any time, on or off a DoD installation
- All AF civilian personnel, on a DoD installation at any time, or in a duty status when off a DoD installation
- All persons in or on an government owned or government leased/rented motor vehicle
- All personnel at any time on an AF installation. This includes all leased, owned, or privatized property.

Seat belts

Seat belt use is mandatory! Seat belts, rollover protection systems (ROPS), airbags and other safety features are necessary for the safety of operators, passengers, bystanders, and the preservation of the equipment. End users of Government Owned, Leased, Rented Vehicles, Government Vehicles Other (GVO), Government Off-Road Vehicles, Government Owned Recreational Motor Vehicles, (GORMVs) also known as Other Government Motor Vehicle Conveyances (OGMVC), will ensure applicable safety devices and features are installed, maintained and used. State law requires mandatory use of seat belts on and off base.

Helmets

All persons who ride a bicycle, tricycle or other human powered vehicle, including motorized bicycles, on an AF installation roadway, to include flight lines wear a properly fastened, approved (e.g., Consumer Product Safety Commission, American National Standards Institute, Snell Memorial Foundation or host nation equivalent) bicycle helmet.

Speed limits

Off base

- Interstates & Freeways are typically 75 MPH i.e., Interstate 10
- Primary 4-lane divided highways 65 MPH
- Secondary 2-lane highways and county roads are 55 MPH

On Base

- Throughout - 30 mph unless otherwise posted
- Base housing – 15 mph unless otherwise posted
- Flight line - 5 mph near aircraft, no civilian vehicles allowed, no driving allowed without flight line validation on driver's license.

Local traffic hazards

- Poor road quality i.e., potholes, loose or uneven shoulders: Be aware of surface conditions and take added caution in areas of road construction. Move to the opposite lane when you encounter vehicles stopped on the side of the road i.e., Arizona State law requires the driver to move to the left lane when encountering an emergency vehicle on the right shoulder, if unable to move over then driver will slow down and move to the left most part of the lane, passing with extreme caution.
- Weather conditions: Low lying roadways are prone to flooding and this area is subject to flash floods. Slow down at night! With limited sight distance, comes limited reaction time. Expect icy conditions on bridges, overpasses, and shaded areas during colder months when it rains, snow or freezes happen. Dust storms do occur at times in Tucson and in between Tucson and Phoenix. If you are caught in a dust storm and are able to pull to the side of the road turn off your lights, set park brake and keep foot off of brake. If unable to pull off to the side of the road, reduce speed and proceed with caution.
- Animal/Object Strikes: Coyotes and Javelina are mostly the largest animals you will encounter crossing roadways in the Tucson area. In the outer parts of Tucson the roads go through open ranges which are where you may encounter a cow along the side of the road or in the road. If you see a coyote or Javelina or other large animal, SLOW DOWN and attempt to drive by the animal in a controlled manner. Attempting to steer around objects at high speed causes many other issues that can cause the driver to lose control i.e., running off the roadway, uncontrolled spin, roll over.

Spotters

Spotters will be required when operator visibility is obscured or in question, when backing a vehicle, and prior to beginning aircraft up/downloading (with pre-positioned chock in place). Backing of government-owned motor vehicles and the usage of spotters will be IAW AFMAN 24-306.

- Spotter(s) will use the following safety items during hours of darkness or periods of reduced visibility: reflective belt and flashlight or luminous wands.
- Spotter(s) must be trained in standard hand and arm signals and flashlight signals before guiding a vehicle
- Spotter(s) will position themselves away from the vehicle's path of travel and maintain visual contact with the vehicle operator.
- Government-owned motor vehicle operators will immediately stop if they lose visual contact with the spotter or notice the spotter is dangerously positioned between the vehicle and another object. In such cases, vehicle operators will secure the vehicle, exit and make an on-the-spot correction

before continuing operations.

Licensing/Training requirements

- State driver's license required to operate any vehicle.
 - Certificate of Competency required for flight line driving and operation must be IAW AFI 13-213.
 - Polaris Ranger/Razor, Utility Vehicles and other similar vehicles
- Before operating, personnel must complete the LSV/OGMV training.

*See LSV/OGMV Power Points or click [HERE](#)

Use of electronic devices

- Unless a hands-free device is used, use of cell phone is prohibited while operating a vehicle on base.
- Federal employees shall not engage in text messaging (a) when driving GMV, or when driving PMV while on official Government business, or (b) when using electronic equipment supplied by the Government while driving.
- Arizona law prohibits drivers from using a cellphone or a stand-alone electronic device while driving unless it is being used in a hands-free mode. This includes, but is not limited to, cell phones, tablets, and music & gaming devices.

Motorcycles

AFI 91-207 has established policies on Motorcycle safety.

- All military (both novice and experienced) must complete Motorcycle Safety Foundation (MSF) courses IAW AFI 91-207.
- All others (retirees, contractors, dependents, and civilians) who operate a motorcycle while on an AF installation are encouraged to complete a MSF course.
- All motorcycle riders will be briefed (initially and annually) by their Commander or designated representative on the requirements of motorcycle safety as outlined in AFI 91-207 and local policies.
- All motorcycle riders must input their motorcycle information into the MUSTT system for tracking purposes. Information needed will include: experience, certificate of training, year, make, model, engine size, etc.
- All motorcycle riders will wear appropriate PPE to include helmet, eye protection, protective clothing and foot protection.

PT (jogging/running/walking/biking)

- The preferred PT areas on base are at the designated running tracks. If this option is chosen, headphones are permitted and reflective material is not required while on the track.
- While performing PT on roadways:
 - Headphones are not permitted to be worn
 - Reflective clothing or gear must be worn during hours of darkness or periods of reduced visibility
 - Personnel will PT against traffic

Other important information

- All vehicles must be insured to the state mandated level of liability.
- Park only in designated parking spots.
- Always yield to runners, walkers and bicyclists.

Motorcycle Safety Representatives / Traffic Contacts:

MSgt Erik, Wieland DSN: 520-228-5580




Department of the
Air Force Rider

#DAFRider Timeline

Right Training ... Right Time ... Right Bike



So you want to ride?



Every DAFRider should be physically capable, mentally prepared, and their motorcycle mechanically sound.

No routine-use GVO risk assessment files uploaded.

Reporting Unsafe Equipment, Conditions, or Procedures

Notify the supervisor immediately when unsafe equipment, conditions, or procedures are identified. Personnel may report hazards without fear of retaliation, coercion, discrimination, or reprisal.

- **DAF Form 457:** Use to document and elevate unsafe conditions, equipment, or processes.
- **SAFEREP:** Use the approved mishap or hazard reporting channel for additional reporting when directed by local procedures.



Safety Reporting ... All In One Place

SAFEREP APP!

Why Safety Reporting?

Quickly and easily tell safety about safety issues you see

- In the dorms
- At work
- Anywhere on base
- In flight
- While maintaining aircraft
- On the ramp



What to report?

- Dangerous conditions
- “Near miss” events
- Aviation specific reporting
- Cultural issues that could lead to an accident, damage, or injury
- Supervisor mishap report

Report anonymously
Reports go direct to the safety office



New name, new website, new app, and a whole new look

SAFEREP is a web- and app-based way for members from every career field to identify hazards and report near-misses and even some mishaps directly to their safety offices using any computer or mobile device.



Download to your mobile device
from your preferred App Store

Or

Go to
<https://saferep.safety.af.mil>





A white rectangular tag with a black border and a hole at the top. It features a red oval with the word "DANGER" in black. Below this, there are two sections: "HAZARD" and "CONTROL MEASURES", each with a dotted grid for text entry. The text "AF FORM 979" is at the bottom.

DANGER

HAZARD

CONTROL MEASURES

AF FORM 979



A yellow rectangular tag with a black border and a hole at the top. It features a black oval with the word "CAUTION" in yellow. Below this, there are two sections: "HAZARD" and "CONTROL MEASURES", each with a dotted grid for text entry. The text "AF FORM 980" is at the bottom.

CAUTION

HAZARD

CONTROL MEASURES

AF FORM 980



A white rectangular tag with a black border and a hole at the top. It features a black oval with the words "OUT OF ORDER" in white. Below this, there are two sections: "HAZARD" and "CONTROL MEASURES", each with a dotted grid for text entry. The text "AF FORM 981" is at the bottom.

OUT OF ORDER

HAZARD

CONTROL MEASURES

AF FORM 981



A white rectangular tag with a black border and a hole at the top. It features a red oval with the words "DO NOT START" in black. Below this, there are two sections: "HAZARD" and "CONTROL MEASURES", each with a dotted grid for text entry. The text "AF FORM 982" is at the bottom.

DO NOT START

HAZARD


CONTROL MEASURES

AF FORM 982

Reporting Unsafe Equipment Reference Files:



943d Rescue Group Mishap Reporting Procedures



AFTER DUTY HOURS

IF UNABLE TO CONTACT ANY USRs OR 943 RQG SAFETY PERSONNEL, CONTACT COMMAND POST: 228-7400

INDIVIDUAL – In the event of a mishap or injury, seek medical attention immediately and then notify your immediate supervisor. Reserve military must report **any injury to personnel or damage to government property** whether on- or off-duty. Civilian employees are required to report on-duty injuries or on-duty government property damage.

SUPERVISOR – Notify your unit safety representative and implement corrective safety actions. Complete an AF Form 978, *Supervisor's Mishap Report*, and forward it to the USR immediately. The report must have a complete narrative of the incident, including a description of the injury or government property damage. The Safety office requires these mishap reports within five duty days of the event.

UNIT SAFETY REPRESENTATIVE (USR) – Ensure corrective actions are taken to avoid another mishap, and that the supervisor has completed an AF Form 978, *Supervisor's Mishap Report*. E-mail the mishap report to the Safety office (943 RQG/SE) **within five duty days** of the incident. If there is possible lost time or government property damage, notify your commander and the safety office immediately.

943 RQG SAFETY PHONE NUMBERS:

Chief of Safety: 228-1608

Flight Safety: 228-1608

Occupational / Weapons Safety: 228-2329

943 RQG Safety is located in the 943 RQG Building 5426, Room 102

Documentation and Review

Document initial, refresher, and task-specific training in the work center record, review annually or when work conditions change, and maintain records per local records management requirements.

Bioenvironmental Workplace Survey: No Bioenvironmental Workplace Survey uploaded.

Applicable Job Hazard Analyses: No Job Hazard Analysis files uploaded.

Annual Review Log:

MSgt William C. Lundvall Reviewed 13 August 2026

Trainee Name Employee ID / Last 4 Date Trained Trainer / Supervisor Signature