

Job Safety Training Outline

Built to align with DAFI 91-202 paragraph 14.1 requirements.



Unit: 943 MXS

Work Center: Specialist Flight

Work Area / Office Symbol: MXAAS

Phone: 228-2325

Supervisor: SMSgt Paredes, Michelle

Reviewer: SMSgt Paredes, Michelle

Review Date: 2026-07-14

Effective Date: 2026-07-14

Work Center Overview

The Specialist Flight provides back-shop and on-aircraft maintenance for the HH-60 fleet, directly troubleshooting and repairing critical mission systems to ensure training and CSAR missions can be executed safely. They diagnose, repair, and maintain the following vital HH-60 systems: Avionics, EW, GAC, E&E, and Propulsion.

Work Area Hazard Analysis / JHA Notes


Required Training Topics

Workplace Hazards Personal Protective Equipment Emergency Action and Fire Prevention Reporting Unsafe Equipment, Conditions, or Procedures Mishap, Occupational Injury, and Illness Reporting CA-10 and LS-201 DAF Traffic Safety Program DAFVA 91-209 Location and Content DAFSMS Responsibilities

- **Workplace hazards:** Describe crushing, burn, chemical, ladder, weather, flight line, and noise hazards specific to the work center, plus the technical orders, JHAs, and instructions workers must follow.
- **Personal protective equipment:** Train employees on required PPE, including donning, doffing, cleaning, maintenance, storage, disposal, and reporting contact-lens or medical issues that could affect wear.
- **Emergency action and fire prevention:** Cover alarms, AEDs, extinguishers, evacuation routes, shelter locations, and response procedures tied to the work center.
- **Reporting unsafe conditions:** Instruct personnel to report unsafe equipment, conditions, procedures, and injuries without fear of reprisal, including use of DAF Form 457 and applicable reporting channels.
- **Mishap / injury / illness reporting:** Explain on-duty and off-duty reporting requirements, medical treatment procedures, and emergency response contacts.
- **Traffic safety:** Brief seat belt, speed limit, spotter, electronic device, and motorcycle safety requirements applicable to the work center.
- **DAFVA 91-209 and DAFSMS:** Review the location of DAFVA 91-209 and how workers contribute to the unit safety management system.

Hierarchy of Controls

Apply these controls from most effective to least effective when reducing workplace hazards under DAFI 91-202 paragraph 14.1.2.1.4.



Use the highest level of control feasible first. PPE should protect workers only after elimination, substitution, engineering, and administrative controls have been considered.

Active Shooter Response

In the event of an active shooter, individuals should employ the **Avoid, Deny, Defend** response method. This strategy is adaptable to the specific situation and environment.

Responses to an Active Shooter include:

Avoid (RUN),

Deny (HIDE),

Defend (FIGHT)

Adapt your response to the weapons used:

Ricocheting bullets

Shrapnel and secondary missiles

Cover vs Concealment

An active shooter situation may be over within 15 minutes, before law enforcement arrives.

Avoid (Run): The first and preferred course of action is to evacuate the area if a safe route is available. Maintain awareness of your surroundings and have an escape route planned. Leave your belongings, evacuate regardless of whether others follow, and do not attempt to move wounded people. Once you have reached a safe location, call 911 and provide any information you have.

Deny (Hide): If you cannot evacuate, your next priority is to deny the attacker access to your location. This involves more than just hiding; it means securing your position. Lock and blockade doors with heavy furniture, turn off lights, silence your phone, and remain out of the shooter's view. Remember that concealment only hides you, while cover can offer protection from bullets.

Defend (Fight): As a last resort, when your life is in immediate danger, you must be prepared to defend yourself. Act aggressively, improvise weapons from your surroundings, and commit fully to your actions. Taking action may be risky, but it could be your best or only chance for survival.

When law enforcement arrives: Remain calm, follow all instructions, keep your hands visible with fingers spread, and be prepared to provide information about the shooter's location, number, and description.

DAFSMS Framework

DAFSMS uses four pillars and the DAFSMS framework to structure the mishap prevention program through continuous improvement and the Plan-Do-Check-Act model.



Policy and Leadership

Safety policy provides the structure for a proactive mishap prevention program. Active leadership involvement at every level is critical to implementation and sustained execution.

Risk Management

Integrate risk management into all safety-related activities so hazards are identified early, controls are implemented, and the safety culture stays proactive.

Assurance

Use evaluations, monitoring, and review processes to measure conformance to standards and drive continuous improvement across the mishap prevention program.

Promotion, Education, and Training

Provide safety awareness, embed ongoing training, implement effective controls, and keep airmen and guardians actively engaged in mishap prevention.

Department of the Air Force SMS Framework

Policy and Leadership

- Leadership planning, organization, direction, and control
- Management roles, responsibilities, and relationships
- Procedures and controls that are developed, documented, maintained, and monitored
- Safety and quality balance, integration, and goal setting

Risk Management

- Hazard identification through mission/task analysis and hazard lists
- Hazard assessment using exposure, probability, severity, and risk level
- Control options, effects, prioritization, selection, and decisions
- Implementation, communication, accountability, support, supervision, and feedback

Assurance

- Performance requirements, expectations, and control effectiveness
- Continuous monitoring, self-inspections, internal and external inspections
- Mishap and event investigation, reporting, metrics, and improvement opportunities
- Change management and continuous improvement actions

Promotion, Education, and Training

- Culture built on informed, flexible, learning, just, and reporting behaviors
- Competency through training and education
- Awareness through internal communication, external communication, and information access

Job Specific Training Items

No job-specific modules selected yet.

No modules selected

References

DAFI91-202 AF Occupational Safety and Health (AFOSH) Program;
DAFMAN 32-1067 Storm Water Pollution;
DAFI 32-7001 Environmental Management;

Required Documents

- [CA-10](#)
What a Federal Employee Should Do When Injured at Work. Use this as the workplace reference for employee injury reporting and follow-up actions.

- [DAF Form 457](#)
Hazard Report. Use this form to identify, document, and elevate unsafe conditions, equipment, or procedures in the workplace.
- [DAFVA 91-209](#) **UNITS MUST FILL OUT THEIR OWN LOCATION POSTED**
Department of the Air Force Occupational Safety and Health Program visual aid. Keep this available so personnel know the core safety rights, responsibilities, and reporting expectations.
Location Posted: Enter where DAFVA 91-209 is posted for this work center.
- [LS-201](#)
Notice of Employee's Injury or Death (Non-Appropriated Funds). Use this when applicable for NAF employee injury or death reporting.

Emergency Information

- **Emergency Numbers:** Fire Dept: 911 / 228-3333 / Non-ER 228-4757;
Security Forces Non-ER: 228-3200;
Command Post: 228-7400;
Base Ops: 228-4315 / 228-4507;
943 MXS MOC: 228-2353;
Public Health: 228-2714;
943 RQG Safety: 228-2329 / 228-1608;
355th Wing Safety: 228-3311 / Cell 520-909-0316;

If the base 911 telephone system is down (228-3333), report fire or medical emergencies by calling 520-965-5965, and security forces related incidents, call 520-909-8476.

- **Medical Facility / Treatment:** NON-EMERGENCIES:
1) 355 MDG (base clinic & after-hours nurse), Bldg 400, DMAFB AZ, 520-228-2778;
2) Health and Wellness Center (HAWC), Bldg 4220, DMAFB AZ, 520-228-2294

LOCAL AREA HOSPITALS:

- 1) St. Joseph's Hospital, 350 N. Wilmot Rd., Tucson AZ 85711, 520-873-3000;
 - 2) St. Mary's Hospital, 1601 W. St. Mary's Rd., Tucson AZ 85745, 520-872-2254;
 - 3) Banner UMC (Main), 1501 N. Campbell Ave., Tucson AZ 85724, 520-594-0111;
 - 4) Southern AZ VA HCS, 3601 S. 6th Ave., Tucson AZ 85723, 520-792-1450;
 - 5) Tucson Medical Center, 5301 E. Grant Rd., Tucson AZ 85712, 520-327-5461;
 - 6) NW Medical Center; 6200 N. La Cholla Blvd., Tucson AZ 85741, 520-742-9000
- **Evacuation / Muster Point:** The GATHERING POINT for 943 MXS building 1750 is the parking lot on the SE corner of Arizola Street and First Street. From the hangar, exit the West hangar door and head East around the building towards the parking lot. From room 139, exit the South exterior door and head East towards the parking lot.

The GATHERING POINT for 943 MXS building 1632 is the parking lot on the SE corner of Arizola Street and First Street. From the Propulsion and AGE bay/interior offices, exit the closest East exterior door and head West around the building towards the parking lot.

- **Shelter in Place:** Bldg 1750, Rooms 138 and 137
- **Active Shooter Response Methods:** All personnel must quickly determine the most reasonable way to protect themselves from the shooter and escape, hide out, and/or act against the shooter.

The installation Giant Voice will announce three times "LOCKDOWN, LOCKDOWN, LOCKDOWN, the last known threat area is (Affected Area)." The Installation mass communication system will be used to alert personnel of an active shooter incident. All personnel must quickly determine the most reasonable way to protect themselves from the shooter and escape, hide out, and/or take action against the shooter. Personnel in the immediate area of the shooter will:

ESCAPE: Evacuate if possible. Identify an escape route beforehand. If an escape path is available,

evacuate the premises. If in a customer service area, remember, customers will follow the lead of office personnel during an active shooter situation. While moving, personnel should alert others of the incident by shouting "LOCKDOWN, LOCKDOWN, LOCKDOWN."

- Evacuate whether others agree to follow or not.
- Leave belongings behind.
- Help others evacuate if possible.
- Prevent others from entering an area where the shooter may be located.
- Keep your hands visible.
- Follow the instructions of Security Forces when encountered.
- DO NOT attempt to move wounded personnel.
- Call 911 when safe to do so.
- If in a group, choose one person to call 9-1-1 and follow the directions of the 9-1-1 operator.
- Call only if you have pertinent information, to ensure lockdown procedures are initiated, to alert first responders and/or to provide current/ updated information regarding the threat.
- Pertinent information includes: incident/shooter location, number of shooters, number and type of weapon (handgun, shotgun, rifle, automatic weapon), shooter's physical description and direction of travel, number of casualties, explosive devices, chained doors, etc.
- Do not assume others have alerted 9-1-1 operators until that action is confirmed by the activation of mass notification systems (Giant Voice, etc.).
- If you are connected to the 9-1-1 operator, stay on the phone and answer all questions. Do not hang up until told to by the controller/operator.

HIDE OUT:

- If evacuation isn't possible, personnel in the immediate area must find a place to hide where they are less likely to be discovered by the shooter. Take immediate cover to minimize exposure. Move quickly away from the threat and seek shelter inside the nearest room/building which can be locked. Relocate as many personnel from hallways and common areas to an area which can be secured and locked. While moving, personnel should alert others of the incident by shouting "LOCKDOWN, LOCKDOWN, LOCKDOWN."

The hiding place should:

- Be out of the shooter's view.
- Provide protection if shots are fired.
- Be in an area that doesn't trap or restrict options for movement if possible.

To prevent the shooter from entering the hiding place:

- Lock the door.
- Blockade the door with heavy furniture, if available.
- Turn off the lights.

If the shooter is nearby, personnel must:

- Silence cell phones.
- Turn off any source of noise (i.e. Television or radio).
- Hide behind large items if possible. If not, lie flat on the floor.
- Stay clear of windows and doors.
- Remain quiet.

Take action against the shooter:

- This is used as a last resort if the opportunity presents itself and only when your life is in danger.
- Personnel should use whatever means possible to overpower the subject to save further lives.
- Use the minimum force necessary to subdue the threat, however, deadly force is authorized when an individual reasonably believes he/she, or others in the area, is/are in immediate danger of death or serious bodily harm.

- **Adverse Weather Shelter:** Bldg 1750, Room 138

No evacuation route image uploaded.

Emergency Equipment and Safety Board

Safety Bulletin Board Location: Bldg 1750 first floor main hallway and room 138 along the North wall. Bldg 1632 in the engine maintenance bay along the West wall.

List fire pull stations, extinguishers, power cutoffs, eyewash stations, AEDs, foam systems, and any local fire/emergency equipment notes.

No emergency equipment maps or location photos uploaded.

Traffic Safety Program

DAF Traffic Safety Program (DAFI 91-207): Train personnel on mandatory use of seat belts and helmets, speed limits, local traffic hazards, spotters while backing, vehicle training requirements, and restrictions on electronic device use while operating vehicles on- or off-base.

Seat Belts / Occupant Restraints: All persons operating or riding in motor vehicles must wear installed restraint systems as prescribed by the manufacturer. Drivers are responsible for ensuring all passengers are briefed on and use required restraints.

Motorcycle / ATV Training: Personnel must complete required safety training before riding a motorcycle, and local units should address required PPE, licensing, refresher training, and safety representative contacts.

Pedestrian / Bicycle Awareness: Emphasize local roadway crossing hazards, visibility requirements, spotter use, and other pedestrian or bicycle precautions specific to the installation.

Local Traffic Hazards / Vehicle Notes:

LOCAL TRAFFIC HAZARDS: • Poor road quality i.e., potholes, loose or uneven shoulders: Be aware of surface conditions and take added caution in areas of road construction. Move to the opposite lane when you encounter vehicles stopped on the side of the road i.e., Arizona State law requires the driver to move to the left lane when encountering an emergency vehicle on the right shoulder, if unable to move over then driver will slow down and move to the left most part of the lane, passing with extreme caution.

• Weather conditions: Low lying roadways are prone to flooding and this area is subject to flash floods. Slow down at night! With limited sight distance, comes limited reaction time. Expect icy conditions on bridges, overpasses, and shaded areas during colder months when it rains, snow or freezes happen. Dust storms do occur at times in Tucson and in between Tucson and Phoenix. If you are caught in a dust storm and are able to pull to the side of the road turn off your lights, set park brake and keep foot off of brake. If unable to pull off to the side of the road, reduce speed and proceed with caution.

• Animal/Object Strikes: Coyotes and Javelina are mostly the largest animals you will encounter crossing roadways in the Tucson area. In the outer parts of Tucson the roads go through open ranges which are where you may encounter a cow along the side of the road or in the road. If you see a coyote or Javelina or other large animal, SLOW DOWN and attempt to drive by the animal in a controlled manner. Attempting to steer around objects at high speed causes many other issues that can cause the driver to lose control i.e., running off the roadway, uncontrolled spin, roll over.

SPOTTERS: Are required when operator visibility is obscured or in question, when backing a vehicle, and prior to beginning aircraft up/downloading (with pre-positioned chock in place).

Backing of government-owned motor vehicles and the usage of spotters will be IAW AFMAN 24-306.

• Spotter(s) will use a reflective belt and flashlight or luminous wand during hours of darkness or periods of reduced visibility: Reflective belt and flashlight or luminous wand.

- Spotter(s) must be trained in standard hand and arm signals and flashlight signals before guiding a vehicle.
- Spotter(s) will position themselves away from the vehicle's path of travel and maintain visual contact with the vehicle operator.
- Government-owned motor vehicle operators will immediately stop if they lose visual contact with the spotter or notice the spotter is dangerously positioned between the vehicle and another object. In such cases, vehicle operators will secure the vehicle, exit and make an on-the-spot correction before continuing operations.


LICENSING/TRAINING REQUIREMENTS: A state driver's license is required to operate any vehicle. Additional training is dependent on duties/responsibilities.

- Certificate of Competency required for all flightline driving and operation must be IAW AFI 13-213.
- Before operating a Polaris Ranger/Razor, utility vehicle and other similar vehicles, personnel must complete LSV/OGMV training.

USE OF ELECTRONIC DEVICES: Unless a hands-free device is used, use of cell phone is prohibited while operating a vehicle on base. Federal employees shall not engage in text messaging (a) when driving GMV, or when driving PMV while on official Government business, or (b) when using electronic equipment supplied by the Government while driving. Arizona law prohibits drivers from using a cellphone or a stand-alone electronic device while driving unless it is being used in a hands-free mode. This includes, but is not limited to, cell phones, tablets, and music & gaming devices.

Motorcycle Safety Representatives / Traffic Contacts:

943 MXS POC: SMSgt Luke Nagele, 520-228-6064



No routine-use GVO risk assessment files uploaded.

Reporting Unsafe Equipment, Conditions, or Procedures

Notify the supervisor immediately when unsafe equipment, conditions, or procedures are identified. Personnel may report hazards without fear of retaliation, coercion, discrimination, or reprisal.

- **DAF Form 457:** Use to document and elevate unsafe conditions, equipment, or processes.
- **SAFEREP:** Use the approved mishap or hazard reporting channel for additional reporting when directed by local procedures.



A white tag with a black border and a hole at the top. It features a red oval with the word "DANGER" in white. Below the oval is a section labeled "HAZARD" and another labeled "CONTROL MEASURES". The text "AF FORM 979" is at the bottom.



A yellow tag with a black border and a hole at the top. It features a black oval with the word "CAUTION" in yellow. Below the oval is a section labeled "HAZARD" and another labeled "CONTROL MEASURES". The text "AF FORM 980" is at the bottom.



A white tag with a black border and a hole at the top. It features a black oval with the words "OUT OF ORDER" in white. Below the oval is a section labeled "HAZARD" and another labeled "CONTROL MEASURES". The text "AF FORM 981" is at the bottom.



A white tag with a black border and a hole at the top. It features a red oval with the words "DO NOT START" in white. Below the oval is a section labeled "HAZARD" and another labeled "CONTROL MEASURES". The text "AF FORM 982" is at the bottom.

Documentation and Review

Document initial, refresher, and task-specific training in the work center record, review annually or when work conditions change, and maintain records per local records management requirements.

Bioenvironmental Workplace Survey: No Bioenvironmental Workplace Survey uploaded.

Applicable Job Hazard Analyses: No Job Hazard Analysis files uploaded.

Annual Review Log:

Record the supervisor annual review history here.

Trainee Name Employee ID / Last 4 Date Trained Trainer / Supervisor Signature