Job Safety Training Outline

Built to align with DAFI 91-202 paragraph 14.1 requirements.

Unit: 245th CAOS

Work Center: RAWS

Work Area / Office Symbol: Bldg 1070

Phone: 583-8570

Supervisor: SMSgt Bradford, Marvin

Reviewer: SSgt Arvai

Review Date: 2026-11-04

Effective Date: 2026-11-04

Work Center Overview

245th CAOS is an expeditionary unit organized to rapidly deploy, establish, operate, and sustain combat airfield operations in austere, forward-deployed, contingency, or Agile Combat Employment (ACE) environments. The squadron integrates deployable Air Traffic Control (ATC), Airfield Management (AM), and Radar, Airfield, and Weather Systems (RAWS) maintenance to provide safe, expeditionary command-and-control of aircraft and airfield infrastructure.

Work Area Hazard Analysis / JHA Notes

No current Job Hazard Analysis attached to 245th CAOS.


Required Training Topics

Workplace HazardsPersonal Protective EquipmentEmergency Action and Fire PreventionReporting Unsafe Equipment, Conditions, or ProceduresMishap, Occupational Injury, and Illness ReportingCA-10 and LS-201DAF Traffic Safety ProgramDAFVA 91-209 Location and ContentDAFSMS Responsibilities

- **Workplace hazards:** Describe crushing, burn, chemical, ladder, weather, flight line, and noise hazards specific to the work center, plus the technical orders, JHAs, and instructions workers must follow.
- **Personal protective equipment:** Train employees on required PPE, including donning, doffing, cleaning, maintenance, storage, disposal, and reporting contact-lens or medical issues that could affect wear.
- **Emergency action and fire prevention:** Cover alarms, AEDs, extinguishers, evacuation routes, shelter locations, and response procedures tied to the work center.
- **Reporting unsafe conditions:** Instruct personnel to report unsafe equipment, conditions, procedures, and injuries without fear of reprisal, including use of DAF Form 457 and applicable reporting channels.
- **Mishap / injury / illness reporting:** Explain on-duty and off-duty reporting requirements, medical treatment procedures, and emergency response contacts.
- **Traffic safety:** Brief seat belt, speed limit, spotter, electronic device, and motorcycle safety requirements applicable to the work center.
- **DAFVA 91-209 and DAFSMS:** Review the location of DAFVA 91-209 and how workers contribute to the unit safety management system.

Hierarchy of Controls


Apply these controls from most effective to least effective when reducing workplace hazards under DAFI 91-202 paragraph 14.1.2.1.4.



Use the highest level of control feasible first. PPE should protect workers only after elimination, substitution, engineering, and administrative controls have been considered.

Active Shooter Response

In the event of an active shooter, individuals should employ the **Avoid, Deny, Defend** response method. This strategy is adaptable to the specific situation and environment.



Avoid (Run): The first and preferred course of action is to evacuate the area if a safe route is available. Maintain awareness of your surroundings and have an escape route planned. Leave your belongings, evacuate regardless of whether others follow, and do not attempt to move wounded people. Once you have reached a safe location, call 911 and provide any information you have.


Deny (Hide): If you cannot evacuate, your next priority is to deny the attacker access to your location. This involves more than just hiding; it means securing your position. Lock and blockade doors with heavy furniture, turn off lights, silence your phone, and remain out of the shooter's view. Remember that concealment only hides you, while cover can offer protection from bullets.

Defend (Fight): As a last resort, when your life is in immediate danger, you must be prepared to defend yourself. Act aggressively, improvise weapons from your surroundings, and commit fully to your actions. Taking action may be risky, but it could be your best or only chance for survival.

When law enforcement arrives: Remain calm, follow all instructions, keep your hands visible with fingers spread, and be prepared to provide information about the shooter’s location, number, and description.

DAFSMS Framework

DAFSMS uses four pillars and the DAFSMS framework to structure the mishap prevention program through continuous improvement and the Plan-Do-Check-Act model.



Policy and Leadership

Safety policy provides the structure for a proactive mishap prevention program. Active leadership involvement at every level is critical to implementation and sustained execution.

Risk Management

Integrate risk management into all safety-related activities so hazards are identified early, controls are implemented, and the safety culture stays proactive.

Assurance

Use evaluations, monitoring, and review processes to measure conformance to standards and drive continuous improvement across the mishap prevention program.

Promotion, Education, and Training

Provide safety awareness, embed ongoing training, implement effective controls, and keep airmen and guardians actively engaged in mishap prevention.

Department of the Air Force SMS Framework

Policy and Leadership

- Leadership planning, organization, direction, and control

- Management roles, responsibilities, and relationships
- Procedures and controls that are developed, documented, maintained, and monitored
- Safety and quality balance, integration, and goal setting

Risk Management

- Hazard identification through mission/task analysis and hazard lists
- Hazard assessment using exposure, probability, severity, and risk level
- Control options, effects, prioritization, selection, and decisions
- Implementation, communication, accountability, support, supervision, and feedback

Assurance

- Performance requirements, expectations, and control effectiveness
- Continuous monitoring, self-inspections, internal and external inspections
- Mishap and event investigation, reporting, metrics, and improvement opportunities
- Change management and continuous improvement actions

Promotion, Education, and Training

- Culture built on informed, flexible, learning, just, and reporting behaviors
- Competency through training and education
- Awareness through internal communication, external communication, and information access

Job Specific Training Items

The following modules apply to this work center and should be reviewed with trainees before task performance.

Fall Arrest SystemsLadder SafetyPersonal Protective Equipment (PPE)Hazardous Energy ControlFire Protection and PreventionActive Shooter ResponseFetal Protection ProgramJewelry / Loose Articles Restrictions

- **Fall Arrest Systems:** General Industry: In general industry, fall protection is required at 4 feet. The 4-foot rule applies to walking and working surfaces and requires every open-sided floor or platform 4 feet or more above adjacent floor or ground level to be guarded. This requirement also applies to wall openings, window wall openings at a stairway landing, floor, platform, or balcony, from which there is a drop of more than 4 feet, and where the bottom of the opening is less than 3 feet above the platform or landing. Every chute wall opening from which there is a drop of more than 4 feet shall also be guarded. Construction: In the construction industry, fall protection is required at 6 feet **Link to training:** https://usaf.dps.mil/:p:/r/teams/169FWSafety/Shared%20Documents/SEG/Training/Occupational/Fall%20Protection%20%26%20Ladders/ANG+-+Fall+Protection+-+PFAS+Training.pptx?d=wb505c53e37cd453f91469addc00fffc2&csf=1&web=1&e=lapLtX
- **Ladder Safety:** Personnel who use ladders at working heights of six feet or more will be adequately trained in the care and use of different types of ladders. Training will be conducted IAW


DAFMAN 91-203, Chapter 7. The supervisor, or a designated trainer, will conduct this training when a worker is first assigned and periodically as needed. 245 ATCS Safety will provide training and presentation materials.
Link to training:
https://usaf.dps.mil/:f:/r/teams/169FWSafety/Shared%20Documents/SEG/Training/Occupational/Fall%20Protection%20%26%20Ladders?d=wb334c81b3360421e94f53ccb5c01b69e&csf=1&web=1&e=Ku0q8f

- **Personal Protective Equipment (PPE):** Hazards should be engineered out, isolated, guarded against, or a safer alternative used as a substitute whenever possible before considering the use of PPE. PPE devices alone should not be relied on to provide protection against hazards, but should be used in conjunction with guards, engineering controls, and sound manufacturing practices. Supervisors shall conduct and document hazard assessments in each workplace where their employees are performing duties. If PPE is required, the supervisor shall ensure that PPE is provided, used and maintained in a sanitary serviceable condition. They are responsible for maintaining discipline with regard to personnel wearing properly fitted PPE, when required, and shall consult the installation Ground Safety office and BE concerning the selection and use of PPE. Personal Protective Equipment (PPE). PPE shall be used whenever there are hazards that can do bodily harm through absorption, inhalation or physical contact. This equipment includes respiratory protective devices, special clothing and protective devices for the eyes, face, head, torso and extremities. All PPE shall be approved for the work performed and shall be maintained in satisfactory condition. The installation Ground Safety office and BE shall be consulted.
  Link to training:
  https://usaf.dps.mil/:f:/r/teams/169FWSafety/Shared%20Documents/SEG/Training/Occupational/PPE?d=w7507e3466cb0486fbb9dfa6f104d4c10&csf=1&web=1&e=TMxMdE
- **Hazardous Energy Control:** Installation of Lockout/Tagout devices shall be performed by authorized personnel only. Lockout is the preferred method of isolating machines or equipment from energy sources. Tags are warning devices attached to energy isolating devices, and do not provide the physical restraint on those devices that is provided by a lock. When a lock or tag is attached to an energy isolating device, only the supervisor and the authorized personnel who initially installed the lock or tag can remove it. It can never be bypassed, ignored, or otherwise defeated. A tag will be used in conjunction with the lock. AF Form 979, Danger Tag, will be used for immediate danger. AF Form 980, Caution Tag, will be used to warn personnel against potential hazards. AF Form 981, Out of Order Tag, will be used for indicating that a piece of equipment, machinery, or system is out of order. AF Form 982, Do Not Start Tag, will be used to alert personnel of hazards associated with starting equipment. This tag is used for a short time until an energy-isolating device can be installed. No attempt shall be made to override any energy isolation device when it is locked or tagged out. Doing so will result in severe discipline and potential termination of employment. For more information on Lockout/Tagout refer to DAFMAN 91-203, Chapter 21. For information on training refer to Part II.
  Link to training:
  https://usaf.dps.mil/:f:/r/teams/169FWSafety/Shared%20Documents/SEG/Training/Occupational/LOTO%20%26%20Hazardous%20Energy%20Control?d=wb278585b4d094581ac53738ece43d54a&csf=1&web=1&e=ECiTaK
- **Fire Protection and Prevention:** Supervisors shall establish and maintain a training and certification system to ensure employees are trained and understand their fire prevention and protection responsibilities in their work areas. This training and certification system shall include documented annual training of employees, including fire extinguisher training and location of fire extinguishers, and immediate indoctrination of newly hired employees. Initial and annual training will be conducted IAW DAFMAN 91-203 as well as NFPA 101, The Life Safety Code. Training is offered through Advanced Distance Learning System (ADLS) under the miscellaneous folder. For further information on Fire Extinguisher training, refer to Part II.
  Link to training:
  https://usaf.dps.mil/:f:/r/teams/169FWSafety/Shared%20Documents/SEG/Training/Occupational/Fir

e%20Safety%20%26%20Egress?d=w28211f6d3d144689893f1d2e2c57a139&csf=1&web=1&e=8hSL0H

- **Active Shooter Response:** Current Department of the Air Force and Department of Defense guidance directs individuals caught in an active shooter incident to execute the tiered response protocol: RUN, HIDE, FIGHT. If an escape path is clear, immediately evacuate (Run). If evacuation is not possible, conceal yourself, barricade entry points, and silence all electronic devices (Hide). As an absolute last resort when your life is in imminent danger, attempt to incapacitate the shooter using physical force and improvised weapons (Fight). Once safe, notify emergency responders (911 or Base Defense Operations Center [BDOC]).
  Link to training: https://usaf.percipio.com/linked-contents/rustici/d5e1516d-0ed0-4d98-9304-b0944902fbe1
- **Fetal Protection Program:** Workers in industrial workplaces may have potential exposures to hazards that can affect their reproductive health. There are hazards present to both male and female employees that affect the ability to reproduce as well as the normal and healthy development of a fetus. Reproductive Health Training is a one-time training requirement that is required as part of an employee's Initial Job Safety Training. Outlines for this training are provided by Public Health. If new workplace hazards are introduced that pose a significant threat to the employee's reproductive health, additional workplace specific training will be required. Training will be conducted IAW AFI 44-102, Medical Care Management, AFI 48-145, Occupational and Environmental Health Program, and ANGI 40-104, Pregnancy of Air National Guard Personnel. In addition to the one-time training requirement, female workers that become pregnant must report their pregnancy to the Public Health office at the MDG as soon as reasonably possible, but NLT than the first UTA for traditional members or within 5 workdays for full-time employees. Supervisors must ensure this training is accomplished and that pregnant members report immediately to the MDG. The MDG will perform a pregnancy profile evaluation to determine potential hazards of the workplace as well as restrictions to protect the employee and their fetus. Supervisors must ensure that members are following their duty restrictions. Pregnant members must report any changes in medical status to the MDG immediately.
  Link to training:
  https://usaf.dps.mil/:f:/r/teams/169FWSafety/Shared%20Documents/SEG/Training/Occupational/Public%20Health/Reproductive%20%26%20Fetal%20Protection?d=w6087707e401d46e19271240ca862f37d&csf=1&web=1&e=Cpu0Ub
- **Jewelry / Loose Articles Restrictions:** Use local work-center restrictions and equipment guidance to define prohibited items and exceptions for mission-essential tasks. Train workers on removing jewelry and securing loose articles when working around machinery, electrical hazards, rotating equipment, or snag hazards. Local procedures / equipment guidance

Ergonomics Workstation Posture Guide:



Use this guide while briefing office and administrative workstation setup.

References

DAFI 91-203

Required Documents

- CA-10
  What a Federal Employee Should Do When Injured at Work. Use this as the workplace reference for employee injury reporting and follow-up actions.
- DAF Form 457
  Hazard Report. Use this form to identify, document, and elevate unsafe conditions, equipment, or procedures in the workplace.
- DAFVA 91-209 **UNITS MUST FILL OUT THEIR OWN LOCATION POSTED**
  Department of the Air Force Occupational Safety and Health Program visual aid. Keep this available so personnel know the core safety rights, responsibilities, and reporting expectations.
  Location Posted: Enter where DAFVA 91-209 is posted for this work center.
- LS-201
  Notice of Employee's Injury or Death (Non-Appropriated Funds). Use this when applicable for NAF employee injury or death reporting.


Emergency Information

- **Emergency Numbers:** Dial 911, State location as Mcentire and give building number or area on base.
- **Medical Facility / Treatment:** Base Clinic: 169th Medical Group (MDG) - Building 984
  Acute Care and Emergency Room Service are not provided here at McEntire but are located in the local surrounding area. If you are injured and feel you are in need of an ambulance, call 911. ALL injuries are to be reported to your supervisor, the McEntire Med Group and Base Safety

immediately, however, do not delay treatment. Members on Military orders of any kind will have their initial visits (Line of Duty approved) sent to Tricare for payment. Any/all follow-up care that you receive must be pre-authorized by the Military Medical Support Office (MMSO).

- **Evacuation / Muster Point:** Muster in the grass field between Building 1070 and Security Force Building.
- **Shelter in Place:** Building 1070 Auditorium.
- **Active Shooter Response Methods:** Current Department of the Air Force and Department of Defense guidance directs individuals caught in an active shooter incident to execute the tiered response protocol: RUN, HIDE, FIGHT. If an escape path is clear, immediately evacuate (Run). If evacuation is not possible, conceal yourself, barricade entry points, and silence all electronic devices (Hide). As an absolute last resort when your life is in imminent danger, attempt to incapacitate the shooter using physical force and improvised weapons (Fight). Once safe, notify emergency responders (911 or Base Defense Operations Center [BDOC]).
- **Adverse Weather Shelter:** Building 1070 Auditorium.

Emergency Evacuation Route Image:



Emergency_Evac_Image_1070.png

Emergency Equipment and Safety Board

Safety Bulletin Board Location: Not entered

List fire pull stations, extinguishers, power cutoffs, eyewash stations, AEDs, foam systems, and any local fire/emergency equipment notes.

No emergency equipment maps or location photos uploaded.

Traffic Safety Program

DAF Traffic Safety Program (DAFI 91-207): Train personnel on mandatory use of seat belts and helmets, speed limits, local traffic hazards, spotters while backing, vehicle training requirements, and restrictions on electronic device use while operating vehicles on- or off-base.

Seat Belts / Occupant Restraints: All persons operating or riding in motor vehicles must wear installed restraint systems as prescribed by the manufacturer. Drivers are responsible for ensuring all passengers are briefed on and use required restraints.


Motorcycle / ATV Training: Personnel must complete required safety training before riding a motorcycle, and local units should address required PPE, licensing, refresher training, and safety representative contacts.

Pedestrian / Bicycle Awareness: Emphasize local roadway crossing hazards, visibility requirements, spotter use, and other pedestrian or bicycle precautions specific to the installation.

Local Traffic Hazards / Vehicle Notes:
Wearing portable headphones, earphones, or other listening devices while operating a motor-vehicle, running, jogging, walking, bicycling, or skating (e.g. roller skates, roller blades, skateboards, etc.) on AF installation roadways is prohibited, with the exception of running/jogging on the approved AF Physical Fitness assessment route (see PTL or Supervision for further details). This does not include the use of hearing aids, nor does it negate the requirement for wearing hearing protective equipment where conditions dictate their use. EXCEPTION: Motorcycle helmet intercom system between operator and passenger is permitted.

Vehicle operators on an AF installation and operators of government owned, leased, or rented vehicles, on or off an AF installation, shall not use cell phones while the vehicle is in operation, except when using a hands-free device or hands-free operating mode. When possible, vehicle operators should pull over and place the vehicle in park before using any cell phone. Land Mobile Radios (LMR) are primarily listening devices and are not restricted. Cell phones and other devices, used only in push-to-talk (walkie-talkie, direct connection) mode are considered LMR if required and issued for the performance of official duties.

Motorcycle Safety Representatives / Traffic Contacts:
MSR: SMSgt Bradford (803-236-2690)



No routine-use GVO risk assessment files uploaded.

Reporting Unsafe Equipment, Conditions, or Procedures

Notify the supervisor immediately when unsafe equipment, conditions, or procedures are identified. Personnel may report hazards without fear of retaliation, coercion, discrimination, or reprisal.

- **DAF Form 457:** Use to document and elevate unsafe conditions, equipment, or processes.
- **SAFEREP:** Use the approved mishap or hazard reporting channel for additional reporting when directed by local procedures.


Safety Reporting … All In One Place


SAFEREP APP!


Why Safety Reporting?

Quickly and easily tell safety about safety issues you see

- In the dorms
- At work
- Anywhere on base
- In flight
- While maintaining aircraft
- On the ramp







What to report?

- Dangerous conditions
- "Near miss" events
- Aviation specific reporting
- Cultural issues that could lead to an accident, damage, or injury
- Supervisor mishap report

Report anonymously
Reports go direct to the safety office

New name, new website, new app, and a whole new look

SAFEREP is a web- and app-based way for members from every career field to identify hazards and report near-misses and even some mishaps directly to their safety offices using any computer or mobile device.

SAFEREP

Download to your mobile device from your preferred App Store

Or

Go to https://saferep.safety.af.mil









Documentation and Review

Document initial, refresher, and task-specific training in the work center record, review annually or when work conditions change, and maintain records per local records management requirements.

Bioenvironmental Workplace Survey: No Bioenvironmental Workplace Survey uploaded.

Applicable Job Hazard Analyses: No Job Hazard Analysis files uploaded.

Annual Review Log:
03 November 2026- Initial Iteration-Completed By: SSgt Arvai, Alexander

Trainee Name	Employee ID / Last 4	Date Trained	Trainer / Supervisor Signature