# Job Safety Training Outline

Built to align with DAFI 91-202 paragraph 14.1 requirements.

---

**Unit:** 436 CIVIL ENGINEERING SQUADRON

**Work Center:** HVAC

**Work Area / Office Symbol:** 615/CEOIH

**Phone:** 677-4850

**Supervisor:** JOSEPH TYLER

**Reviewer:** TSGT KORY WILSON

**Review Date:** 2026-11-04

**Effective Date:** 2026-11-04

## Work Center Overview

The items below are mandatory and will be briefed to all personnel. Develop a work center specific JSTG based on Attachment 4, Job Safety Training Outline (JSTO), on safety, fire protection/prevention and health requirements. Documents will be maintained and centrally located, readily available to supervisor and individual. The 14 mandatory items below can be documented as one item, i.e., course code for JSTO mandatory training. Job specific items and any additional training identified in a Bioenvironmental survey will be documented individually, as appropriate. The supervisor will document and maintain completed training in the work area.
Methods of documentation may include, but are not limited to, the AF IMT 55, Employee Safety and Health Record, electronic mediums such as AFFORMs/MAF LOG C2/G081 or locally developed products. If the AF IMT 55 is mandated for use as the training documentation device, the entity that mandated the form usage will prescribe the requirement in writing to include entries that require signatures, e.g., HAZCOM, respirator, powered industrial trucks, lockout/tagout, fall protection, confined spaces, radiation safety, laser safety, etc. Note: Training requirements vary, i.e., some documents may require the signature of the supervisor or the person who conducted the training, while other documents may require the initials of the individual (trainee) and trainer/supervisor.

Documentation will contain the following minimum data: trainee name (last, first, middle initial), type of training and date of training. Neither the trainer or trainee signature is required unless specified in writing by the applicable chain of authority. Note: If the Integrated Maintenance Data System (IMDS), Core Automated Maintenance System (CAMS), etc., cannot support minimum documentation requirements, then they are not suitable as a documentation product.

# Work Area Hazard Analysis / JHA Notes

Summarize JHA findings, BE survey notes, major hazards, controls, and special restrictions for this work center.


# Required Training Topics

Workplace HazardsPersonal Protective EquipmentEmergency Action and Fire PreventionReporting Unsafe Equipment, Conditions, or ProceduresMishap, Occupational Injury, and Illness ReportingCA-10 and LS-201DAF Traffic Safety ProgramDAFVA 91-209 Location and ContentDAFSMS Responsibilities

- **Workplace hazards:** Describe crushing, burn, chemical, ladder, weather, flight line, and noise hazards specific to the work center, plus the technical orders, JHAs, and instructions workers must follow.
- **Personal protective equipment:** Train employees on required PPE, including donning, doffing, cleaning, maintenance, storage, disposal, and reporting contact-lens or medical issues that could affect wear.
- **Emergency action and fire prevention:** Cover alarms, AEDs, extinguishers, evacuation routes, shelter locations, and response procedures tied to the work center.
- **Reporting unsafe conditions:** Instruct personnel to report unsafe equipment, conditions, procedures, and injuries without fear of reprisal, including use of DAF Form 457 and applicable reporting channels.
- **Mishap / injury / illness reporting:** Explain on-duty and off-duty reporting requirements, medical treatment procedures, and emergency response contacts.
- **Traffic safety:** Brief seat belt, speed limit, spotter, electronic device, and motorcycle safety requirements applicable to the work center.
- **DAFVA 91-209 and DAFSMS:** Review the location of DAFVA 91-209 and how workers contribute to the unit safety management system.

### Hierarchy of Controls


Apply these controls from most effective to least effective when reducing workplace hazards under DAFI 91-202 paragraph 14.1.2.1.4.




**Use the highest level of control feasible first.** PPE should protect workers only after elimination, substitution, engineering, and administrative controls have been considered.

### Active Shooter Response

In the event of an active shooter, individuals should employ the **Avoid, Deny, Defend** response method. This strategy is adaptable to the specific situation and environment.




**Avoid (Run):** The first and preferred course of action is to evacuate the area if a safe route is available. Maintain awareness of your surroundings and have an escape route planned. Leave your belongings, evacuate regardless of whether others follow, and do not attempt to move wounded people. Once you have reached a safe location, call 911 and provide any information you have.


**Deny (Hide):** If you cannot evacuate, your next priority is to deny the attacker access to your location. This involves more than just hiding; it means securing your position. Lock and blockade doors with heavy furniture, turn off lights, silence your phone, and remain out of the shooter's view. Remember that concealment only hides you, while cover can offer protection from bullets.

**Defend (Fight):** As a last resort, when your life is in immediate danger, you must be prepared to defend yourself. Act aggressively, improvise weapons from your surroundings, and commit fully to your actions. Taking action may be risky, but it could be your best or only chance for survival.

**When law enforcement arrives:** Remain calm, follow all instructions, keep your hands visible with fingers spread, and be prepared to provide information about the shooter’s location, number, and description.

## DAFSMS Framework

DAFSMS uses four pillars and the DAFSMS framework to structure the mishap prevention program through continuous improvement and the Plan-Do-Check-Act model.




#### Policy and Leadership

Safety policy provides the structure for a proactive mishap prevention program. Active leadership involvement at every level is critical to implementation and sustained execution.

#### Risk Management

Integrate risk management into all safety-related activities so hazards are identified early, controls are implemented, and the safety culture stays proactive.

#### Assurance

Use evaluations, monitoring, and review processes to measure conformance to standards and drive continuous improvement across the mishap prevention program.

#### Promotion, Education, and Training

Provide safety awareness, embed ongoing training, implement effective controls, and keep airmen and guardians actively engaged in mishap prevention.

#### Department of the Air Force SMS Framework

##### Policy and Leadership

- Leadership planning, organization, direction, and control

- Management roles, responsibilities, and relationships
- Procedures and controls that are developed, documented, maintained, and monitored
- Safety and quality balance, integration, and goal setting

#### Risk Management

- Hazard identification through mission/task analysis and hazard lists
- Hazard assessment using exposure, probability, severity, and risk level
- Control options, effects, prioritization, selection, and decisions
- Implementation, communication, accountability, support, supervision, and feedback

#### Assurance

- Performance requirements, expectations, and control effectiveness
- Continuous monitoring, self-inspections, internal and external inspections
- Mishap and event investigation, reporting, metrics, and improvement opportunities
- Change management and continuous improvement actions

#### Promotion, Education, and Training

- Culture built on informed, flexible, learning, just, and reporting behaviors
- Competency through training and education
- Awareness through internal communication, external communication, and information access

## Job Specific Training Items

No job-specific modules selected yet.

No modules selected

## References

AFMAN 91-203, AFI 48-20, OSHA 29 CFR Part 1910 - Occupational Safety and Health Standards (General Industry Standards), NFPA 70E, Lif Safety Code 1, DAFBI 48-101, AFI 90-821 - Hazard Communication (HAZCOM) Program, AFI 21-101 AMC Sup 1, DAFBI 21-105, AFMAN 32-1068

## Required Documents

- CA-10
  What a Federal Employee Should Do When Injured at Work. Use this as the workplace reference for employee injury reporting and follow-up actions.
- DAF Form 457
  Hazard Report. Use this form to identify, document, and elevate unsafe conditions, equipment, or procedures in the workplace.


- DAFVA 91-209 **UNITS MUST FILL OUT THEIR OWN LOCATION POSTED**
  Department of the Air Force Occupational Safety and Health Program visual aid. Keep this available so personnel know the core safety rights, responsibilities, and reporting expectations.
  **Location Posted:** Enter where DAFVA 91-209 is posted for this work center.
- LS-201
  Notice of Employee's Injury or Death (Non-Appropriated Funds). Use this when applicable for NAF employee injury or death reporting.

# Emergency Information

- **Emergency Numbers:** 911 - emergency. BDOC - 302-677-6666
- **Medical Facility / Treatment:** 436 Medical Clinic, Bayhealth hospital
- **Evacuation / Muster Point:** Fire rally in parking of 615. Bomb threat rally point 600 parking. Alternate rally point 423(gym) parking lot.
- **Shelter in Place:** S.I.P. Break room
- **Active Shooter Response Methods:** Individuals should employ the Avoid, Deny, Defend response method. This strategy is adaptable to the specific situation and environment.
- **Adverse Weather Shelter:** During adverse weather Shelter in PLace would be in the break room.

**Emergency Evacuation Route Image:**

## HVAC SHOP FIRE EVACUATION PLAN




**For Emergency's** - Fire Department, Ambulance, Security Forces
**Dial 911** Commercial (Base Phone)
Cell Phone – 911 goes to Kent Center who will take the information and pass to base agencies

fire route.png


# Emergency Equipment and Safety Board

**Safety Bulletin Board Location:** Posted in the break room on the wall.

Fire Alarms - HVAC Shop left of roll up door.
First Aid Kit - HVAC shop left of the bathroom door.
Eye Wash - HVAC shop back door, hazmat container.
Circuit breakers for areas that might need to be cut off - Outside wall near tool room.
Utility& HVAC shutoff - HVAC shop left of front door. Water shutoff in mechanical room near chiller.

**Emergency Equipment Maps / AED & Fire Extinguisher Location Photos:**

## HVAC SHOP FIRE EVACUATION PLAN




**For Emergency's** - Fire Department, Ambulance, Security Forces
**Dial 911** Commercial (Base Phone)
Cell Phone – 911 goes to Kent Center who will take the information and pass to base agencies

fire route.png

# Traffic Safety Program

**DAF Traffic Safety Program (DAFI 91-207):** Train personnel on mandatory use of seat belts and helmets, speed limits, local traffic hazards, spotters while backing, vehicle training requirements, and restrictions on electronic device use while operating vehicles on- or off-base.


**Seat Belts / Occupant Restraints:** All persons operating or riding in motor vehicles must wear installed restraint systems as prescribed by the manufacturer. Drivers are responsible for ensuring all passengers are briefed on and use required restraints.

**Motorcycle / ATV Training:** Personnel must complete required safety training before riding a motorcycle, and local units should address required PPE, licensing, refresher training, and safety representative contacts.

**Pedestrian / Bicycle Awareness:** Emphasize local roadway crossing hazards, visibility requirements, spotter use, and other pedestrian or bicycle precautions specific to the installation.

**Local Traffic Hazards / Vehicle Notes:**
Enter local gate hazards, base-specific traffic concerns, spotter rules, and where vehicle training is documented.

**Motorcycle Safety Representatives / Traffic Contacts:**
List unit or group motorcycle safety representatives, traffic safety contacts, and local rider briefing requirements.



No routine-use GVO risk assessment files uploaded.

## Reporting Unsafe Equipment, Conditions, or Procedures

Notify the supervisor immediately when unsafe equipment, conditions, or procedures are identified. Personnel may report hazards without fear of retaliation, coercion, discrimination, or reprisal.

- **DAF Form 457:** Use to document and elevate unsafe conditions, equipment, or processes.
- **SAFEREP:** Use the approved mishap or hazard reporting channel for additional reporting when directed by local procedures.


# Safety Reporting … All In One Place


# SAFEREP APP!


## Why Safety Reporting?

Quickly and easily tell safety about safety issues you see

- In the dorms
- At work
- Anywhere on base
- In flight
- While maintaining aircraft
- On the ramp




## What to report?

- Dangerous conditions
- "Near miss" events
- Aviation specific reporting
- Cultural issues that could lead to an accident, damage, or injury
- Supervisor mishap report

Report anonymously
Reports go direct to the safety office

## New name, new website, new app, and a whole new look

SAFEREP is a web- and app-based way for members from every career field to identify hazards and report near-misses and even some mishaps directly to their safety offices using any computer or mobile device.

SAFEREP

Download to your mobile device from your preferred App Store

**Or**

Go to https://saferep.safety.af.mil













## Documentation and Review

Document initial, refresher, and task-specific training in the work center record, review annually or when work conditions change, and maintain records per local records management requirements.

**Bioenvironmental Workplace Survey:** No Bioenvironmental Workplace Survey uploaded.

**Applicable Job Hazard Analyses:** No Job Hazard Analysis files uploaded.

**Annual Review Log:**
Record the supervisor annual review history here.

| Trainee Name | Employee ID / Last 4 | Date Trained | Trainer / Supervisor Signature |
|---|---|---|---|