

Job Safety Training Outline

Built to align with DAFI 91-202 paragraph 14.1 requirements.

Unit: 480 ISRW

Work Center: Wing Staff

Office Symbol: Wing Staff

Supervisor: Not entered

Phone: Not entered

Reviewer: MSgt Thomas Northcutt

Review Date: 2026-05-07

Effective Date: 2026-05-07

WORK CENTER OVERVIEW

The 480 ISR Wing Staff is comprised of primarily of office work environments. Aside from the Warehouse and some Communication functions, most work is performed at a desk.

REQUIRED TRAINING TOPICS


- Workplace Hazards
- Personal Protective Equipment
- Emergency Action and Fire Prevention
- Reporting Unsafe Conditions
- Reporting Mishaps and Occupational Injury/Illness
- CA-10 and LS-201
- DAF Traffic Safety Program
- DAFVA 91-209
- DAFSMS Responsibilities

- **Hazards and controls:** Address task hazards, environmental hazards, governing instructions, and hierarchy of controls including elimination, engineering, substitution, and administrative controls.
- **PPE:** Cover required protective equipment, wear/use procedures, cleaning, maintenance, storage, disposal, and supervisor notification concerns.
- **Emergency response:** Cover emergency action, fire prevention, alarms, AEDs, extinguishers, evacuation, shelter, active shooter response, and emergency contact procedures.
- **Reporting:** Explain unsafe condition reporting, injury/illness reporting, DAF Form 457, SAFEREP access, and anti-retaliation protections.
- **Program awareness:** Include CA-10 / LS-201 location, traffic safety program requirements, DAFVA 91-209 location, and DAFSMS responsibilities.

Hierarchy of Controls

Apply these controls from most effective to least effective when reducing workplace hazards under DAFI 91-202 paragraph 14.1.2.1.4.

HIERARCHY OF **HAZARD CONTROLS**



Use the highest level of control feasible first. PPE should protect workers only after elimination, substitution, engineering, and administrative controls have been considered.

Active Shooter Response

In the event of an active shooter, individuals should employ the **Avoid, Deny, Defend** response method. This strategy is adaptable to the specific situation and environment.

Responses to an Active Shooter include:

Avoid (RUN),

Deny (HIDE),

Defend (FIGHT)

Adapt your response to the weapons used:

Ricocheting bullets

Shrapnel and secondary missiles

Cover vs Concealment

An active shooter situation may be over within 15 minutes, before law enforcement arrives.

Avoid (Run): The first and preferred course of action is to evacuate the area if a safe route is available. Maintain awareness of your surroundings and have an escape route planned. Leave your belongings, evacuate regardless of whether others follow, and do not attempt to move wounded people. Once you have reached a safe location, call 911 and provide any information you have.

Deny (Hide): If you cannot evacuate, your next priority is to deny the attacker access to your location. This involves more than just hiding; it means securing your position. Lock and blockade doors with heavy furniture, turn off lights, silence your phone, and remain out of the shooter's view. Remember that concealment only hides you, while cover can offer protection from bullets.

Defend (Fight): As a last resort, when your life is in immediate danger, you must be prepared to defend yourself. Act aggressively and take action against the shooter. Improvise weapons from your surroundings and commit to your actions. Taking action may be risky, but it could be your best or only chance for survival.

When law enforcement arrives: Remain calm, follow all instructions, keep your hands visible with fingers spread, and be prepared to provide information about the shooter's location, number, and description.

DAFSMS FRAMEWORK

DAFSMS uses four pillars and the DAFSMS framework to structure the mishap prevention program through continuous improvement and the Plan-Do-Check-Act model.



Policy and Leadership

Provides the structure for a proactive mishap prevention program through policy, active leadership engagement, and clearly defined responsibilities at every level.

Risk Management

Integrates hazard identification, assessment, and control decisions into daily operations to reduce mishaps and strengthen safety culture.

Assurance

Uses evaluations, monitoring, reviews, and data to confirm the mishap prevention program is implemented and improving over time.

Promotion, Education, and Training

Ensures Airmen and Guardians receive safety awareness information, embedded training, effective risk controls, and active engagement in mishap prevention.

1. Purpose. DAFSMS utilizes the four pillars and the DAFSMS framework to structure the mishap prevention program. Activities associated with each pillar set policy, identify and mitigate hazards and risk, and reduce the occurrence and cost of injuries, illnesses, fatalities, and property damage through continuous improvement and the PDCA model.

2. Policy and Leadership. Safety policy provides the structure for a sound and proactive mishap prevention program. Active leadership involvement in implementation and execution is critical at all levels of command.

3. Risk Management. Ensure the RM process is fully integrated into all safety-related activities to enhance mishap prevention and sustain a proactive safety culture. Refer to DAFI 90-802 and DAFPAM 90-803 for additional detail.

4. Assurance. Safety assurance is how commanders determine whether mishap prevention elements are implemented and guides continuous improvement through evaluation, monitoring, and review.

5. Promotion, Education, and Training. Ensure Airmen and Guardians are provided safety awareness information, organizations have embedded ongoing training into the mishap prevention program, effective risk controls are implemented, and personnel remain actively engaged.

Report it on SAFEREP



HAZARDS ARE EVERYWHERE.



WHAT ARE **YOU** DOING TO
PREVENT INJURY OR DEATH?

More info about SAFEREP
www.safety.af.mil/home/saferep

SAFEREP is the Department of the Air Force's (DAF) premiere digital safety reporting tool and mobile app. It allows Airmen and Guardians to easily report hazardous conditions, near-misses, unintentional errors, or safety concerns across all disciplines, including workplace, traffic, industrial, flight, weapons, and space safety, directly from their devices anytime and anywhere.

Fully integrated with the Air Force Safety Automated System (AFSAS), it replaces the earlier Airman Safety App and serves as the DAF's only fully digital safety reporting avenue. Users simply answer a short series of questions to submit reports that reach the appropriate Major Command (MAJCOM) safety office quickly and efficiently.

Key Benefits for Job Safety Training:

- **Empowers everyone:** Turns every Airman or Guardian into a proactive sensor for hazard identification, encouraging a strong safety culture where people feel comfortable speaking up without barriers like paperwork or word-of-mouth delays.
- **Prevents mishaps:** Enables early mitigation of risks before they lead to incidents, capturing minor events and near-misses that offer the greatest prevention potential.
- **Simple and accessible:** Mobile-first design makes reporting fast, more efficient than traditional methods, and available on the spot through the app on Google Play and the Apple App Store.
- **Broad coverage and integration:** Supports multiple safety areas and includes specialized features such as Aviation Safety Action Program reporting, improving visibility, tracking, and overall risk management across the force.

This tool strengthens operational readiness by fostering a proactive, data-driven approach to safety. You can download it from the app stores or access it through the official SAFEREP site for more details.

SAFEREP portal: <https://saferep.safety.af.mil>

Learn more: <https://www.safety.af.mil/Home/SAFEREP/>

REPORTING UNSAFE EQUIPMENT, CONDITIONS, OR PROCEDURES

Employees must report unsafe equipment, conditions, or procedures to their supervisor immediately. This includes any hazard that could injure personnel, damage equipment, or create an unsafe work process.

Personnel must also be notified that unsafe conditions, work-related injuries, and illnesses may be reported **without fear of retaliation**. Immediate supervisor involvement remains the primary reporting path, with SAFEREP and formal hazard-report channels available when needed.

What To Report

- Unsafe equipment that is broken, damaged, unserviceable, or missing required guards or controls.
- Unsafe conditions or procedures that create a hazard to personnel, operations, or facilities.
- Work-related injuries, illnesses, near-misses, and hazards needing immediate attention.

Immediate Actions

- Notify the supervisor or responsible area lead immediately.
- If the hazard can be safely controlled, stop use and isolate the equipment or area until corrected.
- If the danger is imminent to life or health, evacuate the area and activate emergency response procedures.

Tag use examples: Use the appropriate danger, caution, out-of-order, or do-not-start tag to keep unsafe equipment out of service until the hazard has been corrected and the responsible supervisor authorizes return to use.



Escalation: If the issue cannot be resolved at the lowest level, elevate it through the unit safety representative, DAF Form 457 process, or SAFEREP as appropriate.

USE OF PORTABLE FIRE EXTINGUISHERS



Portable fire extinguishers are intended for small, incipient-stage fires only. Personnel should use an extinguisher only when they have been trained, the fire is small and contained, the correct extinguisher is available, and there is a clear evacuation path behind them.

Use the **PASS** method when operating a portable fire extinguisher: **P**ull the pin, **A**im at the base of the fire, **S**queeze the handle, and **S**weep side to side.

If the fire grows, smoke conditions worsen, or the extinguisher does not control the fire immediately, evacuate the area, activate the local emergency response process, and report the incident to emergency services and supervision.

WORK AREA HAZARD ANALYSIS

Housekeeping (DAFMAN 91-203, para. 2.4).

Keep areas where personnel walk and work free of potential tripping and slipping hazards such as tools,

electrical cords, air lines and packaging materials.

Clean up spills as soon as possible and post warnings until cleanup is complete.

Ensure telephone and electrical cords are placed where they do not pose tripping hazards.

Backpacks, wastebaskets, etc., shall be placed under desks, against a wall or otherwise out of the way.

Snow and Ice (DAFMAN 91-203, para. 2.4.1.1).

Facility managers will ensure removal of snow and ice from all facility walkways, sidewalks, handicap ramps and work areas expediently where they may create a hazard or interfere with the work. If ice cannot be readily removed, sand or other approved materials shall be applied.

Snow and icicles above walkways shall be removed by the unit or a work request shall be submitted for areas that cannot be reached.

Chairs (DAFMAN 91-203, para. 2.5.1.1).

Inspect chairs regularly for broken casters or other defects. New or replacement caster chairs shall have at least five (5) legs.

Do not stand on a chair to change a light bulb, retrieve overhead items or when hanging pictures/decorations, etc. Use stepstools or ladders to access anything above shoulder level.

Do not tilt back, lean sideways or reach behind to lift objects while seated in a chair.

File Cabinets (DAFMAN 91-203, para. 2.5.1.2).

Store heavy material in bottom drawers and load cabinets from the bottom up.

Close drawers when not in use.

Do not climb on open file drawers.

Office Shelving/Bookcases (DAFMAN 91-203, para. 2.5.1.3).

Store heaviest objects/books on lower-level shelves.

Ladders:

Ladders come in five (5) workload ratings. Supervisors shall order Type IAA, IA or I ladders whenever possible. Type II ladders shall only be considered when local purchase is required and local manufacturers cannot provide Type IAA, IA or I. Type III ladders shall not be procured for industrial use (DAFMAN 91-203, para. 7.4.2.1.2).

Thorough visual inspections of ladders shall be made by the supervisor when the ladder is initially received and prior to being placed in service. Workers shall perform a visual inspection prior to each use. Refer to 29 CFR § 1910.23 and DAFMAN 91-203, para. 7.4.2.2 for additional information.

Make sure ladders are set stable surfaces.

Stepladders shall be fully opened out and locked in position.

Electrical Equipment:

Keep access to fuse or circuit breaker boxes or electrical controls clear and unobstructed with panel doors closed (DAFMAN 91-203, para. 2.5.2.2).

Modular office furniture electrical systems are normally designed only to provide power to office

equipment, e.g., personal computers, monitors, printers. Refer to 29 CFR § 1910, Subpart S, Electrical, for additional guidance. Use of appliances for personal convenience, such as refrigerators, coffee makers, microwave ovens, will be requested through the facility manager prior to use to ensure the electrical system can safely accommodate the additional load. Facility managers shall contact their installation Base Civil Engineer (BCE) when assistance is needed. (DAFMAN 91-203, para. 2.5.2.3).

High wattage appliances such as refrigerators, microwaves, coffeemakers, heaters, etc., shall be plugged directly into a facility outlet (DAFMAN 91-203, para. 8.4.6).

A Relocatable Power Tap (RPT), aka power strip is not intended to be series connected (daisy chained) to other RPT or to extension cords (UL 1363, para. 5.3).

Extension cords are only to be used temporarily and not as permanent wiring. (29 CFR §1910 (g)(1)(iv) (A)).

Ergonomics:

Ergonomics attempt to fit the job to the person, rather than forcing the person to fit the job. Adapting the job to the employee helps reduce stress and eliminates many potential injuries and disorders from overuse of muscles, poor posture and repetitive motion (DAFMAN 91-203, para. 2.6).

Contact the installation BE for questions relating to ergonomics or to have an ergonomic assessment completed. Refer to the website below for additional guidance.

Refer to OSHA website: <https://www.osha.gov/SLTC/ergonomics/controlhazards.html>

RISK MANAGEMENT FUNDAMENTALS

Reference: DAFSMS and local RM program guidance.

Address hazard identification, control selection, local escalation expectations, and when RM refresher training must be completed for this work center.

Document how the work center covers RM fundamentals, where refresher files or briefing materials are stored, and how personnel access those resources.

JOB SPECIFIC TRAINING ITEMS

No job-specific modules selected yet.

REFERENCES

DAFI 91-202
DAFMAN 91-203

REQUIRED DOCUMENTS

- [CA-10](#)
What a Federal Employee Should Do When Injured at Work. Use this as the workplace reference for employee injury reporting and follow-up actions.
- [DAF Form 457](#)
Hazard Report. Use this form to identify, document, and elevate unsafe conditions, equipment, or procedures in the workplace.

- [DAFVA 91-209](#) **UNITS MUST FILL IN THEIR OWN DAFVA 91-209 POSTING/LOCATION INFORMATION.** Department of the Air Force Occupational Safety and Health Program visual aid. Keep this available so personnel know the core safety rights, responsibilities, and reporting expectations.
Location Posted: Enter where DAFVA 91-209 is posted for this work center.
- [LS-201](#)
Notice of Employee's Injury or Death (Non-Appropriated Funds). Use this when applicable for NAF employee injury or death reporting.

DAF TRAFFIC SAFETY PROGRAM

Reference: DAFI 91-207. Requirements of the DAF traffic safety program include mandatory use of seat belts and helmets, speed limits, local traffic hazards, spotters while backing, and vehicle training requirements.

Additionally, brief prohibition or restrictions on electronic-device use while operating vehicles on- or off-base, and discuss motorcycle safety training requirements before riding a motorcycle.

On-Base / Vehicle Operations

- Obey posted speed limits, traffic control devices, and local roadway rules.
- Use installed seat belts and occupant restraints as designed by the manufacturer.
- Use spotters while backing when required by local policy, task conditions, or vehicle type.
- Complete required GOV, GVO, golf cart, low-speed vehicle, or mission-specific vehicle training before operation.

Electronic Devices / Headphones

- Do not use non-hands-free electronic devices while operating a motor vehicle.
- Stop in a safe location before using a phone if hands-free operation is not available.
- Do not wear headphones or listening devices in ways that interfere with hearing traffic, alarms, or emergency warnings.

Motorcycle / ATV Safety

- Complete required motorcycle rider training before riding on a roadway.
- Wear required PPE including helmet, eye protection, gloves, protective clothing, and over-the-ankle footwear.
- Carry proof of required training when applicable and comply with state licensing requirements.

Pedestrian / Bicycle Awareness

- Use caution at crossings, follow traffic controls, and wear visibility gear when exposed to roadway hazards.
- Use required lighting and reflective equipment during darkness, reduced visibility, or inclement weather.




Department of the
Air Force Rider

#DAFRider Timeline

Right Training ... Right Time ... Right Bike



So you want to ride?



Every DAFRider should be physically capable, mentally prepared, and their motorcycle mechanically sound.

Local Traffic Hazards / Vehicle Notes:

Buckle your seat belt on and off the installation.

Do not use earphones while operating a motor vehicle, bicycle, electrical personal assistive mobility device, electric power-assisted bicycle, moped, or walking jogging on streets/roadways. Motorcycle helmet intercoms are excluded. Note: This section does not apply to the driver of any emergency vehicle.

On-Base Speed Limits (JBLE 31-218, para. 2.3):

Standard speed limit within the confines of JBLE is 25 mph, unless otherwise posted. Note: Some roadways on JBLE-Langley have a maximum speed limit of 35 mph.

The maximum speed limit will not exceed 10 mph in the following areas or situations: parking lots or parking areas, ammunition areas, service roads or alleyways, and passing troop formations.

The maximum speed limit in the residential housing areas, to include The Landings at Langley and entering/departing through base entry points will not exceed 15 mph, unless otherwise posted.

Distracted Driving:

Effective 1 January 2021, it is unlawful for any person to operate a moving motor vehicle on the highways in Virginia while using any handheld personal communications device, such as a cell phone.

Deer Hazards:

Thousands of deer-vehicle crashes take place in Virginia each year, resulting in fatalities, injuries and costly vehicle damage. To avoid hitting a deer:

Be alert at dusk and dawn, especially in the fall.

Slow down if you see a deer near or crossing the road. Deer frequently travel in groups; there are likely more nearby.

Use the horn to scare deer away.

If a collision with a deer or other animal is unavoidable, do not swerve. Brake firmly, stay in your lane, and come to a controlled stop.

Bicycle Operations:

Any cyclist riding a bicycle on JBLE will observe the same traffic rules required of a motor vehicle operator.

Cyclists are required to wear a safety helmet.

Cyclists riding during the hours of darkness are required to have a lamp on the front of the bicycle which can emit a white light visible from a distance of at least 500 feet to the front and an approved red rear reflector or light visible at least 600 feet to the rear.

Bicycles will not be ridden on any sidewalk within the business area (i.e., Base Exchange, bank, credit union, Commissary, ACC campus area, etc.).

Cyclists on roadways will be in single file, as far to the right as possible.

Cyclists will never assume the right of way over other vehicles.

Cyclists will use proper hand and arm signals when turning or stopping.

Bicycles will be equipped with an approved brake which will enable the operator to stop on any pavement.

Cyclists, persons on coasters, skateboards, roller skates or roller blades will never cling or hold on to another moving vehicle.

Coaster-Wheeled Conveyance

The use of coaster-wheeled conveyance (defined as any form of object propelled afoot to include, but not limited to, in-line skates, roller skates, roller blades, scooters or skateboards) is prohibited on any roadway, parking lot or sidewalk, except in established areas.

The only established areas where coaster-wheeled conveyances are authorized on JBLE, to include The Landings at Langley, are the running track from the ACC gym to the golf course and the running track on Nealy Avenue from Building 407 (the billeting office).

All persons using a coaster-wheeled conveyance are required to wear safety helmets.

It is strongly recommended that all skaters use wrist, elbow and kneepads.

It is prohibited for persons using skateboards, roller skates, roller blades or any coaster-wheeled conveyance to wear any device or instrument which substantially impairs his/her hearing. This includes, but is not limited to, the use of headsets or earphones containing or connected to any source of sound.

Jumping ramps are not authorized along any roadway or sidewalk.

Motorcycle Safety Representatives / Traffic Contacts:

On-road AF motorcycle operators will (DAFI 91-207, para. 1.3.11):

Coordinate through the unit motorcycle safety representative during in and out-processing or change of rider status.

Create and maintain an accurate AFSAS Training Module-MUSTT account.

Close their AFSAS Training Module-MUSTT account prior to separating or retiring.

Attend all motorcycle safety training and briefings mandated by DAFI 91-207.

Attend unit's initial motorcycle safety briefing within 30 duty days of arrival or identification as an on-road motorcycle operator.

NOTE: If you are or desire to become a motorcycle operator, please visit 480 ISRW/SE located in room 23

No GVO risk assessment files uploaded.

EMERGENCY INFORMATION

- **Emergency Numbers:**

480 ISRW:

Commander/Front Office: Comm 225-4444; DSN 575-4444

DCGS Operations Center (DOC) – Watch Officer: Comm 225-2856; DSN 575-2856

Special Security Office (SSO): ECP: Comm 225-3775; DSN 575-3775

Security Office: Comm 225-1279; DSN 575-1279

EMERGENCY: Security Forces, Fire, and Medical

911--IMPORTANT! When using a cell phone, inform the dispatcher you are located on Langley AFB

- **Medical Facility / Treatment:**

633 MDG Langley AFB: Comm 764-6731; DSN 574-6731

633rd Medical Group - Joint Base Langley-Eustis

77 Nealy Ave.

Joint Base Langley-Eustis, VA 23665-2080

- **Evacuation / Muster Point:**

Evacuation routes and meet-up points:

All facility personnel must understand the emergency response and general evacuation procedures for their location. They must also know the correct exits to use and their predetermined assembly point location. During an evacuation, all unaffected egress points will be used, and personnel must assist visitors and contractors from the facility premises. It is important to note that in some emergencies, employees may deviate from these instructions. Use common sense. For example, if smoke is present, employees need to notify emergency personnel and begin evacuating even if the alarm has not been sounded (Bldg. 23, Emergency Action plan, Annex B, para. 3.1).

All personnel assigned within Building 23 will be familiar with emergency exits and evacuation routes (Bldg. 23, Emergency Action plan, Annex B, para. 3.1).

Pull Stations:

When you believe there is the possibility of a fire, activate a pull station.

Signs of fire can include visual signs of fire or smoke, a smell, heat, hearing others' indications of fire, among other signs.

- **Shelter in Place:**

Upon shelter in place notification please proceed to nearest shelter.

480 ISRW/SE can provide additional information related to the Shelter-in-Place Program.

- **Active Shooter Response Methods:**

Active Shooter Procedures (see Bldg. 23, Emergency Action plan, Appendix 2 to Annex K):

Move quickly away from the threat, if able.

Identify an escape route and primary and alternate rally points beforehand. If an escape route is available, evacuate the premises.

Shout/echo the order "LOCKDOWN, LOCKDOWN, LOCKDOWN". If possible, announce on the mass notification system "LOCKDOWN, LOCKDOWN, LOCKDOWN, IN THE BUILDING", as well.

Relocate from hallways or other common areas to a secure location.

Turn off lights and barricade doors with available items (desks, bookcases, file cabinets, etc.) – LOCK THE DOOR

Take cover inside the secured area or lie flat on the floor.

Stay clear of doors and windows and silence cellular telephones or other similar devices.

If outside the affected area, find cover and stay there. DO NOT ATTEMPT TO ENTER THE AFFECTED AREA FOR ANY REASON.

If you cannot find a secure location, either play dead or attempt to overpower the shooter*. AS A LAST RESORT TAKE ACTION AGAINST THE SHOOTER. Personnel should use whatever means possible to overpower the subject to save further lives. Use minimum force necessary to subdue the threat, however, deadly force is authorized when an individual reasonably believes he/she, or others in the area, are in immediate danger of death or serious bodily harm.

If outside of building, find cover and stay there. DO NOT ATTEMPT TO ENTER THE AFFECTED AREA FOR ANY REASON.

Shooter Procedures – Once in a secure Area:

Contact the Emergency Control Center (ECC) at 764-5091/5092/5093/5094 and provide the following information:

Your name, location (building/room number) and contact number.

Number of friendly personnel at your location and their status (wounded, dead, etc).

Number of shooters (if known).

Type/number of weapons (handgun, rifle, shotgun, automatic weapon, etc).

Description or identity (if known) of shooter.

Direction of travel and/or location of shooter (if known)

If in facility ECP and possible, use the CCTV (Facility Camera System) to find the shooter. If found, communicate with onsite SF forces and alert them to the exact whereabouts of the shooter.

Attempt to rescue other personnel/treat injured. (This is only to be attempted if it can be done without endangering yourself or others in the attempt. If there is any doubt, do not attempt this action).

Active Shooter Procedures – Once Security Force (SF) units have control of the area:

Remain calm and follow all directions/commands from SF personnel

Always keep hands visible.

Do not attempt to grab or make any quick movements towards responding units.

Active Shooter Procedures – Recovery

Once the “All Clear” notification is made, units will start accountability checks of their personnel and report the information to their Unit Control Centers. Accountability may start earlier if commanders determine it’s safe to do so using a risk management (RM) process.

If you’re away from your unit during an Active Shooter incident, it’s important to contact your chain of command as soon as possible to report your status.

Do not speak to the media. Information will be released to the community and media as quickly as possible by official sources. Refer inquiries to Public Affairs office.

Do not touch or move any items other than injured personnel. The entire area will be treated as a crime scene.

Once you have been evacuated you will not be permitted to retrieve items or access the crime scene until after the scene has been processed by security forces.

After evacuation you will be taken to a holding area for medical care, interviewing, counseling, etc.

• **Adverse Weather Shelter:**

Not entered

No evacuation route image uploaded.

EMERGENCY EQUIPMENT AND SAFETY BOARD

Safety Bulletin Board Location: Not entered

List fire pull stations, extinguishers, power cutoffs, eyewash stations, AEDs, foam systems, and any local fire/emergency equipment notes.

No emergency equipment maps or photos uploaded.

DOCUMENTATION AND REVIEW

Document initial, refresher, and task-specific training in the work center record, review annually or when work conditions change, and maintain records per local records management requirements.

No DAF Form 1118 files uploaded.

No Bioenvironmental Workplace Survey uploaded.

Annual Review History:

Each annual review entry is shown in the table below.

Supervisor Name	Date Reviewed	Contact Info
MSgt Thomas Northcutt	05/07/2026	

Supervisor Name	Date Reviewed	Contact Info