

Job Safety Training Outline

Built to align with DAFI 91-202 paragraph 14.1 requirements.

Unit: 432 SPTS

Work Center: CEF

Office Symbol: Fire Department / HSO

Supervisor: Ramon Fitzgerald / GS-13 / Fire Chief

Phone: 702-404-2227

Reviewer: Abel Salas

Review Date: 2025-08-08

Effective Date: 2026-05-12

WORK CENTER OVERVIEW

As a fire department, we have many training and real world incident responsibilities that provide various risks to our personnel on a daily basis.

REQUIRED TRAINING TOPICS

Workplace Hazards

Personal Protective Equipment

Emergency Action and Fire Prevention

Reporting Unsafe Conditions

Reporting Mishaps and Occupational Injury/Illness

CA-10 and LS-201

DAF Traffic Safety Program

DAFVA 91-209


DAFSMS Responsibilities

- **Hazards and controls:** Address task hazards, environmental hazards, governing instructions, and hierarchy of controls including elimination, engineering, substitution, and administrative controls.
- **PPE:** Cover required protective equipment, wear/use procedures, cleaning, maintenance, storage, disposal, and supervisor notification concerns.
- **Emergency response:** Cover emergency action, fire prevention, alarms, AEDs, extinguishers, evacuation, shelter, active shooter response, and emergency contact procedures.
- **Reporting:** Explain unsafe condition reporting, injury/illness reporting, DAF Form 457, SAFEREP access, and anti-retaliation protections.
- **Program awareness:** Include CA-10 / LS-201 location, traffic safety program requirements, DAFVA 91-209 location, and DAFSMS responsibilities.

Hierarchy of Controls

Apply these controls from most effective to least effective when reducing workplace hazards under DAFI 91-202 paragraph 14.1.2.1.4.

HIERARCHY OF **HAZARD CONTROLS**



Use the highest level of control feasible first. PPE should protect workers only after elimination, substitution, engineering, and administrative controls have been considered.

Active Shooter Response

In the event of an active shooter, individuals should employ the **Avoid, Deny, Defend** response method. This strategy is adaptable to the specific situation and environment.

Responses to an Active Shooter include:

Avoid (RUN),

Deny (HIDE),

Defend (FIGHT)

Adapt your response to the weapons used:

Ricocheting bullets

Shrapnel and secondary missiles

Cover vs Concealment

An active shooter situation may be over within 15 minutes, before law enforcement arrives.

Avoid (Run): The first and preferred course of action is to evacuate the area if a safe route is available. Maintain awareness of your surroundings and have an escape route planned. Leave your belongings, evacuate regardless of whether others follow, and do not attempt to move wounded people. Once you have reached a safe location, call 911 and provide any information you have.

Deny (Hide): If you cannot evacuate, your next priority is to deny the attacker access to your location. This involves more than just hiding; it means securing your position. Lock and blockade doors with heavy furniture, turn off lights, silence your phone, and remain out of the shooter's view. Remember that concealment only hides you, while cover can offer protection from bullets.

Defend (Fight): As a last resort, when your life is in immediate danger, you must be prepared to defend yourself. Act aggressively and take action against the shooter. Improvise weapons from your surroundings and commit to your actions. Taking action may be risky, but it could be your best or only chance for survival.

When law enforcement arrives: Remain calm, follow all instructions, keep your hands visible with fingers spread, and be prepared to provide information about the shooter's location, number, and description.

DAFSMS FRAMEWORK

DAFSMS uses four pillars and the DAFSMS framework to structure the mishap prevention program through continuous improvement and the Plan-Do-Check-Act model.



Policy and Leadership

Provides the structure for a proactive mishap prevention program through policy, active leadership engagement, and clearly defined responsibilities at every level.

Risk Management

Integrates hazard identification, assessment, and control decisions into daily operations to reduce mishaps and strengthen safety culture.

Assurance

Uses evaluations, monitoring, reviews, and data to confirm the mishap prevention program is implemented and improving over time.

Promotion, Education, and Training

Ensures Airmen and Guardians receive safety awareness information, embedded training, effective risk controls, and active engagement in mishap prevention.

1. Purpose. DAFSMS utilizes the four pillars and the DAFSMS framework to structure the mishap prevention program. Activities associated with each pillar set policy, identify and mitigate hazards and risk, and reduce the occurrence and cost of injuries, illnesses, fatalities, and property damage through continuous improvement and the PDCA model.

2. Policy and Leadership. Safety policy provides the structure for a sound and proactive mishap prevention program. Active leadership involvement in implementation and execution is critical at all levels of command.

3. Risk Management. Ensure the RM process is fully integrated into all safety-related activities to enhance mishap prevention and sustain a proactive safety culture. Refer to DAFI 90-802 and DAFPAM 90-803 for additional detail.

4. Assurance. Safety assurance is how commanders determine whether mishap prevention elements are implemented and guides continuous improvement through evaluation, monitoring, and review.

5. Promotion, Education, and Training. Ensure Airmen and Guardians are provided safety awareness information, organizations have embedded ongoing training into the mishap prevention program, effective risk controls are implemented, and personnel remain actively engaged.

Report it on SAFEREP



HAZARDS ARE EVERYWHERE.



WHAT ARE **YOU** DOING TO
PREVENT INJURY OR DEATH?

More info about SAFEREP
www.safety.af.mil/home/saferep

SAFEREP is the Department of the Air Force's (DAF) premiere digital safety reporting tool and mobile app. It allows Airmen and Guardians to easily report hazardous conditions, near-misses, unintentional errors, or safety concerns across all disciplines, including workplace, traffic, industrial, flight, weapons, and space safety, directly from their devices anytime and anywhere.

Fully integrated with the Air Force Safety Automated System (AFSAS), it replaces the earlier Airman Safety App and serves as the DAF's only fully digital safety reporting avenue. Users simply answer a short series of questions to submit reports that reach the appropriate Major Command (MAJCOM) safety office quickly and efficiently.

Key Benefits for Job Safety Training:

- **Empowers everyone:** Turns every Airman or Guardian into a proactive sensor for hazard identification, encouraging a strong safety culture where people feel comfortable speaking up without barriers like paperwork or word-of-mouth delays.
- **Prevents mishaps:** Enables early mitigation of risks before they lead to incidents, capturing minor events and near-misses that offer the greatest prevention potential.
- **Simple and accessible:** Mobile-first design makes reporting fast, more efficient than traditional methods, and available on the spot through the app on Google Play and the Apple App Store.
- **Broad coverage and integration:** Supports multiple safety areas and includes specialized features such as Aviation Safety Action Program reporting, improving visibility, tracking, and overall risk management across the force.

This tool strengthens operational readiness by fostering a proactive, data-driven approach to safety. You can download it from the app stores or access it through the official SAFEREP site for more details.

SAFEREP portal: <https://saferep.safety.af.mil>

Learn more: <https://www.safety.af.mil/Home/SAFEREP/>

REPORTING UNSAFE EQUIPMENT, CONDITIONS, OR PROCEDURES

Employees must report unsafe equipment, conditions, or procedures to their supervisor immediately. This includes any hazard that could injure personnel, damage equipment, or create an unsafe work process.

Personnel must also be notified that unsafe conditions, work-related injuries, and illnesses may be reported **without fear of retaliation**. Immediate supervisor involvement remains the primary reporting path, with SAFEREP and formal hazard-report channels available when needed.

What To Report

- Unsafe equipment that is broken, damaged, unserviceable, or missing required guards or controls.
- Unsafe conditions or procedures that create a hazard to personnel, operations, or facilities.
- Work-related injuries, illnesses, near-misses, and hazards needing immediate attention.

Immediate Actions

- Notify the supervisor or responsible area lead immediately.
- If the hazard can be safely controlled, stop use and isolate the equipment or area until corrected.
- If the danger is imminent to life or health, evacuate the area and activate emergency response procedures.

Tag use examples: Use the appropriate danger, caution, out-of-order, or do-not-start tag to keep unsafe equipment out of service until the hazard has been corrected and the responsible supervisor authorizes return to use.



Escalation: If the issue cannot be resolved at the lowest level, elevate it through the unit safety representative, DAF Form 457 process, or SAFEREP as appropriate.

USE OF PORTABLE FIRE EXTINGUISHERS



Portable fire extinguishers are intended for small, incipient-stage fires only. Personnel should use an extinguisher only when they have been trained, the fire is small and contained, the correct extinguisher is available, and there is a clear evacuation path behind them.

Use the **PASS** method when operating a portable fire extinguisher: **Pull** the pin, **Aim** at the base of the fire, **Squeeze** the handle, and **Sweep** side to side.

If the fire grows, smoke conditions worsen, or the extinguisher does not control the fire immediately, evacuate the area, activate the local emergency response process, and report the incident to emergency services and supervision.

WORK AREA HAZARD ANALYSIS

| Operational Task / Area | Specific Hazards | Risk / Consequence | Baseline Mitigations & Controls |

| ****Aircraft & Flightline (RPA Ops)**** | Aviation fuels (Jet-A, JP-4), Unexploded Ordnance (UXO), armed aircraft, composite materials, running engines. | Fire/explosions, toxic inhalation, traumatic injury from ordnance or moving aircraft parts. | Maintain safe distances from intakes/exhausts, approach armed aircraft from safe angles, utilize full ARFF PPE and SCBA, coordinate with EOD for UXO. |

| ****Wildland & Environmental**** | Desert climate extremes, rough terrain, extended operational hours, heavy gear transport. | Heat stroke, dehydration, severe physical exhaustion, musculoskeletal injuries, slips/trips/falls. | Implement work/rest cycles, enforce strict hydration protocols, utilize lightweight wildland PPE, conduct pre-season physical conditioning. |

| ****Structural & HAZMAT**** | Structural degradation, extreme thermal dynamics, toxic smoke, chemical agents (including AFFF/PFAS). | Thermal burns, asphyxiation, structural crush injuries, long-term occupational illness (cancer). | Maintain strict two-in/two-out rule, continuous air monitoring, full structural PPE/SCBA, gross field decontamination post-incident. |

| ****Medical Response (EMS)**** | Exposure to bodily fluids, unpredictable patient behavior, sharp objects (needles/glass). | Transmission of bloodborne pathogens (HIV, Hepatitis), biological infections, physical assault. | Universal precautions (nitrile gloves, eye protection, N95 masks), utilize sharps containers, maintain situational awareness. |

| ****Confined Space & Tech Rescue**** | Oxygen-deficient or toxic/explosive atmospheres, tight egress points, engulfment (utility vaults, fuel cells). | Asphyxiation, entrapment, crushing injuries, psychological panic. | Pre-entry permitting, continuous multi-gas monitoring, lockout/tagout (LOTO), extraction harness/hoist systems, attendant on standby. |

| ****Highway 95 Responses**** | High-speed traffic, distracted drivers, hazmat cargo (lithium/chemicals), complex extrications. | Struck-by secondary collisions (fatalities), high-energy trauma, toxic smoke inhalation. | "Fend-off" apparatus positioning, Class III high-visibility vests, advanced warning signs/cones, coordinate road closures with Nevada State Police. |

| ****Fire Hose Testing**** | High water pressure (burst hazards), wet/slick concrete, heavy lifting of water-logged hoses. | Blunt force trauma from ruptured couplings, lower back/shoulder strains, slip/fall injuries. | Clear testing zones of non-essential personnel, use hose testing valves/gates, enforce proper lifting ergonomics, wear helmets and gloves. |

| ****Apparatus Testing & Maintenance**** | Moving mechanical parts, high decibel engine noise, blind spots, toxic vehicle fluids (diesel exhaust, hydraulics). | Amputation/crush injuries, permanent hearing loss, struck-by incidents, chemical burns or inhalation. | Strict use of ground guides (spotters), dual hearing protection during pump tests, LOTO during maintenance, proper ventilation for exhaust. |

| ****Compressed Air / SCBA Ops**** | High-pressure cylinders (up to 4,500 psi), compressor intake contamination, high-speed air release. | Catastrophic explosion (projectile hazard), carbon monoxide poisoning (if air is bad), acoustic trauma. | Use fragmentation/containment fill stations, isolate compressor intakes from vehicle exhaust, inspect cylinders for damage before filling. |

RISK MANAGEMENT FUNDAMENTALS

Reference: DAFSMS and local RM program guidance.

Address hazard identification, control selection, local escalation expectations, and when RM refresher training must be completed for this work center.

▯ Risk Management Fundamentals & SOG 26 Application

Risk Management (RM) is the cornerstone of all Creech AFB Fire Department operations, ensuring that the inherent dangers of flightline emergencies, technical rescues, high-speed responses on US-95, and daily apparatus maintenance are continuously evaluated and mitigated. Grounded in the fundamental five-step RM process—identifying hazards, assessing risks, developing controls, implementing controls, and supervising outcomes—our approach demands proactive situational awareness from every firefighter. All personnel are strictly governed by our local risk management framework, SOG 26, which mandates the dynamic application of these RM principles during volatile emergency responses, as well as their deliberate application during routine tasks such as confined space permitting or SCBA filling. By executing the control measures outlined in this Job Hazard Analysis and strictly adhering to SOG 26, the department actively reduces mishap probability, safeguards our responders, and ensures sustained mission readiness for the Creech AFB installation.

To maintain operational proficiency and ensure strict compliance with Air Force safety standards, the department's annual training plan includes a mandatory, comprehensive review of these core risk management principles and SOG 26 protocols. Furthermore, all personnel are required to complete targeted annual safety training covering the specific hazards and controls outlined in this JHA. The successful completion of this occupational safety training is formally documented and tracked for every firefighter on their AF Form 55 (Employee Safety and Health Record).

JOB SPECIFIC TRAINING ITEMS

Hazardous Energy Control

Hazard Communication

Bloodborne Pathogens

Hearing Conservation

Confined Space Program

Respiratory Protection Program

Fall Arrest Systems

Explosives Safety Training

CPR Training

Flight Line Driving

Medical Surveillance Examination

Laser Safety Training

Ladder Safety

Active Shooter Response

Government Vehicle / Utility Vehicle Use

Manual Lifting and Material Handling

Fire Protection and Prevention

Thermal Stress / Heat and Cold Stress

Ergonomics / Office and Administrative Workstation Safety

Jewelry / Loose Articles Restrictions

Fetal Protection Program

- **Hazardous Energy Control:** DAFMAN 91-203 establishes a formal Hazardous Energy Control Program with dedicated training, documented procedures, and periodic self-inspections before servicing or maintenance work is performed. Train authorized employees on hazardous energy sources, magnitude, and isolation methods; affected employees on the purpose and use of procedures; and other nearby employees on restart/reenergization prohibitions. Retrain when assignments, equipment, processes, or procedures change, or when inspections show gaps. DAFMAN 91-203 - Air Force Occupational Safety, Fire and Health Standards Chapter 21; 29 CFR 1910.147 - The control of hazardous energy (lockout/tagout)
- **Hazard Communication:** Employees potentially exposed to chemical hazards must complete HAZCOM training upon initial assignment and whenever a new hazard or chemical is introduced or new tasks create new hazards. Supervisors must ensure SDS access for chemicals used in the work process. Provide effective training at initial assignment and whenever a new chemical hazard is

introduced. Cover where hazardous chemicals are present, the written program, labels and SDS access, how releases are detected, hazard types, protective measures, emergency procedures, and required PPE. AFI 90-821 - Hazard Communication (HAZCOM) Program; 29 CFR 1910.1200 - Hazard Communication

- **Bloodborne Pathogens:** Any person whose duties involve reasonably anticipated exposure to blood or other potentially infectious material must be trained and enrolled in the Bloodborne Pathogen Program. Supervisors of affected workplaces must establish a written exposure control plan and conduct training. Train exposed employees at initial assignment and at least annually, with additional training when tasks or procedures create new exposure. Cover disease signs and transmission, the exposure control plan, task recognition, engineering controls, work practices, PPE use and disposal, and Hepatitis B vaccine information. 29 CFR 1910.1030 - Bloodborne Pathogens
- **Hearing Conservation:** Hazardous noise concerns must be evaluated and controls recommended through the occupational health risk assessment process. Use the AF Hearing Conservation Program as the training and control basis when shop noise hazards are identified. Provide a hearing conservation training program for employees exposed at or above the action level, repeat it annually, and update it when equipment or work processes change. Cover hearing effects, protector selection and care, and the purpose of audiometric testing. AFI 48-127 - Occupational Noise and Hearing Conservation Program
- **Confined Space Program:** Employees entering confined spaces must be trained to safely accomplish assigned duties and rescue procedures for the specific permit-required space entered. Safety observers and attendants must also be trained on rescue procedures for each type of permit-required confined space. Train affected employees before first assignment, before duty changes, when permit-space operations introduce new hazards, and when deviations or inadequate knowledge are identified. Training must establish proficiency and be documented by employee, trainer, and date. DAFMAN 91-203 - Air Force Occupational Safety, Fire and Health Standards Chapter 23; 29 CFR 1910.146 - Permit-required confined spaces
- **Respiratory Protection Program:** Respiratory hazards must be evaluated by Bioenvironmental Engineering and respiratory protection used where required by the occupational health assessment. Use the AF Respiratory Protection Program for controls, fit testing, and local training requirements. Provide comprehensive, understandable respirator training before use and at least annually thereafter. Cover why the respirator is needed, limitations, emergency use, inspection, donning and seal checks, maintenance and storage, and symptoms that may limit safe use. DAFI 48-137 - Respiratory Protection Program; AF Form 2767 - Occupational Health Training & Protective Equipment Fit Testing
- **Fall Arrest Systems:** Any work above four feet requires a fall protection program and appropriate safety gear. Use the local fall protection program, rescue procedures, and chapter-specific AF requirements for application-level training. Train personnel in safe personal fall arrest system use before use and after any component or system change. Pair this with the AF and local fall protection requirements for inspection, anchorage, rescue, and user limitations. DAFMAN 91-203 - Air Force Occupational Safety, Fire and Health Standards Chapter 13; 29 CFR 1910.66 - Powered platforms for building maintenance; 29 CFR 1926.503 - Training requirements
- **Explosives Safety Training:** Use explosives-specific AF lesson plans and local operating instructions. OSHA 2254 includes transportation and explosives references, but the Air Force explosives program should remain the primary training basis for this module. DESR 6055.09_DAFMAN 91-201 - Explosives Safety Standards; DAFI 91-202 - The Department of the Air Force (DAF) Mishap Prevention Program
- **CPR Training:** Initial first aid and CPR training must be completed before assigning duties that require it, refresher training must occur before certification expires, and CPR training must include PAD instruction. Remote or high-risk work must have an immediate medical response plan. Where work conditions require trained first-aid responders, ensure personnel are adequately trained and available. OSHA 2254 links first-aid and CPR availability to certain work settings, but local mission


risk and AF requirements should define who must hold current CPR credentials. DAFMAN 91-203 - Air Force Occupational Safety, Fire and Health Standards Chapter 1

- **Flight Line Driving:** Use Chapter 24 flightline vehicle operations rules and local licensing programs. For specialized equipment like forklifts and hi-lifts around aircraft, only licensed drivers may operate and the owning organization must provide special training with spotter support as required. Use flight-line-specific AF lesson plans and local airfield driving rules. OSHA 2254 does not provide a direct flight-line driving training excerpt for this module. DAFMAN 91-203 - Air Force Occupational Safety, Fire and Health Standards Chapter 24
- **Medical Surveillance Examination:** Use the occupational health risk assessment and exposure-specific program requirements to decide who needs surveillance, what triggers enrollment, and what training or briefings must accompany the surveillance requirement. Tie this module to the specific exposure program and explain when surveillance is required, how scheduling works, and what triggers follow-up. OSHA 2254 aligns most directly where laboratory or substance-specific standards require information on exposure limits, signs and symptoms, and protective measures, but the AF medical surveillance program should remain the primary driver. DAFI 48-145 - Occupational and Environmental Health Program
- **Laser Safety Training:** Use AF laser program guidance for laser classes, beam hazards, eyewear selection, alignment controls, and access restrictions. No direct OSHA 2254 module is mapped here. AFI 48-139 - Laser and Optical Radiation Protection Program
- **Ladder Safety:** Personnel using ladders at any working height must be trained when first assigned, and that training must include hands-on instruction covering ladder defects, electrocution hazards, positioning, and placement for various job sites. Training must be documented under DAFI 91-202. Use local ladder lesson plans, manufacturer instructions, and AF walking-working surface guidance. OSHA 2254 (2015 edition) does not provide a dedicated general-industry ladder training summary in the same way it does for lockout, forklifts, or confined spaces, so this remains primarily AF/local-driven. Common local training item often broken out separately with fixed and portable ladder rules
- **Active Shooter Response:** Tie this to the local emergency action plan, shelter/lockdown locations, notification methods, and commander-directed response procedures. Local emergency response briefing and lockdown procedures
- **Government Vehicle / Utility Vehicle Use:** Document local licensing, route restrictions, spotter use, rollover protection, and unit-specific operating rules. OSHA 2254 does not provide a direct GOV/UTV training excerpt here. Local GOV, GVO, or UTV operating rules and licensing expectations
- **Manual Lifting and Material Handling:** Supervisors must ensure thorough training on proper manual lifting techniques, required PPE, and the use of manual lifting devices. Training must use both verbal and written materials, include practice on proper motions, and be documented under DAFI 91-202. Cover shop-specific lifting limits, two-person lift triggers, hand truck and lifting-device use, and when supervisors require assisted handling. No direct OSHA 2254 standalone manual-lifting module is mapped here. Manual lifting techniques and available lifting devices
- **Fire Protection and Prevention:** Facility managers and supervisors must establish and maintain a fire prevention training program through the JSTO so employees understand their fire prevention and protection responsibilities in their work areas. This is fulfilled through job safety training and documentation under DAFI 91-202. Review the fire prevention plan with employees when the plan is developed, when responsibilities change, and when the plan changes. If extinguishers are provided for employee use, train employees on the general principles of extinguisher use and the hazards of incipient-stage firefighting at initial assignment and at least annually. Train designated users on the specific equipment they are expected to use. Local extinguisher, pull station, and fire reporting procedures
- **Thermal Stress / Heat and Cold Stress:** Use the occupational health risk assessment, local BE recommendations, and supervisor hazard controls to brief personnel on thermal stress hazards and controls for hot, cold, humid, outdoor, flight line, industrial, or PPE-intensive work areas. Cover heat

stress, cold stress, WBGT or locally directed exposure monitoring, acclimatization, hydration, work/rest cycles, buddy checks, PPE or clothing considerations, symptom recognition, supervisor notification, and emergency response actions for suspected heat illness or cold injury. DAFMAN 91-203 - Air Force Occupational Safety, Fire and Health Standards; DAFI 48-145 - Occupational and Environmental Health Program; local Bioenvironmental Engineering or Occupational Health guidance

- **Ergonomics / Office and Administrative Workstation Safety:** Use DAFMAN 91-203 office safety and ergonomics guidance to brief administrative and computer-based workers on musculoskeletal disorder risk factors, workstation adjustment, posture, repetitive motion controls, manual handling of office materials, and supervisor follow-up for ergonomic concerns. Cover workstation setup, chair adjustment, monitor height and distance, keyboard and mouse position, neutral posture, repetitive motion, micro-pauses or task variation, safe lifting of office supplies, file cabinet and storage safety, early reporting of discomfort, and how to request a BE ergonomic assessment when needed. DAFMAN 91-203 - Air Force Occupational Safety, Fire and Health Standards; OSHA ergonomics guidance; local Bioenvironmental Engineering or Occupational Health guidance
- **Jewelry / Loose Articles Restrictions:** Use local shop rules and hazard analysis to define where jewelry, loose clothing, or unsecured items are prohibited around moving parts, climbing, electrical work, or snag hazards. Workplace-specific limits on rings, necklaces, watches, and loose items
- **Fetal Protection Program:** Use AF occupational and public health guidance to brief reproductive hazards, reporting expectations, and referral procedures. No direct OSHA 2254 module is mapped here. DAFMAN 48-146 - Occupational Health Program Management; AFRCI 41-104 - Professional Board and National Certification Examinations as applicable

Ergonomics Workstation Posture Guide:



Use this guide while briefing office and administrative workstation setup.

REFERENCES

DAFI 48-137

DESR 6055.09_DAFMAN 91-201

REQUIRED DOCUMENTS

- [CA-10](#)
What a Federal Employee Should Do When Injured at Work. Use this as the workplace reference for employee injury reporting and follow-up actions.
- [DAF Form 457](#)
Hazard Report. Use this form to identify, document, and elevate unsafe conditions, equipment, or procedures in the workplace.
- [DAFVA 91-209](#) **UNITS MUST FILL IN THEIR OWN DAFVA 91-209 POSTING/LOCATION INFORMATION.**
Department of the Air Force Occupational Safety and Health Program visual aid. Keep this available so personnel know the core safety rights, responsibilities, and reporting expectations.
Location Posted: See Safety Bulletin Boards.
- [LS-201](#)
Notice of Employee's Injury or Death (Non-Appropriated Funds). Use this when applicable for NAF employee injury or death reporting.

DAF TRAFFIC SAFETY PROGRAM

Reference: DAFI 91-207. Requirements of the DAF traffic safety program include mandatory use of seat belts and helmets, speed limits, local traffic hazards, spotters while backing, and vehicle training requirements.

Additionally, brief prohibition or restrictions on electronic-device use while operating vehicles on- or off-base, and discuss motorcycle safety training requirements before riding a motorcycle.

On-Base / Vehicle Operations

- Obey posted speed limits, traffic control devices, and local roadway rules.
- Use installed seat belts and occupant restraints as designed by the manufacturer.
- Use spotters while backing when required by local policy, task conditions, or vehicle type.
- Complete required GOV, GVO, golf cart, low-speed vehicle, or mission-specific vehicle training before operation.

Electronic Devices / Headphones

- Do not use non-hands-free electronic devices while operating a motor vehicle.
- Stop in a safe location before using a phone if hands-free operation is not available.
- Do not wear headphones or listening devices in ways that interfere with hearing traffic, alarms, or emergency warnings.

Motorcycle / ATV Safety


- Complete required motorcycle rider training before riding on a roadway.
- Wear required PPE including helmet, eye protection, gloves, protective clothing, and over-the-ankle footwear.

Pedestrian / Bicycle Awareness

- Use caution at crossings, follow traffic controls, and wear visibility gear when exposed to roadway hazards.
- Use required lighting and reflective equipment during darkness, reduced

- Carry proof of required training when applicable and comply with state licensing requirements.

visibility, or inclement weather.



Local Traffic Hazards / Vehicle Notes:

□ Creech AFB Traffic Safety Program

Operating vehicles (GOV/POV) at Creech AFB requires strict adherence to AFI 91-207. Due to the base's remote location, proactive risk management is critical for daily commutes and on-base operations.

Local & Commuter Hazards: The 45-60 minute commute on US-95 poses severe risks, including driver fatigue, high-speed commercial traffic, extreme weather (flash floods, blinding sun glare), and frequent high-impact wildlife crossings (wild burros). Additionally, driving on the Creech flightline requires specialized certification due to heavy RPA traffic.

Base Vehicle Rules: Cell phone use without a hands-free device is strictly prohibited on the installation. Seatbelts are mandatory for all occupants, speed limits are strictly enforced by Security Forces, and ground guides (spotters) are mandatory when backing any fire apparatus.

Motorcycle Safety: Due to elevated highway risks, all riders must complete an approved Motorcycle Safety Foundation (MSF) course and register in the MUSTT system. Mandatory PPE (DOT-helmet, eye protection, long sleeves/jacket, full-fingered gloves, long pants, and over-the-ankle boots) must be worn on and off base.

Points of Contact:

Unit Safety Rep (USR): [JaCorey Jones / SSgt / 702-404-3801]

Wing Safety Office: [702-404-1393]

Motorcycle Safety Representatives / Traffic Contacts:

Squadron Motorcycle Safety Rep (MSR): [Devon Dixon / TSgt / 702-404-1321]

No GVO risk assessment files uploaded.

EMERGENCY INFORMATION

- **Emergency Numbers:**

Emergency Numbers

Direct - 911

On-Base - 702-404-0911

Non-Emergency Fire - 702-404-0213

Non-Emergency SF - 702-404-0556

- **Medical Facility / Treatment:**

Creech AFB Clinic

Front Desk Number - 702-404-1142

Duty Hours Only - No ER Capabilities

- **Evacuation / Muster Point:**

Personnel will evacuate to designated assembly points. Personnel in Building 1150 will evacuate to the parking lot located on the west of the main entrance. Personnel in building 85 will evacuate to the theater parking lot (bldg. 39). Personnel remain there until cleared by emergency personnel to return to your work area.

Upon notification to evacuate the area/buildings immediately. Secure any CUI evidence that is not secured (bring it with you if you have to). IF SAFE TO DO SO, all personnel will grab their PPE on the way to their FD vehicles and pull vehicles out of stalls to assembly area and standby for instructions. Do not use the telephone or operate any electronic equipment until you have arrived at the assembly area. See assembly areas for both stations below.

- **Shelter in Place:**

Bldg. 85: Located in Room 3

Bldg. 1150: Located in Room 145

- **Active Shooter Response Methods:**

Run

Hide

Fight

Wait until all clear!

- **Adverse Weather Shelter:**

Use SIP rooms at either stations as they do not have windows.

No evacuation route image uploaded.

EMERGENCY EQUIPMENT AND SAFETY BOARD

Safety Bulletin Board Location: Your safety bulletin board is located: Fire Station 1 Building 1150 – main hallway outside of the Training Room Fire Station 2 Building 85 – hallway near restroom.

Location and Use of Emergency and Fire Protection Equipment:

EMERGENCY/FIRE EQUIPMENT LOCATION AND USE

a. Emergency Power Cutoffs: (Circuit Breaker Panels) In East Side Mechanical Room Station 1 on the

- west side of the building in the center of the building, or West Side Mechanical Rm Station 2.
- b. Fire Alarm Pull Boxes: Located throughout the building near exits. Show each person all locations.
- c. Bomb Threat Checklist: Located near phone and in the Creech Phone Directory.
- d. Fire Extinguishers: Located around each station. Show each person all locations.

No emergency equipment maps or photos uploaded.

DOCUMENTATION AND REVIEW

All training will be documented on individual AF Form 55, initially and annually. All documents are uploaded on Teams.

No DAF Form 1118 files uploaded.

No Bioenvironmental Workplace Survey uploaded.

Annual Review History:
Each annual review entry is shown in the table below.

Supervisor Name	Date Reviewed	Contact Info
Abel Salas	08/08/2025	702-404-2227

