

(1) System Name		(2) VA Department	(3) System Type	(4) System ID
Infinidtech AssetWorx		VHA	SPS-OT	RITM14793522 1.2 Mod of RITM9079692
	(5) AO/AODR	(6) Security Control Review		Assigned Risk Level
		JOSE VAZQUEZCOLLAZO (Affiliate) Digitally signed by JOSE VAZQUEZCOLLAZO (Affiliate) Date: 2025.11.13 12:36:22 -05'00'		Moderate Risk
			FDA 510(K) ID(s)	Assessment Completion Date
			N/A	November 12, 2025
This Enterprise Risk Analysis Report (ERAR) is for the operation and connection of the AssetWorx 1.2 running Microsoft Windows 2019, v 1089, Microsoft Windows 2022, Appliance Zebra MC3330XR Android v 11-14, Appliance Zebra FXR90 v 3.x, Appliance Zebra FX9600 v3.x, Appliance Zebra Printer ZD500R v6.x, Appliance Zebra Printer ZT410R v6.x, Appliance Zebra RFID ZT411R v7.x, Appliance Zebra RFID ZT621R v7.x and SQL Server 2019, SQL Server 2022 database on the VA Enterprise network. The overall risk to the VA Enterprise is Moderate. In completion of the AssetWorx risk assessment, eight (8) security controls have been found as ‘non-compliant’ as shown below. A signed copy of this risk assessment will be uploaded into the GRC as artifact. The AssetWorx will be reviewed annually or upon request when there are significant modifications to AssetWorx, which essentially alter the security impact or architecture as previously assessed and authorized. Events that alter the security posture, or authorization status of the application, system, or network include but are not limited to: major version release, a change in the approved operating system or a change to how the system is implemented within the VA. Changes must be submitted in writing to the Specialized Device Security Division team prior to implementation. • This system contains an outdated software operating system. The Business Owner must coordinate with the boundary ISSO, once the system has been connected to the VA network, to develop a Plan of Action & Milestone (POA&M) within the VA GRC tool to monitor, track, and report on the remediation plan to address the high vulnerability associated with Non-Compliant Control CM-2, "Unsupported OS and database".				

v1.7	Risk Assessment			
		# Non-Compliant (Raw)	Possible	Non-Compliant Residual
	Very High	0	0	0
	High	5	12	0
	Moderate	2	18	5
	Low	1	4	2
	Very Low	0	1	1
	Initial Risk Determination			High Risk
	Final Risk Determination			Moderate Risk
				3.38
				2.63

Risk Rankings	
Concern Indicator	Threshold
Very High Risk	> 4
High Risk	> 3 and ≤ 4
Moderate Risk	> 2 and ≤ 3
Low Risk	> 1 and ≤ 2
Very Low Risk	> 0 and ≤ 1

Non-Compliant Control Information										Accepted Mitigation Factors								
ID	Vulnerability Description	Security Objectives (C-I-A)	Likelihood (VL - VH)	Impact (VL - VH)	Impact of Non-Compliance Description	Impact of Non-Compliant Control	Risk D&E (VL -VH)	# Of Mitigating Factors	Final Residual Risk	SDIA	Secured Location	No Internet Requirement	Maintenance Installation Contracts	Specialized device USB Drive	Scanning Station	Local SOPs	Networked special purpose systems Databases (SPS DB)	Role Based Security Training
AU-11	Audit Record Retention	C-I	Low	Low	Lack of or insufficient audit records can lead to insider threat actions to go unnoticed or unattributed	Undetected or unattributed cyber breach	Low	3	Very Low		Yes		Yes			Yes		
AU-6	Audit Review, Analysis, and Reporting	A	Low	Moderate	Lack of or insufficient audit records review can lead to insider threat actions to go unnoticed or unattributed	Undetected or unattributed cyber breach	Moderate	2	Moderate							Yes		Yes
CM-2	Operating System	I	Moderate	High	Unsupported operating Systems may be subject to vulnerabilities that will not be patched due to the unsupported nature of the operating system.	Unpatched Vulnerabilities	High	2	Moderate	Yes			Yes					
CP-9	Information System Backup	C-I-A	Low	High	Data Loss	Loss of Availability	Moderate	2	Moderate				Yes			Yes		
IA-2 (1)	Administrator Accounts	C-I	High	Moderate	(username and password more likely to be compromised)	Unauthorized access	High	3	Moderate	Yes	Yes	Yes						
IA-5(1)	Password Aging	C-I	Moderate	High	Passwords are more likely to be compromised	Unauthorized access	High	4	Low	Yes	Yes	Yes						Yes
MP-7	Universal Serial Bus (USB) Ports	C-I	Moderate	High	Unauthorized services to include malware.	Loss of CIA	High	3	Moderate	Yes	Yes							Yes
SC-28	Data Encryption – Mechanism	C-I	Moderate	High	Data breach	Lost of confidentiality	High	4	Low	Yes	Yes	Yes						Yes

System Name:	AssetWorx
VA Department:	VHA
Manufacturer	Infinidtech
Model:	1.2
Vendor Contact:	Roberto Udasco, Roberto.Udasco@itgonline.com, (571) 438-7216
Technical POC:	Caleb.Sonflieth, Caleb.Sonflieth@va.gov, (503) 220-8262

System ID:	RITM14793522 Mod 1.2 of RITM9079692
System Type:	SPS-OT
Installation Type:	National
Business Owner:	Caleb.Sonflieth, Caleb.Sonflieth@va.gov, (503) 220-8262

v1.6 * Note: More mitigating factors is accepted. For example, if the ERA specifies No USB Scanning Stations are present, you may still deploy if your facility does utilize USB Scanning Stations.

Control Questions					
Control ID	Control Title	Risk Assessment Questionnaire	Answer/Response	Additional Information	Answer Source
SQ.01	Operating System	Does the system run on a supported Operating System?	No	Microsoft Windows Server 2019, V1809. EOL Date: 1/9/2029 Microsoft Windows Server 2022. EOL Date: 10/13/2031, POAM Req, Vendor Proprietary appliance with firmware, for those sites that utilizing Zebra RFID Label Printer ZD500R V 6.x. EOL Date: 2/28/2021 POAM Req, Vendor proprietary appliance with firmware, for those sites that utilizing Zebra RFID Label Printer ZT410R V 6.x. EOL Date: 09/01/2023, Vendor proprietary appliances MC330XR Android 11-14. EOL Date: N/A, Vendor proprietary appliances Zebra FXR90 V 3.x. EOL Date: N/A Vendor proprietary appliances Zebra FX9600 V 3.x. EOL Date: N/A, Vendor proprietary appliances Zebra ZT411R V 7.x. EOL Date: N/A, Vendor proprietary appliances Zebra ZD621R V 7.x. EOL Date: N/A	* RMF Control: CM-2
SQ.02	Database Application	If the system uses a database application, is it currently supported (e.g. not end-of-life)?	Yes	Windows SQL Server 2019. EOL Date: 1/8/2030, Windows SQL Server 2022. EOL Date 1/11/2033	* RMF Control: CM-6
SQ.03	Patching - Windows Server Update Services	If the system runs a Microsoft Operating System, does the system utilize VA approved automated patching process? (Example: SCCM, WSUS, MDUS.)	Yes		* RMF Control: CM-11

SQ.04	Patching - Process	Has the vendor provided a complete and documented process detailing how and when routine OS patch updates are to be applied, and by whom, to the VA department supporting the system?	Yes		* RMF Control: SI-2
SQ.05	Patching - Critical	Has the vendor provided a documented process for addressing critical operating system and application patches for patching within 30 days from the release of the patch to the VA department supporting the system?	Yes		* RMF Control: SI-2
SQ.06	Audit Events	Does the system generate audit records?	Yes		* RMF Control: AU-2
SQ.07	Audit Review, Analysis, and Reporting	Are audit records reviewed based on VA defined frequency? Note: OI&T Recommended Control Value Minimums: At least weekly.	No	Reviewed as needed.	* RMF Control: AU-6
SQ.08	Time Stamps	Is a system configured to report time stamps to <SELECT: Coordinated Universal Time (UTC) or Greenwich Mean Time <GMT>> with the following level of detail: <MM/DD/YY HH/MM/SS>	Yes		* RMF Control: AU-8
SQ.09	Audit Record Retention	Are audit records retained based on the VA's defined frequency? Note: A minimum of 1 year or as documented in the NARA retention periods, HIPAA legislation (for VHA), or whichever is greater. Audit logs which describe a security breach must be maintained for 6 years (HIPAA requirement).	No	Windows Server Logs set to default retention and application logs are retained until asset data is updated by user updating location with scanner.	* RMF Control: AU-11
SQ.10	System Interconnections	Are all external connections documented and approved?	N/A	Device does not require external connection	* RMF Control: CA-3
SQ.11	Shared Accounts	Does each individual user accessing the system have their own account?	Yes		* RMF Control: AC-2
SQ.12	Role Based Access	Does the system support role-based access for all users?	Yes		* RMF Control: AC-2
SQ.13	Autorun	Is autorun disabled on Windows OS systems?	Yes		* RMF Control: CM-7
SQ.14	Internet Connection - IP/Port/Traffic	Is the system able to be operated without an active external connection? (e.g., connection outside of the VA network)	Yes		* RMF Control: CM-7
SQ.15	Administrator Accounts	Does the system require administrative access for service, software installation, and system configuration activities?	Yes		* RMF Control: AC-6
SQ.16	Contingency Plan	Does the system have an individual Contingency Plan?	Yes		* RMF Control: CP-2

SQ.17	Information System Backup	Is there a system backup infrastructure in place?	No	VA will work with Vendor to restore/rebuild as needed.	* RMF Control: CP-9
SQ.18	Information System Backup	Is there a process in place to protect the Confidentiality, Integrity, and Availability (CIA) of back-up data?	Yes		* RMF Control: CP-9
SQ.19	Information System Recovery and Reconstitution	Does the system have documented recovery and reconstitution procedures?	Yes		* RMF Control: CP-10
SQ.20	Individual User Authentication	Will the system be configured to use VA Active Directory or LDAP for user authentication?	Yes		* RMF Control: IA-2
SQ.21	Administrator Accounts	Does the system support two-factor authentication for administrative accounts?	No	No for server OS, Yes for application.	* RMF Control: IA-2(1)
SQ.22	Password Aging	Is the system configured to support a 90 day password age?	No	Windows Password Policy inherited from domain AD.	* RMF Control: IA-5(1)
SQ.23	Strong Passwords	Does the system support the VA standard for Password complexity?	Yes	Windows Password Policy inherited from domain AD.	* RMF Control: IA-5(1)
SQ.24	Controlled Maintenance	Are all maintenance and repair actions fully documented? (This includes: requested, scheduled, in process, and completed actions.)	Yes	Standard policies related to virtual server (VA Biomed)	* RMF Control: MA-2
SQ.25	Media Access	Is access to digital and/or non-digital media restricted to a group of personnel or roles?	Yes		* RMF Control: MP-2
SQ.26	Universal Serial Bus (USB) Ports	Is there a software in place to detect unauthorized usage of USB media?	No	No Physical Access to Server and standard VA server policies (Biomed) Virtual	* RMF Control: MP-7
SQ.27	Vulnerability Assessments	Does the system support automated vulnerability scanning during non-working hours (without operational impact)?	Yes		* RMF Control: RA-5
SQ.28	Vulnerability Scanning	Is the system configured to support vulnerability scans by an Administrative/credentialed-level account?	Yes		* RMF Control: RA-5(5)
SQ.29	Collaborative Computing Systems	Does the system utilizes collaborative devices? (Cameras, Microphones, White boards...for the purpose of multiple party collaboration)	N/A	No collaborative devices	* RMF Control: SC-15
SQ.30	Collaborative Computing Systems	Does the system prohibit remote activation of collaborative devices?	N/A	No collaborative devices	* RMF Control: SC-15
SQ.31	Data Encryption – Mechanism	Does the system protect data-at-rest with whole disk encryption?	No		* RMF Control: SC-28
SQ.32	System Use Notification	Does the system have a capability to display a notification banner granting access to a government system?	Yes		* RMF Control: AC-8
SQ.33	Wireless Protocols - Encryption	Does the system use FIPS 140-2 encryption standards for wireless communications?	Yes		* RMF Control: AC-18(1)
SQ.34	Antivirus Software	Does the system support the installation of anti-virus software, to include routine antivirus updates?	Yes		* RMF Control: SI-3


SQ.35	Data Transmission	Does the device securely display, transmit, or maintain private data (including PII, electronic Protected Health Information [ePHI])?	N/A	No PII, ePHI	* Device Questions * RMF Control: SC-8.1
-------	-------------------	---	-----	--------------	---

Accepted Mitigation Factors				
ID	Mitigation Title	Mitigation Question	Answer/Response	Additional Information
AMF.11	SDIA	Will the system be isolated behind SDIA?	Yes	
AMF.12	Secured Location	Is the system located in a controlled and/or secured location?	Yes	
AMF.13	No Internet Requirement	Is the system able to be operated without an active external connection? (e.g., connection outside of the VA network)	Yes	
AMF.14	Maintenance Installation Contracts	Is the system covered by a compliant VA Maintenance / Installation (Warranty) Contract?	Yes	
AMF.15	Specialized device USB Drive	Prior to using a USB drive with the system, are the conditions in the 10N memo followed?	N/A	Virtual Servers/ Feature is disabled
AMF.16	Scanning Station	Are mobile media scanning stations used prior to using mobile media on the system?	N/A	Virtual Servers/ Feature is disabled
AMF.17	Local SOPs	Is the system covered under Local SOP?	Yes	
AMF.18	Networked special purpose systems Databases (SPS DB)	Is the facility inventory updated and in compliance with SPS DB?	N/A	SPS Inventory DB currently not available
AMF.19	Role Based Security Training	Has a designated VA business owner completed administrative role based training?	Yes	

Appendix B: Ports, Protocols and Services									
Comms Service	Port Number	Protocol	Direction	External to the VA	External IP Address	CID	MOU #	Zone	Notes
VA Network Services									
NTP	123	UDP	Bi-directional	No	N/A	N/A	N/A	Non-Oracle (SPS)	Network Time Protocol . Send and receive
DNS	53	TCP/UDP	Bi-directional	No	N/A	N/A	N/A	Non-Oracle (SPS)	Domain Name System
DNS	55	TCP/UDP	Bi-directional	No	N/A	N/A	N/A	Non-Oracle (SPS)	Domain Name System
SMTP Send Only	25	TCP	Out	No	N/A	N/A	N/A	Non-Oracle (SPS)	Simple Mail Transfer Protocol
SMTP Email Receive	25	UDP	In	No	N/A	N/A	N/A	Non-Oracle (SPS)	Simple Mail Transfer Protocol
LDAPS	636	TCP/UDP	Bi-directional	No	N/A	N/A	N/A	Non-Oracle (SPS)	Light Directory Access Protocol with TLS
DHCP	67	UDP	Bi-directional	No	N/A	N/A	N/A	Non-Oracle (SPS)	Dynamic Host Configuration Protocol
DHCP	68	UDP	Bi-directional	No	N/A	N/A	N/A	Non-Oracle (SPS)	Dynamic Host Configuration Protocol
PKI-PIV	80	TCP	Bi-directional	No	N/A	N/A	N/A	Non-Oracle (SPS)	PKI-PIV Authentication
PKI-PIV	443	TCP	Bi-directional	No	N/A	N/A	N/A	Non-Oracle (SPS)	PKI-PIV Authentication
MSLS	80	TCP	Bi-directional	No	N/A	N/A	N/A	Non-Oracle (SPS)	Microsoft Licensing and Certificate Server Access
MSLS	135	TCP	Bi-directional	No	N/A	N/A	N/A	Non-Oracle (SPS)	Microsoft Licensing and Certificate Server Access
MSLS	445	TCP	Bi-directional	No	N/A	N/A	N/A	Non-Oracle (SPS)	Microsoft Licensing and Certificate Server Access
MSLS	1688	TCP	Bi-directional	No	N/A	N/A	N/A	Non-Oracle (SPS)	Microsoft Licensing and Certificate Server Access
MSLS	gt 48999	TCP	Bi-directional	No	N/A	N/A	N/A	Non-Oracle (SPS)	Microsoft Licensing and Certificate Server Access
SMB	139	TCP	Bi-directional	No	N/A	N/A	N/A	Non-Oracle (SPS)	Vista - SMB NetBIOS
SMB	445	TCP	Bi-directional	No	N/A	N/A	N/A	Non-Oracle (SPS)	Vista - SMB NetBIOS
MDUS/WSUS/ MDE	80	TCP	Bi-directional	No	N/A	N/A	N/A	Non-Oracle (SPS)	National VHA HTM Medical Device Update Server for Microsoft
MDUS/WSUS/ MDE	443	TCP	Bi-directional	No	N/A	N/A	N/A	Non-Oracle (SPS)	National VHA HTM Medical Device Update Server for Microsoft
MDUS/WSUS/ MDE	445	TCP	Bi-directional	No	N/A	N/A	N/A	Non-Oracle (SPS)	National VHA HTM Medical Device Update Server for Microsoft
MDUS/WSUS/ MDE	5985-5986	TCP	Bi-directional	No	N/A	N/A	N/A	Non-Oracle (SPS)	National VHA HTM Medical Device Update Server for Microsoft
MDUS/WSUS/ MDE	6516	TCP	Bi-directional	No	N/A	N/A	N/A	Non-Oracle (SPS)	National VHA HTM Medical Device Update Server for Microsoft
MDUS/WSUS/ MDE	8080	TCP	Bi-directional	No	N/A	N/A	N/A	Non-Oracle (SPS)	National VHA HTM Medical Device Update Server for Microsoft
MDUS/WSUS/ MDE	8530-8531	TCP	Bi-directional	No	N/A	N/A	N/A	Non-Oracle (SPS)	National VHA HTM Medical Device Update Server for Microsoft
MDUS/WSUS/ MDE	30700	TCP	Bi-directional	No	N/A	N/A	N/A	Non-Oracle (SPS)	National VHA HTM Medical Device Update Server for Microsoft
SMAK	54321-54521	TCP	Bi-directional	No	N/A	N/A	N/A	Non-Oracle (SPS)	National System Monitoring and Accountability Knowledge (SMAK) servers
Remote support	3389	TCP	Bi-directional	No	N/A	N/A	N/A	Non-Oracle (SPS)	Biomed remote support
Peripheral Support	8181	TCP	Bi-directional	No	N/A	N/A	N/A	Non-Oracle (SPS)	Peripheral Support communication between VA Network and accreditation boundaries Assetworx! Production
VISTA Nodes All ports use with Microfocus Reflections to AEMS/MERS	See above	See above	Bi-directional	No	N/A	N/A	N/A	Non-Oracle (SPS)	All ports communication that pertain to Microfocus Reflections are associated with AEMS/MERS systems
R01 - R04 Citrix Farm Subnets	443	TCP	Bi-directional	No	N/A	N/A	N/A	Non-Oracle (SPS)	R01 - R04 Citrix Farm Subnets
R01 - R04 Citrix Farm Subnets	1494	TCP	Bi-directional	No	N/A	N/A	N/A	Non-Oracle (SPS)	R01 - R04 Citrix Farm Subnets
R01 - R04 Citrix Farm Subnets	2598	TCP	Bi-directional	No	N/A	N/A	N/A	Non-Oracle (SPS)	R01 - R04 Citrix Farm Subnets
R01 - R04 Citrix Farm Subnets	3389	TCP	Bi-directional	No	N/A	N/A	N/A	Non-Oracle (SPS)	R01 - R04 Citrix Farm Subnets
Citrix Storefront access	80	TCP	Bi-directional	No	N/A	N/A	N/A	Non-Oracle (SPS)	Citrix Storefront access
Citrix Storefront access	443	TCP	Bi-directional	No	N/A	N/A	N/A	Non-Oracle (SPS)	Citrix Storefront access
OIT Workstation									
HTTPS	80	TCP	In	No	N/A	N/A	N/A	Non-Oracle (SPS)	Assetworx! internal web app
HTTPS	443	TCP	In	No	N/A	N/A	N/A	Non-Oracle (SPS)	Assetworx! internal web app

HTTPS	3389	TCP	In	No	N/A	N/A	N/A	Non-Oracle (SPS)	Remote app for RFID label printing
HTTPS	5160	TCP	In	No	N/A	N/A	N/A	Non-Oracle (SPS)	Bartender printer licensing service
HTTPS	8182	TCP	Bi-directional	No	N/A	N/A	N/A	Non-Oracle (SPS)	Management Dashboard for RFID devices
HTTPS	8183	TCP	Bi-directional	No	N/A	N/A	N/A	Non-Oracle (SPS)	Management Dashboard for RFID devices
HTTPS	443	TCP/UDP	Bi-directional	No	N/A	N/A	N/A	Non-Oracle (SPS)	Hypertext Transfer Protocol Secure Access to Nuvolo web apps
CDW (SQL) Nuvolo/ CDWWork									
HTTPS	443	TCP	Bi-directional	No	N/A	N/A	N/A	Non-Oracle (SPS)	CDW (SQL) Nuvolo/CDWWork
HTTPS	1433	TCP	Bi-directional	No	N/A	N/A	N/A	Non-Oracle (SPS)	CDW (SQL) Nuvolo/CDWWork
HTTPS	8182	TCP	Bi-directional	No	N/A	N/A	N/A	Non-Oracle (SPS)	Device interfacing to servers
HTTPS	8183	TCP	Bi-directional	No	N/A	N/A	N/A	Non-Oracle (SPS)	Device interfacing to servers
HTTPS	443	UDP	Bi-directional	No	N/A	N/A	N/A	Non-Oracle (SPS)	CDW (SQL) Nuvolo/CDWWork
HTTPS	1434	UDP	Bi-directional	No	N/A	N/A	N/A	Non-Oracle (SPS)	CDW (SQL) Nuvolo/CDWWork
Connection from/to AssetWorx! Production & Test Servers with Wireless RFID Label Printers									
HTTPS	80	TCP	Bi-directional	No	N/A	N/A	N/A	Non-Oracle (SPS)	Assetworx! application interface
HTTPS	443	TCP	Bi-directional	No	N/A	N/A	N/A	Non-Oracle (SPS)	Assetworx! application interface
HTTPS	8182	TCP	Bi-directional	No	N/A	N/A	N/A	Non-Oracle (SPS)	Device interfacing to servers
HTTPS	1883	TCP	Bi-directional	No	N/A	N/A	N/A	Non-Oracle (SPS)	Device interfacing to servers
Connection from/to AssetWorx! Production & Test Servers with Wireless RFID & Barcode Readers									
HTTP	6101	TCP	Bi-directional	No	N/A	N/A	N/A	Non-Oracle (SPS)	RFID Label Printers/ Bartender printer licensing service FIPS#4767
Connection from/to AssetWorx! Production & Test Servers with Fixed Passive RFID Reader									
HTTP	80	TCP	Bi-directional	No	N/A	N/A	N/A	Non-Oracle (SPS)	Assetworx! application interface &
HTTP	443	TCP	Bi-directional	No	N/A	N/A	N/A	Non-Oracle (SPS)	Assetworx! application interface
HTTPS	1883	TCP	Bi-directional	No	N/A	N/A	N/A	Non-Oracle (SPS)	Device interfacing to servers
HTTPS	5084	TCP	Bi-directional	No	N/A	N/A	N/A	Non-Oracle (SPS)	Device interfacing to servers
HTTPS	5085	TCP	Bi-directional	No	N/A	N/A	N/A	Non-Oracle (SPS)	Device interfacing to servers
HTTPS	8080	TCP	Bi-directional	No	N/A	N/A	N/A	Non-Oracle (SPS)	Device interfacing to servers
HTTPS	8181	TCP	Bi-directional	No	N/A	N/A	N/A	Non-Oracle (SPS)	Device interfacing to servers
MQTTS	8883	TLS	Bi-directional	No	N/A	N/A	N/A	Non-Oracle (SPS)	Device interfacing to servers

Appendix C: System Inventory									
Device Name	Type	Model	Operating System	OS Version	Application Name	Application Version	EOL Date (OS & DB) (MM/DD/YYYY)	Zone	Comments
Assetworx Production VM	Server		Microsoft Windows 2019	1809			1/9/2029	Non-Oracle (SPS)	Need to enable IIS web services for Assetworx! and create services that support Bartender Print Portal. EOL Date: 1/ 9/2024 ext.; 1/9/2029 for those sites are utilizing it.
Assetworx Production VM	Server		Microsoft Windows 2022				10/13/2031	Non-Oracle (SPS)	Need to enable IIS web services for Assetworx! and create services that support Bartender Print Portal. EOL Date: 10/13/2026 ext. 10/13/2031 for those sites are utilizing it.
Assetworx Test VM	Server		Microsoft Windows 2019	1809			1/9/2029	Non-Oracle (SPS)	Need to enable IIS web services for Assetworx! and create services that support Bartender Print Portal. EOL Date: 1/9/2024 ext.01/9/2029 for those sites are utilizing it.
Assetworx Test VM	Server		Microsoft Windows 2022				10/13/2031	Non-Oracle (SPS)	Need to enable IIS web services for Assetworx! and create services that support Bartender Print Portal. EOL Date: 10/13/2026 ext. 10/13/2031, for those sites are utilizing it.
	Application				SQL Server	2019	1/8/2030	Non-Oracle (SPS)	On Assetworx! Production & Test Servers. EOL: 02/28/2025 ext. 01/8/2030
	Application				SQL Server	2022	1/11/2033	Non-Oracle (SPS)	On Assetworx! Production & Test Servers. EOL: 1/11/ 2028 ext. 1/11/2033
Zebra Wireless RFID & Barcode Reader	Appliance	MC3330XR	Android	11, 12, 13, 14			N/A	Non-Oracle (SPS)	Devices with Qualcomm Snapdragon SD660 chipset are upgradeable to Android 13 and higher with no EOL announced at time of ERA approval. The device is a FIPS 140-2 Cert located below: https:// csrc.nist.gov/projects/cryptographic- module-va lidity-program/certificate/3866 02/04/2024
Zebra Fixed Passive RFID Readers	Appliance	FXR90		3.x	Zebra BSP firmware		N/A	Non-Oracle (SPS)	Appliance with a Firmware v 3.30.16 . Device is a VA owned and maintained with no EOL announced at time of ERA approval.
Zebra Fixed Passive RFID Readers	Appliance	FX9600		3.x	Zebra BSP firmware		N/A	Non-Oracle (SPS)	Appliance with a Firmware v 3.30.18 . Device is a VA owned and maintained ,
Zebra RFID Label Printer	Appliance	ZD500R		6.x	Link-OS firmware		2/28/2021	Non-Oracle (SPS)	POAM Req, Printer firmware for those sites are utilizing 6.4 version for those site are utilizing it
Zebra RFID Label Printer	Appliance	ZT410R		6.x	Link-OS firmware		9/1/2023	Non-Oracle (SPS)	POAM Req, The vendor-proprietary printer firmware using kernel version 6.4 has reached end-of-life (EOL), as reflected for sites currently utilizing it. Additionally, the device has been discontinued. Upgrades are recommended for existing inventory and should be prioritized for all new procurements.
Zebra RFID Label Printer	Appliance	ZT411R		7.x	Link-OS firmware		N/A	Non-Oracle (SPS)	Version 7.4 of the vendor-proprietary printer includes firmware updates. Please refer to the manufacturer's link for the OS lifecycle support file
Zebra RFID Label Printer	Appliance	ZD621R		7.x	Link-OS firmware		N/A	Non-Oracle (SPS)	Version 7.4 a vendor-proprietary printer includes firmware updates. See the manufacturer's attached OS support file for lifecycle details. FIPS#4767 supported following VA standards and NIST 800 guidelines.



Appendix E: Enterprise Risk Analysis - Risk Analyst Notes / Modification Versioning

Risk Analyst Notes / Recommendations

Mod ERA,
The updated ERA incorporates changes to inventory servers and vendor-proprietary device updates. This system contains an outdated software operating system. The system remains under a POA&M requirement due to the evaluation of risk controls and the current security posture. This POA&M status specifically applies to sites utilizing Zebra label printer models ZD500R and ZT410R, as both models require either an upgrade or replacement.

The ERA risk assessment remains unchanged. The current Moderate risk rating reflects the system’s security posture based solely on the evaluation of implemented risk controls

Any version of the approved modifications may be used for additional facilities.				
Version Number	Date Approved	Modification Notes	Risk Analyst	Modification RITM Number
1.1	12/7/2023	Added port 5160	Stahle Butler	RITM10586491
1.2	11/4/2025	Revised Topology and PPS to align with VA standards.	Reba Fabozzi	RITM9079692

Appendix F: Enterprise Risk Analysis - AODR Notes / Implementation Requirements

AODR Notes / Implementation Requirements

AODR signature not required for ERAs with a risk level of Moderate, Low, and Very Low risk per direction of SDCCD Leadership.

Date: October 7, 2025

To: Enterprise Risk Assessment (ERA) Team
Office of Information Technology
US Department of Veteran Affairs

Subject: Vendor Letter of Support for Proprietary Firmware, Customized OS, and or COTS Devices.

Dear ERA TEAM

This letter serves as a formal confirmation that Integration Technologies Group provides full support for the proprietary firmware, customized operating system, and Commercial Off the Shelf devices currently unitized within the ERA environment.

The following product and software component are covered under this statement of support.

Component Type	Product Name/Model	Version/Firmware	Description
COTS Software	AssetWorx! Application Suite	4.X	Enterprise RFID and asset management software

Integration Technologies hereby confirms that:

1. We maintain active support and provide security patches, updates, and technical assistance for the above listed component.
2. In the event of a security vulnerability or performance issue, our engineering and support teams will provide timely remediation and updates in accordance with our standard product support lifecycle.
3. The listed products comply with all applicable vendor security baselines, and we collaborate with ERA and its authorized integrators to maintain operational and cybersecurity integrity.
4. Our support remains valid for the duration of the product lifecycle, currently through March 23, 2029.

Roberto Udasco, PMP
Integration Technologies Group, Inc.
Director, PMO Center of Excellence
+1 (703) 698-8282 (office) | +1 (703) 485-0766 (direct) | +1 (571) 438-7216 (cell)
Roberto.Udasco@itgonline.com

Roberto Udasco

Digitally signed by Roberto Udasco
Date: 2025.10.07 12:48:19 -0400/

Integration Technologies Group, Inc.

Author: ITG

Version: 1.0

Page 1

This document contains sensitive, proprietary, and privileged information which may not be disclosed, copied, distributed, or used in any manner by other parties without the express written consent of Integration Technologies Group, Inc.



Product Warranty Exceptions List

Hardware is warranted for a period of twelve (12) months from date of shipment from Zebra unless listed below

Product Line	Product	Family Description	Hardware Warranty Duration
Zebra Intelligent Automation Solutions Products			
Machine Vision/Fixed Industrial Scanning	CV60	GigE and USB vision camera	36 months
Machine Vision/Fixed Industrial Scanning	FS10, FS20, FS4x, FS7xx, FS80, GS20	Fixed Bar Code readers	24 months
Machine Vision/Fixed Industrial Scanning	VS20, VS4X, VS70, NS42	Machine Vision Smart Cameras	24 months
Machine Vision/Fixed Industrial Scanning	CBL, Lght, Lens, Fltr, Brkt	Cables, Lenses, Lights, Filters, Brackets	1 month
Robotics Automation	Carts, Cart Accessories, Shelves	Autonomous Mobile Robot - Accessories	3 months
Zebra Asset Visibility Solutions Products			
Supplies & Sensors	Barcode Supplies	Labels, tags, receipt, wristbands, and ribbon	12 months***
Supplies & Sensors	Z-Essentials Supplies	Labels	6 months***
Printing Solutions	ZC10L	ZC10L Printers and Supplies. See note regarding use of non-Zebra supplies in the ZC10L	12 months ****
Printing Solutions	ZXP Series 7	Direct-to-Card Card Printers, ZXP Series	24 months, including printhead
Printing Solutions	ZC100 ZC150 ZC300 ZC350	Direct-to-Card Card Printers, ZC Series	36 months, including printhead
Printing Solutions	ZXP Series 9	Retransfer Card Printers	24 months + lifetime warranty(**) on printhead
Printing Solutions	Aftermarket Printheads	Retransfer Card Printer Printheads	Lifetime warranty **
Supplies & Sensors	Color Ribbons Monochrome Ribbons	Color Ribbons Monochrome Ribbons	24 months
Printing Solutions	ZD120, ZP888, ZD220, ZD230, ZD888, ZD421, ZD621, ZD411, ZD611, ZD510	Desktop Printers purchased after June 28, 2020	24 months



Product Warranty Exceptions List

Hardware is warranted for a period of twelve (12) months from date of shipment from Zebra unless listed below

Product Line	Product	Family Description	Hardware Warranty Duration
Printing Solutions	ZE5x1	All Print Engines in EMEA region receive 24 month warranty. (Standard warranty in all other regions is 12 months)	24 months
Printing Solutions	ZQ511, ZQ521, ZQ511R, ZQ521R	Mobile Printers	24 months Printer, 12 month Battery
Printing Solutions	Printheads	All Printheads in EMEA, NA, and LA, excluding ZXP Series 9 Printheads and excluding Direct to Card Printheads. (For APAC printheads see Regional Warranty Exceptions)	1 Year or 1 Million Inches Warranty (Whichever is first) Products Purchased or received after April 11, 2021 6-Month Warranty Products purchased or received before April 12, 2021.
Printing Solutions	Spare Parts Kits	Service tools and service and maintenance parts to be used in conjunction with repair of Printer product. Includes main logic boards, motors, internal power supplies. Excludes Printheads and Aftermarket Kits Note: Chargers/ Power Supplies/ Cradles are not classified as spare parts and are therefore covered by the 1 year warranty	3 months
Printing Solutions	Aftermarket Kits/Accessories	Includes: Upgrade kits, platen rollers, ZebraNet Soft Goods: Soft cases, exoskeleton, hand straps, belt clips, shoulder straps, holsters Cables, non-powered mounts Notes: Upgrade kits purchased with printer will be covered for the duration of the printer warranty Chargers/Power Supplies/Cradles are not classified as aftermarket and are therefore covered by the 12 month warranty	1 month
Printing Solutions	ZSB-DP12, ZSB-DP14	ZSB Series Label Printers	24 months
Advanced Data Capture	LS1203	General Purpose Handheld Laser	36 months
Advanced Data Capture	LS1203-HD	General Purpose Handheld Laser	36 months
Advanced Data Capture	LS2208	General Purpose Handheld Laser	60 months
Advanced Data Capture	DS2208	General Purpose Handheld 2D Imager	60 months
Advanced Data Capture	DS2278	General Purpose Handheld 2D Imager	36 months
Advanced Data Capture	DS4308	General Purpose Handheld 2D Imager	60 months
Advanced Data Capture	DS4308-HC	General Purpose Handheld 2D Imager	60 months
Advanced Data Capture	DS4800	General Purpose Handheld 2D Imager	60 months
Advanced Data Capture	DS4608	General Purpose Handheld 2D Imager	60 months
Advanced Data Capture	DS4678	General Purpose Handheld 2D Imager	36 months



Product Warranty Exceptions List

Hardware is warranted for a period of twelve (12) months from date of shipment from Zebra unless listed below

Product Line	Product	Family Description	Hardware Warranty Duration
Advanced Data Capture	DS8108	General Purpose Handheld 2D Imager	60 months
Advanced Data Capture	DS8178	General Purpose Handheld 2D Imager	36 months
Advanced Data Capture	DS8108-HC	General Purpose Handheld 2D Imager	60 months
Advanced Data Capture	DS8178-HC	General Purpose Handheld 2D Imager	36 months
Advanced Data Capture	CS4070	General Purpose Handheld 2D Imager	36 months
Advanced Data Capture	CS60	General Purpose Handheld 2D Imager	36 months
Advanced Data Capture	CS60-HC	General Purpose Handheld 2D Imager	36 months
Advanced Data Capture	LI2208	General Purpose Handheld Linear Imager	60 months
Advanced Data Capture	LI4278	General Purpose Handheld Linear Imager	36 months
Advanced Data Capture	DS9208	General Purpose Hands Free	36 months
Advanced Data Capture	DS457	General Purpose Hands Free	36 months
Advanced Data Capture	DS5502	General Purpose Hands Free	36 months
Advanced Data Capture	DS5502-LB	General Purpose Hands Free	36 months
Advanced Data Capture	MS47	General Purpose Hands Free	15 months
Advanced Data Capture	DS4308-P	General Purpose Hands Free	60 months
Advanced Data Capture	DS457	General Purpose Hands Free	36 months
Advanced Data Capture	DS9308	General Purpose Hands Free	36 months
Advanced Data Capture	DS9908	General Purpose Hands Free	60 months
Advanced Data Capture	DS9908-HD	General Purpose Hands Free	60 months
Advanced Data Capture	DS9908R	General Purpose Hands Free	60 months
Advanced Data Capture	DS9908R-HD	General Purpose Hands Free	60 months
Advanced Data Capture	DS7708	General Purpose Hands Free Slot Scanners	36 months
Advanced Data Capture	MP72	Multiplane Scanners	24 months
Advanced Data Capture	LI3608-SR	Rugged Scanners	36 months
Advanced Data Capture	LI3678-SR	Rugged Scanners	36 months
Advanced Data Capture	LI3608-ER	Rugged Scanners	36 months
Advanced Data Capture	LI3678-ER	Rugged Scanners	36 months
Advanced Data Capture	DS3608-SR	Rugged Scanners	36 months
Advanced Data Capture	DS3678-SR	Rugged Scanners	36 months
Advanced Data Capture	DS3608-ER	Rugged Scanners	36 months
Advanced Data Capture	DS3678-ER	Rugged Scanners	36 months
Advanced Data Capture	DS3608-XR	Rugged Scanners	36 months
Advanced Data Capture	DS3678-XR	Rugged Scanners	36 months
Advanced Data Capture	DS3600-KD	Rugged Scanners	36 months
Advanced Data Capture	DS3608-DP	Rugged Scanners	36 months
Advanced Data Capture	DS3678-DP	Rugged Scanners	36 months
Advanced Data Capture	DS3608-DPA	Rugged Scanners	36 months
Advanced Data Capture	DS3678-DPA	Rugged Scanners	36 months
Advanced Data Capture	DS3608-HD	Rugged Scanners	36 months
Advanced Data Capture	DS3678-HD	Rugged Scanners	36 months
Advanced Data Capture	DS3608-HP	Rugged Scanners	36 months
Advanced Data Capture	DS3678-HP	Rugged Scanners	36 months



Product Warranty Exceptions List

Hardware is warranted for a period of twelve (12) months from date of shipment from Zebra unless listed below

Product Line	Product	Family Description	Hardware Warranty Duration
Advanced Data Capture	MT20x0	Rugged Scanners	36 months
Advanced Data Capture	SE655, SE950, SE955, SE960 SE965, SE1524, SE2100 SE2707, SE3300, SE3307 SE3317, SE4100, SE4500, SE4600 SE4710, SE4750, SE4757, SE4760, SE4850, SE6700, CCSCN1, SE4720, SE4770, SE5500, SE5800	Scan Engine	15 months
Advanced Data Capture	CL4500	Decoder	15 months
Advanced Data Capture	PL3307	Decoder	15 months
Advanced Data Capture	PL4507	Decoder	15 months
Advanced Data Capture	PL5000	Decoder	15 months
Advanced Data Capture	PL6707	Decoder	15 months
Advanced Data Capture	SP72-H	SP72 Series Single-Plane Scanner	36 months
Advanced Data Capture	SP72-V	SP72 Series Single-Plane Scanner	36 months
Advanced Data Capture	SM72	SM72 Series Single-Plane Scan Module, OEM	15 months
Advanced Data Capture	Serialized Accessories	External Power Supplies	1 month
Advanced Data Capture	Serialized Accessories for Bar Code Scanner devices	Cradle/chargers	36 months
Advanced Data Capture	Non-Serialized Accessories	Stands/Cups/Lanyards/Mounts	1 month
Advanced Data Capture	Non-Serialized Accessories	Cables	1 month
Advanced Data Capture	NON-SERIALIZED BATTERIES	Batteries for: DS3578 - DS3578 SR, DS3578 HD, DS3578 ER, DS3578 DP LS3578 - LS3578 ER DS6878 - DS6878 SR, DS6878 HD, DS6878 DL, DS6878 HC, DS6878 FIPS LI4278 - LI4278 SR LS4278 - LS4278 SR CS3070 - CS3070 SR CS4070 - CS4070 SR, CS4070 HC MT20X0 - MT2070, MT2090	1 month*
Zebra Connected Front-Line Worker Products			
Mobile Computers	ET80, ET85	Rugged Tablets	36 months
Mobile Computers	L10, L10ax, L10 Android	Rugged Tablets	36 months
Mobile Computers	ET60, ET65, ET60W, ET65W	Rugged Tablets	36 months



Product Warranty Exceptions List

Hardware is warranted for a period of twelve (12) months from date of shipment from Zebra unless listed below

Product Line	Product	Family Description	Hardware Warranty Duration
Mobile Computers	Accessories	Includes: Soft Goods: Hand straps & lanyards Back-of-Hand Mount Wrap Back-of-Hand Mount Strap Belts & shoulder straps Holsters (rigid and fabric) Protective Boots (Exoskeleton) Screen Protectors Stylus Wearables (replacement pads, straps, boots, freezer pouch and buckles) Headset replacements (windscreens, ear pads and headbands) Cables Non-powered mounts	1 month
Zebra Circular Economy Products			
Certified Refurbished Products	Refurbished Devices	Zebra Certified Refurbished Devices	3 months
Zebra Regional Warranty Exceptions			
Product Line / Region	Product	Family Description	Hardware Warranty Duration
Printing Solutions/ EMEA	ZT111, ZT231, ZT231R ZT411, ZT421, ZT400 Series RFID (ZT411R, ZT421R) ZT510 ZT610, ZT620, ZT600 Series RFID (ZT610R, ZT620R) 220Xi4, ZE5X1, ZE5X1R	Industrial Printers and Print Engines	24 months Printer, with cutter and wear parts (platen rollers, belts, rollers) limited to 12 months. See Printer Products, Printheads, on Page 1.
Printing Solutions/ EMEA	ZD120, ZD220, ZD230, ZD411, ZD421, ZD510-HC, ZD611, ZD611R, ZD621, ZD621R, Desktop Printers purchased after April 1, 2024	Desktop Printers purchased after April 1, 2024	36 months Printer See Printer products and printhead details in this section



Product Warranty Exceptions List

Hardware is warranted for a period of twelve (12) months from date of shipment from Zebra unless listed below

Product Line	Product	Family Description	Hardware Warranty Duration
Printing Solutions/ APAC	Printheads	All Printheads excluding ZXP Series 9 Printheads and excluding Direct to Card Printheads.	6 months
Notes: * Zebra applies a 12 month warranty to batteries not specifically mentioned in this list. ** Lifetime shall mean five (5) years following the effective end of sale (EOS) date as announced by Zebra but no later than the Zebra announced end of service effective date for such Product. *** Zebra applies a 12 month warranty to Barcode Supplies provided the recommended storage conditions are followed. Recommended storage conditions are found on Zebra's material specification sheets. Contact your Zebra Supplies specialist for further information **** ZC10L Media Exceptions Zebra conducts extensive compatibility testing with our printers and media to ensure trouble-free operation. This includes testing of the ZC10L large format printable card. It is important to the use and maintenance of the ZC10L to use printable cards that meet the unique dimensional specifications and are free of debris and burrs that can cause damage to critical components (i.e. printhead) and result in poor print quality. Warranty Exceptions: This Limited Warranty does not cover damage resulting from: – External causes such as accident, abuse, misuse – Servicing of printers not performed or authorized by Zebra including disassembly of the printer to clean built-up adhesive from third party media – Use of printers other than in accordance with product instructions – Failure to follow manufacturer's instructions and failure to perform preventive maintenance – Use of printer media or supplies not provided by Zebra – Incorrect storage and handling of Zebra Certified Supplies products. Please refer to product specification sheets for recommended storage conditions and duration. Printer Performance and Third Party Media: The use of third party media can cause a reduction in printer performance including: - Damage to critical components (i.e. printhead) - Card transport issues - Print quality issues			