```cmake
# -----------------------------------------------------------------------
#  Clean (only for RunSwig).
#
if ("${CMAKE_GENERATOR_PLATFORM}" STREQUAL "x64")
    set(LIBDIR ${SPR_TOP_DIR}/generated/lib/win64)
else ()
    set(LIBDIR ${SPR_TOP_DIR}/generated/lib/win32)
endif()
set(LIBPATH_DEBUG   ${LIBDIR}/Springhead${LIBNAME_DEBUG}.lib)
set(LIBPATH_RELEASE ${LIBDIR}/Springhead${LIBNAME_RELEASE}.lib)
set(LIBPATH_TRACE   ${LIBDIR}/Springhead${LIBNAME_TRACE}.lib)
set(CLEAN ${Python} ${CMAKE_SOURCE_DIR}/RunSwig/Clean.py ${CMAKE_SOURCE_DIR})

if(${Windows})
    add_custom_target(RunSwig_Clean
        COMMAND if "'$(Configuration)'" equ "'Debug'"   ${CLEAN} ${LIBPATH_DEBUG}
        COMMAND if "'$(Configuration)'" equ "'Release'" ${CLEAN} ${LIBPATH_RELEASE}
        COMMAND if "'$(Configuration)'" equ "'Trace'"   ${CLEAN} ${LIBPATH_TRACE}
        COMMENT [[  clearing RunSwig generated files and Springhead Library... ]]
    )
elseif(${Linux})
endif()
```