
Security Review Report
NM-0985 - PUFFER FINANCE



NETHERMIND
SECURITY

(July 30, 2026)

Contents

1	Executive Summary	2
2	Audited Files	3
3	Summary of Issues	3
4	System Overview	4
4.1	Liquidity Provision Withdrawals	4
4.2	Validator Lifecycle	4
4.3	EigenLayer Restaking Mechanism	4
4.4	Rewards Yield Distribution	4
5	Risk Rating Methodology	5
6	Issues	6
6.1	[Low] Unbounded Validator Ticket burn can revert the entire withdrawal batch	6
6.2	[Info] The PufferDepositorV2 contract constructor does not call <code>_disableInitializers()</code>	6
6.3	[Info] The <code>_getModuleRewardsRootMessage(...)</code> function is unused	7
7	Documentation Evaluation	8
8	Test Suite Evaluation	9
8.1	Tests Output	9
9	About Nethermind	26

1 Executive Summary

This document presents the results of the security review conducted by [Nethermind Security](#) for [Puffer Finance](#)'s liquid restaking protocol.

The primary focus of the engagement has been the integration between Puffer's core smart contracts and the [Automata Network](#) TEE attestation infrastructure. Specifically, the review centered on the `GuardianModule` and its mechanisms for leveraging Automata's Confidential VMs (CVMs) to cryptographically verify hardware attestations and manage session identities. By acting as a consumer of Automata's on-chain verifiable attestation system, Puffer ensures that its node operators securely run their validators within attested TEE environments.

Puffer Finance operates as an overlay on the **EigenLayer** network, utilizing custom modules such as `PufferModule` and `RestakingOperator` to interact with EigenLayer's native restaking infrastructure, `EigenPods`, and `Actively Validated Services (AVS)`. Furthermore, the protocol incorporates a `GuardianModule` utilizing SGX enclaves to cryptographically verify validator key provisioning and exit operations, alongside a unique `ValidatorTicket` system to manage node operator economic incentives and protocol fees.

The audit comprises approximately 1,726 lines of Solidity code. The audit was performed using (a) manual analysis of the codebase, and (b) automated analysis tools.

Along this document, we report 3 points of attention, where **1** is classified as Low, and **2** are classified as Informational or Best Practices severity. The issues are summarized in Fig. 1.

This document is organized as follows. Section 2 presents the files in the scope. Section 3 presents the summary of issues. Section 4 presents the System Overview. Section 5 discusses the risk rating methodology. Section 6 details the issues. Section 7 discusses the documentation provided by the client for this audit. Section 8 presents the test suite evaluation and automated tools used. Section 9 concludes the document.



Fig. 1: Distribution of issues: Critical (0), High (0), Medium (0), Low (1), Undetermined (0), Informational (2), Best Practices (0).
Distribution of status: Fixed (2), Acknowledged (1), Mitigated (0), Unresolved (0)

Summary of the Audit

Audit Type	Security Review
Initial Report	July 28, 2026
Final Report	July 30, 2026
Initial Commit	693f25
Final Commit	08ecce
Documentation Assessment	High
Test Suite Assessment	High

2 Audited Files

	Contract	LoC	Comments	Ratio	Blank	Total
1	mainnet-contracts/src/LibGuardianMessages.sol	57	46	80.7%	8	111
2	mainnet-contracts/src/ProofSubmitter.sol	36	75	208.3%	6	117
3	mainnet-contracts/src/PufferWithdrawalManager.sol	259	111	42.9%	78	445
4	mainnet-contracts/src/ValidatorTicket.sol	178	86	48.3%	42	306
5	l2-contracts/src/L2RewardManager.sol	271	114	42.1%	70	454
6	mainnet-contracts/src/PauserContract.sol	17	25	147.1%	5	47
7	mainnet-contracts/src/GuardianModule.sol	326	148	45.4%	79	546
8	mainnet-contracts/src/PufferDepositorV2.sol	79	36	45.6%	20	135
9	mainnet-contracts/src/PufferProtocol.sol	503	219	43.5%	132	851
	Total	1726	860	49.8%	440	3012

3 Summary of Issues

	Finding	Severity	Update
1	Unbounded Validator Ticket burn can revert the entire withdrawal batch	Low	Acknowledged
2	The PufferDepositorV2 contract constructor does not call _disableInitializers()	Info	Fixed
3	The _getModuleRewardsRootMessage(...) function is unused	Info	Fixed

4 System Overview

Puffer Finance is a liquid restaking protocol built as an overlay on the EigenLayer network. It allows users to deposit native Ether or Liquid Staking Tokens (LSTs) to receive pufETH, a yield-bearing liquid restaking token representing their share of the pooled assets. The protocol coordinates node operators, guardians, and restaking operators to manage validators on the Ethereum Beacon chain while extending crypto-economic security to Actively Validated Services (AVS) via EigenLayer.

4.1 Liquidity Provision Withdrawals

The movement of user assets into and out of the protocol is managed by a dedicated vault and withdrawal queuing system.

- **Deposits:** Users can deposit native ETH or other assets into the PufferVaultV5 contract to mint pufETH shares. The PufferVaultV5 contract acts as the protocol's core accounting engine and extends the standard ERC4626 implementation. Additionally, the PufferDepositorV2 contract serves as a helper to facilitate deposits of wstETH and stETH by utilizing EIP2612 permit signatures for a streamlined user experience.
- **Withdrawals:** The PufferWithdrawalManager contract manages the asynchronous withdrawal process. Users initiate requests by calling the `requestWithdrawal(...)` function, which transfers their pufETH to the manager and adds the request to a withdrawal batch. Once an administrator finalizes the batch by providing the necessary ETH liquidity via the `finalizeWithdrawals(...)` function, users can claim their ETH payout by invoking the `completeQueuedWithdrawal(...)` function. Users also retain the ability to cancel pending withdrawals before the batch is finalized by calling `cancelWithdrawal(...)`.

4.2 Validator Lifecycle

The protocol abstracts the complexities of Ethereum staking by establishing a permissioned lifecycle for node operators.

- **Registration:** Node operators register to run a validator by calling the `registerValidatorKey(...)` function on the PufferProtocol contract. During registration, they must provide their BLS public keys, supply a bond denominated in pufETH, and purchase ValidatorTicket tokens to cover the protocol and guardian fees.
- **Provisioning:** Upon successful registration, the PufferProtocol provisions the node via the `provisionNode(...)` function. This process requires valid cryptographic signatures from the GuardianModule, which utilizes SGX enclaves to independently verify the integrity of the validator keys and deposit data. Once validated, 32 ETH is transferred from the PufferVaultV5 to the designated PufferModule to formally stake the validator on the Beacon chain.
- **Exits and Slashing:** When a validator ceases operations, an administrator processes the exit via the `batchHandleWithdrawals(...)` function. If the validator was slashed or exited with less than 32 ETH, the protocol calculates the deficit and burns a corresponding portion of the node operator's pufETH bond to socialize the loss, thereby protecting standard pufETH holders.

4.3 EigenLayer Restaking Mechanism

Puffer integrates with EigenLayer to enable restaking functionalities and AVS participation.

- **Module Management:** The PufferModuleManager is responsible for deploying and managing individual PufferModule contracts. Each deployed PufferModule creates and manages its own EigenPod via the EIGEN_POD_MANAGER to seamlessly interface with EigenLayer's native restaking infrastructure.
- **Proof Submission:** The ProofSubmitter contract acts as a gateway for EigenLayer interactions. It allows users to submit Beacon chain state root and checkpoint proofs to the EigenPod, while also restricting access to critical functionalities such as `requestWithdrawal(...)`.
- **Restaking Operators:** The protocol utilizes dedicated RestakingOperator contracts to manage operator delegation and interact with Actively Validated Services (AVS). These contracts register with the EIGEN_ALLOCATION_MANAGER and configure delegation strategies for the protocol's underlying pooled assets.

4.4 Rewards Yield Distribution

The protocol utilizes several specialized contracts to capture, smooth, and distribute yield to pufETH holders across different networks.

- **Yield Distribution:** The PufferRevenueDepositor contract receives protocol revenue and distributes it into the PufferVaultV5. It performs this action over a configured time window to mitigate sandwich attacks by gradually increasing the pufETH to ETH exchange rate.
- **Cross-Chain Rewards:** The L1RewardManager handles the distribution of pufETH rewards to Layer 2 networks. It directly mints new pufETH shares from the PufferVaultV5 and utilizes the LayerZero omnichain messaging protocol to bridge the rewards.
- **Validator Tickets:** The ValidatorTicketPricer dynamically adjusts the cost of ValidatorTickets based on estimated consensus rewards. It then utilizes the PufferOracleV2 contract to update the minting price of the ValidatorTickets.

5 Risk Rating Methodology

The risk rating methodology used by [Nethermind Security](#) follows the principles established by the [OWASP Foundation](#). The severity of each finding is determined by two factors: **Likelihood** and **Impact**.

Likelihood measures how likely the finding is to be uncovered and exploited by an attacker. This factor will be one of the following values:

- a) **High**: The issue is trivial to exploit and has no specific conditions that need to be met;
- b) **Medium**: The issue is moderately complex and may have some conditions that need to be met;
- c) **Low**: The issue is very complex and requires very specific conditions to be met.

When defining the likelihood of a finding, other factors are also considered. These can include but are not limited to motive, opportunity, exploit accessibility, ease of discovery, and ease of exploit.

Impact is a measure of the damage that may be caused if an attacker exploits the finding. This factor will be one of the following values:

- a) **High**: The issue can cause significant damage, such as loss of funds or the protocol entering an unrecoverable state;
- b) **Medium**: The issue can cause moderate damage, such as impacts that only affect a small group of users or only a particular part of the protocol;
- c) **Low**: The issue can cause little to no damage, such as bugs that are easily recoverable or cause unexpected interactions that cause minor inconveniences.

When defining the impact of a finding, other factors are also considered. These can include but are not limited to Data/state integrity, loss of availability, financial loss, and reputation damage. After defining the likelihood and impact of an issue, the severity can be determined according to the table below.

		Severity Risk		
Impact	High	Medium	High	Critical
	Medium	Low	Medium	High
	Low	Info/Best Practices	Low	Medium
	Undetermined	Undetermined	Undetermined	Undetermined
		Low	Medium	High
		Likelihood		

To address issues that do not fit a High/Medium/Low severity, [Nethermind Security](#) also uses three more finding severities: **Informational**, **Best Practices**, and **Undetermined**.

- a) **Informational** findings do not pose any risk to the application, but they carry some information that the audit team intends to pass to the client formally;
- b) **Best Practice** findings are used when some piece of code does not conform with smart contract development best practices;
- c) **Undetermined** findings are used when we cannot predict the impact or likelihood of the issue.

6 Issues

6.1 [Low] Unbounded Validator Ticket burn can revert the entire withdrawal batch

File(s): [PufferProtocol.sol](#)

Description: When an active validator exits, `batchHandleWithdrawals` burns the Validator Tickets (VT) consumed while it ran. The consumed amount is computed in `_getVTBurnAmount` purely from the validator's on-chain lifetime (`validatedEpochs * 444444444444445`) and then subtracted from the operator's balance: `$.nodeOperatorInfo[validator.node].vtBalance -= SafeCast.toUint96(vtBurnAmount);`. Two of the three return paths of `_getVTBurnAmount` cap the result to the operator's balance, but the third — taken whenever consumption the minimum VT amount — returns the raw `vtBurnAmount` uncapped. If consumed VT exceeds the operator's remaining balance, the subtraction underflows and reverts.

Because the function processes all validators in one loop, a single such validator reverts the entire batch, leaving the pool's 32 ETH per validator unsettled in the module. The per-epoch constant is the true value rounded up, so a validator that runs for exactly its purchased duration consumes marginally more than it paid for, making the underflow reachable even for a correctly-funded validator at its nominal boundary — not only via over-run or delayed ejection. There is no on-chain mechanism forcing exit before VT depletes. Impact is bounded: the function is Paymaster-only (not attacker-triggerable), and the stuck state is recoverable — anyone may call `depositValidatorTickets(node)` to raise the balance, after which settlement succeeds.

```
// ...
// ...
// _getVTBurnAmount - third branch returns consumption UNCAPPED:
return vtBurnAmount; // not Math.min(vtBurnAmount, nodeVTBalance)
// ...
// batchHandleWithdrawals - reverts if vtBurnAmount > vtBalance:
$.nodeOperatorInfo[node].vtBalance -= SafeCast.toUint96(vtBurnAmount);
```

Recommendation(s): Cap the burn to the operator's available balance in the uncapped branch, mirroring the other two branches and the bond-burn failsafe: `return Math.min(vtBurnAmount, nodeVTBalance);`.

Status: Acknowledged

Update from the client: We are aware of this. We monitor the VT balance of the node operators off-chain, and notify them to top up their VT balance, and we could eject the validators if the VT balance is not being topped up. If the withdrawal queue gets too long and the VT balance can cause an underflow in `batchHandleWithdrawal`, we can still ask for a VT top up at this point, or on extreme cases, we could deposit VT ourselves to prevent a DOS.

6.2 [Info] The PufferDepositorV2 contract constructor does not call `_disableInitializers()`

File(s): [mainnet-contracts/src/PufferDepositorV2.sol](#)

Description: The `PufferDepositorV2` contract inherits from the `UUPSUpgradeable` extension, making it an upgradeable implementation contract. However, its constructor does not invoke the `_disableInitializers()` function.

```
contract PufferDepositorV2 is IPufferDepositorV2, PufferDepositorStorage, AccessManagedUpgradeable, UUPSUpgradeable {
    // ...
    constructor(PufferVaultV5 pufferVault, IStETH stETH) payable {
        PUFFER_VAULT = pufferVault;
        _ST_ETH = stETH;
        // @audit-issue The `_disableInitializers()' function is not called.
    }
    // ...
}
```

This omission allows anyone to initialize the implementation contract. Although it is generally harmless in this specific context, it is considered a standard best practice to explicitly lock down implementation contracts to prevent any unintended state modifications.

Recommendation(s): Consider invoking the `_disableInitializers()` function within the constructor to lock the implementation contract upon deployment.

Status: Fixed

Update from the client: Fixed at commit [9b06a0b](#)

6.3 [Info] The `_getModuleRewardsRootMessage(...)` function is unused

File(s): `mainnet-contracts/src/LibGuardianMessages.sol`

Description: The `LibGuardianMessages` library provides various helper functions to generate message hashes signed by the guardian's enclave. However, the `_getModuleRewardsRootMessage(...)` function is defined but never utilized anywhere within the provided codebase.

```
library LibGuardianMessages {
    // ...
    // @audit-issue This function is unused.
    function _getModuleRewardsRootMessage(
        address verifyingContract,
        bytes32 moduleName,
        bytes32 root,
        uint256 blockNumber
    ) internal view returns (bytes32) {
        return keccak256(abi.encode(verifyingContract, block.chainid, moduleName, root,
            ↪ blockNumber)).toEthSignedMessageHash();
    }
}
```

Recommendation(s): Consider removing the `_getModuleRewardsRootMessage(...)` function if it is no longer required. If the function is utilized by an external or out-of-scope contract, it must be kept.

Status: Fixed

Update from the client: Fixed at commit [08ecce3](#)

7 Documentation Evaluation

Software documentation refers to the written or visual information that describes the functionality, architecture, design, and implementation of software. It provides a comprehensive overview of the software system and helps users, developers, and stakeholders understand how the software works, how to use it, and how to maintain it. Software documentation can take different forms, such as user manuals, system manuals, technical specifications, requirements documents, design documents, and code comments. Software documentation is critical in software development, enabling effective communication between developers, testers, users, and other stakeholders. It helps to ensure that everyone involved in the development process has a shared understanding of the software system and its functionality. Moreover, software documentation can improve software maintenance by providing a clear and complete understanding of the software system, making it easier for developers to maintain, modify, and update the software over time. Smart contracts can use various types of software documentation. Some of the most common types include:

- **Technical whitepaper:** A technical whitepaper is a comprehensive document describing the smart contract's design and technical details. It includes information about the purpose of the contract, its architecture, its components, and how they interact with each other;
- **User manual:** A user manual is a document that provides information about how to use the smart contract. It includes step-by-step instructions on how to perform various tasks and explains the different features and functionalities of the contract;
- **Code documentation:** Code documentation is a document that provides details about the code of the smart contract. It includes information about the functions, variables, and classes used in the code, as well as explanations of how they work;
- **API documentation:** API documentation is a document that provides information about the API (Application Programming Interface) of the smart contract. It includes details about the methods, parameters, and responses that can be used to interact with the contract;
- **Testing documentation:** Testing documentation is a document that provides information about how the smart contract was tested. It includes details about the test cases that were used, the results of the tests, and any issues that were identified during testing;
- **Audit documentation:** Audit documentation includes reports, notes, and other materials related to the security audit of the smart contract. This type of documentation is critical in ensuring that the smart contract is secure and free from vulnerabilities.

These types of documentation are essential for smart contract development and maintenance. They help ensure that the contract is properly designed, implemented, and tested, and they provide a reference for developers who need to modify or maintain the contract in the future.

Remarks about Puffer Finance's documentation

The Puffer Finance team provided a comprehensive overview of the main system components during the kick-off call with a detailed explanation of the intended functionalities along with a written specification for the different contracts and roles. Additionally, the team addressed all questions and concerns raised by the Nethermind Security team, providing valuable insights and in depth understanding of the project's technical aspects.

8 Test Suite Evaluation

8.1 Tests Output

```
yarn run v1.22.22
$ forge test --mp "./test/unit/**/*.sol" -vvv
No files changed, compilation skipped

Ran 10 tests for test/unit/ProofSubmitter.t.sol:ProofSubmitterTest
[PASS] testFuzz_startCheckpoint_revertsForUnauthorized(address) (runs: 100, : 28273, ~: 28273)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFfB92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_authorityIsAccessManager() (gas: 12994)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFfB92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_startCheckpoint_paymasterForwardsCall() (gas: 32915)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFfB92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_startCheckpoint_revertsForUnauthorized() (gas: 27808)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFfB92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_verifyCheckpointProofs_paymasterForwardsCall() (gas: 37917)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFfB92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_verifyCheckpointProofs_revertsForUnauthorized() (gas: 28885)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFfB92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_verifyStaleBalance_paymasterForwardsCall() (gas: 36370)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFfB92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_verifyStaleBalance_revertsForUnauthorized() (gas: 29096)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFfB92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_verifyWithdrawalCredentials_paymasterForwardsCall() (gas: 39310)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFfB92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000
```

```
[PASS] test_verifyWithdrawalCredentials_revertsForUnauthorized() (gas: 29935)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
  pufETHOFTAdapter 0x00000000000000000000000000000000
  pufETHOFT 0x00000000000000000000000000000000

Suite result: ok. 10 passed; 0 failed; 0 skipped; finished in 20.07ms (5.79ms CPU time)

Ran 14 tests for test/unit/ValidatorTicket.t.sol:ValidatorTicketTest
[PASS] test_change_protocol_fee_rate() (gas: 40184)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
  pufETHOFTAdapter 0x00000000000000000000000000000000
  pufETHOFT 0x00000000000000000000000000000000
  validatorTicket 0xa85233C63b9E964Add6F2cffe0Fd84eb32338f

[PASS] test_funds_splitting() (gas: 169141)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
  pufETHOFTAdapter 0x00000000000000000000000000000000
  pufETHOFT 0x00000000000000000000000000000000
  validatorTicket 0xa85233C63b9E964Add6F2cffe0Fd84eb32338f

[PASS] test_funds_splitting_with_pufETH() (gas: 403612)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
  pufETHOFTAdapter 0x00000000000000000000000000000000
  pufETHOFT 0x00000000000000000000000000000000
  validatorTicket 0xa85233C63b9E964Add6F2cffe0Fd84eb32338f

[PASS] test_non_whole_number_purchase() (gas: 163196)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
  pufETHOFTAdapter 0x00000000000000000000000000000000
  pufETHOFT 0x00000000000000000000000000000000
  validatorTicket 0xa85233C63b9E964Add6F2cffe0Fd84eb32338f

[PASS] test_overflow_protocol_fee_rate() (gas: 7872)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
  pufETHOFTAdapter 0x00000000000000000000000000000000
  pufETHOFT 0x00000000000000000000000000000000
  validatorTicket 0xa85233C63b9E964Add6F2cffe0Fd84eb32338f

[PASS] test_purchaseValidatorTicketWithPufETH() (gas: 391745)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
  pufETHOFTAdapter 0x00000000000000000000000000000000
  pufETHOFT 0x00000000000000000000000000000000
  validatorTicket 0xa85233C63b9E964Add6F2cffe0Fd84eb32338f

[PASS] test_purchaseValidatorTicketWithPufETHAndPermit() (gas: 423289)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
  pufETHOFTAdapter 0x00000000000000000000000000000000
  pufETHOFT 0x00000000000000000000000000000000
  validatorTicket 0xa85233C63b9E964Add6F2cffe0Fd84eb32338f

[PASS] test_purchaseValidatorTicketWithPufETH_exchangeRateChange() (gas: 404910)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
  pufETHOFTAdapter 0x00000000000000000000000000000000
  pufETHOFT 0x00000000000000000000000000000000
  validatorTicket 0xa85233C63b9E964Add6F2cffe0Fd84eb32338f

[PASS] test_revert_zero_recipient() (gas: 94268)
```

Logs:

```
pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000
validatorTicket 0xa85233C63b9Ee964Add6F2cffe00Fd84eb32338f
```

[PASS] test_set_guardians_fee_rate() (gas: 42106)

Logs:

```
pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000
validatorTicket 0xa85233C63b9Ee964Add6F2cffe00Fd84eb32338f
```

[PASS] test_setup() (gas: 32256)

Logs:

```
pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000
validatorTicket 0xa85233C63b9Ee964Add6F2cffe00Fd84eb32338f
```

[PASS] test_split_funds_no_protocol_fee_rate() (gas: 149333)

Logs:

```
pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000
validatorTicket 0xa85233C63b9Ee964Add6F2cffe00Fd84eb32338f
```

[PASS] test_zero_protocol_fee_rate() (gas: 38457)

Logs:

```
pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000
validatorTicket 0xa85233C63b9Ee964Add6F2cffe00Fd84eb32338f
```

[PASS] test_zero_vt_purchase() (gas: 56628)

Logs:

```
pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000
validatorTicket 0xa85233C63b9Ee964Add6F2cffe00Fd84eb32338f
```

Suite result: ok. 14 passed; 0 failed; 0 skipped; finished in 28.14ms (15.51ms CPU time)

Ran 7 tests for test/unit/PauserContract.t.sol:PauserContractTest

[PASS] test_constructor_revertsIfTimelockIsZero() (gas: 61999)

[PASS] test_constructor_setsImmutables() (gas: 16651)

[PASS] test_pauseSelectors_forwardsToTimelock(address) (runs: 100, : 73448, ~: 73448)

[PASS] test_pauseSelectors_revertsIfCallerUnauthorized(address) (runs: 100, : 30430, ~: 30430)

[PASS] test_pause_forwardsToTimelock(address) (runs: 100, : 95442, ~: 95442)

[PASS] test_pause_revertsIfCallerUnauthorized(address) (runs: 100, : 29278, ~: 29278)

[PASS] test_pause_revertsIfNotTimelockPauser() (gas: 52675)

Suite result: ok. 7 passed; 0 failed; 0 skipped; finished in 57.73ms (55.88ms CPU time)

Ran 37 tests for test/unit/GuardianModule.t.sol:GuardianModuleTest

[PASS] test_addAllowedToken() (gas: 1119221)

Logs:

```
pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000
```

[PASS] test_addAllowedToken_distributesExistingFundsFirst() (gas: 1116883)

Logs:

```
pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000
```

[PASS] test_addAllowedToken_revertsForZeroAddress() (gas: 79267)

```

Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFfB92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_addAllowedToken_revertsIfAlreadyAdded() (gas: 83790)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFfB92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_addAllowedToken_revertsIfUnauthorized(address) (runs: 100, : 884237, ~: 884237)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFfB92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_addGuardian(address) (runs: 100, : 169732, ~: 169732)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFfB92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_invalid_constructor() (gas: 329129)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFfB92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_rave() (gas: 141409721)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFfB92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000
  pufferVault 0x017aF33B08DE352Db29f17679f26934170Fd0012
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFfB92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_removeAllowedToken() (gas: 161934)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFfB92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_removeAllowedToken_revertsForZeroAddress() (gas: 25375)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFfB92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_removeAllowedToken_revertsIfNotAdded() (gas: 878202)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFfB92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_removeAllowedToken_revertsIfUnauthorized(address) (runs: 100, : 35867, ~: 35867)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFfB92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_removeGuardian(address) (runs: 100, : 171506, ~: 171506)
Logs:

```

```
pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
pufETHOFTAdapter 0x00000000000000000000000000000000
pufETHOFT 0x00000000000000000000000000000000
```

[PASS] test_removeGuardian_check_enclave_removed() (gas: 343196)

Logs:

```
pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
pufETHOFTAdapter 0x00000000000000000000000000000000
pufETHOFT 0x00000000000000000000000000000000
```

[PASS] test_remove_guardian_below_threshold() (gas: 111901)

Logs:

```
pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
pufETHOFTAdapter 0x00000000000000000000000000000000
pufETHOFT 0x00000000000000000000000000000000
```

[PASS] test_rotateGuardianKey_from_non_guardian_reverts() (gas: 38428)

Logs:

```
pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
pufETHOFTAdapter 0x00000000000000000000000000000000
pufETHOFT 0x00000000000000000000000000000000
```

[PASS] test_rotateGuardianKey_invalid_algorithm() (gas: 42430)

Logs:

```
pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
pufETHOFTAdapter 0x00000000000000000000000000000000
pufETHOFT 0x00000000000000000000000000000000
```

[PASS] test_rotateGuardianKey_invalid_owner_fingerprint() (gas: 222487)

Logs:

```
pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
pufETHOFTAdapter 0x00000000000000000000000000000000
pufETHOFT 0x00000000000000000000000000000000
```

[PASS] test_rotateGuardianKey_invalid_owner_key_length() (gas: 49693)

Logs:

```
pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
pufETHOFTAdapter 0x00000000000000000000000000000000
pufETHOFT 0x00000000000000000000000000000000
```

[PASS] test_rotateGuardianKey_invalid_pubkey_length() (gas: 167828)

Logs:

```
pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
pufETHOFTAdapter 0x00000000000000000000000000000000
pufETHOFT 0x00000000000000000000000000000000
```

[PASS] test_rotateGuardianKey_invalid_signature() (gas: 177375)

Logs:

```
pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
pufETHOFTAdapter 0x00000000000000000000000000000000
pufETHOFT 0x00000000000000000000000000000000
```

[PASS] test_rotateGuardianKey_invalid_workload_not_allowed() (gas: 216915)

Logs:

```
pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
pufETHOFTAdapter 0x00000000000000000000000000000000
pufETHOFT 0x00000000000000000000000000000000
```

[PASS] test_rotateGuardianKey_stale_evidence() (gas: 168220)

Logs:

```
pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
pufETHOFTAdapter 0x00000000000000000000000000000000
pufETHOFT 0x00000000000000000000000000000000
```

```
[PASS] test_rotateGuardianKey_success() (gas: 387809)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFfB92266
  pufETHOFTAdapter 0x00000000000000000000000000000000
  pufETHOFT 0x00000000000000000000000000000000

[PASS] test_setAllowedWorkload() (gas: 59574)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFfB92266
  pufETHOFTAdapter 0x00000000000000000000000000000000
  pufETHOFT 0x00000000000000000000000000000000

[PASS] test_set_ejection_threshold_reverts() (gas: 25598)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFfB92266
  pufETHOFTAdapter 0x00000000000000000000000000000000
  pufETHOFT 0x00000000000000000000000000000000

[PASS] test_set_threshold() (gas: 35087)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFfB92266
  pufETHOFTAdapter 0x00000000000000000000000000000000
  pufETHOFT 0x00000000000000000000000000000000

[PASS] test_set_threshold_reverts() (gas: 27426)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFfB92266
  pufETHOFTAdapter 0x00000000000000000000000000000000
  pufETHOFT 0x00000000000000000000000000000000

[PASS] test_set_threshold_to_0_reverts() (gas: 27754)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFfB92266
  pufETHOFTAdapter 0x00000000000000000000000000000000
  pufETHOFT 0x00000000000000000000000000000000

[PASS] test_set_threshold_to_50_reverts() (gas: 27768)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFfB92266
  pufETHOFTAdapter 0x00000000000000000000000000000000
  pufETHOFT 0x00000000000000000000000000000000

[PASS] test_setup() (gas: 14396)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFfB92266
  pufETHOFTAdapter 0x00000000000000000000000000000000
  pufETHOFT 0x00000000000000000000000000000000

[PASS] test_splitFunds() (gas: 163383)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFfB92266
  pufETHOFTAdapter 0x00000000000000000000000000000000
  pufETHOFT 0x00000000000000000000000000000000

[PASS] test_splitFunds_airdroppedToken() (gas: 1150727)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFfB92266
  pufETHOFTAdapter 0x00000000000000000000000000000000
  pufETHOFT 0x00000000000000000000000000000000

[PASS] test_splitFunds_pufETH() (gas: 220915)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFfB92266
  pufETHOFTAdapter 0x00000000000000000000000000000000
```

```

pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_splitFunds_pufETH_with_remainder() (gas: 232090)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFFb92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_split_funds_rounding() (gas: 186352)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFFb92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_validateSkipProvisioning_reverts() (gas: 29197)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFFb92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

Suite result: ok. 37 passed; 0 failed; 0 skipped; finished in 666.29ms (669.14ms CPU time)

Ran 61 tests for test/unit/PufferProtocol.t.sol:PufferProtocolTest
[PASS] test_batch_claim() (gas: 1031761)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFFb92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_batch_claim_underflow() (gas: 672774)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFFb92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_batch_vs_multiple_single_withdrawals() (gas: 143588246)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFFb92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000
  pufferVault 0x017aF33B08DE352Db29f17679f26934170Fd0012
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFFb92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_burst_threshold() (gas: 1585672)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFFb92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_changeMinimumVTAmount() (gas: 42283)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFFb92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_changeMinimumVTAmount_lower_than_penalty() (gas: 32406)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFFb92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_claim_bond_for_single_withdrawal() (gas: 714449)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd

```



```

broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_create_existing_module_fails() (gas: 32697)
Logs:
pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_create_puffer_module() (gas: 413056)
Logs:
pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_deposit_validator_tickets_approval() (gas: 257891)
Logs:
pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_deposit_validator_tickets_permit_for_bob() (gas: 271795)
Logs:
pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_deposit_vt_to_bob() (gas: 275565)
Logs:
pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_different_amounts_batch_claim() (gas: 2165212)
Logs:
pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_double_deposit_validator_tickets_approval() (gas: 277126)
Logs:
pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_double_deposit_validator_tickets_permit_for_bob() (gas: 314011)
Logs:
pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_double_withdrawal_reverts() (gas: 758170)
Logs:
pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_empty_queue() (gas: 26116)
Logs:
pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_fuzz_register_many_validators(uint8) (runs: 100, : 17253209, ~: 10788341)

```

```

Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFfB92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_get_payload() (gas: 119036)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFfB92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_new_vtPenalty_works() (gas: 1107719)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFfB92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_provision_bad_deposit_hash() (gas: 680760)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFfB92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_provision_node() (gas: 3550172)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFfB92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_provision_reverts() (gas: 60499)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFfB92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_purchase_big_amount_of_vt() (gas: 581509)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFfB92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_register_both_approve() (gas: 585321)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFfB92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_register_both_permit() (gas: 638669)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFfB92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_register_invalid_bls_key() (gas: 56157)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFfB92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_register_invalid_privKey_shares() (gas: 93517)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFfB92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

```

```
[PASS] test_register_invalid_pubkey_shares_length() (gas: 96698)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFFb92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_register_multiple_validators_and_skipProvisioning(bytes32,bytes32) (runs: 100, : 1867617, ~: 1867617)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFFb92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_register_no_sgx() (gas: 443873)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFFb92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_register_pufETH_approve_buy_VT() (gas: 570648)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFFb92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_register_pufETH_pay_vt_approve() (gas: 549020)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFFb92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_register_pufETH_permit_pay_VT() (gas: 596864)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFFb92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_register_skip_provision_0_vt() (gas: 4963696)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFFb92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_register_skip_provision_less_vt_than_penalty() (gas: 4963676)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFFb92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_register_skip_provision_withdraw_vt() (gas: 582694)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFFb92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_register_to_invalid_module() (gas: 87472)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFFb92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_register_validator_key() (gas: 477590)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFFb92266
```

```

pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_register_validator_key_with_permit_reverts_invalid_vt_amount() (gas: 335586)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFFb92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_register_validator_with_huge_commitment() (gas: 64854)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFFb92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_register_with_non_whole_amount() (gas: 474201)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFFb92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_revert_for_excess_eth() (gas: 258286)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFFb92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_setVTPenalty() (gas: 44100)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFFb92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_setVTPenalty_bigger_than_minimum_VT_amount() (gas: 32474)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFFb92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_setup() (gas: 31169)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFFb92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_single_withdrawal() (gas: 1080605)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFFb92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_skip_provisioning() (gas: 1013844)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFFb92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_slashing_case_1() (gas: 915847)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFFb92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_slashing_case_2() (gas: 922785)
Logs:

```

```
pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
pufETHOFTAdapter 0x00000000000000000000000000000000
pufETHOFT 0x00000000000000000000000000000000
```

[PASS] test_slashing_case_3() (gas: 939929)

Logs:

```
pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
pufETHOFTAdapter 0x00000000000000000000000000000000
pufETHOFT 0x00000000000000000000000000000000
```

[PASS] test_slashing_case_4() (gas: 961083)

Logs:

```
pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
pufETHOFTAdapter 0x00000000000000000000000000000000
pufETHOFT 0x00000000000000000000000000000000
```

[PASS] test_slashing_case_5() (gas: 954028)

Logs:

```
pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
pufETHOFTAdapter 0x00000000000000000000000000000000
pufETHOFT 0x00000000000000000000000000000000
```

[PASS] test_upgrade() (gas: 4390677)

Logs:

```
pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
pufETHOFTAdapter 0x00000000000000000000000000000000
pufETHOFT 0x00000000000000000000000000000000
```

[PASS] test_validator_early_exit_dos() (gas: 683994)

Logs:

```
pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
pufETHOFTAdapter 0x00000000000000000000000000000000
pufETHOFT 0x00000000000000000000000000000000
```

[PASS] test_validator_early_exit_edge_case() (gas: 655467)

Logs:

```
pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
pufETHOFTAdapter 0x00000000000000000000000000000000
pufETHOFT 0x00000000000000000000000000000000
```

[PASS] test_validator_griefing_attack() (gas: 937001)

Logs:

```
pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
pufETHOFTAdapter 0x00000000000000000000000000000000
pufETHOFT 0x00000000000000000000000000000000
```

[PASS] test_validator_limit_per_module() (gas: 523375)

Logs:

```
pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
pufETHOFTAdapter 0x00000000000000000000000000000000
pufETHOFT 0x00000000000000000000000000000000
```

[PASS] test_validator_limit_per_module_invalid_module() (gas: 30120)

Logs:

```
pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
pufETHOFTAdapter 0x00000000000000000000000000000000
pufETHOFT 0x00000000000000000000000000000000
```

[PASS] test_vt_withdrawals_after_batch_claim() (gas: 1045945)

Logs:

```
pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
pufETHOFTAdapter 0x00000000000000000000000000000000
pufETHOFT 0x00000000000000000000000000000000
```

```
[PASS] test_withdraw_vt_before_provisioning() (gas: 487953)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFFb92266
  pufETHOFTAdapter 0x00000000000000000000000000000000
  pufETHOFT 0x00000000000000000000000000000000

Suite result: ok. 61 passed; 0 failed; 0 skipped; finished in 2.56s (3.48s CPU time)

Ran 47 tests for test/unit/PufferWithdrawalManager.t.sol:PufferWithdrawalManagerTest
[PASS] testFuzz_protocolSlashing(uint256) (runs: 100, : 1327690, ~: 1327720)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFFb92266
  pufETHOFTAdapter 0x00000000000000000000000000000000
  pufETHOFT 0x00000000000000000000000000000000

[PASS] testRevert_changeMaxWithdrawalAmount_belowMin() (gas: 31681)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFFb92266
  pufETHOFTAdapter 0x00000000000000000000000000000000
  pufETHOFT 0x00000000000000000000000000000000

[PASS] testRevert_multipleWithdrawalsInTheSameTx() (gas: 2623477)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFFb92266
  pufETHOFTAdapter 0x00000000000000000000000000000000
  pufETHOFT 0x00000000000000000000000000000000

[PASS] testRevert_requestWithdrawalsToZeroAddress() (gas: 179691)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFFb92266
  pufETHOFTAdapter 0x00000000000000000000000000000000
  pufETHOFT 0x00000000000000000000000000000000

[PASS] test_authorizeUpgrade_edgeCases() (gas: 2332661)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFFb92266
  pufETHOFTAdapter 0x00000000000000000000000000000000
  pufETHOFT 0x00000000000000000000000000000000

[PASS] test_biggerBatchSizeUpgrade() (gas: 2332222)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFFb92266
  pufETHOFTAdapter 0x00000000000000000000000000000000
  pufETHOFT 0x00000000000000000000000000000000

[PASS] test_cancelNonExistantWithdrawal() (gas: 29528)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFFb92266
  pufETHOFTAdapter 0x00000000000000000000000000000000
  pufETHOFT 0x00000000000000000000000000000000

[PASS] test_cancelWithdrawal() (gas: 292492)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFFb92266
  pufETHOFTAdapter 0x00000000000000000000000000000000
  pufETHOFT 0x00000000000000000000000000000000

[PASS] test_cancelWithdrawal_alreadyCompleted() (gas: 1384648)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFFb92266
  pufETHOFTAdapter 0x00000000000000000000000000000000
  pufETHOFT 0x00000000000000000000000000000000

[PASS] test_cancelWithdrawal_alreadyFinalized() (gas: 1313571)
Logs:
```

```
pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
pufETHOFTAdapter 0x00000000000000000000000000000000
pufETHOFT 0x00000000000000000000000000000000
```

[PASS] test_cancelWithdrawal_doesNotExist() (gas: 29483)

Logs:

```
pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
pufETHOFTAdapter 0x00000000000000000000000000000000
pufETHOFT 0x00000000000000000000000000000000
```

[PASS] test_cancelWithdrawal_multipleInBatch() (gas: 543704)

Logs:

```
pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
pufETHOFTAdapter 0x00000000000000000000000000000000
pufETHOFT 0x00000000000000000000000000000000
```

[PASS] test_cancelWithdrawal_notOwner() (gas: 272112)

Logs:

```
pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
pufETHOFTAdapter 0x00000000000000000000000000000000
pufETHOFT 0x00000000000000000000000000000000
```

[PASS] test_cancelWithdrawal_updatesBatch() (gas: 291071)

Logs:

```
pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
pufETHOFTAdapter 0x00000000000000000000000000000000
pufETHOFT 0x00000000000000000000000000000000
```

[PASS] test_cancel_OtherRecipientWithdrawal() (gas: 271804)

Logs:

```
pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
pufETHOFTAdapter 0x00000000000000000000000000000000
pufETHOFT 0x00000000000000000000000000000000
```

[PASS] test_cancel_alreadyFinalizedWithdrawal() (gas: 287668)

Logs:

```
pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
pufETHOFTAdapter 0x00000000000000000000000000000000
pufETHOFT 0x00000000000000000000000000000000
```

[PASS] test_changeMaxWithdrawalAmount() (gas: 58091)

Logs:

```
pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
pufETHOFTAdapter 0x00000000000000000000000000000000
pufETHOFT 0x00000000000000000000000000000000
```

[PASS] test_completeQueuedWithdrawal_SecondBatch() (gas: 2489983)

Logs:

```
pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
pufETHOFTAdapter 0x00000000000000000000000000000000
pufETHOFT 0x00000000000000000000000000000000
```

[PASS] test_completeQueuedWithdrawal_edgeCases() (gas: 1387574)

Logs:

```
pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
pufETHOFTAdapter 0x00000000000000000000000000000000
pufETHOFT 0x00000000000000000000000000000000
```

[PASS] test_completeQueuedWithdrawal_notFinalized() (gas: 1390024)

Logs:

```
pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
pufETHOFTAdapter 0x00000000000000000000000000000000
pufETHOFT 0x00000000000000000000000000000000
```

```
[PASS] test_constructor() (gas: 2300826)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFfB92266
  pufETHOFTAdapter 0x00000000000000000000000000000000
  pufETHOFT 0x00000000000000000000000000000000

[PASS] test_constructor_batchSizeZero() (gas: 2304352)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFfB92266
  pufETHOFTAdapter 0x00000000000000000000000000000000
  pufETHOFT 0x00000000000000000000000000000000

[PASS] test_constructor_disableInitializers() (gas: 2304309)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFfB92266
  pufETHOFTAdapter 0x00000000000000000000000000000000
  pufETHOFT 0x00000000000000000000000000000000

[PASS] test_createAndFinalizeWithdrawals(uint8) (runs: 10, : 54409, ~: 54409)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFfB92266
  pufETHOFTAdapter 0x00000000000000000000000000000000
  pufETHOFT 0x00000000000000000000000000000000

[PASS] test_createDeposits(uint8) (runs: 100, : 15416137, ~: 13996567)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFfB92266
  pufETHOFTAdapter 0x00000000000000000000000000000000
  pufETHOFT 0x00000000000000000000000000000000

[PASS] test_depositsAndFinalizeWithdrawals() (gas: 1261526)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFfB92266
  pufETHOFTAdapter 0x00000000000000000000000000000000
  pufETHOFT 0x00000000000000000000000000000000

[PASS] test_finalizationExchangeRateLowerThanOneWithdrawal() (gas: 1904009)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFfB92266
  pufETHOFTAdapter 0x00000000000000000000000000000000
  pufETHOFT 0x00000000000000000000000000000000

[PASS] test_finalizeBatchWithCanceledRequest() (gas: 1904462)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFfB92266
  pufETHOFTAdapter 0x00000000000000000000000000000000
  pufETHOFT 0x00000000000000000000000000000000

[PASS] test_finalizeWithdrawals_edgeCases() (gas: 83213)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFfB92266
  pufETHOFTAdapter 0x00000000000000000000000000000000
  pufETHOFT 0x00000000000000000000000000000000

[PASS] test_finalizeWithdrawals_incompleteBatch() (gas: 1145557)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFfB92266
  pufETHOFTAdapter 0x00000000000000000000000000000000
  pufETHOFT 0x00000000000000000000000000000000

[PASS] test_finalizeWithdrawals_multipleBatches() (gas: 4456306)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFfB92266
  pufETHOFTAdapter 0x00000000000000000000000000000000
```



```

pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_funds_returning_edge_case() (gas: 4237333)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFfB92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_fuzz_requestWithdrawals(uint256) (runs: 100, : 267691, ~: 267691)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFfB92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_getBatch() (gas: 2482773)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFfB92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_getBatch_uncoveredBranches() (gas: 19095)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFfB92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_getWithdrawal_uncoveredBranches() (gas: 17409)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFfB92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_oneWithdrawalRequestAllowed_revert() (gas: 2623857)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFfB92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_processWithdrawalRequest_edgeCases() (gas: 190058)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFfB92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_protocolSlashing() (gas: 1329902)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFfB92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_receive() (gas: 20720)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFfB92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_requestWithdrawalWithPermit_failedPermit() (gas: 307014)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
  broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cFfB92266
  pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
  pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000

[PASS] test_requestWithdrawal_belowMinAmount() (gas: 148964)
Logs:
  pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd

```

```
broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000
```

[PASS] test_requestWithdrawal_minAmount() (gas: 267251)

Logs:

```
pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000
```

[PASS] test_requestWithdrawals() (gas: 257067)

Logs:

```
pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000
```

[PASS] test_requestWithdrawalsWithPermit() (gas: 304933)

Logs:

```
pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000
```

[PASS] test_requestWithdrawalsWithPermit_ExpiredDeadline() (gas: 136326)

Logs:

```
pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000
```

[PASS] test_requestWithdrawalsWithPermit_InvalidSignature() (gas: 175900)

Logs:

```
pufferVault 0x3aFD99dAdE23E78129Ca39253bC77678ed4a21fd
broadcaster 0xf39Fd6e51aad88F6F4ce6aB8827279cfffB92266
pufETHOFTAdapter 0x0000000000000000000000000000000000000000000000000000000000000000
pufETHOFT 0x0000000000000000000000000000000000000000000000000000000000000000
```

Suite result: ok. 47 passed; 0 failed; 0 skipped; finished in 2.72s (2.89s CPU time)

Ran 6 test suites: 176 tests passed, 0 failed, 0 skipped (176 total tests)

9 About Nethermind

Nethermind is a Blockchain Research and Software Engineering company. Our work touches every part of the web3 ecosystem - from layer 1 and layer 2 engineering, cryptography research, and security to application-layer protocol development. We offer strategic support to our institutional and enterprise partners across the blockchain, digital assets, and DeFi sectors, guiding them through all stages of the research and development process, from initial concepts to successful implementation.

We offer security audits of projects built on EVM-compatible chains and Starknet. We are active builders of the Starknet ecosystem, delivering a node implementation, a block explorer, a Solidity-to-Cairo transpiler, and formal verification tooling. Nethermind also provides strategic support to our institutional and enterprise partners in blockchain, digital assets, and decentralized finance (DeFi). In the next paragraphs, we introduce the company in more detail.

Blockchain Security: At Nethermind, we believe security is vital to the health and longevity of the entire Web3 ecosystem. We provide security services related to Smart Contract Audits, Formal Verification, and Real-Time Monitoring. Our Security Team comprises blockchain security experts in each field, often collaborating to produce comprehensive and robust security solutions. The team has a strong academic background, can apply state-of-the-art techniques, and is experienced in analyzing cutting-edge Solidity and Cairo smart contracts, such as ArgentX and StarkGate (the bridge connecting Ethereum and StarkNet). Most team members hold a Ph.D. degree and actively participate in the research community, accounting for 240+ articles published and 1,450+ citations in Google Scholar. The security team adopts customer-oriented and interactive processes where clients are involved in all stages of the work.

Blockchain Core Development: Our core engineering team, consisting of over 20 developers, maintains, improves, and upgrades our flagship product - the Nethermind Ethereum Execution Client. The client has been successfully operating for several years, supporting both the Ethereum Mainnet and its testnets, and now accounts for nearly a quarter of all synced Mainnet nodes. Our unwavering commitment to Ethereum's growth and stability extends to sidechains and layer 2 solutions. Notably, we were the sole execution layer client to facilitate Gnosis Chain's Merge, transitioning from Aura to Proof of Stake (PoS), and we are actively developing a full-node client to bolster Starknet's decentralization efforts. Our core team equips partners with tools for seamless node set-up, using generated docker-compose scripts tailored to their chosen execution client and preferred configurations for various network types.

DevOps and Infrastructure Management: Our infrastructure team ensures our partners' systems operate securely, reliably, and efficiently. We provide infrastructure design, deployment, monitoring, maintenance, and troubleshooting support, allowing you to focus on your core business operations. Boasting extensive expertise in Blockchain as a Service, private blockchain implementations, and node management, our infrastructure and DevOps engineers are proficient with major cloud solution providers and can host applications in-house or on clients' premises. Our global in-house SRE teams offer 24/7 monitoring and alerts for both infrastructure and application levels. We manage over 5,000 public and private validators and maintain nodes on major public blockchains such as Polygon, Gnosis, Solana, Cosmos, Near, Avalanche, Polkadot, Aptos, and StarkWare L2. Sedge is an open-source tool developed by our infrastructure experts, designed to simplify the complex process of setting up a proof-of-stake (PoS) network or chain validator. Sedge generates docker-compose scripts for the entire validator set-up based on the chosen client, making the process easier and quicker while following best practices to avoid downtime and being slashed.

Cryptography Research: At Nethermind, our cryptography Research team conducts cutting-edge internal research and collaborates closely with external partners on cryptographic protocols, consensus design, succinct arguments and folding schemes, elliptic curve-based STARK protocols, post-quantum security and zero-knowledge proofs (ZKPs). Our research has led to influential contributions, including Zinc (Crypto '25), Mova, FLI (Asiacrypt '24), and foundational results in Fiat-Shamir security and STARK proof batching. Complementing this theoretical work, our engineering expertise is demonstrated through implementations such as the Latticefold aggregation scheme, the Labrador proof system, zkvm-benchmarks, and Plonk Verifier in Cairo. This combined strength in theory and engineering enables us to deliver cutting-edge cryptographic solutions to partners and clients.

Smart Contract Development & DeFi Research: Our smart contract development and DeFi research team comprises 40+ world-class engineers who collaborate closely with partners to identify needs and work on value-adding projects. The team specializes in Solidity and Cairo development, architecture design, and DeFi solutions, including DEXs, AMMs, structured products, derivatives, and money market protocols, as well as ERC20, 721, and 1155 token design. Our research and data analytics focuses on three key areas: technical due diligence, market research, and DeFi research. Utilizing a data-driven approach, we offer in-depth insights and outlooks on various industry themes.

Our suite of L2 tooling: Warp is Starknet's approach to EVM compatibility. It allows developers to take their Solidity smart contracts and transpile them to Cairo, Starknet's smart contract language. In the short time since its inception, the project has accomplished many achievements, including successfully transpiling Uniswap v3 onto Starknet using Warp.

- **Voyager** is a user-friendly Starknet block explorer that offers comprehensive insights into the Starknet network. With its intuitive interface and powerful features, Voyager allows users to easily search for and examine transactions, addresses, and contract details. As an essential tool for navigating the Starknet ecosystem, Voyager is the go-to solution for users seeking in-depth information and analysis;
- **Horus** is an open-source formal verification tool for StarkNet smart contracts. It simplifies the process of formally verifying Starknet smart contracts, allowing developers to express various assertions about the behavior of their code using a simple assertion language;
- **Juno** is a full-node client implementation for Starknet, drawing on the expertise gained from developing the Nethermind Client. Written in Golang and open-sourced from the outset, Juno verifies the validity of the data received from Starknet by comparing it to proofs retrieved from Ethereum, thus maintaining the integrity and security of the entire ecosystem.

General Advisory to Clients

As auditors, we recommend that any changes or updates made to the audited codebase undergo a re-audit or security review to address potential vulnerabilities or risks introduced by the modifications. By conducting a re-audit or security review of the modified codebase, you can significantly enhance the overall security of your system and reduce the likelihood of exploitation. However, we do not possess the authority or right to impose obligations or restrictions on our clients regarding codebase updates, modifications, or subsequent audits. Accordingly, the decision to seek a re-audit or security review lies solely with you.

Disclaimer

This report is based on the scope of materials and documentation provided by you to [Nethermind](#) in order that [Nethermind](#) could conduct the security review outlined in **1. Executive Summary** and **2. Audited Files**. The results set out in this report may not be complete nor inclusive of all vulnerabilities. [Nethermind](#) has provided the review and this report on an as-is, where-is, and as-available basis. You agree that your access and/or use, including but not limited to any associated services, products, protocols, platforms, content, and materials, will be at your sole risk. Blockchain technology remains under development and is subject to unknown risks and flaws. The review does not extend to the compiler layer, or any other areas beyond the programming language, or other programming aspects that could present security risks. This report does not indicate the endorsement of any particular project or team, nor guarantee its security. No third party should rely on this report in any way, including for the purpose of making any decisions to buy or sell a product, service or any other asset. To the fullest extent permitted by law, [Nethermind](#) disclaims any liability in connection with this report, its content, and any related services and products and your use thereof, including, without limitation, the implied warranties of merchantability, fitness for a particular purpose, and non-infringement. [Nethermind](#) does not warrant, endorse, guarantee, or assume responsibility for any product or service advertised or offered by a third party through the product, any open source or third-party software, code, libraries, materials, or information linked to, called by, referenced by or accessible through the report, its content, and the related services and products, any hyperlinked websites, any websites or mobile applications appearing on any advertising, and [Nethermind](#) will not be a party to or in any way be responsible for monitoring any transaction between you and any third-party providers of products or services. As with the purchase or use of a product or service through any medium or in any environment, you should use your best judgment and exercise caution where appropriate. FOR AVOIDANCE OF DOUBT, THE REPORT, ITS CONTENT, ACCESS, AND/OR USAGE THEREOF, INCLUDING ANY ASSOCIATED SERVICES OR MATERIALS, SHALL NOT BE CONSIDERED OR RELIED UPON AS ANY FORM OF FINANCIAL, INVESTMENT, TAX, LEGAL, REGULATORY, OR OTHER ADVICE.