**Q1. Responsive Image Filter Gallery**

**gallery.html**

HTML

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Responsive Image Filter Gallery</title>
  <link rel="stylesheet" href="gallery.css">
</head>
<body>
  <h2>Responsive Image Filter Gallery</h2>
  <div class="gallery-container">
    <div class="gallery-item">
      <img src="https://picsum.photos/300/200?random=1" alt="Blur Filter" class="img-blur">
      <p>Blur Filter</p>
    </div>
    <div class="gallery-item">
      <img src="https://picsum.photos/300/200?random=2" alt="Grayscale Filter" class="img-grayscale">
      <p>Grayscale Filter</p>
    </div>
    <div class="gallery-item">
      <img src="https://picsum.photos/300/200?random=3" alt="Sepia Filter" class="img-sepia">
      <p>Sepia Filter</p>
```

```
    </div>
    <div class="gallery-item">
      <img src="https://picsum.photos/300/200?random=4" alt="Brightness Filter" class="img-brightness">
      <p>Brightness Filter</p>
    </div>
    <div class="gallery-item">
      <img src="https://picsum.photos/300/200?random=5" alt="Contrast Filter" class="img-contrast">
      <p>Contrast Filter</p>
    </div>
    <div class="gallery-item">
      <img src="https://picsum.photos/300/200?random=6" alt="Hue Rotate Filter" class="img-hue">
      <p>Hue-Rotate Filter</p>
    </div>
  </div>
</body>
</html>
```

**gallery.css**

CSS

```
* {
  box-sizing: border-box;
  margin: 0;
  padding: 0;
}
body {
```

```
    font-family: Arial, sans-serif;
    background-color: #f6f6f6;
    padding: 20px;
    text-align: center;
}
h2 {
    margin-bottom: 20px;
    color: #333;
}
.gallery-container {
    display: grid;
    grid-template-columns: repeat(auto-fit, minmax(200px, 1fr));
    gap: 20px;
    padding: 10px;
}
.gallery-item {
    background: white;
    padding: 15px;
    border-radius: 8px;
    box-shadow: 0 4px 8px rgba(0,0,0,0.1);
}
.gallery-item img {
    width: 100%;
    height: 150px;
    object-fit: cover;
    border-radius: 6px;
```

```
    transition: filter 0.3s ease;
}
.gallery-item p {
    margin-top: 10px;
    font-size: 14px;
    color: #555;
    font-weight: bold;
}

/* Individual Filters */
.img-blur { filter: blur(4px); }
.img-grayscale { filter: grayscale(100%); }
.img-sepia { filter: sepia(100%); }
.img-brightness { filter: brightness(150%); }
.img-contrast { filter: contrast(200%); }
.img-hue { filter: hue-rotate(90deg); }

/* Remove filter on hover */
.gallery-item img:hover {
    filter: none;
}

/* Mobile Breakpoint */
@media (max-width: 600px) {
    .gallery-container {
        grid-template-columns: 1fr;
```

```
    }
}
```

**Q2. Responsive Web Design Layout**

**homepage.html**

HTML

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Responsive Homepage Layout</title>
    <link rel="stylesheet" href="homepage.css">
</head>
<body>
    <header>
        <div class="logo">MyBrand</div>
        <nav>
            <a href="#">Home</a>
            <a href="#">About</a>
            <a href="#">Services</a>
            <a href="#">Contact</a>
        </nav>
    </header>

    <main class="main-content">
        <div class="feature-box">
```

```
        <h3>Feature One</h3>
        <p>Explore flexible grid designs and responsive layouts easily.</p>
      </div>
      <div class="feature-box">
        <h3>Feature Two</h3>
        <p>Utilize modern CSS flexbox to align content perfectly.</p>
      </div>
      <div class="feature-box">
        <h3>Feature Three</h3>
        <p>Ensure seamless mobile experiences with media queries.</p>
      </div>
    </main>

    <footer>
      <p>&copy; 2025 MyBrand. All rights reserved.</p>
    </footer>
</body>
</html>
```

**homepage.css**

CSS

```
* {
    box-sizing: border-box;
    margin: 0;
    padding: 0;
}
body {
```

```
    font-family: Arial, sans-serif;
    background-color: #f4f4f4;
    display: flex;
    flex-direction: column;
    min-height: 100vh;
}
header {
    background-color: #232f3e;
    color: white;
    display: flex;
    justify-content: space-between;
    align-items: center;
    padding: 15px 30px;
}
.logo {
    font-size: 20px;
    font-weight: bold;
}
nav a {
    color: white;
    text-decoration: none;
    margin-left: 20px;
    font-size: 14px;
}
nav a:hover {
    color: #ff9900;
```

```
}
.main-content {
    display: flex;
    gap: 20px;
    padding: 40px;
    flex: 1;
    justify-content: center;
}
.feature-box {
    background: white;
    padding: 25px;
    border-radius: 8px;
    box-shadow: 0 4px 8px rgba(0,0,0,0.1);
    flex: 1;
    text-align: center;
    transition: transform 0.3s ease;
}
.feature-box:hover {
    transform: scale(1.05);
}
.feature-box h3 {
    margin-bottom: 10px;
    color: #333;
}
.feature-box p {
    color: #666;
```

```
    font-size: 14px;
}
footer {
    background-color: #232f3e;
    color: white;
    text-align: center;
    padding: 15px;
    font-size: 14px;
}

/* Tablet & Mobile View */
@media (max-width: 750px) {
    .main-content {
        flex-direction: column;
        padding: 20px;
    }
}
```

**Q3. Responsive Cards with Media Queries**

**cards.html**

HTML

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Responsive Cards</title>
```

```
    <link rel="stylesheet" href="cards.css">
</head>
<body>
    <h2>Responsive Cards Layout</h2>
    <div class="card-container">
        <div class="card">Card 1</div>
        <div class="card">Card 2</div>
        <div class="card">Card 3</div>
        <div class="card">Card 4</div>
    </div>
</body>
</html>
```

**cards.css**

CSS

```
* {
    box-sizing: border-box;
    margin: 0;
    padding: 0;
}
body {
    font-family: Arial, sans-serif;
    background-color: #f9f9f9;
    padding: 20px;
    text-align: center;
}
h2 {
```

```
    margin-bottom: 20px;
    color: #333;
}
.card-container {
    display: flex;
    gap: 20px;
    padding: 10px;
    justify-content: center;
}
.card {
    background-color: #ffffff;
    border: 1px solid #ddd;
    border-radius: 8px;
    padding: 40px 20px;
    flex: 1;
    font-size: 18px;
    font-weight: bold;
    color: #333;
    box-shadow: 0 2px 4px rgba(0,0,0,0.05);
    transition: background-color 0.3s ease, transform 0.3s ease;
}
.card:hover {
    background-color: #fffae6;
    transform: translateY(-5px);
}
```

```
/* Tablet Breakpoint (max-width: 900px) -> 2 columns layout */
@media (max-width: 900px) {
  .card-container {
    flex-wrap: wrap;
  }
  .card {
    flex: 1 1 calc(50% - 20px);
  }
}

/* Mobile Breakpoint (max-width: 600px) -> 1 column layout */
@media (max-width: 600px) {
  .card-container {
    flex-direction: column;
  }
  .card {
    flex: 1 1 100%;
  }
}
```

**Q4. Responsive Typography**

**typography.html**

HTML

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
```

```
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Responsive Typography</title>
    <link rel="stylesheet" href="typography.css">
</head>
<body>
    <section class="typography-section">
        <h1>Responsive Heading</h1>
        <p>This paragraph dynamically scales its size smoothly using modern CSS clamp() properties, ensuring perfect readability across all device displays and viewports.</p>
    </section>
</body>
</html>
```

**typography.css**

CSS

```
* {
    box-sizing: border-box;
    margin: 0;
    padding: 0;
}
body {
    font-family: Arial, sans-serif;
    background-color: #f0f2f5;
    display: flex;
    justify-content: center;
    align-items: center;
    min-height: 100vh;
```

```
    padding: 20px;
}
.typography-section {
    background: white;
    padding: 40px;
    border-radius: 10px;
    box-shadow: 0 4px 12px rgba(0,0,0,0.1);
    text-align: center;
    max-width: 800px;
    width: 100%;
}
h1 {
    font-size: clamp(1.5rem, 4vw, 3rem);
    color: #222;
    margin-bottom: 20px;
}
p {
    font-size: clamp(1rem, 2vw, 1.5rem);
    color: #555;
    line-height: 1.6;
    max-width: 650px;
    margin: 0 auto;
}

/* Adjustments for screens below 700px */
@media (max-width: 700px) {
```

```
  .typography-section {
    padding: 20px;
  }
  p {
    line-height: 1.4;
  }
}
```

**Q5. Filter Cards with Animation**

**profile-cards.html**

HTML

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Filter Cards with Animation</title>
  <link rel="stylesheet" href="profile-cards.css">
</head>
<body>
  <h2>Profile Cards</h2>
  <div class="cards-wrapper">
    <div class="profile-card">
      <img src="https://picsum.photos/300/200?random=11" alt="Profile 1" class="filtered-img">
      <h3>Jane Doe</h3>
      <p>Frontend Developer specializing in responsive design.</p>
```

```
    </div>
    <div class="profile-card">
      <img src="https://picsum.photos/300/200?random=12" alt="Profile 2" class="filtered-
img">
      <h3>John Smith</h3>
      <p>UI/UX Designer passionate about fluid layouts.</p>
    </div>
    <div class="profile-card">
      <img src="https://picsum.photos/300/200?random=13" alt="Profile 3" class="filtered-
img">
      <h3>Alice Johnson</h3>
      <p>Full Stack Engineer building scalable web solutions.</p>
    </div>
  </div>
</body>
</html>
```

**profile-cards.css**

CSS

```
* {
  box-sizing: border-box;
  margin: 0;
  padding: 0;
}
body {
  font-family: Arial, sans-serif;
  background-color: #f7f9fa;
  padding: 30px;
```

```
    text-align: center;
    animation: fadeIn 1s ease-in-out;
}
h2 {
    margin-bottom: 25px;
    color: #333;
}
.cards-wrapper {
    display: flex;
    gap: 20px;
    justify-content: center;
    padding: 10px;
}
.profile-card {
    background: white;
    border-radius: 10px;
    padding: 20px;
    flex: 1;
    box-shadow: 0 4px 8px rgba(0,0,0,0.1);
    transition: transform 0.3s ease, box-shadow 0.3s ease;
}
.profile-card img {
    width: 100%;
    height: 150px;
    object-fit: cover;
    border-radius: 6px;
```

```
    filter: grayscale(100%);
    transition: filter 0.3s ease;
}
.profile-card h3 {
    margin: 15px 0 5px;
    color: #222;
}
.profile-card p {
    font-size: 14px;
    color: #666;
}

/* Hover Effects */
.profile-card:hover {
    transform: translateY(-10px);
    box-shadow: 0 8px 16px rgba(0,0,0,0.15);
}
.profile-card:hover img {
    filter: none;
}

/* Fade-in Animation on load */
@keyframes fadeIn {
    from {
        opacity: 0;
        transform: translateY(15px);
```

```
    }
    to {
        opacity: 1;
        transform: translateY(0);
    }
}

/* Screen width below 800px */
@media (max-width: 800px) {
    .cards-wrapper {
        flex-direction: column;
    }
}
```

**Q6. Responsive CSS Cheat Sheet**

**cheatsheet.html**

HTML

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Responsive CSS Cheat Sheet</title>
    <link rel="stylesheet" href="cheatsheet.css">
</head>
<body>
    <header>
```

```
    <h1>Responsive CSS Cheat Sheet</h1>
  </header>
  <main class="grid-container">
    <section class="cheat-box" data-label="Filters">
      <h2>Filters</h2>
      <p>Applies visual effects like blur or grayscale to elements. Example: <code>filter: blur(5px);</code></p>
    </section>
    <section class="cheat-box" data-label="Media Queries">
      <h2>Media Queries</h2>
      <p>Applies styles conditionally based on viewport rules. Example: <code>@media (max-width: 768px)</code></p>
    </section>
    <section class="cheat-box" data-label="Responsive Design">
      <h2>Responsive Design</h2>
      <p>Makes websites adapt smoothly across multiple devices. Example: Using fluid widths and flexbox.</p>
    </section>
    <section class="cheat-box" data-label="Typography">
      <h2>Typography</h2>
      <p>Scales text dynamically using relative or clamp units. Example: <code>font-size: clamp(1rem, 2vw, 2rem);</code></p>
    </section>
  </main>
</body>
</html>
```

**cheatsheet.css**

CSS

```
* {
    box-sizing: border-box;
    margin: 0;
    padding: 0;
}
body {
    font-family: Arial, sans-serif;
    background-color: #f4f6f8;
    padding: 20px;
}
header {
    text-align: center;
    background: #232f3e;
    color: white;
    padding: 20px;
    border-radius: 8px;
    margin-bottom: 20px;
}
.grid-container {
    display: grid;
    grid-template-columns: repeat(2, 1fr);
    gap: 20px;
}
.cheat-box {
    background: white;
```

```
    padding: 20px;
    border-radius: 8px;
    box-shadow: 0 4px 8px rgba(0,0,0,0.08);
    transition: transform 0.3s ease, background 0.3s ease;
}
.cheat-box:hover {
    transform: translateY(-5px);
    background: #fffdf5;
}
.cheat-box h2 {
    font-size: 18px;
    color: #222;
    margin-bottom: 10px;
    border-bottom: 2px solid #ff9900;
    display: inline-block;
    padding-bottom: 3px;
}
.cheat-box p {
    font-size: 14px;
    color: #555;
    line-height: 1.5;
}
code {
    background: #eee;
    padding: 2px 5px;
    border-radius: 4px;
```

```
    font-family: monospace;
}

/* Small screens (below 700px): Stacked layout */
@media (max-width: 700px) {
    .grid-container {
        grid-template-columns: 1fr;
    }
}
```

**Q7. Combined Responsive Web Demo**

**demo.html**

HTML

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Combined Responsive Web Demo</title>
    <link rel="stylesheet" href="demo.css">
</head>
<body>
    <header class="main-header">
        <div class="logo">WebDemo</div>
        <nav class="nav-links">
            <a href="#gallery">Gallery</a>
            <a href="#explanation">About</a>
```

```
        <a href="#cheatsheet">CheatSheet</a>
      </nav>
    </header>

    <main class="grid-layout">
      <section id="gallery" class="demo-section">
        <h2>Image Gallery</h2>
        <img src="https://picsum.photos/400/200?random=21" alt="Sample Demo Image">
      </section>
      <section id="explanation" class="demo-section">
        <h2>Responsive Design</h2>
        <p>Responsive web design ensures optimal layout visualization across mobile phones, tablets, and desktops using fluid proportions and media rules.</p>
      </section>
      <section id="cheatsheet" class="demo-section">
        <h2>CheatSheet Preview</h2>
        <p>Quick reference: use flexible units like percentages, relative sizing units (rem), and conditional breakpoints.</p>
      </section>
    </main>

    <footer>
      <p>Contact us: support@webdemo.com | &copy; 2025</p>
    </footer>
</body>
</html>
```

**demo.css**

CSS

```
* {
    box-sizing: border-box;
    margin: 0;
    padding: 0;
}
body {
    font-family: Arial, sans-serif;
    background-color: #f7f9fa;
    display: flex;
    flex-direction: column;
    min-height: 100vh;
    animation: fadeIn 0.8s ease-in-out;
}
.main-header {
    background-color: #232f3e;
    color: white;
    display: flex;
    justify-content: space-between;
    align-items: center;
    padding: 15px 30px;
}
.logo {
    font-weight: bold;
    font-size: 18px;
}
```

```
.nav-links a {
    color: white;
    text-decoration: none;
    margin-left: 20px;
    font-size: 14px;
}
.nav-links a:hover {
    color: #ff9900;
}
.grid-layout {
    display: grid;
    grid-template-columns: repeat(3, 1fr);
    gap: 20px;
    padding: 30px;
    flex: 1;
}
.demo-section {
    background: white;
    padding: 20px;
    border-radius: 8px;
    box-shadow: 0 4px 8px rgba(0,0,0,0.08);
    transition: transform 0.3s ease;
}
.demo-section:hover {
    transform: translateY(-5px);
}
```

```
.demo-section h2 {
    font-size: 18px;
    color: #333;
    margin-bottom: 12px;
}
.demo-section img {
    width: 100%;
    height: 120px;
    object-fit: cover;
    border-radius: 4px;
}
.demo-section p {
    font-size: 14px;
    color: #666;
    line-height: 1.5;
}
footer {
    background-color: #232f3e;
    color: white;
    text-align: center;
    padding: 15px;
    font-size: 14px;
}

@keyframes fadeIn {
    from { opacity: 0; }
```

```
    to { opacity: 1; }
}

/* Below 700 px, stack vertically */
@media (max-width: 700px) {
    .grid-layout {
        grid-template-columns: 1fr;
        padding: 15px;
    }
}
```

**Q8. Filter Comparison Layout**

**comparison.html**

HTML

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Filter Comparison Layout</title>
    <link rel="stylesheet" href="comparison.css">
</head>
<body>
    <h2>Before and After Filter Comparison</h2>
    <div class="comparison-container">
        <div class="image-box">
            <img src="https://picsum.photos/400/250?random=31" alt="Original Image">
```

```
        <p>Original Image (Before)</p>
      </div>
      <div class="image-box">
        <img src="https://picsum.photos/400/250?random=31" alt="Filtered Image"
class="filter-img">
        <p>Contrast Filtered (After - Hover to view)</p>
      </div>
  </div>
</body>
</html>
```

**comparison.css**

CSS

```
* {
  box-sizing: border-box;
  margin: 0;
  padding: 0;
}
body {
  font-family: Arial, sans-serif;
  background-color: #f4f6f8;
  padding: 30px;
  text-align: center;
}
h2 {
  margin-bottom: 25px;
  color: #333;
```

```
}
.comparison-container {
    display: flex;
    gap: 25px;
    justify-content: center;
    padding: 10px;
}
.image-box {
    background: white;
    padding: 15px;
    border-radius: 8px;
    box-shadow: 0 4px 8px rgba(0,0,0,0.1);
    flex: 1;
}
.image-box img {
    width: 100%;
    height: 200px;
    object-fit: cover;
    border-radius: 6px;
    transition: filter 0.4s ease;
}
.filter-img {
    filter: contrast(250%) grayscale(80%);
}
.image-box img:hover {
    filter: none;
```

```
}
.image-box p {
    margin-top: 12px;
    font-size: 14px;
    color: #555;
    font-weight: bold;
}

/* Below 700px stack vertically */
@media (max-width: 700px) {
    .comparison-container {
        flex-direction: column;
    }
}
```

**Q9. Responsive Design Principles Summary**

**principles.html**

HTML

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Responsive Design Principles</title>
    <link rel="stylesheet" href="principles.css">
</head>
<body>
```

```
    <h2>Core Principles of Responsive Design</h2>
    <div class="principles-grid">
        <div class="principle-card">
            <h3>Fluid Layouts</h3>
            <p>Uses relative proportion sizing units like percentages instead of fixed screen
pixels.</p>
            <code>width: 50%;</code>
        </div>
        <div class="principle-card">
            <h3>Flexible Media</h3>
            <p>Ensures images scale smoothly inside their parent wrappers.</p>
            <code>max-width: 100%; height: auto;</code>
        </div>
        <div class="principle-card">
            <h3>Breakpoints</h3>
            <p>Applies style modifications tailored to changing device sizes via media criteria.</p>
            <code>@media (max-width: 768px)</code>
        </div>
    </div>
</body>
</html>
```

**principles.css**

CSS

```
* {
    box-sizing: border-box;
    margin: 0;
```

```
    padding: 0;
}
body {
    font-family: Arial, sans-serif;
    background-color: #f7f9fa;
    padding: 30px;
    text-align: center;
}
h2 {
    margin-bottom: 25px;
    color: #333;
}
.principles-grid {
    display: grid;
    grid-template-columns: repeat(3, 1fr);
    gap: 20px;
    padding: 10px;
}
.principle-card {
    background: white;
    padding: 25px;
    border-radius: 8px;
    box-shadow: 0 4px 8px rgba(0,0,0,0.08);
    transition: background 0.4s ease, color 0.4s ease, transform 0.3s ease;
}
.principle-card:hover {
```

```
    background: linear-gradient(135deg, #232f3e, #37474f);
    color: white;
    transform: translateY(-5px);
}
.principle-card:hover p,
.principle-card:hover h2,
.principle-card:hover h3 {
    color: white;
}
.principle-card h3 {
    font-size: 18px;
    margin-bottom: 12px;
    color: #222;
}
.principle-card p {
    font-size: 14px;
    color: #666;
    margin-bottom: 15px;
}
.principle-card code {
    background: #eee;
    padding: 4px 8px;
    border-radius: 4px;
    font-size: 13px;
    font-family: monospace;
    display: inline-block;
```

```
    color: #333;
}

/* Below 600px convert to single column */
@media (max-width: 600px) {
    .principles-grid {
        grid-template-columns: 1fr;
    }
}
```

**Q10. Responsive Dashboard Summary**

**dashboard.html**

HTML

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Responsive Dashboard Summary</title>
    <link rel="stylesheet" href="dashboard.css">
</head>
<body>
    <div class="dashboard-layout">
        <aside class="sidebar">
            <h3>Dashboard</h3>
            <ul>
                <li><a href="#">Overview</a></li>
```

```
      <li><a href="#">Analytics</a></li>
      <li><a href="#">Settings</a></li>
    </ul>
</aside>

<div class="main-container">
    <header class="dashboard-header">
      <h2>Welcome Back, Admin</h2>
    </header>
    <section class="cards-grid">
      <div class="dash-card">
        <h4>Filters</h4>
        <p>Visual styling effects.</p>
      </div>
      <div class="dash-card">
        <h4>Typography</h4>
        <p>Fluid font resizing rules.</p>
      </div>
      <div class="dash-card">
        <h4>Media Queries</h4>
        <p>Device breakpoint rules.</p>
      </div>
      <div class="dash-card">
        <h4>Cheat Sheet</h4>
        <p>Quick summary reference.</p>
      </div>
```

```
        </section>
      </div>
    </div>
</body>
</html>
```

**dashboard.css**

CSS

```
* {
    box-sizing: border-box;
    margin: 0;
    padding: 0;
}
body {
    font-family: Arial, sans-serif;
    background-color: #f4f6f9;
    padding: 20px;
    animation: fadeIn 0.8s ease-in-out;
}
.dashboard-layout {
    display: grid;
    grid-template-columns: 240px 1fr;
    gap: 20px;
    max-width: 1200px;
    margin: 0 auto;
}
.sidebar {
```

```
    background-color: #232f3e;
    color: white;
    padding: 20px;
    border-radius: 8px;
}
.sidebar h3 {
    margin-bottom: 20px;
    font-size: 18px;
}
.sidebar ul {
    list-style: none;
}
.sidebar li {
    margin-bottom: 12px;
}
.sidebar a {
    color: #ccc;
    text-decoration: none;
    font-size: 14px;
}
.sidebar a:hover {
    color: white;
}
.main-container {
    display: flex;
    flex-direction: column;
```

```
    gap: 20px;
}
.dashboard-header {
    background: white;
    padding: 20px;
    border-radius: 8px;
    box-shadow: 0 2px 4px rgba(0,0,0,0.05);
}
.dashboard-header h2 {
    font-size: 20px;
    color: #333;
}
.cards-grid {
    display: grid;
    grid-template-columns: repeat(2, 1fr);
    gap: 20px;
}
.dash-card {
    background: white;
    padding: 20px;
    border-radius: 8px;
    box-shadow: 0 4px 8px rgba(0,0,0,0.06);
    transition: transform 0.3s ease, box-shadow 0.3s ease;
}
.dash-card:hover {
    transform: scale(1.03);
```

```
    box-shadow: 0 6px 12px rgba(0,0,0,0.12);
}
.dash-card h4 {
    margin-bottom: 8px;
    color: #222;
}
.dash-card p {
    font-size: 14px;
    color: #666;
}

@keyframes fadeIn {
    from { opacity: 0; transform: translateY(10px); }
    to { opacity: 1; transform: translateY(0); }
}

/* Below 750px, shift sidebar to top and stack content */
@media (max-width: 750px) {
    .dashboard-layout {
        grid-template-columns: 1fr;
    }
    .cards-grid {
        grid-template-columns: 1fr;
    }
}
```