

Experiment 2

AIM: Setup Git and Explore Commands Related to Version Control System (VCS)

Step 1: Download from <https://git-scm.com>

Step 2: C:\Users\rajdejhalak>git config --global user.name "jhalakhr1333-glitch"

C:\Users\rajdejhalak>git config --global user.email "jhalakhr1333@gmail.com"

Step 3: C:\Users\rajdejhalak>git init
Reinitialized existing Git repository in C:/Users/rajdejhalak/.git/

C:\Users\rajdejhalak>cd OST-Jhalak

C:\Users\rajdejhalak\OST-Jhalak>git init
Initialized empty Git repository in C:/Users/rajdejhalak/OST-Jhalak/.git/

C:\Users\rajdejhalak\OST-Jhalak>git status
On branch main
No commits yet
nothing to commit (create/copy files and use "git add" to track)

C:\Users\rajdejhalak\OST-Jhalak>echo hello> sample.txt

C:\Users\rajdejhalak\OST-Jhalak>dir
Directory of C:\Users\rajdejhalak\OST-Jhalak
sample.txt

C:\Users\rajdejhalak\OST-Jhalak>type sample.txt
hello

C:\Users\rajdejhalak\OST-Jhalak>git add sample.txt

C:\Users\rajdejhalak\OST-Jhalak>git commit -m "Initial Commit"
[main (root-commit)] Initial Commit
1 file changed, 1 insertion(+)
create mode 100644 sample.txt

C:\Users\rajdejhalak\OST-Jhalak>git branch
* main

C:\Users\rajdejhalak\OST-Jhalak>git checkout -b dev
Switched to a new branch 'dev'

C:\Users\rajdejhalak\OST-Jhalak>echo hello from dev>> sample.txt

C:\Users\rajdejhalak\OST-Jhalak>git add .

```
C:\Users\rajdejhalak\OST-Jhalak>git commit -m "Update in dev"
[dev] Update in dev
1 file changed, 1 insertion(+)
```

```
C:\Users\rajdejhalak\OST-Jhalak>git checkout main
Switched to branch 'main'
```

```
C:\Users\rajdejhalak\OST-Jhalak>git merge dev
Updating ...
Fast-forward
```

```
C:\Users\rajdejhalak\OST-Jhalak>git remote add origin
https://github.com/jhalakhr1333-glitch/OST-Jhalak.git
```

```
C:\Users\rajdejhalak\OST-Jhalak>git push -u origin main
To https://github.com/jhalakhr1333-glitch/OST-Jhalak
! [rejected] main -> main (fetch first)
error: failed to push some refs to 'https://github.com/jhalakhr1333-glitch/OST-Jhalak'
hint: Updates were rejected because the remote contains work that you do not
hint: have locally. This is usually caused by another repository pushing to
hint: the same ref. If you want to integrate the remote changes, use
hint: 'git pull' before pushing again.
hint: See the 'Note about fast-forwards' in 'git push --help' for details.
```

```
C:\Users\rajdejhalak\OST-Jhalak>git remote add origin
https://github.com/jhalakhr1333-glitch/OST-Jhalak.git
error: remote origin already exists.
```

```
C:\Users\rajdejhalak\OST-Jhalak>git pull --rebase origin main
remote: Enumerating objects: 10, done.
remote: Counting objects: 100% (10/10), done.
remote: Compressing objects: 100% (8/8), done.
remote: Total 10 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (10/10), done.
From https://github.com/jhalakhr1333-glitch/OST-Jhalak
* branch main -> FETCH_HEAD
* [new branch] main -> origin/main
Successfully rebased and updated refs/heads/dev.
```

```
C:\Users\rajdejhalak\OST-Jhalak>git pull --rebase origin main
From https://github.com/jhalakhr1333-glitch/OST-Jhalak
* branch main -> FETCH_HEAD
Successfully rebased and updated refs/heads/main.
```

```
C:\Users\rajdejhalak\OST-Jhalak>git push -u origin main
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
```

Writing objects: 100% (3/3), done.

Total 3 (delta 1), reused 0 (delta 0)

remote: Resolving deltas: 100% (1/1), completed with 1 local object.

To <https://github.com/jhalakhr1333-glitch/OST-Jhalak>

main -> main

branch 'main' set up to track 'origin/main'.

