

Question 1. What is a Calculated Field and why is it important in business dashboards?

Answer 1. A Calculated Field in Tableau is a custom field created using a formula based on existing data fields. It allows users to perform calculations, apply business logic, and create new measures or dimensions without changing the underlying data source.

It is important in business dashboards:-

Creates Business KPIs Helps build metrics such as Profit Margin, Growth Rate, Average Order Value, and Conversion Rate.

Example:- $\text{SUM}([\text{Profit}]) / \text{SUM}([\text{Sales}])$

calculates Profit Margin.

Supports Data Analysis :- Enables users to derive insights that are not directly available in the source data.

Improves Dashboard Interactivity :- Calculated fields can work with filters, parameters, and LOD expressions to create dynamic dashboards.

Reduces Dependence on Data Source Changes :- Analysts can create calculations directly in Tableau without modifying the database.

Enhances Decision-Making :- Converts raw data into meaningful business information that stakeholders can easily understand.

Conclusion :- Calculated Fields are essential in Tableau because they help create custom metrics, implement business ..

Question 2. Why can't parameters change visuals directly in Tableau?

Answer 2. A Parameter in Tableau is a single-value input that allows users to enter or select a value. However, parameters do not directly affect a visualization because they are not automatically connected to any field or worksheet.

Parameters only store a value. Tableau needs additional logic to determine how that value should influence the view.

For a parameter to affect a visualization, it must be used in:

.Calculated Fields

.Filters

.Reference Lines

.Sets Dynamic

.Titles

Example : -Parameter :- Select Measure

.Values

.Sales Profit

Calculated Field :- IF [Select Measure] = "Sales"

THEN SUM([Sales])

ELSE SUM([Profit])

END

The chart uses this calculated field. When the parameter changes, the visualization updates.

Key Point :- A parameter acts as an input control, while calculated fields or filters act as the logic that connects the parameter to the visualization.

Conclusion :- Parameters cannot change visuals directly because they only hold user-selected values. They must be linked to calculations, filters, or other Tableau features to influence a dashboard.

Question 3 .When should EXCLUDE LOD be used?

Answer 3. EXCLUDE LOD is used when you want Tableau to perform a calculation while ignoring one or more dimensions that are currently present in the view.

`{ EXCLUDE [Dimension] : Aggregation }`

Use EXCLUDE when :-

Comparing Detail-Level Data to Higher-Level

Totals :- Compare Category Sales against Region Sales.

Calculating Percent of Total :- `SUM([Sales]) /`

`{ EXCLUDE [Category] : SUM([Sales]) }`

Shows category contribution to regional sales.

Benchmarking Performance :- Compare a product, category, or salesperson against a larger group total.

Variance Analysis :- Measure the difference between detailed values and higher-level aggregates.

Example :-

Region Category

Calculation :- `{ EXCLUDE [Category] : SUM([Sales]) }`

Result :- Tableau calculates total sales at the Region level, ignoring Category.

Conclusion :- EXCLUDE LOD should be used when a dimension exists in the visualization but should be ignored during the calculation to produce higher-level totals or benchmarks.

Answer 4. Both FIXED and INCLUDE are Level of Detail (LOD) expressions used to control the granularity of calculations in Tableau, but they work differently.

FIXED LOD :- FIXED calculates a value at a specified level of detail, regardless of what dimensions are present in the view.

{ FIXED [Dimension] : Aggregation }

Example :-

{ FIXED [Region] : SUM([Sales]) }

This always calculates sales at the Region level, even if Category or Product is added to the view.

Common Uses :-

- .Regional Sales Totals
- .Customer Lifetime Value
- .First Purchase Date
- .Cohort Analysis
- .Independent of the dimensions in the visualization.

INCLUDE LOD :- INCLUDE adds a dimension to the current level of detail in the view and then aggregates the result back.

{ INCLUDE [Dimension] : Aggregation }

Example :- Region

Calculation :- { INCLUDE [Customer Name] : SUM([Sales]) }

Tableau first calculates sales for each customer and then aggregates those values at the Region level.

Common Uses :-

- .Average Sales per Customer
- .Customer-Level Analysis
- .Basket Analysis
- .Detailed Aggregations within Higher-Level Views

Key Feature :- Depends on the dimensions currently present in the view.

The main difference between FIXED and INCLUDE LOD expressions is that FIXED calculates data at a specific level defined by the developer, regardless of the visualization, while INCLUDE adds additional dimensions to the current view's level of detail before performing the calculation.

In simple terms:-

FIXED = Calculate exactly at the level specified. INCLUDE = Add dimensions to the current view before calculating. EXCLUDE = Remove dimensions from the current view before calculating.

Therefore, FIXED is best used when a consistent level of aggregation is required, whereas INCLUDE is useful when additional detail needs to be considered within the context of the current visualization.

Conclusion :- Use FIXED when you need a consistent calculation at a specific level regardless of the visualization. Use INCLUDE when you want Tableau to consider additional dimensions beyond those currently displayed in the view.

Question 4. Difference between FIXED and INCLUDE LOD expressions?

Task 1: Delivery Performance Classification (Calculated Field)

Business Need

Operations wants to track delivery efficiency.


Task

Classify orders as Fast or Delayed.

Condition

Delivery ≤ 30 min → Fast

Else → Delayed



Task 1. You have been provided with a Blinkit Orders dataset (1000 records) containing:

Dataset :Blinkit Orders

Dataset Columns

Order ID

Order Date

City

Category

Product Name

Quantity

Unit Price

Sales

Cost

Profit

Delivery Time Min

Payment Mode

Management expects calculation-driven insights, not just basic charts.

Task 1: Delivery Performance Classification (Calculated Field)

Business Need

Operations wants to track delivery efficiency.

Task

Classify orders as Fast or Delayed.

Condition

Delivery $\leq$ 30 min $\rightarrow$ Fast

Else $\rightarrow$ Delayed

Task 1. Data Load (Dataset is imported in Tableau)

Step 1: Open Tableau Launch Tableau Public

Step 2: Connect to Data

Depending on file type:

Connect to Excel On the home screen, click Microsoft Excel Browse and select your file (e.g., *Blinkit Orders.xlsx*) Click Open

Step 3: Data Source Page Tableau will open the Data Source screen we will see Excel sheet(s) listed on the left side Drag the required sheet into the center workspace (canvas)

Step 4: Verify Data :- Check that all columns are visible, such as:

Order ID

Order Date

City Category

Product Name

Quantity Unit Price

Sales Cost Profit

Delivery Time Min

Payment Mode

Ensure data preview looks correct

Step 5: Go to Worksheet Click on Sheet 1 (bottom-left corner)

Data is successfully loaded into Tableau

Task1 :- Delivery Performance Classification Business Requirement

Classify orders based on delivery speed to analyze operational efficiency.

Condition Delivery Time Min $\leq$ 30 $\rightarrow$ Fast Delivery

Delivery Time Min $>$ 30 $\rightarrow$ Delayed Delivery

3.Steps in Tableau (Calculated Field) :-

Step 1: Create Calculated Field In Sheet 1, go to Data Pane (left side) Right-click anywhere in blank space Click Create Calculated Field

Step 2: Name the Field :- Delivery Status

Step 3: Write Formula

IF [Delivery Time Min] $\leq$ 30 THEN "Fast"

ELSE "Delayed"

END

Step 4: Save Click OK

Now a new field Delivery Status will appear in Data Pane.

Step 5. Visualization Steps

Step 1: Drag Delivery Status $\rightarrow$ Rows

Step 2: Drag Order ID $\rightarrow$ Columns

Step 3: Change aggregation of Order ID to COUNT

We will get:

Fast Orders Count Delayed Orders Count

(Displayed as bar chart or table)

6. Business Insight :- This analysis helps blinkit :- Track delivery performance Identify operational delays Improve logistics efficiency Ensure 30-minute delivery target compliance

Conclusion :- First, the dataset is imported into Tableau through Excel/CSV connection. After loading the data in Sheet 1, a calculated field named Delivery Status is created to classify orders into Fast and Delayed based on delivery time. This is then visualized using COUNT(Order ID) to analyze delivery efficiency.

Task 2: Loss-Making Orders
Identification Blinkit Orders
Business Need High sales do
not always mean high profit.
Task :- Identify orders
resulting in loss.

Order ID	Product Na..	
100001	Banana	.
100002	Curd	.
100003	Juice	.
100004	Apple	.
100005	Bread	.
100006	Milk	.
100007	Cold Drink	.
100008	Chips	.
100009	Chips	.
100010	Milk	.
100011	Cold Drink	.
100012	Milk	.
100013	Bread	.
100014	Juice	.
100015	Apple	.
100016	Curd	.
100017	Chips	.
100018	Bread	.
100019	Apple	.
100020	Bread	.
100021	Cold Drink	.
100022	Chips	.
100023	Curd	.
100024	Milk	.
100025	Milk	.
100026	Apple	.
100027	Curd	.
100028	Juice	.
100029	Banana	.
100030	Cold Drink	.
100031	Apple	.
100032	Banana	.
100033	Bread	.
100034	Cold Drink	.
100035	Bread	.
100036	Juice	.
100037	Curd	.
100038	Chips	.
100039	Cold Drink	.
100040	Banana	.

Task 2: Loss-Making Orders
Identification Blinkit Orders
Business Need High sales do
not always mean high profit.
Task :- Identify orders
resulting in loss.

Order ID	Product Na..	
100041	Juice	.
100042	Chips	.
100043	Milk	.
100044	Banana	.
100045	Apple	.
100046	Milk	.
100047	Juice	.
100048	Milk	.
100049	Apple	.
100050	Cold Drink	.
100051	Milk	.
100052	Curd	.
100053	Banana	.
100054	Chips	.
100055	Milk	.
100056	Banana	.
100057	Bread	.
100058	Banana	.
100059	Chips	.
100060	Banana	.
100061	Apple	.
100062	Juice	.
100063	Chips	.
100064	Juice	.
100065	Cold Drink	.
100066	Juice	.
100067	Bread	.
100068	Apple	.
100069	Cold Drink	.
100070	Banana	.
100071	Chips	.
100072	Bread	.
100073	Apple	.
100074	Cold Drink	.
100075	Cold Drink	.
100076	Bread	.
100077	Curd	.
100078	Banana	.
100079	Bread	.
100080	Cold Drink	.

Task 2: Loss-Making Orders
Identification Blinkit Orders
Business Need High sales do
not always mean high profit.
Task :- Identify orders
resulting in loss.

Order ID	Product Na..	
100081	Milk	.
100082	Apple	.
100083	Bread	.
100084	Curd	.
100085	Cold Drink	.
100086	Banana	.
100087	Juice	.
100088	Cold Drink	.
100089	Banana	.
100090	Bread	.
100091	Banana	.
100092	Chips	.
100093	Chips	.
100094	Chips	.
100095	Curd	.
100096	Curd	.
100097	Milk	.
100098	Curd	.
100099	Juice	.
100100	Bread	.
100101	Cold Drink	.
100102	Cold Drink	.
100103	Milk	.
100104	Curd	.
100105	Juice	.
100106	Banana	.
100107	Milk	.
100108	Juice	.
100109	Banana	.
100110	Juice	.
100111	Banana	.
100112	Apple	.
100113	Juice	.
100114	Cold Drink	.
100115	Chips	.
100116	Curd	.
100117	Banana	.
100118	Apple	.
100119	Juice	.
100120	Cold Drink	.

Task 2: Loss-Making Orders
Identification Blinkit Orders
Business Need High sales do
not always mean high profit.
Task :- Identify orders
resulting in loss.

Order ID	Product Na..	
100121	Chips	.
100122	Banana	.
100123	Juice	.
100124	Juice	.
100125	Banana	.
100126	Milk	.
100127	Milk	.
100128	Cold Drink	.
100129	Chips	.
100130	Banana	.
100131	Cold Drink	.
100132	Cold Drink	.
100133	Bread	.
100134	Juice	.
100135	Curd	.
100136	Juice	.
100137	Milk	.
100138	Chips	.
100139	Juice	.
100140	Banana	.
100141	Cold Drink	.
100142	Banana	.
100143	Bread	.
100144	Chips	.
100145	Cold Drink	.
100146	Banana	.
100147	Milk	.
100148	Curd	.
100149	Bread	.
100150	Chips	.
100151	Bread	.
100152	Milk	.
100153	Chips	.
100154	Bread	.
100155	Apple	.
100156	Milk	.
100157	Milk	.
100158	Milk	.
100159	Apple	.
100160	Apple	.

Task 2: Loss-Making Orders
Identification Blinkit Orders
Business Need High sales do
not always mean high profit.
Task :- Identify orders
resulting in loss.

Order ID	Product Na..	
100161	Banana	.
100162	Cold Drink	.
100163	Curd	.
100164	Bread	.
100165	Banana	.
100166	Bread	.
100167	Curd	.
100168	Cold Drink	.
100169	Apple	.
100170	Cold Drink	.
100171	Apple	.
100172	Curd	.
100173	Cold Drink	.
100174	Banana	.
100175	Chips	.
100176	Banana	.
100177	Bread	.
100178	Banana	.
100179	Curd	.
100180	Milk	.
100181	Bread	.
100182	Cold Drink	.
100183	Bread	.
100184	Chips	.
100185	Apple	.
100186	Cold Drink	.
100187	Juice	.
100188	Bread	.
100189	Cold Drink	.
100190	Cold Drink	.
100191	Cold Drink	.
100192	Apple	.
100193	Juice	.
100194	Curd	.
100195	Banana	.
100196	Cold Drink	.
100197	Milk	.
100198	Curd	.
100199	Chips	.
100200	Apple	.

Task 2: Loss-Making Orders
 Identification Blinkit Orders
 Business Need High sales do
 not always mean high profit.
 Task :- Identify orders
 resulting in loss.

Order ID	Product Na..	
100201	Bread	.
100202	Apple	.
100203	Bread	.
100204	Apple	.
100205	Bread	.
100206	Cold Drink	.
100207	Banana	.
100208	Bread	.
100209	Juice	.
100210	Bread	.
100211	Milk	.
100212	Bread	.
100213	Milk	.
100214	Chips	.
100215	Cold Drink	.
100216	Milk	.
100217	Banana	.
100218	Curd	.
100219	Cold Drink	.
100220	Milk	.
100221	Cold Drink	.
100222	Juice	.
100223	Cold Drink	.
100224	Cold Drink	.
100225	Chips	.
100226	Banana	.
100227	Apple	.
100228	Apple	.
100229	Milk	.
100230	Cold Drink	.
100231	Milk	.
100232	Chips	.
100233	Chips	.
100234	Bread	.
100235	Juice	.
100236	Chips	.
100237	Bread	.
100238	Banana	.
100239	Milk	.
100240	Curd	.

Task 2: Loss-Making Orders
Identification Blinkit Orders
Business Need High sales do
not always mean high profit.
Task :- Identify orders
resulting in loss.

Order ID	Product Na..	
100241	Banana	.
100242	Chips	.
100243	Banana	.
100244	Banana	.
100245	Juice	.
100246	Juice	.
100247	Juice	.
100248	Banana	.
100249	Chips	.
100250	Curd	.
100251	Cold Drink	.
100252	Banana	.
100253	Bread	.
100254	Chips	.
100255	Banana	.
100256	Curd	.
100257	Cold Drink	.
100258	Juice	.
100259	Chips	.
100260	Apple	.
100261	Cold Drink	.
100262	Bread	.
100263	Banana	.
100264	Curd	.
100265	Apple	.
100266	Curd	.
100267	Apple	.
100268	Chips	.
100269	Apple	.
100270	Bread	.
100271	Bread	.
100272	Milk	.
100273	Bread	.
100274	Cold Drink	.
100275	Apple	.
100276	Bread	.
100277	Chips	.
100278	Curd	.
100279	Juice	.
100280	Curd	.

Task 2: Loss-Making Orders
 Identification Blinkit Orders
 Business Need High sales do
 not always mean high profit.
 Task :- Identify orders
 resulting in loss.

Order ID	Product Na..	
100281	Milk	.
100282	Curd	.
100283	Apple	.
100284	Milk	.
100285	Apple	.
100286	Chips	.
100287	Milk	.
100288	Banana	.
100289	Cold Drink	.
100290	Cold Drink	.
100291	Apple	.
100292	Curd	.
100293	Juice	.
100294	Juice	.
100295	Banana	.
100296	Milk	.
100297	Banana	.
100298	Banana	.
100299	Curd	.
100300	Juice	.
100301	Milk	.
100302	Chips	.
100303	Curd	.
100304	Banana	.
100305	Banana	.
100306	Chips	.
100307	Banana	.
100308	Banana	.
100309	Banana	.
100310	Cold Drink	.
100311	Curd	.
100312	Bread	.
100313	Curd	.
100314	Chips	.
100315	Banana	.
100316	Curd	.
100317	Cold Drink	.
100318	Juice	.
100319	Chips	.
100320	Apple	.

Task 2: Loss-Making Orders
Identification Blinkit Orders
Business Need High sales do
not always mean high profit.
Task :- Identify orders
resulting in loss.

Order ID	Product Na..	
100321	Curd	.
100322	Apple	.
100323	Banana	.
100324	Cold Drink	.
100325	Cold Drink	.
100326	Curd	.
100327	Chips	.
100328	Chips	.
100329	Cold Drink	.
100330	Chips	.
100331	Cold Drink	.
100332	Curd	.
100333	Bread	.
100334	Cold Drink	.
100335	Apple	.
100336	Chips	.
100337	Cold Drink	.
100338	Cold Drink	.
100339	Curd	.
100340	Chips	.
100341	Bread	.
100342	Curd	.
100343	Bread	.
100344	Juice	.
100345	Curd	.
100346	Chips	.
100347	Milk	.
100348	Chips	.
100349	Chips	.
100350	Bread	.
100351	Bread	.
100352	Chips	.
100353	Chips	.
100354	Chips	.
100355	Bread	.
100356	Chips	.
100357	Chips	.
100358	Juice	.
100359	Banana	.
100360	Milk	.

Task 2: Loss-Making Orders
 Identification Blinkit Orders
 Business Need High sales do
 not always mean high profit.
 Task :- Identify orders
 resulting in loss.

Order ID	Product Na..	
100361	Apple	.
100362	Milk	.
100363	Banana	.
100364	Apple	.
100365	Curd	.
100366	Chips	.
100367	Banana	.
100368	Juice	.
100369	Curd	.
100370	Chips	.
100371	Bread	.
100372	Cold Drink	.
100373	Banana	.
100374	Bread	.
100375	Banana	.
100376	Juice	.
100377	Banana	.
100378	Bread	.
100379	Juice	.
100380	Apple	.
100381	Milk	.
100382	Chips	.
100383	Banana	.
100384	Chips	.
100385	Cold Drink	.
100386	Bread	.
100387	Chips	.
100388	Bread	.
100389	Chips	.
100390	Milk	.
100391	Milk	.
100392	Juice	.
100393	Milk	.
100394	Juice	.
100395	Milk	.
100396	Milk	.
100397	Milk	.
100398	Bread	.
100399	Banana	.
100400	Juice	.

Task 2: Loss-Making Orders
Identification Blinkit Orders
Business Need High sales do
not always mean high profit.
Task :- Identify orders
resulting in loss.

Order ID	Product Na..	
100401	Chips	.
100402	Milk	.
100403	Bread	.
100404	Bread	.
100405	Bread	.
100406	Juice	.
100407	Banana	.
100408	Juice	.
100409	Chips	.
100410	Banana	.
100411	Apple	.
100412	Curd	.
100413	Bread	.
100414	Juice	.
100415	Apple	.
100416	Cold Drink	.
100417	Juice	.
100418	Milk	.
100419	Curd	.
100420	Milk	.
100421	Banana	.
100422	Curd	.
100423	Juice	.
100424	Chips	.
100425	Apple	.
100426	Chips	.
100427	Juice	.
100428	Banana	.
100429	Milk	.
100430	Curd	.
100431	Chips	.
100432	Juice	.
100433	Chips	.
100434	Juice	.
100435	Milk	.
100436	Curd	.
100437	Apple	.
100438	Milk	.
100439	Chips	.
100440	Apple	.

Task 2: Loss-Making Orders
 Identification Blinkit Orders
 Business Need High sales do
 not always mean high profit.
 Task :- Identify orders
 resulting in loss.

Order ID	Product Na..	
100441	Juice	.
100442	Apple	.
100443	Juice	.
100444	Milk	.
100445	Chips	.
100446	Banana	.
100447	Chips	.
100448	Juice	.
100449	Bread	.
100450	Curd	.
100451	Cold Drink	.
100452	Banana	.
100453	Apple	.
100454	Banana	.
100455	Curd	.
100456	Apple	.
100457	Curd	.
100458	Apple	.
100459	Banana	.
100460	Apple	.
100461	Apple	.
100462	Bread	.
100463	Chips	.
100464	Chips	.
100465	Cold Drink	.
100466	Cold Drink	.
100467	Juice	.
100468	Juice	.
100469	Juice	.
100470	Bread	.
100471	Cold Drink	.
100472	Curd	.
100473	Juice	.
100474	Juice	.
100475	Banana	.
100476	Milk	.
100477	Curd	.
100478	Juice	.
100479	Juice	.
100480	Juice	.

Task 2: Loss-Making Orders
Identification Blinkit Orders
Business Need High sales do
not always mean high profit.
Task :- Identify orders
resulting in loss.

Order ID	Product Na..	
100481	Milk	.
100482	Milk	.
100483	Bread	.
100484	Curd	.
100485	Bread	.
100486	Apple	.
100487	Milk	.
100488	Banana	.
100489	Cold Drink	.
100490	Banana	.
100491	Cold Drink	.
100492	Milk	.
100493	Milk	.
100494	Milk	.
100495	Bread	.
100496	Curd	.
100497	Cold Drink	.
100498	Curd	.
100499	Bread	.
100500	Bread	.
100501	Chips	.
100502	Banana	.
100503	Banana	.
100504	Apple	.
100505	Juice	.
100506	Bread	.
100507	Cold Drink	.
100508	Chips	.
100509	Chips	.
100510	Juice	.
100511	Curd	.
100512	Juice	.
100513	Juice	.
100514	Juice	.
100515	Banana	.
100516	Bread	.
100517	Apple	.
100518	Bread	.
100519	Curd	.
100520	Milk	.

Task 2: Loss-Making Orders
 Identification Blinkit Orders
 Business Need High sales do
 not always mean high profit.
 Task :- Identify orders
 resulting in loss.

Order ID	Product Na..	
100521	Juice	.
100522	Bread	.
100523	Curd	.
100524	Milk	.
100525	Milk	.
100526	Juice	.
100527	Apple	.
100528	Cold Drink	.
100529	Banana	.
100530	Bread	.
100531	Milk	.
100532	Bread	.
100533	Cold Drink	.
100534	Banana	.
100535	Cold Drink	.
100536	Banana	.
100537	Chips	.
100538	Banana	.
100539	Juice	.
100540	Apple	.
100541	Cold Drink	.
100542	Milk	.
100543	Juice	.
100544	Chips	.
100545	Apple	.
100546	Bread	.
100547	Juice	.
100548	Cold Drink	.
100549	Curd	.
100550	Curd	.
100551	Milk	.
100552	Banana	.
100553	Milk	.
100554	Curd	.
100555	Bread	.
100556	Chips	.
100557	Chips	.
100558	Cold Drink	.
100559	Chips	.
100560	Cold Drink	.

Task 2: Loss-Making Orders
Identification Blinkit Orders
Business Need High sales do
not always mean high profit.
Task :- Identify orders
resulting in loss.

Order ID	Product Na..	
100561	Juice	.
100562	Cold Drink	.
100563	Juice	.
100564	Cold Drink	.
100565	Curd	.
100566	Curd	.
100567	Banana	.
100568	Juice	.
100569	Apple	.
100570	Juice	.
100571	Cold Drink	.
100572	Cold Drink	.
100573	Apple	.
100574	Milk	.
100575	Cold Drink	.
100576	Banana	.
100577	Chips	.
100578	Chips	.
100579	Bread	.
100580	Bread	.
100581	Chips	.
100582	Chips	.
100583	Curd	.
100584	Banana	.
100585	Apple	.
100586	Bread	.
100587	Curd	.
100588	Curd	.
100589	Apple	.
100590	Curd	.
100591	Juice	.
100592	Banana	.
100593	Chips	.
100594	Cold Drink	.
100595	Apple	.
100596	Chips	.
100597	Chips	.
100598	Milk	.
100599	Juice	.
100600	Apple	.

Task 2: Loss-Making Orders
Identification Blinkit Orders
Business Need High sales do
not always mean high profit.
Task :- Identify orders
resulting in loss.

Order ID	Product Na..	
100601	Curd	.
100602	Cold Drink	.
100603	Apple	.
100604	Curd	.
100605	Chips	.
100606	Cold Drink	.
100607	Curd	.
100608	Banana	.
100609	Curd	.
100610	Milk	.
100611	Juice	.
100612	Chips	.
100613	Curd	.
100614	Juice	.
100615	Bread	.
100616	Bread	.
100617	Juice	.
100618	Juice	.
100619	Milk	.
100620	Banana	.
100621	Chips	.
100622	Apple	.
100623	Milk	.
100624	Banana	.
100625	Juice	.
100626	Apple	.
100627	Juice	.
100628	Juice	.
100629	Bread	.
100630	Bread	.
100631	Apple	.
100632	Milk	.
100633	Bread	.
100634	Chips	.
100635	Juice	.
100636	Cold Drink	.
100637	Curd	.
100638	Apple	.
100639	Apple	.
100640	Bread	.

Task 2: Loss-Making Orders
Identification Blinkit Orders
Business Need High sales do
not always mean high profit.
Task :- Identify orders
resulting in loss.

Order ID	Product Na..	
100641	Milk	.
100642	Juice	.
100643	Chips	.
100644	Milk	.
100645	Banana	.
100646	Banana	.
100647	Cold Drink	.
100648	Bread	.
100649	Bread	.
100650	Bread	.
100651	Cold Drink	.
100652	Banana	.
100653	Milk	.
100654	Cold Drink	.
100655	Cold Drink	.
100656	Milk	.
100657	Bread	.
100658	Chips	.
100659	Milk	.
100660	Banana	.
100661	Apple	.
100662	Juice	.
100663	Apple	.
100664	Curd	.
100665	Curd	.
100666	Cold Drink	.
100667	Juice	.
100668	Apple	.
100669	Chips	.
100670	Bread	.
100671	Banana	.
100672	Curd	.
100673	Chips	.
100674	Banana	.
100675	Banana	.
100676	Bread	.
100677	Juice	.
100678	Cold Drink	.
100679	Apple	.
100680	Bread	.

Task 2: Loss-Making Orders
 Identification Blinkit Orders
 Business Need High sales do
 not always mean high profit.
 Task :- Identify orders
 resulting in loss.

Order ID	Product Na..	
100681	Chips	.
100682	Cold Drink	.
100683	Chips	.
100684	Cold Drink	.
100685	Juice	.
100686	Curd	.
100687	Chips	.
100688	Bread	.
100689	Cold Drink	.
100690	Cold Drink	.
100691	Banana	.
100692	Banana	.
100693	Milk	.
100694	Chips	.
100695	Banana	.
100696	Milk	.
100697	Curd	.
100698	Curd	.
100699	Banana	.
100700	Chips	.
100701	Cold Drink	.
100702	Apple	.
100703	Juice	.
100704	Chips	.
100705	Juice	.
100706	Bread	.
100707	Curd	.
100708	Banana	.
100709	Banana	.
100710	Juice	.
100711	Cold Drink	.
100712	Juice	.
100713	Bread	.
100714	Cold Drink	.
100715	Bread	.
100716	Apple	.
100717	Curd	.
100718	Banana	.
100719	Banana	.
100720	Apple	.

Task 2: Loss-Making Orders
Identification Blinkit Orders
Business Need High sales do
not always mean high profit.
Task :- Identify orders
resulting in loss.

Order ID	Product Na..	
100721	Milk	.
100722	Curd	.
100723	Cold Drink	.
100724	Apple	.
100725	Cold Drink	.
100726	Juice	.
100727	Chips	.
100728	Banana	.
100729	Cold Drink	.
100730	Bread	.
100731	Cold Drink	.
100732	Chips	.
100733	Curd	.
100734	Banana	.
100735	Juice	.
100736	Apple	.
100737	Juice	.
100738	Chips	.
100739	Banana	.
100740	Cold Drink	.
100741	Curd	.
100742	Milk	.
100743	Curd	.
100744	Milk	.
100745	Bread	.
100746	Curd	.
100747	Banana	.
100748	Milk	.
100749	Apple	.
100750	Banana	.
100751	Apple	.
100752	Curd	.
100753	Apple	.
100754	Milk	.
100755	Banana	.
100756	Cold Drink	.
100757	Chips	.
100758	Milk	.
100759	Milk	.
100760	Cold Drink	.

Task 2: Loss-Making Orders
 Identification Blinkit Orders
 Business Need High sales do
 not always mean high profit.
 Task :- Identify orders
 resulting in loss.

Order ID	Product Na..	
100761	Banana	.
100762	Banana	.
100763	Juice	.
100764	Curd	.
100765	Apple	.
100766	Curd	.
100767	Cold Drink	.
100768	Curd	.
100769	Cold Drink	.
100770	Banana	.
100771	Apple	.
100772	Curd	.
100773	Milk	.
100774	Bread	.
100775	Juice	.
100776	Chips	.
100777	Milk	.
100778	Banana	.
100779	Chips	.
100780	Bread	.
100781	Bread	.
100782	Apple	.
100783	Chips	.
100784	Apple	.
100785	Milk	.
100786	Cold Drink	.
100787	Cold Drink	.
100788	Cold Drink	.
100789	Chips	.
100790	Cold Drink	.
100791	Milk	.
100792	Apple	.
100793	Chips	.
100794	Apple	.
100795	Chips	.
100796	Apple	.
100797	Bread	.
100798	Apple	.
100799	Cold Drink	.
100800	Bread	.

Task 2: Loss-Making Orders
Identification Blinkit Orders
Business Need High sales do
not always mean high profit.
Task :- Identify orders
resulting in loss.

Order ID	Product Na..	
100801	Apple	.
100802	Chips	.
100803	Chips	.
100804	Juice	.
100805	Chips	.
100806	Banana	.
100807	Milk	.
100808	Chips	.
100809	Bread	.
100810	Juice	.
100811	Chips	.
100812	Banana	.
100813	Cold Drink	.
100814	Bread	.
100815	Banana	.
100816	Cold Drink	.
100817	Curd	.
100818	Curd	.
100819	Bread	.
100820	Apple	.
100821	Milk	.
100822	Juice	.
100823	Milk	.
100824	Banana	.
100825	Cold Drink	.
100826	Milk	.
100827	Cold Drink	.
100828	Cold Drink	.
100829	Banana	.
100830	Banana	.
100831	Banana	.
100832	Milk	.
100833	Curd	.
100834	Banana	.
100835	Juice	.
100836	Milk	.
100837	Banana	.
100838	Chips	.
100839	Cold Drink	.
100840	Juice	.

Task 2: Loss-Making Orders
 Identification Blinkit Orders
 Business Need High sales do
 not always mean high profit.
 Task :- Identify orders
 resulting in loss.

Order ID	Product Na..	
100841	Banana	.
100842	Bread	.
100843	Cold Drink	.
100844	Cold Drink	.
100845	Banana	.
100846	Curd	.
100847	Apple	.
100848	Curd	.
100849	Banana	.
100850	Cold Drink	.
100851	Juice	.
100852	Bread	.
100853	Juice	.
100854	Juice	.
100855	Cold Drink	.
100856	Curd	.
100857	Bread	.
100858	Milk	.
100859	Chips	.
100860	Cold Drink	.
100861	Banana	.
100862	Milk	.
100863	Chips	.
100864	Banana	.
100865	Juice	.
100866	Apple	.
100867	Banana	.
100868	Bread	.
100869	Bread	.
100870	Apple	.
100871	Milk	.
100872	Chips	.
100873	Banana	.
100874	Bread	.
100875	Milk	.
100876	Apple	.
100877	Curd	.
100878	Cold Drink	.
100879	Curd	.
100880	Curd	.

Task 2: Loss-Making Orders
 Identification Blinkit Orders
 Business Need High sales do
 not always mean high profit.
 Task :- Identify orders
 resulting in loss.

Order ID	Product Na..	
100881	Bread	.
100882	Juice	.
100883	Juice	.
100884	Apple	.
100885	Banana	.
100886	Juice	.
100887	Curd	.
100888	Juice	.
100889	Curd	.
100890	Chips	.
100891	Bread	.
100892	Bread	.
100893	Banana	.
100894	Juice	.
100895	Juice	.
100896	Cold Drink	.
100897	Milk	.
100898	Chips	.
100899	Bread	.
100900	Chips	.
100901	Bread	.
100902	Chips	.
100903	Apple	.
100904	Curd	.
100905	Bread	.
100906	Chips	.
100907	Juice	.
100908	Milk	.
100909	Apple	.
100910	Apple	.
100911	Milk	.
100912	Chips	.
100913	Juice	.
100914	Banana	.
100915	Milk	.
100916	Chips	.
100917	Milk	.
100918	Milk	.
100919	Bread	.
100920	Chips	.

Task 2: Loss-Making Orders
 Identification Blinkit Orders
 Business Need High sales do
 not always mean high profit.
 Task :- Identify orders
 resulting in loss.

Order ID	Product Na..	
100921	Banana	.
100922	Curd	.
100923	Bread	.
100924	Milk	.
100925	Curd	.
100926	Cold Drink	.
100927	Curd	.
100928	Milk	.
100929	Milk	.
100930	Juice	.
100931	Chips	.
100932	Chips	.
100933	Bread	.
100934	Banana	.
100935	Bread	.
100936	Apple	.
100937	Milk	.
100938	Curd	.
100939	Cold Drink	.
100940	Milk	.
100941	Milk	.
100942	Bread	.
100943	Cold Drink	.
100944	Cold Drink	.
100945	Cold Drink	.
100946	Bread	.
100947	Milk	.
100948	Bread	.
100949	Chips	.
100950	Chips	.
100951	Bread	.
100952	Cold Drink	.
100953	Juice	.
100954	Milk	.
100955	Bread	.
100956	Bread	.
100957	Bread	.
100958	Juice	.
100959	Juice	.
100960	Apple	.

Task 2: Loss-Making Orders
Identification Blinkit Orders
Business Need High sales do
not always mean high profit.
Task :- Identify orders
resulting in loss.

Order ID	Product Na..	
100961	Chips	.
100962	Curd	.
100963	Cold Drink	.
100964	Banana	.
100965	Juice	.
100966	Curd	.
100967	Juice	.
100968	Cold Drink	.
100969	Banana	.
100970	Apple	.
100971	Bread	.
100972	Apple	.
100973	Juice	.
100974	Apple	.
100975	Curd	.
100976	Milk	.
100977	Juice	.
100978	Juice	.
100979	Curd	.
100980	Chips	.
100981	Banana	.
100982	Bread	.
100983	Curd	.
100984	Banana	.
100985	Cold Drink	.
100986	Banana	.
100987	Cold Drink	.
100988	Curd	.
100989	Juice	.
100990	Juice	.
100991	Chips	.
100992	Curd	.
100993	Cold Drink	.
100994	Banana	.
100995	Banana	.
100996	Cold Drink	.
100997	Apple	.
100998	Chips	.
100999	Milk	.
101000	Juice	.

Task 2: Loss-Making Orders Identification
Blinkit Orders
Assignment Questions
Pwskills
Business Need
High sales do not always mean high profit.
Task
Identify orders resulting in loss.

Task 2. Business Requirement :- High sales do not always mean high profit. The objective is to identify orders where the company is making a loss.

Objective :- To classify orders into Loss Making and Profitable based on Profit values.

Steps in Tableau :-

Step 1: Create Calculated Field Go to Data Pane → Right click → Create Calculated Field

Step 2: Name the Field :- Profit Status

Step 3: Write Formula :-

IF [Profit] < 0 THEN "Loss Making"

ELSE "Profitable"

END

Step 4: Save Field :- Click OK to create the calculated field.

Step 5: Apply Filter Drag Profit Status to Filters shelf Select Loss Making Visualization (Optional) Drag Order_ID → Rows Drag Product_Name →

Rows Filter: Profit Status = Loss Making Observation

After applying the filter, either:

Loss-making orders are displayed, OR No loss-making orders are found in the dataset.


Business Insight :- This analysis helps identify unprofitable transactions and supports decision-making to improve pricing, discounts, and overall profitability.

Conclusion :- A calculated field was used to classify orders based on profit. Orders with negative profit were identified as loss-making, enabling better financial analysis and business optimization...

Task 3: Top N Products Analysis (Parameter)

Business Need :- The product team wants to focus on top-performing products.

Task :- Create a Top N Products dynamic analysis.



Task 3: Top N Products Analysis (Parameter)
Business Requirement :- The Product Team at Blinkit wants to focus on top-performing products based on sales in order to improve inventory management, marketing strategy, and product prioritization.

Objective :- To create a dynamic Top N Products analysis in Tableau using a parameter, which allows users to view top-selling products based on sales performance.

Steps in Tableau :-

Step 1: Create Parameter :- A parameter named Top N Products is created to allow dynamic selection of the number of top products to be displayed.

Data Type: Integer

Current Value: 5 / 10

Allowable Values: Range or List

Step 2: Show Parameter Control :- The parameter is enabled using Show Parameter Control, allowing users to dynamically change the value (e.g., Top 5, Top 10, Top 20 products).

Step 3: Create Rank Calculation :- A calculated field is created to assign rank based on sales.

`RANK(SUM([Sales]))`

Step 4: Create Top N Filter :- A calculated field is created to filter only the top N products.

`RANK(SUM([Sales])) <= [Top N Products]`

Step 5: Apply in Visualization

.Product Name is placed on Rows

.Sales is placed on Columns

.Data is sorted in descending order of Sales

.Top N filter is applied and set to True

Output :- The visualization displays only the Top N highest selling products, and the results dynamically change based on the parameter value selected by the user.

Business Insight :- This analysis helps the product team:

.Identify best-selling products

.Optimize stock and supply chain decisions

.Focus on high revenue-generating items

.Improve business profitability through data-driven decisions.

Conclusion :- A parameter-driven Top N Products analysis was successfully created in Tableau. It enables dynamic filtering of products based on sales performance, allowing flexible and interactive business analysis.

Task 3: Top N Products Analysis (Parameter)


Business Need

The product team wants to focus on top-performing products.

Task

Create a Top N Products dynamic analysis.

Task 4: City-Level Benchmarking (FIXED LOD)
Business Need :-Compare city performance independent of category filters.
Task:- Calculate average sales per city using FIXED LOD.



Task 4: City-Level Benchmarking (FIXED LOD)

Business Need

Compare city performance independent of category filters.

Task

Calculate average sales per city using FIXED LOD.

Task 4: City-Level Benchmarking (FIXED LOD) Business

Requirement :- The management wants to compare the performance of different cities in terms of sales, independent of other dimensions like category or product. This helps in fair benchmarking of city-wise performance.

Objective :- To calculate average sales per city using FIXED LOD expression in Tableau.

Steps in Tableau :-

Step 1: Create Calculated Field Go to Data Pane Right-click → Create Calculated Field

Step 2: Name the Field :- City Average Sales

Step 3: Write FIXED LOD Formula

{ FIXED [City] : AVG([Sales]) }

Step 4: Save Field :- Click OK

Step 5: Use in Visualization Drag City → Rows Drag City Average Sales → Columns Apply Bar Chart for better comparison

Output :- The visualization shows average sales per city, which remains constant regardless of other filters like category or product.

Business Insight :- This analysis helps management:

Compare city performance fairly

Identify high and low performing cities

Make location-based strategic decisions


Remove bias caused by other dimensions in the view

Key Concept (FIXED LOD)

The FIXED LOD expression :- { FIXED [City] : AVG([Sales]) } ensures that the calculation is performed only at the city level, regardless of other dimensions present in the visualization. It provides a consistent and stable aggregation that is not affected by filters like category or product.

Conclusion :- A FIXED LOD expression was used to calculate city-wise average sales, enabling accurate benchmarking of city performance independent of other dimensions in the dataset.

Task 5: Customer/Product Detail Impact (INCLUDE LOD)
Business Need :- The sales team wants average sales considering product-level detail, even when product is not shown.
Task :- Create a calculation that finds the average sales at the product level, but allows the result to be used at a higher level (such as Category or Region). Use INCLUDE LOD.



Task 5: Customer/Product Detail Impact (INCLUDE LOD)

Business Need

The sales team wants average sales considering product-level detail, even when product is not shown.

Task

Create a calculation that finds the average sales at the product level, but allows the result to be used at a higher level (such as Category or Region). Use INCLUDE LOD.

Task 5: Customer/Product Detail Impact (INCLUDE LOD) Business Requirement :- The sales team wants to analyze average sales at the product level, even when product details are not directly shown in the visualization. The result should also be usable at higher levels such as Category or City for better aggregation and business understanding.

Objective :- To calculate product-level average sales using INCLUDE LOD expression in Tableau and allow aggregation at higher levels like Category or City.

Steps in Tableau :-

Step 1: Create Calculated Field Go to Data Pane Right-click → Create Calculated Field

Step 2: Name the Field :- Product Level Average Sales

Step 3: Write INCLUDE LOD Formula :- { INCLUDE [Product Name] : AVG([Sales]) }

Step 4: Save the Calculation :- Click OK

Step 5: Use in Visualization Drag Category (or City) → Rows Drag Product Level Average Sales → Columns Use Bar Chart for better comparison

Output :- The calculation considers product-level sales detail first, even if Product Name is not present in the view, and then aggregates the result at higher levels such as Category or City.

Business Insight :- This analysis helps the sales team:

Understand product performance within categories Evaluate average sales at a deeper product level Analyze data even without displaying product details Improve category-wise and product strategy decisions Key Concept (INCLUDE LOD)

The INCLUDE LOD expression :- { INCLUDE [Product Name] : AVG([Sales]) }

adds product-level detail into the calculation and then aggregates it based on the level of the visualization (such as Category or City). It provides flexible and detailed analysis without changing the view structure.

Conclusion :- An INCLUDE LOD expression was used to calculate product-level average sales while allowing aggregation at higher levels like Category or City. This enables detailed analysis with flexibility in visualization and improves decision-making for the sales team.