AI Python Extra Practice Examples

1. Python program to find the largest number among the three input numbers

```
# change the values of num1, num2 and num3
# for a different result
num1 = 10
num2 = 14
num3 = 12

# uncomment following lines to take three numbers from user
#num1 = float(input("Enter first number: "))
#num2 = float(input("Enter second number: "))
#num3 = float(input("Enter third number: "))

if (num1 >= num2) and (num1 >= num3):
   largest = num1
elif (num2 >= num1) and (num2 >= num3):
   largest = num2
else:
   largest = num3

print("The largest number is", largest)
```

2. Python program to find the factorial of a number provided by the user.

```
# change the value for a different result
num = 7

# To take input from the user
#num = int(input("Enter a number: "))

factorial = 1

# check if the number is negative, positive or zero
if num < 0:
   print("Sorry, factorial does not exist for negative numbers")
elif num == 0:
   print("The factorial of 0 is 1")
else:
   for i in range(1,num + 1):
       factorial = factorial*i
   print("The factorial of",num,"is",factorial)
```

3. Multiplication table (from 1 to 10) in Python

```
num = 12

# To take input from the user
# num = int(input("Display multiplication table of? "))

# Iterate 10 times from i = 1 to 10
for i in range(1, 11):
   print(num, 'x', i, '=', num*i)
```

4. # Python program to check if the input number is odd or even.

```
# A number is even if division by 2 gives a remainder of 0.
# If the remainder is 1, it is an odd number.

num = int(input("Enter a number: "))
if (num % 2) == 0:
   print("{0} is Even".format(num))
else:
   print("{0} is Odd".format(num))
```

5. # Python program to check if year is a leap year or not

```
year = 2000

# To get year (integer input) from the user
# year = int(input("Enter a year: "))

# divided by 100 means century year (ending with 00)
# century year divided by 400 is leap year
if (year % 400 == 0) and (year % 100 == 0):
    print("{0} is a leap year".format(year))

# not divided by 100 means not a century year
# year divided by 4 is a leap year
elif (year % 4 ==0) and (year % 100 != 0):
    print("{0} is a leap year".format(year))

# if not divided by both 400 (century year) and 4 (not century year)
# year is not leap year
else:
    print("{0} is not a leap year".format(year))
```

6. # Python Program to calculate the square root

```
# Note: change this value for a different result
num = 8

# To take the input from the user
#num = float(input('Enter a number: '))

num_sqrt = num ** 0.5
print('The square root of %0.3f is %0.3f'%(num ,num_sqrt))
```

7. # Python Program to find the area of triangle

```
a = 5
b = 6
c = 7

# Uncomment below to take inputs from the user
# a = float(input('Enter first side: '))
# b = float(input('Enter second side: '))
# c = float(input('Enter third side: '))

# calculate the semi-perimeter
s = (a + b + c) / 2

# calculate the area
area = (s*(s-a)*(s-b)*(s-c)) ** 0.5
print('The area of the triangle is %0.2f' %area)
```

8. # Solve the quadratic equation ax2 + bx + c = 0**

```
# import complex math module
import cmath

a = 1
b = 5
c = 6

# calculate the discriminant
d = (b**2) - (4*a*c)

# find two solutions
```

```
sol1 = (-b-cmath.sqrt(d))/(2*a)
sol2 = (-b+cmath.sqrt(d))/(2*a)

print('The solution are {0} and {1}'.format(sol1,sol2))
```

9. Python program to swap two variables

```
x = 5
y = 10

# To take inputs from the user
#x = input('Enter value of x: ')
#y = input('Enter value of y: ')

# create a temporary variable and swap the values
temp = x
x = y
y = temp

print('The value of x after swapping: {}'.format(x))
print('The value of y after swapping: {}'.format(y))
```

10. # Taking kilometers input from the user

```
kilometers = float(input("Enter value in kilometers: "))

# conversion factor
conv_fac = 0.621371

# calculate miles
miles = kilometers * conv_fac
print('%0.2f kilometers is equal to %0.2f miles' %(kilometers,miles))
```

11. # Python Program to convert temperature in celsius to fahrenheit

```
# change this value for a different result
celsius = 37.5

# calculate fahrenheit
fahrenheit = (celsius * 1.8) + 32
print('%0.1f degree Celsius is equal to %0.1f degree Fahrenheit' %(celsius,fahrenheit))
```

12. Python Program to Check if a Number is Positive, Negative or 0

```
num = float(input("Enter a number: "))
```

```
if num > 0:
  print("Positive number")
elif num == 0:
  print("Zero")
else:
  print("Negative number")
```

13. Python program to check if the number is an Armstrong number or not

```
153 = 1*1*1 + 5*5*5 + 3*3*3  // 153 is an Armstrong number.
```

```
# take input from the user
num = int(input("Enter a number: "))

# initialize sum
sum = 0

# find the sum of the cube of each digit
temp = num
while temp > 0:
  digit = temp % 10
  sum += digit ** 3
  temp //= 10

# display the result
if num == sum:
  print(num,"is an Armstrong number")
else:
  print(num,"is not an Armstrong number")
```