Task Type	Time	Building	Room	Special Instructions/Comments	Initial Here
Crestron Logout	1830	СС	208		
Crestron Logout	1830	SC	203		
Crestron Logout	1900	ВС	215		
Crestron Logout	1900	ВС	230		
Crestron Logout	1900	ВС	322		
Crestron Logout	1900	СВ	129		
Crestron Logout	1900	CC	108		
Crestron Logout	1900	LSB	103	Ensure neck mic goes back to equipment drawer.	
Crestron Logout	1900	LSB	107	Ensure neck mic goes back to equipment drawer.	
Crestron Logout	1900	R	N102		
Crestron Logout	1900	R	N812		
Crestron Logout	1900	SC	216		
Crestron Logout	1900	SC	219		
Crestron Logout	1900	VH	1152A	Ensure neck mic goes back to equipment drawer.	
Crestron Logout	1900	VH	3006	Ensure neck mic goes back to equipment drawer.	
AV Shutdown	1900	LSB	103	Make sure neck mic goes back to drawer and log off touchscreen.	
AV Shutdown	1900	LSB	107	Make sure neck mic goes back to drawer and log off touchscreen.	
				Nat Taylor Cinema. Lock cinema all doors after shutdown. Lock upper cinema doors (2) with allen key by releasing the crash bar.Pull side stage door shut from the inside.Make sure the stage lights at the front are off.Make sure the projector room is not open.Make sure the cinema lights	
AV Shutdown	1900	R	N102	are off, switched across from the projector room.	
Crestron Logout	1930	СВ	121		
Crestron Logout	1930	OSG	2010	Ensure neck mic goes back to equipment drawer.	
Crestron Logout	1930	SC	222		
Crestron Logout	1930	VH	1154		
Crestron Logout	1930	VH	2016		
Crestron Logout	1930	VH	3004		
Crestron Logout	1930	VH	3005		
Crestron Logout	2000	VH	1020		
Crestron Logout	2030	HNE	037	Ensure neck mic goes back to equipment drawer.	
Crestron Logout	2030	OSG	2001	Ensure neck mic goes back to equipment drawer.	
Crestron Logout	2100	HNE	034	Ensure neck mic goes back to equipment drawer.	
Crestron Logout	2100	OSG	2027	Ensure neck mic goes back to equipment drawer.	
Crestron Logout	2100	R	N201		
Crestron Logout	2100	R	N814		
Crestron Logout	2100	R	N836		
Crestron Logout	2100	SC	221		
Crestron Logout	2100	SC	223		
Crestron Logout	2100	VH	1018		
Crestron Logout	2100	VH	2000		
Crestron Logout	2100	VH	2005		ļ
Crestron Logout	2100	VH	2009		
Crestron Logout	2130	OSG	2003	Ensure neck mic goes back to equipment drawer.	