				T	
Task Type	Time	Building	Room	Special Instructions/Comments	Initial Here
Crestron Logout	1830	CC	208	Special instructions/ comments	illitial fiere
Crestron Logout	1830	CLH	110	Ensure neck mic goes back to equipment drawer.	
Crestron Logout	1830	CLH	110	Ensure neck mic goes back to equipment drawer.  Ensure neck mic goes back to equipment drawer.	
Crestron Logout	1830	SC	203	Ensure neek mile goes back to equipment drawer.	
Crestron Logout	1900	BC	215		
Crestron Logout	1900	BC	230		
Crestron Logout	1900	BC	322		
Crestron Logout	1900	СВ	129		
Crestron Logout	1900	CC	108		
Crestron Logout	1900	CLH	D	Ensure neck mic goes back to equipment drawer.	
Crestron Logout	1900	CLH	G	Ensure neck mic goes back to equipment drawer.	
Crestron Logout	1900	LSB	103	Make sure neck mic goes back to drawer and log off touchscreen.	
	1300				
				Lock upper cinema doors (2) with allen key by releasing the crash bar.Pull	
				side stage door shut from the inside.Make sure the stage lights at the front	
				are off.Make sure the projector room is not open.Make sure the cinema	
Crestron Logout	1900	R	N102	lights are off, switched across from the projector room.	
Crestron Logout	1900	SC	216	<u> </u>	
Crestron Logout	1900	SC	219		
Crestron Logout	1900	VH	1152A	Ensure neck mic goes back to equipment drawer.	
				If client is using A/v -please tell them to log off when done with crestron.	
Other	1900	CLH	L	Show them how to log off with crestron.	
Crestron Logout	1930	СВ	121		
Crestron Logout	1930	SC	222		
Crestron Logout	1930	VH	1154		
Crestron Logout	1930	VH	2016		
Crestron Logout	1930	VH	3004		
Crestron Logout	1930	VH	3005		
Crestron Logout	2030	HNE	037	Ensure neck mic goes back to equipment drawer.	
Crestron Logout	2030	OSG	2001	Ensure neck mic goes back to equipment drawer.	
				PLEASE LOCK ROOM. ALLEN KEY (with yellow handle) and CLH key is on	
Lockup	2030	CLH	K	keyrack in Lassonde 1011 office. PLEASE LOCK ALL 4 DOORS.	
Crestron Logout	2100	HNE	034	Ensure neck mic goes back to equipment drawer.	
Crestron Logout	2100	OSG	2027	Ensure neck mic goes back to equipment drawer.	
Crestron Logout	2100	R	N201		
Crestron Logout	2100	R	N814		
Crestron Logout	2100	R	N836		
Crestron Logout	2100	SC	221		
Crestron Logout	2100	SC	223		
Crestron Logout	2100	VH	1018		
Crestron Logout	2100	VH	2000		
Crestron Logout	2100	VH	2005		
Crestron Logout	2100	VH	2009		
Crestron Logout	2130	OSG	2003	Ensure neck mic goes back to equipment drawer.	