Complete pre-flight and build checklist

Ref = section of SAP Joule Enablement Runbook v1.1. ⚑ = confirm against SAP Help / SAP for Me before use. Route A = SAP-managed; sections 05–08 = customer-managed foundation; 09–24 = products and extensions.

01 Commercial and contract

☐	Check	Exact value / where	Ref
☐	Product licence per Joule product	SAP for Me → Portfolio & Products	3.1
☐	Joule Base entitlement for those products	SAP for Me → Portfolio & Products → Business AI	3.1
☐	Onboarding prerequisite	AI Unit SKU `8019164` or Joule Base purchased ⚑	3.1
☐	AI Units for Joule Agents / premium	Quantity, term, expiry of unused units ⚑	3.1
☐	BTP enterprise contract (customer-managed, Studio, grounding)	CPEA, BTPEA or subscription	3.1
☐	SAP Build licence (Joule Studio)	SAP Build entitlement + SAP Build developer licence; Joule entitlement for production	3.1
☐	Microsoft 365 Copilot licence (if Copilot skills used)	Microsoft 365 admin centre	3.1
☐	On-premise S/4HANA / ECC eligibility	Confirm with SAP: cloud-commitment conditions (2026) ⚑	8.3
☐	Provisioning model per tier	SAP-managed or customer-managed; one model per tier	2.1

02 Landscape design

☐	Check	Exact value / where	Ref
☐	IAS tenants	One IAS tenant per tier, shared by Joule and every integrated product	4.2
☐	Joule tiers	Non-production on Joule Preview + production	4.2
☐	Subaccount names	e.g. `joule-nonprod`, `joule-prod`	4.3
☐	Region	Supported for each Joule product; same region for subaccount, IAS, Work Zone; close to back end ⚑	4.2
☐	Regions cited — Joule for Consultants	EU10, EU11, EU20, US10, AP10, JP10 ⚑	4.2
☐	Regions cited — Joule Studio	AP10, EU10, EU30, EU20, US10, US21 ⚑	4.2
☐	Joule Preview entitlement regions	EU10, EU30 ⚑	4.2
☐	Work Zone	One Work Zone instance per Joule, in the Joule subaccount; reuse existing site	4.2
☐	Formation rule	One product system → one formation ⚑	4.2
☐	Separate subaccounts	Joule for Consultants; optionally Joule Studio dev; SAC IPS subaccount per guide	4.3

03 People and access

☐	Check	Exact value / where	Ref
☐	SAP for Me	Cloud Administrator or Super Administrator	5.1
☐	BTP global account	Global Account Administrator; System Landscape Administrator where separate ⚑	5.1
☐	BTP subaccount	Subaccount Administrator	5.1
☐	Identity	IAS administrator (applications, trusted domains, attributes, IPS, Entra federation)	5.1
☐	Product admins	Communication management, RBP, catalogs, OAuth clients	5.1

☐	Check	Exact value / where	Ref
☐	Basis (Private Edition / on-premise)	SICF, STRUST, CERTRULE, content exposure, Cloud Connector	5.1
☐	Network / workplace IT	Cloud Connector, allowlists, CSP, browser third-party-cookie policy	5.1
☐	Test users	Per product: one user with role, one without	11

04 Route A — SAP-managed provisioning

☐	Check	Exact value / where	Ref
☐	Sign in	SAP for Me (Cloud Administrator / Super Administrator)	6.1
☐	Accept SAP AI terms	If prompted / zero-cost line item ⚑	6.1
☐	Mark package ready	Portfolio & Products → Business AI → Joule package → Ready for Activation	6.1
☐	Start provisioning	Portfolio & Products → My Product Packages → Start Provisioning	6.1
☐	Monitor	Resources tab until complete	6.1
☐	Test level	Level 2 (end-to-end) preferred; Level 0 for quick validation	6.1
☐	Product-side settings	Section 09 onward (catalogs, RBP, CSP, trusted domains)	6.1
☐	Extensions offered for SAP-managed?	Joule Studio / grounding / M365 / Private Edition ⚑	2.1

05 BTP foundation (customer-managed)

☐	Check	Exact value / where	Ref
☐	Global account	Enterprise; Joule entitlement visible under Entitlements	7.1
☐	Subaccount	Supported region; Cloud Foundry enabled; space created	7.1
☐	Entitlement — Joule	Service `das-application`; plan `foundation` (some guides: `standard`, DAS Standard / Premium) ⚑	7.2
☐	Entitlement — Work Zone	SAP Build Work Zone, standard edition; plan `foundation` (SF guides: `standard`) ⚑	7.2
☐	Entitlement — Cloud Identity Services	Plan per contract (`default` / `connectivity` / additional tenant) ⚑	7.2
☐	Entitlement — Joule Preview	Non-production subaccount (EU10 / EU30) ⚑	7.2
☐	Entitlement — Document Grounding (opt.)	Plan `data-manager`	7.2
☐	Entitlement — SAP Build Process Automation (opt.)	Plan `build_default` (not `standard`)	7.2
☐	Work Zone subscription	Instances and Subscriptions → SAP Build Work Zone, standard edition	7.3
☐	Work Zone admin	Role collection `Launchpad_Admin` to admin user	7.3
☐	Work Zone site	Site manager opens; if booster says not registered: create + publish site, resume ⚑ (KBA 3721340)	7.3

06 Identity — IAS and trust

☐	Check	Exact value / where	Ref
☐	Trust	Subaccount → Security → Trust Configuration → Establish Trust → shared IAS tenant	7.4
☐	Protocol	OpenID Connect (SAML not supported for Joule trust)	7.4
☐	SAP ID Service	Default Identity Provider → clear Available for User Logon (business users)	7.4
☐	Admin fallback	Keep one tested admin login before disabling SAP ID Service	7.4

☐	Check	Exact value / where	Ref
☐	Trusted domains — IAS	Add every product host (S/4HANA, SuccessFactors, Concur, Datasphere…)	7.5
☐	Trusted domains — BTP	Subaccount → Security → Settings → Trusted Domains → product hosts	7.5
☐	Product CSP / allowlist	Joule URL in each product (S/4HANA Cloud: Manage Content Security Policy)	7.5
☐	OIDC redirect URI	`https://<subdomain>.authentication.<region>.hana.ondemand.com/login/callback` in the IAS app	7.5
☐	Subject name identifier — subaccount app	Global User ID (never e-mail / login name)	7.6
☐	Assertion attribute	`user_uuid` → Identity Directory → Global User ID (add as custom attribute if missing)	7.6
☐	Assertion attribute — groups	`groups` sent in token (needed for role collection mappings)	7.6
☐	Optional attributes	`user_name` → Login Name; `mail` → E-Mail	7.6
☐	Subject name identifier — Work Zone app	Global User ID	7.6
☐	Users	Every user in IAS user store with a Global User ID	7.6
☐	IPS source → target	Source IAS or product → target SAP Build Work Zone (subaccount)	7.10
☐	IPS mapping	Users, groups, roles; `userUuid`; key on Global User ID, not e-mail	7.10
☐	IPS schedule	Run once, then schedule (e.g. hourly)	7.10

07 System registration, booster, formation

☐	Check	Exact value / where	Ref
☐	Systems listed	Global account → System Landscape → Systems	7.7
☐	Status	Registered (not only discovered): open system → Register → complete product-side step ⚑	7.7
☐	Booster	Global account → Boosters → "Setting Up Joule" (or "Joule") → Start	7.8
☐	Booster checks	Entitlements, authorisations, IAS tenant pass	7.8
☐	Booster inputs	Subaccount, integration scenarios, systems, formation name (e.g. `joule-nonprod`)	7.8
☐	Booster outputs	Joule subscription, destinations, formation (+ S/4 Public comm. arrangements)	7.8
☐	Formation	System Landscape → Formations → status Ready, systems listed	7.8
☐	Add product later	Formation → Include Systems, or re-run booster	7.8
☐	On failure	Fix cause; check for existing/half-built formation before re-run; resume where offered ⚑	7.8
☐	Destinations	Do not rename or hand-edit booster destinations	7.8

08 Role collections

☐	Check	Exact value / where	Ref
☐	`JOULE_END_USER`	`end_user` (`das-application`) + `Launchpad_User` (Work Zone) if needed	7.9
☐	`JOULE_ADMIN`	`tenant_admin`, `analytics_admin` (+ other admin roles listed) + `Launchpad_Admin`	7.9
☐	`JOULE_EXTENSIBILITY` (opt.)	`extensibility_developer`	7.9
☐	Role names per data centre	Pick from `das-application` list in your subaccount ⚑	7.9
☐	Create	Subaccount → Security → Role Collections → Create	7.9
☐	Mapping	Trust Configuration → IAS → Role Collection Mappings → IAS group (e.g. `ALL_EMPLOYEES`, small admin group)	7.9

☐	Check	Exact value / where	Ref
☐	Least privilege	No admin collections for test end users; avoid direct user assignment	7.9

09 S/4HANA Cloud Public Edition

☐	Check	Exact value / where	Ref
☐	IAS	Same IAS tenant as BTP trust	8.1
☐	Tenants per Joule	One S/4HANA Cloud Public tenant per Joule tenant ⚑	8.1
☐	Registration	System Landscape registration + product-side completion ⚑	8.1
☐	Booster	Select S/4HANA Cloud system	8.1
☐	`SAP_COM_0882`	Created by booster in background	8.1
☐	`SAP_COM_0647`	Created by booster; role exposure ALL, or SELECTED + filter `s4hana.cloud.roles.filter – cFLGExposure eq true`	8.1
☐	`SAP_COM_0193`	Create + activate manually (user/role provisioning to Work Zone via IPS)	8.1
☐	CSP	Manage Content Security Policy → Joule URL in trusted sites	8.1
☐	BTP trusted domain	S/4HANA tenant URL	8.1
☐	Work Zone content	Refresh S/4HANA content provider	8.1
☐	Catalog — Joule plugin	`SAP_CORE_BC_UI_JOU_PC` (User Interface – Joule Plugin) in Joule users' business roles ⚑	8.1
☐	Catalog — Joule for Developers	`SAP_A4C_BC_DEV_AIQ_PC`; up to 24 h	8.1
☐	Check	Private window → Fiori launchpad → Joule icon	8.1

10 S/4HANA Cloud Private Edition (RISE)

☐	Check	Exact value / where	Ref
☐	Contract / release	RISE; S/4HANA 2021+; 2023 FPS01 recommended	8.2
☐	SAP Note	`3639572` Enabling Joule with S/4HANA Cloud Private Edition ⚑	8.2
☐	Trust / domains / attributes	Rows in section 06 incl. launchpad host; users carry Global User ID	8.2
☐	SICF — content exposure V1	`/sap/bc/ui2/cdm3`	8.2
☐	SICF — content exposure V2 (2023 FPS01+)	`/sap/bc/http/ui2/flp_content_exposure/entities`	8.2
☐	Exposure scope	Transaction `/UI2/CDM3_EXP_SCOPE` → select roles	8.2
☐	Exposure logs	`/UI2/CDM3_EXP_SCOPE` View Log; SLG1 object `/UI2/BE`, sub-object `/UI2/CDM3`	8.2
☐	Cloud Connector	Connected to Joule subaccount; virtual host → S/4HANA (HTTPS)	8.2
☐	Cloud Connector resources	Exposure path, `/sap/opu/odata/sap/`, `/sap/opu/odata4/` (if V4), `/sap/bc/ui2/` — path and all sub-paths ⚑	8.2
☐	Principal propagation — Cloud Connector	Trust subaccount; system certificate	8.2
☐	Principal propagation — S/4HANA	STRUST: import Cloud Connector CA; CERTRULE: rule-based mapping subject → ABAP user	8.2
☐	Principal propagation — test	Calls arrive as named user; SU53 on failure	8.2
☐	Destination — design time	Content exposure; basic authentication	8.2
☐	Destination — runtime	Principal propagation	8.2
☐	Work Zone content provider	Channel Manager → New → S/4HANA; fetch content	8.2

☐	Check	Exact value / where	Ref
☐	Booster	Private Edition scenario; check generated destinations	8.2
☐	IPS	S/4HANA users / roles → Work Zone	8.2
☐	Launchpad enablement	Per SAP Note 3639572 ⚑	8.2
☐	Content sync	Scheduled content-update job	8.2
☐	Related notes	3523238 semantic objects/actions; 3641945 icon in launchpad	8.2
☐	Automation / multi-system	Cloud Integration Automation service; multi-system via central Work Zone, one virtual host per system ⚑	8.2

11 S/4HANA on-premise and ECC

☐	Check	Exact value / where	Ref
☐	Eligibility	Confirm with SAP (Sapphire 2026 hybrid offering, cloud commitment) ⚑	8.3
☐	Pattern	As Private Edition: IAS trust, Global User ID, content exposure, Cloud Connector + principal propagation, Work Zone provider, booster	8.3
☐	Reference	SAP Note 3632703 (earlier position) + current SAP materials ⚑	8.3
☐	ECC scope	No Fiori content exposure; confirm scenario list before scoping	8.3

12 SAP SuccessFactors

☐	Check	Exact value / where	Ref
☐	Licence / data centre	Joule-supported data centre	8.4
☐	Identity	SF on SAP Cloud Identity Services + IPS	8.4
☐	Work Zone	Standard edition / SAP Start	8.4
☐	Guided mission	Discovery Center: Activate Joule for SAP SuccessFactors	8.4
☐	Trust	Cloud Identity Services ↔ subaccount (needed for updated booster)	8.4
☐	IAS trusted domain	SuccessFactors domain	8.4
☐	Booster	Select SuccessFactors system	8.4
☐	Cloud Identity Services	Add source system → import Joule JSON → rename to company ID ⚑	8.4
☐	Company ID	Exact spelling (case included) ⚑	8.4
☐	RBP	Admin Center → Manage Permission Roles → General User Permission → Access to Joule; roles → groups	8.4
☐	IPS	Groups → Work Zone	8.4
☐	Browser	Third-party-cookie policy; ask SAP about IAS custom domain	8.4
☐	Notes / KBA	2791410 IAS considerations; 3685621 Joule button not appearing	8.4

13 SAP Concur

☐	Check	Exact value / where	Ref
☐	Trust / domains / attributes	IAS trust; trusted domains BTP + IAS; user attributes from Identity Directory	8.5
☐	Booster	Select Concur system; existing formation → Include Systems	8.5
☐	Formation	Status Ready; Joule tenant in systems landscape	8.5

☐	Check	Exact value / where	Ref
☐	Post-integration	Concur domain under security settings	8.5

14 SAP Ariba

☐	Check	Exact value / where	Ref
☐	Role	Ariba Organization Admin	8.6
☐	Realm	Realm data-centre details	8.6
☐	OAuth	Ariba developer portal app (procurement / sourcing APIs), realm admin approval → client ID + secret ⚑	8.6
☐	SSO	Via SAP Cloud Identity Services	8.6
☐	Booster	Ariba Buyer, Ariba Sourcing	8.6

15 SAP Analytics Cloud

☐	Check	Exact value / where	Ref
☐	Work Zone	Required (Joule 2506+); SAC users/roles/teams synced to Work Zone	8.7
☐	Authentication	SAP Cloud Identity Services	8.7
☐	OAuth clients	≥ 3 free OAuth client slots	8.7
☐	Formation	One SAC tenant per formation	8.7
☐	Privilege	Joule privilege: Read	8.7
☐	Feature	Conversational Analytics → Just Ask enabled (System Administration → Default Appearance)	8.7
☐	Data access	Read access to content; data access control applies — test restricted user	8.7

16 SAP Datasphere

☐	Check	Exact value / where	Ref
☐	Tenant	Subscription, CPEA or SAP-managed; ≥ 1 free OAuth client slot; CF subaccount	8.8
☐	Role	`DW Joule Consumer` (or role with Joule privilege)	8.8
☐	Activation	Tenant administrator activates Joule	8.8
☐	Identity	XSUAA subject name identifier = Datasphere IdP setting; Datasphere trusted domains in IAS	8.8
☐	IPS	Users, roles, permissions → Work Zone	8.8

17 SAP IBP and others

☐	Check	Exact value / where	Ref
☐	IBP registration	IBP system registered with SAP BTP	8.9
☐	IBP booster / trust	Booster with IBP; IAS trust	8.9
☐	IBP catalog	`SAP_CORE_BC_UI_JOU_PC` (User Interface – Joule Plugin) in business roles	8.9
☐	Signavio	SAP Help: Integration with SAP Signavio Solutions	8.10
☐	Fieldglass	SAP Help: Integrating with SAP Fieldglass	8.10
☐	Integrated Product Development	SAP Community: Joule Setup for SAP IPD	8.10

☐	Check	Exact value / where	Ref
☐	Sales / Service Cloud V2, Integration Suite, Build	Product SAP Help integration page ⚑	8.10

18 Document grounding

☐	Check	Exact value / where	Ref
☐	Service	Document Grounding, plan `data-manager`; instance + service key	9.1
☐	SharePoint	Entra app; permission `Sites.Selected` (not `Sites.Read.All`); grant per site; client ID + secret	9.1
☐	Other sources	SAP Document Management Service (BTP destination); Google Drive	9.1
☐	Pipelines	One per source; run; status OK	9.1
☐	Store	SAP HANA Cloud Vector Engine	9.1
☐	Metadata (opt.)	Contextualisation for filtering	9.1
☐	Automation (opt.)	Cloud Integration Automation service	9.1
☐	Data hygiene	No unmasked personal / sensitive data in connected folders	9.1
☐	Indexing / formats	Pipeline schedule; supported file types and size limits per SAP Help ⚑	9.1

19 Microsoft 365 Copilot and Teams

☐	Check	Exact value / where	Ref
☐	Federation	IAS ↔ Microsoft Entra ID over OpenID Connect	9.2
☐	User mapping	Entra users ↔ IAS users	9.2
☐	Entra app	Register SAP Joule app; admin consent for SAP Copilot API access app ⚑	9.2
☐	API permission	`svc-ai-joule-copilot-api-access`, delegated `access_as_user`, admin consent ⚑	9.2
☐	BTP system	System type Microsoft 365 Copilot for SAP Joule → add to Joule formation	9.2
☐	Enable agent	Microsoft 365 admin centre or Teams admin centre	9.2
☐	Tiers	Separate Entra tenant per Joule environment; separate app registration per tier	9.2
☐	Test	Copilot/Teams → Joule and Joule → Copilot	9.2

20 Joule Studio

☐	Check	Exact value / where	Ref
☐	Entitlements	SAP Build Process Automation `build_default`; Joule; SAP Cloud Identity Services tenant	9.3
☐	Trust	OIDC to IAS; default IdP off for logon	9.3
☐	Booster	Run if Joule not yet set up	9.3
☐	Role collections	Joule admin collection; `ProcessAutomationAdmin` + developer roles	9.3
☐	Destinations	Additional property `sap.processautomation.enabled = true`; principal propagation preferred	9.3
☐	Lifecycle	Build → test → deploy to Joule tenant; promote via SAP Build lifecycle / Cloud Transport Management	9.3
☐	Mission	Discovery Center: Setup Joule Studio for a BTP Enterprise Account; or SAP-managed Joule Studio	9.3

21 Joule Agents

☐	Check	Exact value / where	Ref
☐	Commercial	AI Units in place	9.4
☐	Access	Per-agent permission via product roles (e.g. SuccessFactors RBP)	9.4
☐	Monitoring	SAP for Me (AI Units) + Joule Analytics Center	9.4

22 Joule for Consultants

☐	Check	Exact value / where	Ref
☐	Admins	BTP GA admin; IAS admin; SAP for Me Cloud / Super Administrator	10.1
☐	Subaccount	Dedicated (not shared with another Joule)	10.1
☐	Entitlements	Joule `foundation`; SAP Consulting Capability `standard ga`	10.1
☐	Subscription	Activate; check Instances and Subscriptions	10.1
☐	Role collection	`end_user` from `das-application`, e.g. `JOULE_FOR_CONSULTANTS_END_USER-<subaccount>`	10.1
☐	Assignment	IAS group mapping or direct	10.1
☐	Console	Instances and Subscriptions → open; optional custom knowledge grounding	10.1

23 Joule for Developers (ABAP AI)

☐	Check	Exact value / where	Ref
☐	Public Edition / BTP ABAP	Business role with catalog `SAP_A4C_BC_DEV_AIQ_PC`; up to 24 h	10.2
☐	Private Edition — release	2025 (newer posts: 2021+) ⚑	10.2
☐	Private Edition — BTP	Subscribe to service; generate client certificate	10.2
☐	Private Edition — S/4HANA	Maintain Certificate Mapping app (IAS group required); authorisation object `S_AIQADTLO`	10.2
☐	Private Edition — network	Allowlist regional proxy URL ⚑	10.2
☐	Note	`3558794` AI functionality in Private Edition / ADT	10.2

24 Tests before go-live

☐	Check	Exact value / where	Ref
☐	T01 SSO	Private window → Joule opens without second login; DevTools: single redirect	11
☐	T01 token	Decode locally: `user_uuid` = IAS Global User ID; groups present	11.1
☐	T02 Navigation	"Open <app>" → app the user may open	11
☐	T03 Informational	Grounded help answer	11
☐	T04 Transactional	Live data within user's permissions	11
☐	T05 Negative	User without role → refused / no data	11
☐	T06 Cross-product	Routed to correct product	11
☐	T07 Grounding	Answer cites document	11
☐	T08 Microsoft 365	Both directions	11

☐	Check	Exact value / where	Ref
☐	T09 Custom skill	Runs with user identity	11
☐	T10 Analytics	Sessions visible by product / scenario	11
☐	T11 Mobile / other clients	Same behaviour as browser	11
☐	Exit	All pass; no admin roles on test users; open issues on `CA-JOULE`	11

25 Operations

☐	Check	Exact value / where	Ref
☐	Admin Center	`<joule-tenant-url>/admin` — role `tenant_admin`	12.1
☐	Analytics Center	`<joule-tenant-url>/analytics` — role `analytics_admin`	12.2
☐	AI Units	SAP for Me; alert thresholds agreed	12.2
☐	Provisioning	IPS jobs scheduled; leavers removed in IAS	12.1
☐	Releases	Validate on Joule Preview before production	12.1
☐	Role review	Quarterly	12.1
☐	Certificates	Register: Cloud Connector system + CA, STRUST entries, destination certs, IdP signing; alerts 60 / 30 / 7 days	12.4
☐	Landscape record	Formation, subaccounts, IAS tenants, destinations, role collections per tier	12.3
☐	Support	Component `CA-JOULE` + product component; include formation, subaccount ID, IAS tenant, system, user, time, HAR	12.3, 13

26 Troubleshooting quick map

☐	Check	Exact value / where	Ref
☐	Booster stops at Work Zone check	Work Zone subscribed in Joule subaccount — KBA `3721340`	13
☐	Booster: no IAS tenant	Link / create Cloud Identity Services tenant — KBA `3675105`	13
☐	Booster cannot start	Global Account / System Landscape admin rights	13
☐	System missing in booster	Register system in System Landscape	13
☐	"System can be part of only one formation"	Reuse / clean up existing formation	13
☐	Joule icon missing (all)	Role collection; CSP / trusted domain; launchpad enablement; catalog `SAP_CORE_BC_UI_JOU_PC`; cache	13
☐	Works for admins only	`end_user` collection mapped to users' IAS group	13
☐	No role collections despite mappings	`groups` attribute sent by IAS	13
☐	403 after login	SAP ID Service still available for user logon	13
☐	Login loop	One IAS tenant, OIDC trust, Global User ID everywhere	13
☐	SuccessFactors button missing (some users)	Access to Joule permission; sync; cookies; URL allowlist — KBA `3685621`	13
☐	"App not found" / navigation fails	Work Zone content sync; IPS; `/UI2/CDM3_EXP_SCOPE`; SLG1	13
☐	Content provider fails / sync failed	SICF service active; Cloud Connector path + sub-paths; design-time destination credentials	13
☐	Icon wrong in Private Edition launchpad	SAP Note `3641945`	13
☐	Duplicate users	IPS keyed on Global User ID, not e-mail	13
☐	Sudden outage (Private Edition)	Expired Cloud Connector / trust certificate	13

☐	Check	Exact value / where	Ref
☐	Data shown to unauthorised user	Stop rollout; review roles / communication arrangements	13
☐	SAC Just Ask missing	Privilege, Just Ask, OAuth slots, single SAC tenant	13
☐	Grounding returns nothing	Pipeline status; `Sites.Selected` consent	13
☐	Teams / Copilot access denied	OIDC; admin consent; one Entra tenant per environment	13
☐	ADT "Joule not supported" (PCE)	SAP Note 3558794	13
☐	Slow responses	Co-locate Joule subaccount with back end	13
☐	High AI Unit use	Analytics Center + SAP for Me; restrict agent permissions	13

27 Security and data protection

☐	Check	Exact value / where	Ref
☐	DPIA	Completed before production	14
☐	Residency / retention	Confirmed for chosen regions in Joule security guide ⚑	14
☐	Model data use	SAP statement: no training of third-party models on customer data ⚑	14
☐	Admin access	Named administrators only	14
☐	Grounding sources	Reviewed; least privilege	14
☐	Custom skills / agents	User identity / principal propagation; no technical users	14
☐	Governance	Acceptable use; human review of agent actions; admin-role audit; incident handling	14

28 SAP Notes and KBAs

☐	Check	Exact value / where	Ref
☐	2791410	Cloud Identity Services integration considerations (SuccessFactors)	B
☐	3523238	Semantic objects and actions supported by Joule	B
☐	3558794	AI functionality in Private Edition (Joule for Developers / ADT)	B
☐	3632703	Joule and on-premise S/4HANA (earlier position) ⚑	B
☐	3639572	Enabling Joule with S/4HANA Cloud Private Edition	B
☐	3641945	Joule icon displayed wrongly in Private Edition launchpad	B
☐	3675105	Booster: global account without Identity Authentication tenant	B
☐	3685621	Joule button not appearing on SuccessFactors	B
☐	3721340	Booster: SAP Build Work Zone registration missing	B
☐	3721491, 3729978	Joule availability / SuccessFactors setup ⚑	B