# N. Umpqua Temperature Analysis

Summer-run Steelhead Ecology and Conservation in the North Umpqua Basin: Genetic
Insights and Management Opportunities, (Pepping et al., 2026)

J.Hart

2025-08-23

**Water Logger IDs:**

**21679180 - Steamboat Above Big Bend Cr.**

**15170014 - Big Bend at mouth**

**21679175 - Steamboat below Big Bend Cr.**

**15170003 - Steamboat above Canton Cr.**

**21679177 - Upper Canton Cr.**

**21433141 - N. Umpqua above Steamboat Cr.**

**15110003 - Fish Cr. at mouth**

**Air Logger IDs:**

**21433138 - Copeland Cr.**

```r
# Load packages

library(tidyverse)
library(readxl)
library(janitor)
library(writexl)
library(readr)
```

```r
# Read in 2024 temp logger data summaries

daily_water_master <- read_xlsx("2024 Logger Sites/Water/daily_water_master.xlsx")
daily_air_master <- read_xlsx("2024 Logger Sites/Air/daily_air_master.xlsx")
```

```r
# Air logger look up function
air_logger <- function(log_id){
  daily_air_master %>%
  filter(logger_id == log_id) %>%
  mutate(longdate = make_date(year,month,day)) %>%
  filter(longdate > '2024-06-19' & longdate <= '2024-09-15') %>%
  mutate(air_mean = mean_temp)
}

# Water logger look up function
water_logger <- function(log_id) {
  daily_water_master %>%
  filter(logger_id == log_id) %>%
  mutate(longdate = make_date(year,month,day)) %>%
  filter(longdate > '2024-06-19' & longdate <= '2024-09-15') %>%
  mutate(water_max = max_temp)
}

# Join air & water readings function
logger_join <- function() {
  water %>%
  left_join(air, by = "longdate")
}

# Regression equation function for plots
lm_eqn <- function(df){
    m <- lm(water_max ~ air_mean, df);
    eq <- substitute(italic(y) == a + b %.% italic(x)*","~~italic(r)^2~"="~r2,
        list(a = format(unname(coef(m)[1]), digits = 3),
             b = format(unname(coef(m)[2]), digits = 3),
            r2 = format(summary(m)$adj.r.squared, digits = 3)))
    as.character(as.expression(eq));
}
```

**21679162 - N. Umpqua at Steamboat Cr.**

# Steamboat Above Big Bend Cr.

```r
# Logger ID: 21679180 (WSC logger data)

# Read in 2024 WSC data and filter for summer season
Steam_AboveBigBend <- daily_water_master %>%
  filter(logger_id == 21679180 & longdate > '2024-06-19' & longdate <= '2024-09-15')
```

```r
# 2024 max temp
Steam_AboveBigBend_MaxT <- max(Steam_AboveBigBend$max_temp)
print(paste("Max Temp C:", Steam_AboveBigBend_MaxT))
```

```
## [1] "Max Temp C: 25.27"
```

```r
# 2024 number of days above 20C
Steam_AboveBigBend_DaysOver20 <- sum(Steam_AboveBigBend$max_temp > 20)
print(paste("# days above 20C (2024):", Steam_AboveBigBend_DaysOver20))
```

```
## [1] "# days above 20C (2024): 56"
```

```r
### Mean, Min, Max Temp Plot

# Plot data frame
temp <- Steam_AboveBigBend

x=as.Date(temp$longdate)
y_lower = 20
y_upper = Inf

# Create temperature plot
plot_21679180 <- ggplot() +
  geom_hline(yintercept = 20, linetype = "dotted", linewidth = 1) +
  geom_ribbon(aes(x=x,ymin = y_lower, ymax = y_upper), fill = "red1", alpha = 0.10) +
  geom_line(data=temp, aes(x=as.Date(longdate),y=mean_temp, color="mean_temp"), linewidth = 1) +
  geom_line(data=temp, aes(x=as.Date(longdate),y=min_temp, color = "min_temp"), linewidth = 0.5) +
  geom_line(data=temp, aes(x=as.Date(longdate), y=max_temp, color= "max_temp"), linewidth = 0.5) +
  scale_colour_manual("",
                      breaks = c("mean_temp", "min_temp", "max_temp"),
                      values = c("black", "blue", "red"),
                      labels = c("Mean Temp.", "Min Temp.", "Max Temp.")) +
  scale_x_date(date_breaks = "1 month", date_labels = "%b", expand = c(0,0)) +
  scale_y_continuous(limits = c(9,27),breaks = seq(10,26,by= 2)) +
  theme_bw() +
  labs(title= "Steamboat above Big Bend Cr.",
       y="Temperature (\u00B0C)",
       x="") +
  theme(plot.subtitle = element_text(size = 10),
        plot.title = element_text(size= 14, face="bold"),
        axis.text=element_text(size= 12),
        axis.title=element_text(size= 14),
        legend.position = "bottom")

rm(temp)

plot_21679180
```

## Steamboat above Big Bend Cr.



Mean Temp. ——  Min Temp. ——  Max Temp. ——

```r
# Export plot to file
# ggsave(plot_21679180, file="Figure Plots/Temp Plots/Temp Plot_SteamboatAboveBigBend.png", height = 5,
```

```r
## Air/Water Regression Plot

# Air logger
air <- air_logger("21679162")

# Water logger
water <- water_logger("21679180")

# Join air/water readings
airwater_join <- logger_join()

# Calculate Pearson correlation coefficient
correlation <- cor(airwater_join$water_max, airwater_join$air_mean, method = 'pearson')
print(paste("Pearson R:",correlation))
```

```
## [1] "Pearson R: 0.86044468252824"
```

```r
# Linear model fit summary
fit <- lm(water_max ~ air_mean, data = airwater_join)
summary(fit)
```

```
##
```

```
## Call:
## lm(formula = water_max ~ air_mean, data = airwater_join)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -1.83245 -0.85138 -0.00655  0.64290  2.44061
##
## Coefficients:
##             Estimate Std. Error t value Pr(>|t|)
## (Intercept)  7.97981    0.83619   9.543 3.86e-15 ***
## air_mean     0.64498    0.04119  15.660  < 2e-16 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 1.077 on 86 degrees of freedom
## Multiple R-squared:  0.7404, Adjusted R-squared:  0.7373
## F-statistic: 245.2 on 1 and 86 DF,  p-value: < 2.2e-16
```

```r
# Create regression plot
reg_plot_21679180 <- ggplot(airwater_join, aes(x= air_mean, y = water_max)) +
  geom_point(shape= 21, color='black', fill= 'deepskyblue3', size = 2) +
  geom_smooth(method = "lm", se = TRUE, colour = 'black') +
  theme_light() +
  labs(title="Steamboat above Big Bend Cr. (Air - N. Umpqua at Steamboat)",
       subtitle = "Max Water Temp ~ Mean Air Temp",
       x="Daily Mean Air temperature (\u00B0C)",
       y="Daily Max Water temperature (\u00B0C)") +
  geom_text(x = 16, y = 24, label = lm_eqn(airwater_join), parse = TRUE)  +
  geom_text(x = 16, y = 23, label = paste("Pearson R:", round(correlation,3))) +
  theme(plot.title = element_text(size= 12, face="bold"),
        plot.subtitle = element_text(size = 11),
        axis.text=element_text(size= 8),
        axis.title=element_text(size= 10))

reg_plot_21679180
```

## Steamboat above Big Bend Cr. (Air – N. Umpqua at Steamboat)
Max Water Temp ~ Mean Air Temp

$y = 7.98 + 0.645 \cdot x, \ r^2 = 0.737$

Pearson R: 0.86

Daily Max Water temperature (°C)

Daily Mean Air temperature (°C)

```
# Export plot to file
# ggsave(reg_plot_21679180, file="Figure Plots/Regression Plots/regression_plot_SteamboatAboveBigBend.p

#---------------------------------------------------------------------------------------

## Climate Scenario (3.5C air temp warming)

# Create vector of new air temps under 3.5C warming scenario
new_temps <- data.frame(air_mean = airwater_join$air_mean + 3.5)

# Use lm to predict new water temps using updated air temps
watertemp_pred <- predict(fit, newdata = new_temps)

# Estimate number of days water temp above 20C given future climate scenario
daysover20_future <- data_frame(daysover20 = sum(watertemp_pred > 20))
print(paste("Predicted # days above 20C (+3.5C future climate):", {daysover20_future$daysover20}))
```

```
## [1] "Predicted # days above 20C (+3.5C future climate): 84"
```

```
rm(new_temps)
rm(watertemp_pred)
```

# Big Bend Cr. at mouth

```r
# Logger ID: 15170014 (USGS hydro station data)

# Read in Big Bend data, clean, and summarize daily mean, min, max temp statistics

list_of_files <- list.files(path = "USB Files/Big Bend",
                            recursive = TRUE,
                            pattern = "\\.csv$",
                            full.names = TRUE)

BigBend <- readr::read_csv(list_of_files, id = "file_name") %>%
  clean_names() %>%
  mutate(site = "Big Bend Cr. at mouth") %>%
  mutate(temp_c = (temp - 32) * (5/9)) %>% #temp in F, need to convert to C
  mutate(logger_id = "15170014") %>%
  mutate(longdate = as.Date(date,format = "%m/%d/%Y")) %>%
  separate(longdate,
           into = c('year', 'month', 'day'),
           sep= '-',
           remove = FALSE) %>%
  mutate(month_day = format(longdate, "%m-%d")) %>%
  group_by(longdate, month_day,year,logger_id) %>%
  summarise(mean_temp = round(mean(temp_c), digits= 2),
            min_temp = round(min(temp_c), digits= 2),
            max_temp = round(max(temp_c), digits= 2))

## Calculate other temperature statistics

# Max temp (2024)
BigBend_maxt_2024 <- BigBend %>%
  filter(longdate > '2024-06-19' & longdate <= '2024-09-15') %>%
  group_by(logger_id) %>%
  summarise(maxt = max(max_temp))

print(paste("Max Temp C (2024):", BigBend_maxt_2024$maxt))
```

```
## [1] "Max Temp C (2024): 20.51"
```

```r
# Days >20C (2024)
BigBend_Days20_2024 <- BigBend %>%
  filter(longdate > '2024-06-19' & longdate <= '2024-09-15') %>%
  filter(max_temp > 20) %>%
  group_by(logger_id) %>%
  summarise(days_over20 = n())

print(paste("# Days above 20C (2024):", BigBend_Days20_2024$days_over20))
```

```
## [1] "# Days above 20C (2024): 5"
```

```r
# Max temp (10-yr Avg.)
BigBend_maxt_10yrAvg <- BigBend %>%
  filter(month_day > '06-19' & month_day <= '09-15') %>%
  group_by(logger_id,year) %>%
  summarise(maxt = max(max_temp)) %>%
  summarise(maxt_avg = mean(maxt))

print(paste("Max Temp C (10-yr Avg.):", BigBend_maxt_10yrAvg$maxt_avg))
```

## [1] "Max Temp C (10-yr Avg.): 18.687"

```r
# Days >20C (10-yr Avg.)
BigBend_Days20_10yrAvg <- BigBend %>%
  filter(month_day > '06-19' & month_day <= '09-15') %>%
  filter(max_temp > 20) %>%
  group_by(logger_id,year) %>%
  summarise(days_over20 = n()) %>%
  summarise(days_over20_avg = sum(days_over20) / 10)

print(paste("# Days above 20C (10-yr Avg.):", BigBend_Days20_10yrAvg$days_over20_avg))
```

## [1] "# Days above 20C (10-yr Avg.): 0.6"

```r
# Max Temp (Drought)
  BigBend_maxt_drought <- BigBend %>%
  filter(year == '2021' | year == '2022') %>%
  filter(month_day > '06-19' & month_day <= '09-15') %>%
  group_by(logger_id) %>%
  summarise(maxt = max(max_temp))

print(paste("Max Temp C (Drought yrs):",  BigBend_maxt_drought$maxt))
```

## [1] "Max Temp C (Drought yrs): 20.29"

```r
# Days >20C (Drought)
  BigBend_Days20_drought <- BigBend %>%
  filter(year == '2021' | year == '2022') %>%
  filter(month_day > '06-19' & month_day <= '09-15') %>%
  filter(max_temp > 20) %>%
  group_by(logger_id,year) %>%
  summarise(days_over20 = n()) %>%
  summarise(days_over20_avg = sum(days_over20) / 2)

print(paste("# Days above 20C (Drought yrs):",  BigBend_Days20_drought$days_over20_avg))
```

## [1] "# Days above 20C (Drought yrs): 0.5"

## Mean, Min, Max Temp Plot

# Data frame for plot

```r
temp <- BigBend %>%
  filter(longdate > '2024-06-19' & longdate <= '2024-09-15')

x=as.Date(temp$longdate)
y_lower = 20
y_upper = Inf

# Create temp plot
plot_15170014 <- ggplot() +
  geom_hline(yintercept = 20, linetype = "dotted", linewidth = 1) +
  geom_ribbon(aes(x=x,ymin = y_lower, ymax = y_upper), fill = "red1", alpha = 0.10) +
  geom_line(data=temp, aes(x=as.Date(longdate),y=mean_temp, color="mean_temp"), linewidth = 1) +
  geom_line(data=temp, aes(x=as.Date(longdate),y=min_temp, color = "min_temp"), linewidth = 0.5) +
  geom_line(data=temp, aes(x=as.Date(longdate), y=max_temp, color= "max_temp"), linewidth = 0.5) +

  scale_colour_manual("",
                      breaks = c("mean_temp", "min_temp", "max_temp"),
                      values = c("black", "blue", "red"),
                      labels = c("Mean Temp.", "Min Temp.", "Max Temp.")) +
  scale_x_date(date_breaks = "1 month", date_labels = "%b", expand = c(0,0)) +
  scale_y_continuous(limits = c(9,27),breaks = seq(10,26,by= 2)) +
  theme_bw() +
  labs(title= "Big Bend Cr. at mouth", y="Temperature (\u00B0C)", x="") +
  theme(plot.subtitle = element_text(size = 10),
        plot.title = element_text(size= 14, face="bold"),
        axis.text=element_text(size= 12),
        axis.title=element_text(size= 14),
        legend.position = "bottom")

rm(temp)

plot_15170014
```

**Big Bend Cr. at mouth**

Legend: Mean Temp. — Min Temp. — Max Temp.

```r
# Export plot to file
# ggsave(plot_15170014, file="Figure Plots/Temp Plots/Temp Plot_BigBend.png", height = 5, width = 8) #F

# --------------------------------------------------------------------------------

## Number of days above 20C plot

temp <- BigBend %>%
  filter(month_day > '06-19' & month_day <= '09-15') %>%
  group_by(year) %>%
  summarize(conditional_count = sum(max_temp > 20))


BigBend_Days20_Plot <- ggplot(data=temp) +
  geom_col(aes(x=as.factor(year),y=conditional_count), fill="brown3", color="black",alpha=0.5) +
  geom_path(aes(x=as.factor(year),y=conditional_count, group = 1), size=1.25) +
  geom_point(aes(x=as.factor(year),y=conditional_count), size =4) +
  scale_y_continuous(expand = c(0,0), limits = c(0,6)) +
  theme_bw() +
  labs(title= "Big Bend Cr. at mouth", y="# of Days", x="Year") +
  theme(axis.text=element_text(size=12),
        axis.title=element_text(size=14),
        plot.subtitle = element_text(size = 10),
        plot.title = element_text(size=18, face="bold"),
        legend.position = "none")
```

```
rm(temp)
```

```
BigBend_Days20_Plot
```



**Big Bend Cr. at mouth**

```
# Export plot to file
# ggsave(BigBend_Days20_Plot, file="Figure Plots/Temp Plots/DaysOver20C_BigBend.png", height = 4, width

## Air/Water Regression Plot

# Air logger
air <- air_logger("21679162")

# Water logger
water <- BigBend %>%
  filter(longdate > '2024-06-19' & longdate <= '2024-09-15') %>%
  mutate(water_max = max_temp)

# Join air/water readings
airwater_join <- logger_join()

# Calculate Pearson correlation coefficient
correlation <- cor(airwater_join$water_max, airwater_join$air_mean, method = 'pearson')
print(paste("Pearson R:",correlation))
```

```
## [1] "Pearson R: 0.857961419366988"
```

```r
# Linear model fit summary
fit <- lm(water_max ~ air_mean, data = airwater_join)
summary(fit)
```

```
##
## Call:
## lm(formula = water_max ~ air_mean, data = airwater_join)
##
## Residuals:
##     Min      1Q  Median      3Q     Max
## -2.1525 -0.6612  0.0207  0.6623  1.7880
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)  5.37096    0.74242   7.234 1.82e-10 ***
## air_mean     0.56637    0.03657  15.488  < 2e-16 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.9558 on 86 degrees of freedom
## Multiple R-squared:  0.7361, Adjusted R-squared:  0.733
## F-statistic: 239.9 on 1 and 86 DF,  p-value: < 2.2e-16
```

```r
# Create regression plot
reg_plot_15170014 <- ggplot(airwater_join, aes(x=air_mean, y = water_max)) +
  geom_point(shape= 21, color='black', fill= 'deepskyblue3', size = 2) +
  geom_smooth(method = "lm", se = TRUE, colour = 'black') +
  theme_light() +
  labs(title="Big Bend Cr. at mouth (Air - N. Umpqua at Steamboat)",
       subtitle = "Max Water Temp ~ Mean Air Temp",
       x="Daily Mean Air temperature (\u00B0C)",
       y="Daily Max Water temperature (\u00B0C)") +
  geom_text(x = 16, y = 19, label = lm_eqn(airwater_join), parse = TRUE)  +
  geom_text(x = 16, y = 18, label = paste("Pearson R:", round(correlation,3))) +
  theme(plot.title = element_text(size=12, face="bold"),
        plot.subtitle = element_text(size = 11),
        axis.text=element_text(size=8),
         axis.title=element_text(size=10))

reg_plot_15170014
```

## Big Bend Cr. at mouth (Air – N. Umpqua at Steamboat)
Max Water Temp ~ Mean Air Temp



$$y = 5.37 + 0.566 \cdot x, \ r^2 = 0.733$$

Pearson R: 0.858

```
# Export plot to file
# ggsave(reg_plot_15170014, file="Figure Plots/Regression Plots/regression_plot_BigBend.png", height = 
```

```
#-----------------------------------------------------------------------------------------
```

```
## Climate Scenario (3.5C air temp warming)
```

```
# Create vector of new air temps under 3.5C warming scenario
new_temps <- data.frame(air_mean = airwater_join$air_mean + 3.5)
```

```
# Use lm to predict new water temps using updated air temps
watertemp_pred <- predict(fit, newdata = new_temps)
```

```
# Estimate number of days water temp above 20C given future climate scenario
daysover20_future <- data_frame(daysover20 = sum(watertemp_pred > 20))
print(paste("Predicted # days above 20C (+3.5C future climate):", {daysover20_future$daysover20}))
```

```
## [1] "Predicted # days above 20C (+3.5C future climate): 21"
```

```
rm(new_temps)
rm(watertemp_pred)
```

# Steamboat Below Big Bend Cr.

```r
# Logger ID: 21679175 (WSC logger data)

# Read in 2024 WSC data and filter for summer season
Steam_BelowBigBend <- daily_water_master %>%
  filter(logger_id == 21679175 & longdate > '2024-06-19' & longdate <= '2024-09-15')

# 2024 Max Temp
Steam_BelowBigBend_maxt <- max(Steam_BelowBigBend$max_temp)
print(paste("Max Temp C (2024):",Steam_BelowBigBend_maxt))
```

```
## [1] "Max Temp C (2024): 22.91"
```

```r
# 2024 # Days above 20C
Steam_BelowBigBend_Days20 <- sum(Steam_BelowBigBend$max_temp > 20)
print(paste("# Days above 20C:",Steam_BelowBigBend_Days20))
```

```
## [1] "# Days above 20C: 17"
```

```r
### Mean, Min, Max Temp Plot

# Plot data frame
temp <- Steam_BelowBigBend

x=as.Date(temp$longdate)
y_lower = 20
y_upper = Inf

# Create temp plot
plot_21679175 <- ggplot() +
  geom_hline(yintercept = 20, linetype = "dotted", linewidth= 1) +
  geom_ribbon(aes(x=x,ymin = y_lower, ymax = y_upper), fill = "red1", alpha = 0.10) +
  geom_line(data=temp, aes(x=as.Date(longdate),y=mean_temp, color="mean_temp"), linewidth = 1) +
  geom_line(data=temp, aes(x=as.Date(longdate),y=min_temp, color = "min_temp"), linewidth = 0.5) +
  geom_line(data=temp, aes(x=as.Date(longdate), y=max_temp, color= "max_temp"), linewidth = 0.5) +
  scale_colour_manual("",
                      breaks = c("mean_temp", "min_temp", "max_temp"),
                      values = c("black", "blue", "red"),
                      labels = c("Mean Temp.", "Min Temp.", "Max Temp.")) +
  scale_x_date(date_breaks = "1 month", date_labels = "%b", expand = c(0,0)) +
  scale_y_continuous(limits = c(9,27),breaks = seq(10,26,by= 2)) +
  theme_bw() +
  labs(title= "Steamboat below Big Bend Cr.", y="Temperature (\u00B0C)", x="") +
  theme(plot.subtitle = element_text(size = 10),
        plot.title = element_text(size=14, face="bold"),
        axis.text=element_text(size=12),
        axis.title=element_text(size=14),
        legend.position = "bottom")
```

```
rm(temp)
```

```
plot_21679175
```

## Steamboat below Big Bend Cr.



```
# Export plot to file
ggsave(plot_21679175, file="Figure Plots/Temp Plots/Temp Plot_SteamboatBelowBigBend.png", height = 5, w
```

```
## Air/Water Regression Plot

# Air logger
air <- air_logger("21679162")

# Water logger
water <- water_logger("21679175")

# Join air/water readings
airwater_join <- logger_join()

# Calculate Pearson correlation coefficient
correlation <- cor(airwater_join$water_max, airwater_join$air_mean, method = 'pearson')
print(paste("Pearson R:",correlation))
```

```
## [1] "Pearson R: 0.826012131295225"
```

```
fit <- lm(water_max ~ air_mean, data = airwater_join)
summary(fit)
```

```
##
## Call:
## lm(formula = water_max ~ air_mean, data = airwater_join)
##
## Residuals:
##       Min      1Q   Median      3Q      Max
## -2.13682 -1.05882  0.06288  0.91008  2.27836
##
## Coefficients:
##             Estimate Std. Error t value Pr(>|t|)
## (Intercept)  6.31835    0.90372   6.991 5.51e-10 ***
## air_mean     0.60494    0.04451  13.590  < 2e-16 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 1.163 on 86 degrees of freedom
## Multiple R-squared:  0.6823, Adjusted R-squared:  0.6786
## F-statistic: 184.7 on 1 and 86 DF,  p-value: < 2.2e-16
```

```
# Create regression plot

reg_plot_21679175 <- ggplot(airwater_join, aes(x=air_mean, y = water_max)) +
  geom_point(shape= 21, color='black', fill= 'deepskyblue3', size = 2) +
  geom_smooth(method = "lm", se = TRUE, colour = 'black') +
  theme_light() +
  labs(title="Steamboat below Big Bend Cr. (Air - N. Umpqua at Steamboat)",
       subtitle = "Max Water Temp ~ Mean Air Temp",
       x="Daily Mean Air temperature (\u00B0C)",
       y="Daily Max Water temperature (\u00B0C)") +
  geom_text(x = 16, y = 21, label = lm_eqn(airwater_join), parse = TRUE)  +
  geom_text(x = 16, y = 20, label = paste("Pearson R:", round(correlation,3))) +
  theme(plot.title = element_text(size=12, face="bold"),
        plot.subtitle = element_text(size = 11),
        axis.text=element_text(size=8),
        axis.title=element_text(size=10))

reg_plot_21679175
```

## Steamboat below Big Bend Cr. (Air – N. Umpqua at Steamboat)

Max Water Temp ~ Mean Air Temp



$$y = 6.32 + 0.605 \cdot x, \; r^2 = 0.679$$

Pearson R: 0.826

Axis labels: Daily Max Water temperature (°C) / Daily Mean Air temperature (°C)

```
# Export plot to file
# ggsave(reg_plot_21679175, file="Figure Plots/Regression Plots/regression_plot_SteamboatBelowBigBend.p

#-----------------------------------------------------------------------------------

## Climate Scenario (3.5C air temp warming)

# Create vector of new air temps under 3.5C warming scenario
new_temps <- data.frame(air_mean = airwater_join$air_mean + 3.5)

# Use lm to predict new water temps using updated air temps
watertemp_pred <- predict(fit, newdata = new_temps)

# Estimate number of days water temp above 20C given future climate scenario
daysover20_future <- data_frame(daysover20 = sum(watertemp_pred > 20))
print(paste("Predicted # days above 20C (+3.5C future climate):", {daysover20_future$daysover20}))


## [1] "Predicted # days above 20C (+3.5C future climate): 55"

rm(new_temps)
rm(watertemp_pred)
```

# Steamboat Above Canton Cr.

```r
# Logger ID: 15170003 (USGS hydro station data)

## Read in Steamboat Above data, clean, and summarize daily mean, min, max temp statistics

list_of_files <- list.files(path = "USB Files/SteamAboveCanton",
                            recursive = TRUE,
                            pattern = "\\.csv$",
                            full.names = TRUE)

Steamboat_AboveCant <- readr::read_csv(list_of_files, id = "file_name") %>%
  clean_names() %>%
  mutate(site = "Steamboat above Canton Cr.") %>%
  mutate(temp_c = (temp - 32) * (5/9)) %>% #temp in F, need to convert to C
  mutate(logger_id = "15170003") %>%
  mutate(longdate = as.Date(date,format = "%m/%d/%Y")) %>%
  separate(longdate,
              into = c('year', 'month', 'day'),
              sep= '-',
              remove = FALSE) %>%
  mutate(month_day = format(longdate, "%m-%d")) %>%
  group_by(longdate, month_day, year, logger_id) %>%
  summarise(mean_temp = round(mean(temp_c), digits=2),
            min_temp = round(min(temp_c), digits=2),
            max_temp = round(max(temp_c), digits=2))

## Calculate other temperature statistics

# Max Temp (2024)
SteamboatCant_maxt_2024 <- Steamboat_AboveCant %>%
  filter(longdate > '2024-06-19' & longdate <= '2024-09-15') %>%
  group_by(logger_id) %>%
  summarise(maxt = max(max_temp))

print(paste("Max Temp C (2024):", SteamboatCant_maxt_2024$maxt))
```

```
## [1] "Max Temp C (2024): 26.21"
```

```r
# Days >20C (2024)
SteamboatCant_Days20_2024 <- Steamboat_AboveCant %>%
  filter(longdate > '2024-06-19' & longdate <= '2024-09-15') %>%
  filter(max_temp > 20) %>%
  group_by(logger_id) %>%
  summarise(days_over20 = n())

print(paste("# Days above 20C (2024):", SteamboatCant_Days20_2024$days_over20))
```

```
## [1] "# Days above 20C (2024): 71"
```

```r
# Max Temp (10-yr Avg.)
SteamboatCant_maxt_10yrAvg <- Steamboat_AboveCant %>%
  filter(month_day > '06-19' & month_day <= '09-15') %>%
  group_by(logger_id,year) %>%
  summarise(maxt = max(max_temp)) %>%
  summarise(maxt_avg = mean(maxt))

print(paste("Max Temp C (10-yr Avg.):", SteamboatCant_maxt_10yrAvg$maxt_avg))
```

```
## [1] "Max Temp C (10-yr Avg.): 26.234"
```

```r
# Days >20C (10-yr Avg.)
SteamboatCant_Days20_10yrAvg <- Steamboat_AboveCant %>%
  filter(month_day > '06-19' & month_day <= '09-15') %>%
  filter(max_temp > 20) %>%
  group_by(logger_id,year) %>%
  summarise(days_over20 = n()) %>%
  summarise(days_over20_avg = sum(days_over20) / 10)

print(paste("# Days above 20C (10-yr Avg.):", SteamboatCant_Days20_10yrAvg$days_over20_avg))
```

```
## [1] "# Days above 20C (10-yr Avg.): 64.2"
```

```r
# Max Temp (Drought)
  SteamboatCant_maxt_drought <- Steamboat_AboveCant %>%
  filter(year == '2021' | year == '2022') %>%
  filter(month_day > '06-19' & month_day <= '09-15') %>%
  group_by(logger_id) %>%
  summarise(maxt = max(max_temp))

print(paste("Max Temp C (Drought yrs):", SteamboatCant_maxt_drought$maxt))
```

```
## [1] "Max Temp C (Drought yrs): 28.87"
```

```r
# Days >20C (Drought)
 SteamboatCant_Days20_drought <- Steamboat_AboveCant %>%
  filter(year == '2021' | year == '2022') %>%
  filter(month_day > '06-19' & month_day <= '09-15') %>%
  filter(max_temp > 20) %>%
  group_by(logger_id,year) %>%
  summarise(days_over20 = n()) %>%
  summarise(days_over20_avg = sum(days_over20) / 2)

print(paste("# Days above 20C (Drought yrs):", SteamboatCant_Days20_drought$days_over20_avg))
```

```
## [1] "# Days above 20C (Drought yrs): 60.5"
```

```r
## Mean, Min, Max Temp Plot

# Data frame for plot
```

```r
temp <- Steamboat_AboveCant %>%
  filter(longdate > '2024-06-19' & longdate <= '2024-09-15')

x=as.Date(temp$longdate)
y_lower = 20
y_upper = Inf

# Create temp plot
plot_15170003 <- ggplot() +
  geom_hline(yintercept = 20, linetype = "dotted", linewidth= 1) +
  geom_ribbon(aes(x=x,ymin = y_lower, ymax = y_upper), fill = "red1", alpha = 0.10) +
  geom_line(data=temp, aes(x=longdate,y=mean_temp, color="mean_temp"), linewidth =1) +
  geom_line(data=temp, aes(x=longdate,y=min_temp, color = "min_temp"), linewidth =0.5) +
  geom_line(data=temp, aes(x=longdate, y=max_temp, color= "max_temp"), linewidth =0.5) +

  scale_colour_manual("",
                      breaks = c("mean_temp", "min_temp", "max_temp"),
                      values = c("black", "blue", "red"),
                      labels = c("Mean Temp.", "Min Temp.", "Max Temp.")) +
  scale_x_date(date_breaks = "1 month", date_labels = "%b", expand = c(0,0)) +
  scale_y_continuous(limits = c(9,27),breaks = seq(10,26,by=2)) +
  theme_bw() +
  labs(title= "Steamboat above Canton Cr.", y="Temperature (\u00B0C)", x="") +
  theme(plot.subtitle = element_text(size = 10),
        plot.title = element_text(size=14, face="bold"),
        axis.text=element_text(size=12),
        axis.title=element_text(size=14),
        legend.position = "bottom")

rm(temp)

plot_15170003
```

## Steamboat above Canton Cr.



```r
# Export plot to file
ggsave(plot_15170003, file="Figure Plots/Temp Plots/Temp Plot_SteamboatAboveCant.png", height = 5, width
```

```r
#-----------------------------------------------------------------------------------------------------

## Number of days above 20C Plot

temp <- Steamboat_AboveCant %>%
  filter(month_day > '06-19' & month_day <= '09-15') %>%
  group_by(year) %>%
  summarize(conditional_count = sum(max_temp > 20))

SteamboatCant_Days20_Plot <- ggplot(data=temp) +
  geom_col(aes(x=as.factor(year),y=conditional_count), fill="brown3", color="black",alpha=0.5) +
  geom_path(aes(x=as.factor(year),y=conditional_count, group = 1), size=1.25) +
  geom_point(aes(x=as.factor(year),y=conditional_count), size =4) +
  scale_y_continuous(expand = c(0,0), limits = c(0,75), breaks = seq(0,70,by=10)) +
  theme_bw() +
  theme(legend.position = "none") +
  labs(title= "Steamboat above Canton Cr.", y="# of Days", x="Year") +
  theme(plot.subtitle = element_text(size = 10),
        plot.title = element_text(size=18, face="bold")) +
  theme(axis.text=element_text(size=12),
        axis.title=element_text(size=14))

SteamboatCant_Days20_Plot
```

# Steamboat above Canton Cr.



```r
# Export plot to file
ggsave(SteamboatCant_Days20_Plot, file="Figure Plots/Temp Plots/DaysOver20C_SteamboatAboveCant.png", he

## Air/Water Regression Plot

# Air logger
air <- air_logger("21679162")

# Water logger
water <- Steamboat_AboveCant %>%
  filter(longdate > '2024-06-19' & longdate <= '2024-09-15') %>%
  mutate(water_max = max_temp)

# Join air/water readings
airwater_join <- logger_join()

# Calculate Pearson correlation coefficient
correlation <- cor(airwater_join$water_max, airwater_join$air_mean, method = 'pearson')
print(paste("Pearson R:",correlation))
```

```
## [1] "Pearson R: 0.86049344691036"
```

```r
fit <- lm(water_max ~ air_mean, data = airwater_join)
summary(fit)
```

```
##
## Call:
## lm(formula = water_max ~ air_mean, data = airwater_join)
##
## Residuals:
##       Min       1Q   Median       3Q      Max
## -2.68809 -0.81058 -0.01364  1.07469  2.25092
##
## Coefficients:
##             Estimate Std. Error t value Pr(>|t|)
## (Intercept)  7.03627    0.94293   7.462 6.39e-11 ***
## air_mean     0.72748    0.04644  15.663  < 2e-16 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 1.214 on 86 degrees of freedom
## Multiple R-squared:  0.7404, Adjusted R-squared:  0.7374
## F-statistic: 245.3 on 1 and 86 DF,  p-value: < 2.2e-16
```

```r
# Create regression plot
reg_plot_15170003 <- ggplot(airwater_join, aes(x=air_mean, y = water_max)) +
  geom_point(shape= 21, color='black', fill= 'deepskyblue3', size = 2) +
  geom_smooth(method = "lm", se = TRUE, colour = 'black') +
  theme_light() +
 labs(title="Steamboat above Canton Cr. (Air - N. Umpqua at Steamboat)",
       subtitle = "Max Water Temp ~ Mean Air Temp",
       x="Daily Mean Air temperature (\u00B0C)",
       y="Daily Max Water temperature (\u00B0C)") +
  geom_text(x = 16, y = 24, label = lm_eqn(airwater_join), parse = TRUE)  +
  geom_text(x = 16, y = 23, label = paste("Pearson R:", round(correlation,3))) +
  theme(plot.title = element_text(size=12, face="bold"),
        plot.subtitle = element_text(size = 11),
        axis.text=element_text(size=11),
        axis.title=element_text(size=14))

reg_plot_15170003
```

## Steamboat above Canton Cr. (Air – N. Umpqua at Steamboat)
Max Water Temp ~ Mean Air Temp



$$y = 7.04 + 0.727 \cdot x, \ r^2 = 0.737$$

Pearson R: 0.86

```r
# Export plot to file
# ggsave(reg_plot_15170003, file="Figure Plots/Regression Plots/regression_plot_SteamboatAboveCanton.png

#-------------------------------------------------------------------------------

## Climate Scenario (3.5C air temp warming)

# Create vector of new air temps under 3.5C warming scenario
new_temps <- data.frame(air_mean = airwater_join$air_mean + 3.5)

# Use lm to predict new water temps using updated air temps
watertemp_pred <- predict(fit, newdata = new_temps)

# Estimate number of days water temp above 20C given future climate scenario
daysover20_future <- data_frame(daysover20 = sum(watertemp_pred > 20))
print(paste("Predicted # days above 20C (+3.5C future climate):", {daysover20_future$daysover20}))
```

```
## [1] "Predicted # days above 20C (+3.5C future climate): 84"
```

```r
rm(new_temps)
rm(watertemp_pred)
```

# Upper Canton Cr.

```r
# Logger ID: 21679177 (WSC logger data)

# Read in 2024 WSC data and filter for summer season
UpperCanton <- daily_water_master %>%
  filter(logger_id == 21679177 & longdate > '2024-06-19' & longdate <= '2024-09-15')

# 2024 Max Temp
UpperCanton_maxt <- max(UpperCanton$max_temp)
print(paste("Max Temp C (2024):", UpperCanton_maxt))
```

## [1] "Max Temp C (2024): 22.52"

```r
# 2024 # Days above 20C
UpperCanton_Days20 <- sum(UpperCanton$max_temp > 20)
print(paste("# Days above 20C (2024):", UpperCanton_Days20))
```

## [1] "# Days above 20C (2024): 23"

```r
### Mean, Min, Max Temp Plot

# Plot data frame
temp <- UpperCanton

x=as.Date(temp$longdate)
y_lower = 20
y_upper = Inf

# Create temp plot
plot_21679177 <- ggplot() +
  geom_hline(yintercept = 20, linetype = "dotted", linewidth= 1) +
  geom_ribbon(aes(x=x,ymin = y_lower, ymax = y_upper), fill = "red1", alpha = 0.10) +
  geom_line(data=temp, aes(x=as.Date(longdate),y=mean_temp, color="mean_temp"), linewidth = 1) +
  geom_line(data=temp, aes(x=as.Date(longdate),y=min_temp, color = "min_temp"), linewidth = 0.5) +
  geom_line(data=temp, aes(x=as.Date(longdate), y=max_temp, color= "max_temp"), linewidth = 0.5) +

  scale_colour_manual("",
                      breaks = c("mean_temp", "min_temp", "max_temp"),
                      values = c("black", "blue", "red"),
                      labels = c("Mean Temp.", "Min Temp.", "Max Temp.")) +
  scale_x_date(date_breaks = "1 month", date_labels = "%b", expand = c(0,0)) +
  scale_y_continuous(limits = c(9,27),breaks = seq(10,26,by= 2)) +
  theme_bw() +
  labs(title= "Upper Canton Cr.", y="Temperature (\u00B0C)", x="") +
  theme(plot.subtitle = element_text(size = 10),
        plot.title = element_text(size=14, face="bold"),
        axis.text=element_text(size=12),
        xis.title=element_text(size=14),
        legend.position = "bottom")
```

```
rm(temp)
```

```
plot_21679177
```

**Upper Canton Cr.**



```
# Export plot to file
# ggsave(plot_21679177, file="Figure Plots/Temp Plots/Temp Plot_UpperCanton.png", height = 5, width = 8)
```

```
## Air/Water Regression Plot

# Air logger
air <- air_logger("21679162")

# Water logger
water <- water_logger("21679177")

# Join air/water readings
airwater_join <- logger_join()

# Calculate Pearson correlation coefficient
correlation <- cor(airwater_join$water_max, airwater_join$air_mean, method = 'pearson')
print(paste("Pearson R:",correlation))
```

```
## [1] "Pearson R: 0.883615218955373"
```

```
# Summary of linear model fit
fit <- lm(water_max ~ air_mean, data = airwater_join)
summary(fit)
```

```
##
## Call:
## lm(formula = water_max ~ air_mean, data = airwater_join)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -1.56767 -0.55731 -0.04173  0.55559  1.79778
##
## Coefficients:
##             Estimate Std. Error t value Pr(>|t|)
## (Intercept)  7.93773    0.64476   12.31   <2e-16 ***
## air_mean     0.55581    0.03176   17.50   <2e-16 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.8301 on 86 degrees of freedom
## Multiple R-squared:  0.7808, Adjusted R-squared:  0.7782
## F-statistic: 306.3 on 1 and 86 DF,  p-value: < 2.2e-16
```

```
# Create regression plot
reg_plot_21679177 <- ggplot(airwater_join, aes(x=air_mean, y = water_max)) +
  geom_point(shape= 21, color='black', fill= 'deepskyblue3', size = 2) +
  geom_smooth(method = "lm", se = TRUE, colour = 'black') +
  theme_light() +
  labs(title="Upper Canton Cr. (Air - N. Umpqua at Steamboat)",
       subtitle = "Max Water Temp ~ Mean Air Temp",
       x="Daily Mean Air temperature (\u00B0C)",
       y="Daily Max Water temperature (\u00B0C)") +
  geom_text(x = 16, y = 21, label = lm_eqn(airwater_join), parse = TRUE)  +
  geom_text(x = 16, y = 20.25, label = paste("Pearson R:", round(correlation,3))) +
  theme(plot.title = element_text(size=12, face="bold"),
        plot.subtitle = element_text(size = 11),
        axis.text=element_text(size=8),
        axis.title=element_text(size=10))


reg_plot_21679177
```

**Upper Canton Cr. (Air – N. Umpqua at Steamboat)**

Max Water Temp ~ Mean Air Temp



$$y = 7.94 + 0.556 \cdot x, \ r^2 = 0.778$$

Pearson R: 0.884

```r
# Export plot to file
# ggsave(reg_plot_21679177, file="Figure Plots/Regression Plots/regression_plot_UpperCanton.png", heigh

#----------------------------------------------------------------------------------

## Climate Scenario (3.5C air temp warming)

# Create vector of new air temps under 3.5C warming scenario
new_temps <- data.frame(air_mean = airwater_join$air_mean + 3.5)

# Use lm to predict new water temps using updated air temps
watertemp_pred <- predict(fit, newdata = new_temps)

# Estimate number of days water temp above 20C given future climate scenario
daysover20_future <- data_frame(daysover20 = sum(watertemp_pred > 20))
print(paste("Predicted # days above 20C (+3.5C future climate):", {daysover20_future$daysover20}))


## [1] "Predicted # days above 20C (+3.5C future climate): 67"

rm(new_temps)
rm(watertemp_pred)
```

# N. Umpqua above Steamboat

```r
# Logger ID: 21433141 (WSC logger data)

# Read in 2024 WSC data and filter for summer season
NUmpqua_AboveSteam <- daily_water_master %>%
  filter(logger_id == 21433141 & longdate > '2024-06-19' & longdate <= '2024-09-15')

# 2024 Max Temp
NUmpqua_AboveSteam_maxt <- max(NUmpqua_AboveSteam$max_temp)
print(paste("Max Temp C (2024):", NUmpqua_AboveSteam_maxt))
```

```
## [1] "Max Temp C (2024): 19.39"
```

```r
# 2024 # Days above 20C
NUmpqua_AboveSteam_Days20 <- sum(NUmpqua_AboveSteam$max_temp > 20)
print(paste("# Days above 20C:", NUmpqua_AboveSteam_Days20))
```

```
## [1] "# Days above 20C: 0"
```

```r
## Mean, Min, Max Temp Plot

# Plot data frame
temp <- NUmpqua_AboveSteam

x=as.Date(temp$longdate)
y_lower = 20
y_upper = Inf

# Create temp plot
plot_21433141 <- ggplot() +
  geom_hline(yintercept = 20, linetype = "dotted", linewidth= 1) +
  geom_ribbon(aes(x=x,ymin = y_lower, ymax = y_upper), fill = "red1", alpha = 0.10) +
  geom_line(data=temp, aes(x=as.Date(longdate),y=mean_temp, color="mean_temp"), linewidth = 1) +
  geom_line(data=temp, aes(x=as.Date(longdate),y=min_temp, color = "min_temp"), linewidth = 0.5) +
  geom_line(data=temp, aes(x=as.Date(longdate), y=max_temp, color= "max_temp"), linewidth = 0.5) +

  scale_colour_manual("",
                      breaks = c("mean_temp", "min_temp", "max_temp"),
                      values = c("black", "blue", "red"),
                      labels = c("Mean Temp.", "Min Temp.", "Max Temp.")) +
  scale_x_date(date_breaks = "1 month", date_labels = "%b", expand = c(0,0)) +
  scale_y_continuous(limits = c(9,27),breaks = seq(10,26,by=2)) +
  theme_bw() +
  labs(title= "N. Umpqua above Steamboat Cr.", y="Temperature (\u00B0C)", x="") +
  theme(plot.subtitle = element_text(size = 10),
        plot.title = element_text(size=14, face="bold"),
        axis.text=element_text(size=12),
        axis.title=element_text(size=14),
        legend.position = "bottom")
```

```
rm(temp)

plot_21433141
```

## N. Umpqua above Steamboat Cr.



```
# Export plot to file
# ggsave(plot_21433141, file="Figure Plots/Temp Plots/Temp Plot_NUmpqua_AboveSteam.png", height = 5, wi

## Air/Water Regression Plot

# Air logger
air <- air_logger("21679162")

# Water logger
water <- water_logger("21433141")

# Join air/water readings
airwater_join <- logger_join()

# Calculate Pearson correlation coefficient
correlation <- cor(airwater_join$water_max, airwater_join$air_mean, method = 'pearson')
print(paste("Pearson R:",correlation))
```

```
## [1] "Pearson R: 0.78598791083731"
```

```r
# Summary linear model fit
fit <- lm(water_max ~ air_mean, data = airwater_join)
summary(fit)
```

```
##
## Call:
## lm(formula = water_max ~ air_mean, data = airwater_join)
##
## Residuals:
##      Min      1Q   Median      3Q      Max
## -2.31992 -0.61825  0.03484  0.83068  2.09444
##
## Coefficients:
##             Estimate Std. Error t value Pr(>|t|)
## (Intercept)  6.70608    0.82706   8.108 3.19e-12 ***
## air_mean     0.48028    0.04074  11.790  < 2e-16 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 1.065 on 86 degrees of freedom
## Multiple R-squared:  0.6178, Adjusted R-squared:  0.6133
## F-statistic:   139 on 1 and 86 DF,  p-value: < 2.2e-16
```

```r
# Create regression plot
reg_plot_21433141 <- ggplot(airwater_join, aes(x=air_mean, y = water_max)) +
  geom_point(shape= 21, color='black', fill= 'deepskyblue3', size = 2) +
  geom_smooth(method = "lm", se = TRUE, colour = 'black') +
  theme_light() +
  labs(title="North Umpqua above Steamboat Cr. (Air - N. Umpqua at Steamboat)",
       subtitle = "Max Water Temp ~ Mean Air Temp",
       x="Daily Mean Air temperature (\u00B0C)",
       y="Daily Max Water temperature (\u00B0C)") +
  geom_text(x = 16, y = 19, label = lm_eqn(airwater_join), parse = TRUE)  +
  geom_text(x = 16, y = 18.5, label = paste("Pearson R:", round(correlation,3))) +
  theme(plot.title = element_text(size=12, face="bold"),
        plot.subtitle = element_text(size = 11),
        axis.text=element_text(size=8),
        axis.title=element_text(size=10))

reg_plot_21433141
```

## North Umpqua above Steamboat Cr. (Air – N. Umpqua at Steamboat)
Max Water Temp ~ Mean Air Temp



$$y = 6.71 + 0.48 \cdot x, \ r^2 = 0.613$$
Pearson R: 0.786

```
#Export plot to file
#ggsave(reg_plot_21433141, file="Figure Plots/Regression Plots/regression_plot_NUmpqua_AboveSteam.png",

#--------------------------------------------------------------------------------

## Climate Scenario (3.5C air temp warming)

# Create vector of new air temps under 3.5C warming scenario
new_temps <- data.frame(air_mean = airwater_join$air_mean + 3.5)

# Use lm to predict new water temps using updated air temps
watertemp_pred <- predict(fit, newdata = new_temps)

# Estimate number of days water temp above 20C given future climate scenario
daysover20_future <- data_frame(daysover20 = sum(watertemp_pred > 20))
print(paste("Predicted # days above 20C (+3.5C future climate):", {daysover20_future$daysover20}))


## [1] "Predicted # days above 20C (+3.5C future climate): 7"

rm(new_temps)
rm(watertemp_pred)
```

# Fish Cr. at mouth

```r
# Logger ID: 15110003 (USGS hydro station data)

## Read in Big Bend data, clean, and summarize daily mean, min, max temp statistics

list_of_files <- list.files(path = "USB Files/Fish",
                            recursive = TRUE,
                            pattern = "\\.csv$",
                            full.names = TRUE)

FishCr <- readr::read_csv(list_of_files, id = "file_name") %>%
  clean_names() %>%
  mutate(site = "Fish Cr. at mouth") %>%
  mutate(temp_c = (temp - 32) * (5/9)) %>% #temp in F, need to convert to C
  mutate(logger_id = "15110003") %>%
  mutate(longdate = as.Date(date,format = "%m/%d/%Y")) %>%
  separate(longdate,
               into = c('year', 'month', 'day'),
               sep= '-',
               remove = FALSE) %>%
  mutate(month_day = format(longdate, "%m-%d")) %>%
  group_by(longdate,month_day,year,logger_id) %>%
  summarise(mean_temp = round(mean(temp_c), digits=2),
            min_temp = round(min(temp_c), digits=2),
            max_temp = round(max(temp_c), digits=2))

## Calculate other temperature statistics

# Max Temp (2024)
FishCr_maxt_2024 <-FishCr %>%
  filter(longdate > '2024-06-19' & longdate <= '2024-09-15') %>%
  group_by(logger_id) %>%
  summarise(maxt = max(max_temp))

print(paste("Max Temp C (2024):",FishCr_maxt_2024$maxt))
```

```
## [1] "Max Temp C (2024): 18.24"
```

```r
# Days >20C (2024)
FishCr_Days20_2024 <- FishCr %>%
  filter(longdate > '2024-06-19' & longdate <= '2024-09-15') %>%
  filter(max_temp > 20) %>%
  group_by(logger_id) %>%
  summarise(days_over20 = n())

print(paste("# Days above 20C (2024):", FishCr_Days20_2024$days_over20))
```

```
## [1] "# Days above 20C (2024): "
```

```r
# Max Temp (10-yr Avg.)
FishCr_maxt_10yrAvg <- FishCr %>%
  filter(month_day > '06-19' & month_day <= '09-15') %>%
  group_by(logger_id,year) %>%
  summarise(maxt = max(max_temp)) %>%
  summarise(maxt_avg = mean(maxt))

print(paste("Max Temp C (10-yr Avg.):", FishCr_maxt_10yrAvg$maxt_avg))
```

```
## [1] "Max Temp C (10-yr Avg.): 19.965"
```

```r
# Days >20C (10-yr Avg.)
FishCr_Days20_10yrAvg <- FishCr %>%
  filter(month_day > '06-19' & month_day <= '09-15') %>%
  filter(max_temp > 20) %>%
  group_by(year) %>%
  summarise(days_over20 = n()) %>%
  summarise(days_over20_avg = sum(days_over20) / 10)

print(paste("# Days above 20C (10-yr Avg.):", FishCr_Days20_10yrAvg$days_over20_avg))
```

```
## [1] "# Days above 20C (10-yr Avg.): 1.8"
```

```r
# Max Temp (Drought)
  FishCr_maxt_drought <- FishCr %>%
  filter(year == '2021' | year == '2022') %>%
  filter(month_day > '06-19' & month_day <= '09-15') %>%
  group_by(logger_id) %>%
  summarise(maxt = max(max_temp))

  print(paste("Max Temp C (Drought yrs):",  FishCr_maxt_drought$maxt))
```

```
## [1] "Max Temp C (Drought yrs): 20.22"
```

```r
# Days >20C (Drought)
 FishCr_Days20_drought <- FishCr %>%
  filter(year == '2021' | year == '2022') %>%
  filter(month_day > '06-19' & month_day <= '09-15') %>%
  filter(max_temp > 20) %>%
  group_by(logger_id,year) %>%
  summarise(days_over20 = n()) %>%
  summarise(days_over20_avg = sum(days_over20) / 2)

 print(paste("# Days above 20C (Drought yrs):",  FishCr_Days20_drought$days_over20_avg))
```

```
## [1] "# Days above 20C (Drought yrs): 1"
```

```r
## Mean, Min, Max Temp Plot

# Data frame for plot
```

```r
 temp <- FishCr %>%
  filter(longdate > '2024-06-19' & longdate <= '2024-09-15')

x=as.Date(temp$longdate)
y_lower = 20
y_upper = Inf

# Create temp plot
plot_15110003 <- ggplot() +
  geom_hline(yintercept = 20, linetype = "dotted", linewidth= 1) +
  geom_ribbon(aes(x=x,ymin = y_lower, ymax = y_upper), fill = "red1", alpha = 0.10) +
  geom_line(data=temp, aes(x=longdate,y=mean_temp, color="mean_temp"), linewidth = 1) +
  geom_line(data=temp, aes(x=longdate,y=min_temp, color = "min_temp"), linewidth = 0.5) +
  geom_line(data=temp, aes(x=longdate, y=max_temp, color= "max_temp"), linewidth = 0.5) +

  scale_colour_manual("",
                      breaks = c("mean_temp", "min_temp", "max_temp"),
                      values = c("black", "blue", "red"),
                      labels = c("Mean Temp.", "Min Temp.", "Max Temp.")) +
  scale_x_date(date_breaks = "1 month", date_labels = "%b", expand = c(0,0)) +
  scale_y_continuous(limits = c(9,27),breaks = seq(10,26,by=2)) +
  theme_bw() +
  labs(title= "Fish Cr. at mouth", y="Temperature (\u00B0C)", x="") +
  theme(plot.subtitle = element_text(size = 10),
        plot.title = element_text(size=14, face="bold"),
        axis.text=element_text(size=12),
        axis.title=element_text(size=14),
        legend.position = "bottom")


rm(temp)

plot_15110003
```

# Fish Cr. at mouth



```r
# Export plot to file
# ggsave(plot_15110003, file="Figure Plots/Temp Plots/Temp Plot_FishCreek.png", height = 5, width = 8) =

#------------------------------------------------------------------------------------------------------

## Number of days above 20C Plot

temp <- FishCr %>%
  filter(month_day > '06-19' & month_day <= '09-15') %>%
  group_by(year) %>%
  summarize(conditional_count = sum(max_temp > 20))

FishCr_Days20_Plot <- ggplot(data=temp) +
  geom_col(aes(x=as.factor(year),y=conditional_count), fill="brown3", color="black",alpha=0.5) +
  geom_path(aes(x=as.factor(year),y=conditional_count, group = 1), size=1.25) +
  geom_point(aes(x=as.factor(year),y=conditional_count), size =4) +
  scale_y_continuous(expand = c(0,0), limits = c(0,11), breaks = seq(0,10,by=2)) +
  theme_bw() +
  theme(legend.position = "none") +
  labs(title= "Fish Cr. at mouth", y="# of Days", x="Year") +
  theme(plot.subtitle = element_text(size = 10),
        plot.title = element_text(size=18, face="bold")) +
  theme(axis.text=element_text(size=12),
        axis.title=element_text(size=14))

FishCr_Days20_Plot
```

## Fish Cr. at mouth

```
## Air/Water Regression Plot

# Air logger
air <- air_logger("21433138")

# Water logger
water <- FishCr %>%
  filter(longdate > '2024-06-19' & longdate <= '2024-09-15') %>%
  mutate(water_max = max_temp)

# Join air/water readings
airwater_join <- logger_join()

# Calculate Pearson correlation coefficient
correlation <- cor(airwater_join$water_max, airwater_join$air_mean, method = 'pearson')
print(paste("Pearson R:",correlation))
```

```
## [1] "Pearson R: 0.887893235248857"
```

```
# Summary linear model fit
fit <- lm(water_max ~ air_mean, data = airwater_join)
summary(fit)
```

```
## 
## Call:
## lm(formula = water_max ~ air_mean, data = airwater_join)
## 
## Residuals:
##     Min      1Q  Median      3Q     Max 
## -1.6264 -0.4055  0.1052  0.3724  1.7061 
## 
## Coefficients:
##             Estimate Std. Error t value Pr(>|t|)
## (Intercept)  7.89711    0.52886   14.93   <2e-16 ***
## air_mean     0.40069    0.02595   15.44   <2e-16 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
## 
## Residual standard error: 0.6411 on 64 degrees of freedom
## Multiple R-squared:  0.7884, Adjusted R-squared:  0.785 
## F-statistic: 238.4 on 1 and 64 DF,  p-value: < 2.2e-16
```

```r
# Create regression plot
reg_plot_15110003 <- ggplot(airwater_join, aes(x=air_mean, y = water_max)) +
  geom_point(shape= 21, color='black', fill= 'deepskyblue3', size = 2) +
  geom_smooth(method = "lm", se = TRUE, colour = 'black') +
  theme_light() +
  labs(title="Fish Cr. at mouth (Air - Copeland Cr. at mouth)",
       subtitle = "Max Water Temp ~ Mean Air Temp",
       x="Daily Mean Air temperature (\u00B0C)",
       y="Daily Max Water temperature (\u00B0C)") +
  geom_text(x = 15, y = 17.5, label = lm_eqn(airwater_join), parse = TRUE)  +
  geom_text(x = 15, y = 17, label = paste("Pearson R:", round(correlation,3))) +
  theme(plot.title = element_text(size=12, face="bold"),
        plot.subtitle = element_text(size = 11),
        axis.text=element_text(size=8),
         axis.title=element_text(size=10))

reg_plot_15110003
```

## Fish Cr. at mouth (Air – Copeland Cr. at mouth)
Max Water Temp ~ Mean Air Temp



```
#Export plot to file
#ggsave(reg_plot_15110003, file="Figure Plots/Regression Plots/regression_plot_FishCreek.png", height =

#-------------------------------------------------------------------------------

## Climate Scenario (3.5C air temp warming)

# Create vector of new air temps under 3.5C warming scenario
new_temps <- data.frame(air_mean = airwater_join$air_mean + 3.5)

# Use lm to predict new water temps using updated air temps
watertemp_pred <- predict(fit, newdata = new_temps)

# Estimate number of days water temp above 20C given future climate scenario
daysover20_future <- data_frame(daysover20 = sum(watertemp_pred > 20))
print(paste("Predicted # days above 20C (+3.5C future climate):", {daysover20_future$daysover20}))
```

```
## [1] "Predicted # days above 20C (+3.5C future climate): 0"
```

```
rm(new_temps)
rm(watertemp_pred)
```