

LaTeX Cheat Sheet

Tratech GASS KNUST

March 1, 2024

- 1 Document structure Commands
- 2 Content Commands and Usage
- 3 Formatting Commands and Usage
- 4 Section Commands and Usage
- 5 List Commands and Usage

Document Structure Commands

- `\documentclass{...}` - To specify the overall layout of a document.
- `\title{...}` - Sets the main title of the document.
- `\author{...}` - Sets the author of the document.
- `\date{\today}` - Sets the date to the current date.
- `\begin{document}` - Initiates the document structure.
- `\maketitle` - To display the preamble i.e. title, author , date ...
- `\tableofcontents` - For table of contents

Content Commands and Usag

- `%` - Indicate a comment
- `\par` - It is used to create line breaks, similar to pressing "Enter" in a word processor
- `\noindent` - To suppress the indentation
- `\hspace` - To give a space horizontally
- `\vspace` - To give a space vertically

Formatting Commands and Usage

- `\textbf{...}` - Used to make the enclosed text bold
- `\textit{...}` - Used to make the enclosed text italic
- `\underline{...}` - Used to underline the enclosed text.

Section Commands and Usage

- `\section{...}` - To define a new section in the document
- `\subsection{...}` - To define a new section under the main section
- `\subsubsection{...}` - To define a new section under the subsection
- `\section *{...}` - To create an unnumbered section or heading

List Commands and Usage

- `\begin{itemize}` - Starts a bulleted list environment.
- `\begin{enumerate}` - Initiates a numbered list environment.
- `\begin{equation}` - Begins a mathematical equation environment.
- `\begin{table}` - Initiates a table environment.
- `\begin{figure}` - Starts a figure or graphic environment.

Math Commands and Usage

- `$... $` - For inserting mathematical expressions within a line a text
- `\[... \]` - For inserting mathematical expressions to appear as a centered equation on its own line
- `\dots` - For 3 dots (...)
- `\sqrt{...}` - For inserting square root