

GHANA OIL COMPANY LIMITED STOCK PRICE PREDICTION

Group 41

Kwame Nkrumah University of Science and Technology

March 19, 2024



Table of Contents

1. Introduction
2. Overview
3. Descriptive Statistics
4. Stationarity Test
5. Differencing
6. Estimation of VAR/ VEC Models
7. LLS Criteria and Cointegration
8. Cointegration
9. Long And Short Run Equilibrium
10. Short Run Relationship
11. Estimation of VEC Model



Objective

1. Reduce the dangers linked to oil price changes.
2. Help investors understand their investments better.
3. Analyze past pricing trends of Ghana Oil products and their influencing factors.
4. Create a model to predict future product prices based on historical data patterns.



Chapter 4: Result And Discussion

This chapter analyses and discusses the results.

Data spanning [January, 2018](#) to [March, 2024](#) are obtained from the Ghana Oil Company Limited, covering two products;

- Gasoil

- Gasolin

- Kerosene

- Liquefied Petroleum Gas (LPG)

All associated tests and models are generated with R



Start Up

- ◇ Plotting and Descriptive Statistics
- ◇ Stationarity Test
- ◇ Differencing If Not Stationary
- ◇ Plotting of ACF and PACF



Estimation Of Model

- ◇ Lag Length Selection (LLS)
- ◇ Cointegration Test
- ◇ Long Run Equilibrium
- ◇ Short Run Equilibrium
- ◇ Estimation of VEC Model (If There is cointegration)
- ◇ Model Validation
- ◇ Forecast of Ex-Pump prices of Products



Descriptive Statistics

In all, 75 observations are used (January, 2018 to March, 2024).

Training data of 144 observations (January 2007 to December 2012) for modelling

Testing data of 60 data points (January 2013 to June 2015) for model validations.

The descriptive statistics of the products are shown in Table 1 on page 8



Summary Statistics

Table: 1 Summary Statistics

Statistics	GASOIL	GASOLINE	KEROSENE	LPG
Mean	122.445	123.570	82.989	94.766
Maximum	175.480	177.090	120.420	136.190
Minimum	11.600	49.170	6.470	58.500
Standard Deviation	32.306	31.817	27.186	20.609
Skewness	-0.201	0.1307	-1.988	0.413
Kurtosis	3.374	2.123	6.293	2.292
Number of Observations	144	144	144	144




Highest




Lowest




Plot of Original Series




(a) GASOLINE



(b) GASOIL



(c) KEROSENE



(d) LPG

Figure: 1 Time Series Plot of the Original Series



Stationarity Test

We have numerous ways of testing for the presence of a unit root. We have chosen to apply

Augmented Dickey-Fuller Test

H_0 : The series is not stationary

H_1 : The series is stationary.

Phillips-Perron Unit Root Test

H_0 : The series is not stationary

H_1 : The series is stationary.

KPSS Test for Level Stationarity

H_0 : The series is stationary

H_1 : The series is not stationary.

Stationarity of Original Series

Table: 2 Univariate URTs of the Original Series

Series	Lag Order	(Test Statistics)		(P-Values)	
		ADF	KPSS	ADF	KPSS
GASOLINE	5	-2.738	2.370	0.269	0.010
GASOIL	5	-2.450	2.437	0.389	0.010
KEROSENE	5	-3.106	0.709	0.166	0.010
LPG	5	-1.975	1.497	0.587	0.010

Is Stationary ?


It is observed that for ADF, all the p-values of the series are greater than 0.05 and this indicates non stationarity. The KPSS test also showed the same results. We now difference the series since the series are not stationary.

First Difference

Since all the series (Gasoline, Gasoil, Kerosene, LPG) are not stationary we perform 1st differencing in order to achieve stationarity; The figure 2 below is a plot after the first differencing .




Plot of First Differenced Series



(a) GASOLINE



(b) GASOIL



(c) KEROSENE



(d) LPG

Figure: 2 Time Series Plot of the Original Series



Stationarity of First Differenced Series

Table: 3 Univariate URTs of the Differenced Series

Series	Lag Order	(Test Statistics)		(P-Values)	
		ADF	KPSS	ADF	KPSS
GASOLINE	5	-7.781	0.031	0.010	0.10
GASOIL	5	-5.537	0.045	0.010	0.10
KEROSENE	5	-4.493	0.263	0.010	0.10
LPG	5	-4.473	0.063	0.010	0.10

Is Stationary ?

It is observed that for ADF, all the p-values of the series are less than 0.05 and this indicates the stationarity. The KPSS test also showed the same results. We now estimate the models since the series have attained stationarity.

ACF Plot of First Differenced Series



Figure: 3 ACF of the Differenced Series



PACF Plot of First Differenced Series



Figure: 4 PACF of the Differenced Series



What Next After Series is Stationary ?

Estimation of VAR/ VEC Models

- ◇ Lag Length Selection (LLS)
- ◇ Cointegration Test
- ◇ Long Run Equilibrium
- ◇ Short Run Equilibrium
- ◇ Estimation of VEC Model (If There is cointegration)
- ◇ Model Validation
- ◇ Forecast of Ex-Pump prices of Products



Estimation of VAR/ VEC Models

Estimating parameters of **Vector Autorelation** (VAR) or **Vector Error Correction** (VEC) models require that variables are covariance stationary

VAR for instance cannot be used if the variables are not stationary. Also, if the data is non-stationary, the forecast cannot be done because **VAR assumes stationarity**

We then test for the long run relationship using **Johansen's cointegration test**.

That is if the result confirms that there is a long-run relationship among the variables, we can proceed to the VEC model.

The first step involved in estimating is to first determine the lag Length or order.

Lag Length Selection (LLS) Criteria

LLS is significant for VAR/VEC models since selecting too few intervals to result in a cointegrated error and selecting too many intervals may lead to unnecessary loss of degrees of freedom

Three of the LLS criteria are used, namely ;

FPE (Final Prediction Error)

AIC (Akaike Information Criterion)

BIC (Bayesian Information Criterion), aka SC (Schwarz Criterion)

FPE, AIC, and BIC support the inclusion of lag 1 as italicized, and starred in Table 4.



Table: 4 Lag Length Selection Criteria

Lag	FPE	AIC	BIC
0	1.03×10^9	32.107	32.192
1*	117944.1*	23.029*	23.454*
2	127300.7	23.105	23.869
3	142926.7	23.219	24.3224
4	149122.0	23.259	24.701
5	169942.3	23.385	25.167
6	156708.8	23.297	25.419

From Table 4, we can rely on information criteria as only one of these three tests; FPE, AIC, and BIC obtained minimum values at the indicated lag. The test displays **lag 1** as the optimum. Thus, the lag length for the estimation is 1.

What Next After Lag Length Selection

Once the unit roots and lag length selections are determined for a time series data, the next step is to inspect whether there exists a **Cointegration (Long run relationship)** among the variables or not.



Cointegration : Long Run Relationship

Cointegration analysis is important because, if two or more non-stationary variables are cointegrated, a VAR model in the first difference is mis-specified due to the effects of a common trend. The cointegration test determines the type of the regression model to be applied i.e. VAR or VEC

Cointegration Test

H_0 : There is no cointegration equation.

H_1 : There is a cointegration equation



Table: 5 Determining the Number of Cointegrated Equations

Number of EC	Eigenvalues	Trace Statistic	P-Value	Max-Eigen Statistic	P-Value
None*	0.358	79.102	0.000	62.959	0.000
At most 1	0.070	16.143	0.702	10.258	0.720
At most 2	0.033	5.885	0.709	4.778	0.769
At most 3	0.008	1.107	0.293	1.107	0.293

Conclusion

Remarkably, the Trace test and max-Eigen statistics suggest the existence of a cointegrated equation (CE).

We shall take into account this fact at the next step.

Since all the series are $I(1)$ and cointegrated, the products ought to be modelled as a VEC model

As a result, a cointegration relationship is obtained. This throws more light on the long run relationships among the products. Consequently, the products; **GASOLINE, GASOIL, KEROSENE, and LPG** prices are linked by a long run equation.

Once the unit roots and lag length selections are determined for a time series data, the next step is to inspect whether there exists a long-run equilibrium relationship among the variables or not.



Long Run Relationship

The cointegrating (long-run) relationship is estimated to be;

$$\text{GASOLINE} = -0.0221 \text{ GASOIL} + 0.027 \text{ KEROSENE} - 0.580 \text{ LPG}$$

Thus, with GASOLINE price as the endogenous variable, the long-run relationship indicates that the ex-pump prices of the other products have long run effects.

Specifically, the results indicate that the other products have a negative relation with GASOLINE price in the long run (except KEROSENE), all things being equal.



Log Run Equilibrium

The coefficients of the error correction terms (ECT) [Table 6, 7, 8, 9] show the speed of adjustments of disequilibrium in the period under study.

The negative sign associated with the error term is simply a departure in one direction. These are satisfying as they imply convergence in the long run. That is, deviation from the long run is corrected



Table: 6 Gasoline Model

Parameters	Coefficient	S.E	t-satistics
GASOLINE Model			
(Gasoline) _{t-1}	0.691	0.189	3.650*
(Gasoil) _{t-1}	-0.0221	0.386	-1.561*
(Kerosene) _{t-1}	0.027	0.091	0.294
(LPG) _{t-1}	-0.580	0.262	-2.211
Constant	0.006	0.805	0.007
ECT	-0.613	0.145	-11.118*

The negative coefficients of the error term for GASOLINE prices indicate dynamic stability, suggesting rapid adjustment speeds.

The magnitude of the correction of the imbalances suggest that , 61.3% of the imbalances in GASOLINE prices are corrected.

Table: 7 Gasoil Model

Parameters	Coefficient	S.E	t-statistics
GASOIL Model			
(Gasoline) _{t-1}	0.524	0.126	4.165*
(Gasoil) _{t-1}	-0.783	0.256	-3.059*
(Kerosene) _{t-1}	-0.002	0.060	-0.030
(LPG) _{t-1}	-0.214	0.174	-1.227
Constant	0.017	0.535	0.032
ECT	-0.695	0.096	-7.215*

Concerning GASOIL prices, it indicates 69.5% of shocks in its prices (imbalance) are corrected every two weeks.



Table: 8 Kerosene Model

Parameters	Coefficient	S.E	t-statistics
KEROSENE Model			
(Gasoline) _{t-1}	0.058	0.163	0.359
(Gasoil) _{t-1}	-0.002	-0.085	-0.256
(Kerosene) _{t-1}	-0.518	0.078	-6.652*
(LPG) _{t-1}	0.059	0.225	0.263
Constant	0.001	0.692	0.002
ECT	-0.039	0.125	-0.313

For the KEROSENE price, 3.9% of such imbalances are corrected every two weeks



Table: 9 LPG Model

Parameters	Coefficient	S.E	t-statistics
LPG Model			
(Gasoline) _{t-1}	0.054	0.106	0.505
(Gasoil) _{t-1}	-0.080	0.216	-0.370
(Kerosene) _{t-1}	0.010	0.051	-0.197
(LPG) _{t-1}	-0.450	0.147	-3.058*
Constant	0.020	0.452	0.044
ECT	-0.036	0.081	-0.437

In the case of LPG price, only 3.6% of such imbalances are corrected.



Short Run Relationship

The short run relationships of the models are explained by the VEC model coefficients as presented in Table 6, 7, 8, 9

Gasoline

Looking at the coefficients, it is observed (Table 6) that in the short-run, GASOLINE price [3.65*] is significant. This is an indication that GASOLINE price exhibits an increment of 69.1% by itself and 2.21% reduction by GASOIL price whiles the others are not significant.



Short Run Relationship

Gasoil

Also, it is observed that GASOIL price [4.17*] is significant by Gasoline. This is an indication that GASOIL price exhibits an increment of 52.4% by GASOLINE price with a 78.3% reduction by itself.

The other products also exhibit both increment and reduction by themselves and/or other products. This is because the coefficients of these products are significant. The short-run results also indicate that the variables influence each other.

Considering GASOLINE price as the dependent variable, it appears the ex-pump prices of the other products influence it. The consequence of this result is that increase ex-pump prices of one or more products are likely to influence others



Long And Short Run Relationship

Now, having analyzed both the short and long-run relationships existing among the variables, the VEC models are estimated, diagnosed, and validated, and finally, forecasts are generated.



Estimation of VEC Model

The VEC models are estimated using these equations,

$$w_t = c + \phi_{11}w_{t-1} + \phi_{12}x_{t-1} + \phi_{13}y_{t-1} + \phi_{14}z_{t-1} + \epsilon_t \quad (1)$$

$$x_t = c + \phi_{21}w_{t-1} + \phi_{22}x_{t-1} + \phi_{23}y_{t-1} + \phi_{24}z_{t-1} + \epsilon_t \quad (2)$$

$$y_t = c + \phi_{31}w_{t-1} + \phi_{32}x_{t-1} + \phi_{33}y_{t-1} + \phi_{34}z_{t-1} + \epsilon_t \quad (3)$$

$$z_t = c + \phi_{41}w_{t-1} + \phi_{42}x_{t-1} + \phi_{43}y_{t-1} + \phi_{44}z_{t-1} + \epsilon_t \quad (4)$$



The results of VAR are reported by the 4 equations below. The VEC models are computed with one lag. The models relating the products to their lags and that of others may best be described as;

$$\begin{bmatrix} w_t \\ x_t \\ y_t \\ z_t \end{bmatrix} = \begin{bmatrix} 0.006 \\ 0.017 \\ 0.001 \\ 0.020 \end{bmatrix} + \begin{bmatrix} 0.691 & 0.0221 & 0.027 & -0.580 \\ 0.524 & -0.783 & -0.002 & -0.214 \\ 0.058 & -0.002 & -0.518 & 0.059 \\ 0.054 & -0.080 & 0.010 & -0.450 \end{bmatrix} \begin{bmatrix} w_{t-1} \\ x_{t-1} \\ y_{t-1} \\ z_{t-1} \end{bmatrix} + \begin{bmatrix} ECT_{pg} & 0 & 0 & 0 \\ 0 & ECT_g & 0 & 0 \\ 0 & 0 & ECT_k & 0 \\ 0 & 0 & 0 & ECT_l \end{bmatrix} \begin{bmatrix} -1.613 \\ -0.695 \\ -0.039 \\ -0.036 \end{bmatrix}$$



where, $\begin{bmatrix} w_t \\ x_t \\ y_t \\ z_t \end{bmatrix}$, represents the projects GASOLINE, GASOIL, KEROSENE,

LPG prices at the time t, $\begin{bmatrix} ECT_{pg} & 0 & 0 & 0 \\ 0 & ECT_g & 0 & 0 \\ 0 & 0 & ECT_k & 0 \\ 0 & 0 & 0 & ECT_l \end{bmatrix}$

refers to the error corrected terms (ECT) for each model, (pg, g, k, and L respectively representing GASOLINE, GASOIL, KEROSENE, and LPG

prices), and $\begin{bmatrix} w_{t-1} \\ x_{t-1} \\ y_{t-1} \\ z_{t-1} \end{bmatrix}$ referring to the lags of the products (i.e. lag 1).

The summary of the results of the VEC models is presented in Table 10



Table: 10 Summary Results of the Models

Statistics/Products	GASOLINE	GASOIL	KEROSENE	LPG
F-statistic	31.515	18.810	9.884	8.133
Prob (F-statistic)	0.000	0.000	0.000	0.000
S.E.	9.562	6.351	8.218	5.367
R-squared	53.9%	41.1%	26.8%	23.1%

Table 10 is a summary of the statistics of the VEC models. The results indicate that the models perform creditably well. GASOIL appears to be the best in terms of the variability accounted for.

