

Zenaian Data Processing, Retention & International Transfer Register

PIPA-first internal register + statutory archive design + account-deletion matrix

Final pre-implementation version 1.0 | August 14, 2026 | Repository snapshot d9137c605755

Final pre-implementation compliance specification. Operator/CPO placeholders remain for manual completion. Re-check Korean law in force on the actual launch date before publication.

1. Revision outcome and governing principles

- PIPA is the primary privacy-law baseline. GDPR principles are used only as a voluntary engineering cross-check where they reinforce minimization, transparency, access and deletion.
- Zenaian is a 19+ service. This is a conservative contracting rule based on Korean Civil Act Articles 4-5, not a statement that PIPA requires all online services to use 19 as a privacy age threshold. [L6]
- No behavioral analytics, advertising profiling, cross-site tracking, or third-party analytics are part of the launch architecture.
- Question content is a transient content plane: deliberate screenshot + optional instruction -> Render RAM -> xAI ZDR -> transient result -> deletion. No question, screenshot, prompt, or answer history is created.
- Persistent data is limited to account/authentication, security/session state, quota accounting, billing/subscription state, and legally required transaction records.
- When ordinary processing is finished, PIPA Article 21 requires destruction without delay; information retained under another law is stored and managed separately. The design therefore uses a segregated legal-retention schema rather than preserving a dormant live account. [L1]
- xAI ZDR is confirmed active in the production team. Production requests must fail closed if the response does not confirm ZDR.
- Users must not intentionally submit identifiable sensitive personal information. PIPA Article 23 generally prohibits processing sensitive information absent a specific exception; transient accidental submission is mitigated by warning, minimization, transport security and ZDR. [L1]
- Render API and PostgreSQL are deployed in Virginia, United States. The public website is contracted through Hosting.kr / Megazone in Korea. Hosting.kr describes its Linux webhosting as AWS-based. Its current privacy policy separately lists overseas processors/transfers but does not identify its webhosting AWS infrastructure as an overseas transfer. For this specification, website hosting is therefore classified as domestic Korean entrusted processing; the internal best-effort infrastructure assumption is AWS Seoul (ap-northeast-2), but the exact AWS region is not asserted publicly. [V19][V20]

2. PIPA legal-basis key

The quoted language below is a working English translation for clarity. The Korean statutory text controls.

Article	Basis / rule	Working article language	Zenaian use
PIPA Art. 15(1)(2)	Legal obligation	"where there is a special statutory provision, or processing is unavoidable in order to comply with a legal obligation."	Korean e-commerce transaction retention; legally required response/incident records.
PIPA Art. 15(1)(4)	Contract / requested pre-contract measures	"where necessary to perform a contract concluded with the data subject, or to take measures requested by the data subject in the process of concluding a contract."	Account, authentication, requested screenshot analysis, quota, billing/access.

Article	Basis / rule	Working article language	Zenaian use
PIPA Art. 15(1)(6)	Legitimate interest	"where necessary to achieve the controller's legitimate interests and those interests clearly take precedence over the data subject's rights," provided the interest is substantially related and processing stays within a reasonable scope.	Narrow security, replay prevention, rate limiting, fraud/abuse controls and short diagnostic records.
PIPA Art. 21	Destruction / separation	When data becomes unnecessary because the retention period expires or the processing purpose is achieved, it must be destroyed without delay; records preserved under another law must be stored and managed separately.	Deletion engine, scheduled purges, segregated statutory archive.
PIPA Art. 23	Sensitive information	Sensitive information generally must not be processed unless a statutory exception applies, including separate consent or processing required/permitted by law.	Zenaian prohibits intentional submission; no sensitive-data product feature.
PIPA Art. 28-8(1)(3)	Necessary overseas outsourcing/storage	Overseas outsourcing or storage necessary for contracting/performance may be used when the prescribed transfer details are disclosed in the privacy policy or otherwise notified.	Render, Clerk, xAI and configured Google Workspace; limited Whop provider-ID transfers after metadata minimization.

3. Processing and retention register

ID	Data / system	Purpose	Location / recipient	PIPA basis	Retention	Deletion / export
DP-01	Clerk account profile: Clerk user ID, primary email, display name/name, authentication configuration	Create/authenticate account and provide account UI	Clerk; limited profile cached to extension	15(1)(4)	Account lifetime	Delete Clerk user after operational deletion succeeds. Export identity/profile fields.
DP-02	Clerk session/authentication/security data	Authenticate sessions and protect account	Clerk	15(1)(4); 15(1)(6)	Active account/session; provider lifecycle	Revoke/delete with account. Never export secrets, password hashes, MFA secrets or tokens.
DP-03	Extension custom instruction stored in chrome.storage.local	User personalization	User device only until submitted	15(1)(4)	Until changed/cleared/uninstalled/browser data cleared	Local-only; provide Clear/Reset. Server export states that local settings are not held server-side.
DP-04	Extension local access/refresh credentials + limited profile	Keep extension authenticated	User device	15(1)(4); 15(1)(6)	Until logout/revocation/expiry	Remove on logout/deletion; revoke server session.
DP-05	Pairing nonce in chrome.storage.session	Secure one-time pairing	User device	15(1)(6)	Minutes	Remove on exchange/expiry/logout.
DP-06	extension_pairing_grants: hashed code/nonce, Clerk IDs, extension ID, expiry/consumption	Secure pairing and replay prevention	Render PostgreSQL - Virginia, US	15(1)(4); 15(1)(6); 28-8	Unconsumed until expiry; consumed/expired cleanup <= about 1 hour	Delete automatically; immediate delete on account deletion.
DP-07	extension_device_sessions: session ID, Clerk IDs, extension ID, token versions, timestamps	Extension authentication and credential rotation	Render PostgreSQL - Virginia, US	15(1)(4); 15(1)(6); 28-8	Active refresh lifetime (current default 30d); expired/revoked ordinary cleanup after short grace	Revoke immediately on delete; delete row in deletion workflow rather than waiting for grace.
DP-08	Screenshot / imageDataUrl intentionally captured	Core MCQ analysis	Browser -> Render RAM Virginia -> xAI ZDR	15(1)(4); 28-8	Transient only through completion/cancel/timeout	Never persist. Clear in finally blocks. Not in export/history.
DP-09	Optional instruction + capture mode/request body	Core inference customization	Browser -> Render RAM -> xAI ZDR	15(1)(4); 28-8	Transient only	Never persist request content. Not in history/export.
DP-10	Incidental identifiable sensitive data in screenshot/instruction	Not an intended purpose	Potential transient Render/xAI path	Art. 23 restriction	Transient only if accidentally submitted	Pre-capture warning; prohibit intentional submission; no sensitive-data profile/store; ZDR.

ID	Data / system	Purpose	Location / recipient	PIPA basis	Retention	Deletion / export
DP-11	xAI API input/output	Generate requested answer	X.AI LLC; US; xAI subprocessors mainly US with UK support subsidiary	15(1)(4); 28-8	ZDR only; no durable User Content after inference under current xAI terms	Runtime verify x-zero-data-retention:true; fail closed otherwise.
DP-12	Analysis job result: answer label/status, model, usage, response ID	Allow extension polling	Render process memory	15(1)(4)	Current default ~2 min after completion	Automatic in-memory deletion; no answer history.
DP-13	billing_analysis_usage: operation UUID, user ID, period ID, plan/model, state, timestamps	Quota idempotency/reconciliation	Render PostgreSQL - Virginia	15(1)(4); narrow 15(1)(6); 28-8	30 days after settlement	Scheduled purge; immediate delete on account deletion after reconciliation.
DP-14	billing_usage_periods: user ID, period key, plan, allowance/consumed/reserved, dates	Quota enforcement and account usage display	Render PostgreSQL - Virginia	15(1)(4); 28-8	Period end + 90 days	Scheduled purge; immediate delete on account deletion.
DP-15	In-memory rate-limit/concurrency state keyed by user	Security/availability/abuse prevention	Render RAM - Virginia	15(1)(6); 28-8	Current rate-limit window only	Expires naturally; reset/block on deletion.
DP-16	billing_checkout_sessions: user ID, plan, Whop product/plan/checkout IDs, temporary URL/status/timestamps	Create and reconcile checkout	Render PostgreSQL + limited provider checkout ID exchange with Whop	15(1)(4); 28-8	Pending TTL ~30m; failed/expired 7d; consumed 30d	Null temporary URLs promptly; purge. Immediate delete after statutory snapshot if account deleted.
DP-17	billing_memberships: provider membership IDs, user ID, plan/access/renewal/cancel/payment state	Paid entitlement and renewal management	Render PostgreSQL + Whop	15(1)(4); 28-8; legal archive 15(1)(2)	While active; terminal operational copy <=90d	On delete: stop entitlement, request renewal cancellation, archive only statutory minimum, delete live row.
DP-18	billing_payment_history: provider payment ID, user ID, plan/status/timestamps; final target adds minimal amount/currency/tax fields	Recent account payment history and reconciliation	Render PostgreSQL + Whop	15(1)(4); statutory archive 15(1)(2)	Live UI copy max 12 months; statutory copy 5y where applicable	Archive statutory record on confirmed payment event; purge old live rows; on deletion delete live row immediately after archive.
DP-19	billing_provider_events: IDs, digest, state/error, sanitized_payload	Webhook idempotency and billing recovery	Render PostgreSQL - Virginia	15(1)(4); 15(1)(6); 28-8	30 days	Existing purge; ensure sanitized payload excludes customer PII/content. Delete on account deletion when linkable and no retry needed.
DP-20	Legacy Lemon Squeezy structures including old raw webhook body field	No continuing production purpose	Render PostgreSQL if still present	No basis once obsolete	Zero production retention	Forward migration: validate no legally needed records, then drop obsolete tables/columns. Never re-enable raw webhook-body storage.
DP-21	Render application/HTTP logs: request IDs, method/path/status, safe error codes, timing	Operations/security/reliability	Render - Virginia	15(1)(6); 28-8	Native Render plan retention only: 7/14/30d depending workspace; no external log sink	Never log screenshot, prompt, answer, raw webhook body, auth token, payment method, or unnecessary email/IP. Cannot promise per-user physical deletion from provider logs; short automatic retention is the control.
DP-22	Render Postgres recovery copies	Disaster recovery	Render - Virginia	Underlying basis + security; 28-8	PITR 3d Hobby / 7d Pro+; logical exports 7d if manually created	Do not create long-lived manual exports by default. Reapply completed deletions after any restore before reopening production.
DP-23	legal_retention.transaction_records: minimum contract/payment/supply/complaint record + HMAC lookup keys	Comply with Korean E-Commerce Act retention	Separate restricted schema in Render PostgreSQL - Virginia	15(1)(2); Art.21 separation; 28-8	Contract/withdrawal 5y; payment/supply 5y; complaint/dispute 3y	Not deleted on account deletion until statutory expiry. No live Clerk ID or raw email. Purge automatically at retention_expires_at.

ID	Data / system	Purpose	Location / recipient	PIPA basis	Retention	Deletion / export
DP-24	privacy_request_audit: request ID, hashed subject reference, request type, timestamps, outcome/exceptions	Demonstrate request handling and support retries	Render PostgreSQL - Virginia	15(1)(2) where necessary; otherwise narrow 15(1)(6)	1 year after completion unless an actual legal dispute requires longer	No copy of exported/deleted payload. Purge at 1 year.
DP-25	Privacy support email to privacy@zenaia.com	Fallback channel for rights/privacy inquiries	Planned Google Workspace	15(1)(4)/(2) depending request; 28-8 if configured US at rest	Target 365d auto-delete; extract statutory complaint minimum if 3y retention applies	Primary rights path is authenticated product UI. No forwarding to personal Gmail. No indefinite mailbox archive.
DP-26	Public website hosting access/security logs	Deliver static/public website and secure hosting	Hosting.kr / Megazone - domestic Korean contractor; AWS-based hosting; internal assumption AWS Seoul	15(1)(6); PIPA Art.26 entrusted-processing controls	Provider-native active raw logs only; no Zenaia-created archive by default; if temporarily archived, remove previous-month archive at month-end; downloaded incident log <=30d	Disable Webalizer, AWStats and Analog Stats. Do not enable raw-log archiving by default. Hosting files remain while service operates. If Zenaia later terminates hosting, use explicit customer cancellation; Hosting.kr states user-requested cancellation is immediately deleted without long-backup recovery. [V19][V21][V22][V23]
DP-27	Whop buyer/payment data collected directly by Whop: account/contact/payment/billing/tax data	Checkout/payment/tax/fraud/dispute under Whop service	Whop and financial/tax partners; Whop has independent buyer/platform/payment roles	Primarily collected directly by Whop under Whop terms/privacy; Whop Seller Data Sharing Addendum governs Whop-Seller sharing by incorporation; Zenaia processes only returned minimum	Whop/provider legal retention; Zenaia stores only minimum fields above	Do not copy card data/billing address or broad buyer profile. New integration sends no Zenaia user-identifying custom checkout metadata. [V10][V14][V24]
DP-28	Whop provider IDs sent by Zenaia for checkout/cancellation/reconciliation (checkout/membership/payment IDs)	Manage subscription requested by user	Zenaia <-> Whop, US	15(1)(4); 28-8	Only for active relationship/provider legal lifecycle	Send provider-native IDs/commands only. Omit all Zenaia user-identifying custom metadata on new checkout; map using checkout_configuration_id and locally stored provider IDs. [V12][V13]
DP-29	Google Workspace admin/security logs for privacy mailbox	Secure business email administration	Google Workspace	15(1)(6); 28-8	Google product-defined security/admin retention	Do not export or duplicate unless incident requires it.

4. Statutory legal-retention archive design

Design rule

Create one separate PostgreSQL schema, e.g. legal_retention, used only by a narrow service. It must not be joined into normal account/entitlement queries, analytics, marketing, or product personalization. This is the technical implementation of PIPA Article 21 separation while keeping the code change small.

The archive should be populated idempotently from confirmed Whop transaction events, not only when an account is deleted. That allows the live payment-history table to stay short while the legally required record survives for its statutory period.

Field	Value	Rule
record_id	Random UUID	Internal archive record key.
record_category	contract_withdrawal payment_supply complaint_dispute	Controls statutory retention clock.

Field	Value	Rule
subject_lookup_hmac	HMAC-SHA-256(normalized primary email) with dedicated legal-archive key/version	Allows a former user who provides the same email to be matched without retaining raw email.
former_account_hmac	HMAC-SHA-256(Clerk user ID)	Secondary integrity/dedup reference; not usable as a live account ID.
provider	whop	Provider reference.
provider_payment_id / provider_membership_id / provider_checkout_id	Provider IDs as applicable	Allows reconciliation/retrieval without keeping Clerk linkage.
plan_code / product_id / plan_id	Minimum product/contract identification	Contract/payment record.
settlement_amount / currency	Minimum amount actually charged if Whop API returns it	Payment record. Do not store payment method/card/billing address.
tax_amount / tax_behavior	Only if returned by Whop	Supports receipt/payment record; product uses exclusive tax behavior.
billing_reason / payment_status / refund_or_dispute_status	Minimum lifecycle state	Payment, refund and dispute record.
contracted_at / paid_at / canceled_at / refunded_at / disputed_at	Relevant timestamps	Statutory record timing.
retention_basis / retention_expires_at	E-Commerce Act category and calculated expiry	Automatic destruction trigger.
key_version	HMAC key version	Controlled key rotation without storing raw identifiers.

- Do not store screenshots, prompts, answers, IP addresses, access tokens, Clerk tokens, passwords, MFA data, full webhook payloads, card details, billing address, or raw email in the legal archive.
- Do not fetch extra Whop customer data solely because it exists. Archive only fields reasonably needed to evidence the contract/payment/complaint record.
- For public offer/advertising records, preserve versioned pricing/offer text for at least 6 months. Those snapshots need not contain personal data. [L5]
- If a valid consumer withdrawal/refund request occurs, update the statutory record and preserve the relevant outcome for the applicable period; do not keep the entire support email for three years if a minimized complaint/dispute record suffices.

5. Account deletion matrix

System	Deletion action	Timing	Notes
In-flight analysis job	CANCEL + CLEAR	Immediate	Abort job; clear screenshot/instruction; release quota reservation if appropriate.
Extension local session	REVOKE + client clears local state	Immediate	Website cannot directly erase an offline browser; server revocation makes token unusable and extension clears when notified/next opened.
Pairing grants	DELETE	Immediate	Delete by Clerk user ID.
Device sessions	REVOKE then DELETE	Immediate	Do not wait for ordinary 7d cleanup.
Rate-limit state	BLOCK/REMOVE	Immediate	Deletion state prevents new work.
Usage operations/periods	DELETE	Within workflow	After no unsettled reservation remains.
Checkout sessions	DELETE	Within workflow	First preserve any legally required contract record; null checkout URL.
Membership live rows	LEGAL-ARCHIVE minimum -> DELETE	Within workflow	Immediately remove Zenaian entitlement. Request Whop future-renewal cancellation first/with retry.
Payment-history live rows	LEGAL-ARCHIVE minimum -> DELETE	Within workflow	Legal archive remains until statutory expiry.
Webhook/provider events	DELETE where linkable and not needed for active retry	Within workflow/30d ceiling	Keep only minimal retry state if provider cancellation temporarily fails.

System	Deletion action	Timing	Notes
Clerk user	DELETE	Final external step	Delete after local block/archive/provider-cancellation initiation succeeds. Retry safely if Clerk unavailable.
xAI content	ALREADY TRANSIENT / ZDR	No historical record	No deletion propagation expected for content because ZDR has no durable content copy.
Whop independent buyer/payment records	PROVIDER-CONTROLLED	Per Whop/legal requirements	Zenaian stops renewal and removes its live link; do not promise deletion of records Whop independently must retain.
Legal transaction archive	LEGAL-RETAIN	3y/5y as applicable	Restricted; no normal product use; automatic purge at expiry.
Privacy request audit	LEGAL/ACCOUNTABILITY RETAIN	1 year	Hashed/minimized only.
Render backups/PITR	AGE OUT	3d/7d PITR depending plan; logical export 7d if created	Deletion applies to live DB. If restored, deletion ledger must be replayed before production.
Google privacy mailbox	DELETE / AUTO-DELETE	Target <=365d	Statutory complaint facts moved to legal archive first when required.
Hosting.kr website logs	AGE OUT / provider-native rotation	No Zenaian archive by default	No application account database should exist on the website host. Disable visitor-statistics packages and raw-log archiving. If incident logs are downloaded, delete within 30 days.

6. International transfer & processor register

Recipient / role	Destination	Data	Purpose	Timing/method	Retention	PIPA treatment
Render Services, Inc. - hosting processor	US - Virginia (confirmed deployment)	Clerk user IDs, extension session/usage/billing metadata; transient screenshot/instruction in server RAM	API/database hosting, security and recovery	TLS/network transfer; continuous service	Operational schedules above; native logs 7/14/30d; PITR 3/7d	PIPA 28-8(1)(3): necessary overseas outsourcing/storage for contract performance; disclose Art.28-8(2) details. [V5][V6][V7]
Clerk, Inc. - authentication processor; independent controller for its Account Information under Clerk DPA	United States; subprocessors may operate elsewhere per current list	Email/name/account/session/security information	Authentication, account management and account security	At signup/login/session verification	Account lifetime/provider-defined security lifecycle; delete Clerk user on account deletion	PIPA 28-8(1)(3) contract outsourcing/storage; disclose. Review DPA/subprocessor changes. [V8][V9]
X.AI LLC - inference processor	United States; public subprocessor list is predominantly US plus a UK support subsidiary	Transient screenshot + instruction/prompt + generated output; incidental ordinary personal data possible	Generative-AI inference	Each deliberate capture over TLS	ZDR: no durable User Content after processing under current terms; production header must confirm true	PIPA 28-8(1)(3); ZDR active. User is warned not to intentionally submit sensitive personal data. [V1][V2][V3][V4]
Whop, Inc. + payment/tax partners - payment platform with independent buyer-facing roles	United States and other locations used by Whop/partners	OUTBOUND: provider checkout/membership/payment IDs and cancellation/reconciliation commands only. INBOUND: minimum transaction/access state; Whop may independently share limited purchase/contact/profile information with the seller under its privacy/data-sharing terms. Buyer payment/tax data is collected directly by Whop at checkout.	Checkout, recurring billing, tax calculation/collection/remittance where supported, refund/dispute/payment processing	At checkout/provider events/cancellation	Whop/provider legal retention; Zenaian operational provider records follow short schedule; separate Korean statutory archive	Minimize Art.28-8 outbound transfer by sending no Zenaian user-identifying custom metadata on new checkout. Provider-ID transfers are necessary to perform/manage subscription. Seller data sharing is governed by Whop Seller Terms/Data Sharing Addendum incorporation and Privacy Policy. [V10][V12][V13][V14][V24]

Recipient / role	Destination	Data	Purpose	Timing/method	Retention	PIPA treatment
Google Workspace / Google LLC - planned privacy mailbox processor	RECOMMENDED: United States for covered data at rest; service/support processing may occur in countries on Google's subprocessor list	Privacy emails and attachments voluntarily submitted; admin/security data	Privacy/support correspondence	When user emails privacy@zenaia.com	Target 365d auto-delete for ordinary closed mail; minimized statutory complaint record separately when required	PIPA 28-8(1)(3) where used for service/privacy support; disclose configured US data-at-rest plus subprocessor processing. Setup standard below. [V15]-[V18]

6A. Domestic website-hosting processor

Hosting.kr / Megazone Co., Ltd. is treated as a domestic Korean entrusted processor for www.zenaia.com in this specification. Hosting.kr states that its Linux hosting is AWS-based, while its current privacy policy separately identifies its listed overseas outsourcing recipients and does not identify webhosting AWS infrastructure as an overseas transfer. The exact underlying AWS region is not publicly named; the internal best-effort assumption is AWS Seoul. This is not a user-facing claim and must be corrected if later provider/account evidence shows otherwise. [V19][V20]

- No Zenaia account database, screenshot content, Clerk sessions, Whop records or xAI requests are stored on the website host.
- Disable Webalizer, AWStats and Analog Stats in cPanel Metrics Editor. Do not use them as product/marketing analytics. [V22]
- Do not enable cPanel raw-access-log archiving by default. If an incident requires an archived/downloaded log, retain the downloaded copy no longer than 30 days unless a documented legal/security need requires less/longer. If temporary cPanel archiving is enabled, enable removal of the previous month archive at month-end. [V21]
- If Zenaia later terminates the hosting service, use explicit customer-requested cancellation rather than simple expiry; Hosting.kr states user-requested cancellation does not receive the 7-day/90-day recovery retention and is deleted immediately without recovery. [V23]

7. Google Workspace configuration standard (to apply when created)

1. Use Google Workspace Business Standard as the default edition unless a later business need justifies Business Plus/Enterprise. Business Standard supports a fundamental data-at-rest region policy.
2. Set covered Workspace data at rest to United States. Korea is not currently offered as a Workspace data-region choice; the available choices are US, Europe or No preference. Do not describe processing as exclusively US because Business Standard does not constrain every processing/support operation to the selected at-rest region. [V15]
3. Create privacy@zenaia.com as a dedicated mailbox. Do not forward privacy mail to a personal Gmail account.
4. Enable and enforce 2-Step Verification for administrator accounts and privacy@zenaia.com; prefer passkeys/security keys or Google Prompt over SMS. [V17]
5. Configure Gmail Email and chat auto-deletion to permanently delete ordinary messages older than 365 days. Google supports administrator auto-deletion with a minimum of 30 days and can bypass Trash. [V16]
6. Do not enable Vault/legal holds by default. If a real dispute or legal hold requires preserving a particular item, preserve only the necessary case record under a documented exception.
7. Do not use the privacy mailbox as the primary account export/delete mechanism. The authenticated account page remains primary; email is a fallback for rights questions and exceptional requests.
8. Review Google's current Workspace subprocessor list at setup and quarterly thereafter. [V18]

8. Pre-publication factual verification

- Hosting.kr: no longer a publication blocker. Treat hosting as domestic Korean entrusted processing on current evidence. Optionally verify the actual cPanel/server IP later; if credible evidence shows an overseas region, update the Article 28-8 table before the next policy revision.
- Whop: Seller Terms expressly incorporate a Seller Data Sharing Addendum, but Whop does not expose a separately linked public addendum in the current legal page/searchable public materials reviewed. This specification therefore uses the Seller Terms incorporation plus Whop Privacy Policy for the conservative role/data-sharing classification. If Whop later exposes the standalone addendum, archive and review it as a vendor-change task, not a launch blocker. [V10][V14][V24]
- Render: record the actual workspace plan so the internal incident/recovery runbook can state the exact log and PITR windows; the public policy can safely use “up to 30 days” for native logs if plan may change.
- Google Workspace: after creation, save evidence of edition, US data-at-rest setting, 2SV enforcement and 365-day Gmail auto-delete.
- xAI: retain a dated screenshot/admin record showing ZDR Active and a staging API response with x-zero-data-retention:true.
- Immediately before launch, re-check PIPA/PIPA Enforcement Decree and the Korean E-Commerce Act using the versions in force on the actual launch date.

Source register

[L1] Korea Personal Information Protection Act (PIPA), current text. <https://law.go.kr/LSW/lsInfoP.do?lsiSeq=270351>

[L2] PIPA Article 28-8 - overseas transfers. <https://www.law.go.kr/LSW/lsLinkCommonInfo.do?chrClsCd=010202&lsJoLnkSeq=1029334737>

[L3] PIPC Privacy Policy Writing Guidelines, April 2026. <https://www.pipc.go.kr/np/cop/bbs/selectBoardArticle.do?bbsId=BS217&mCode=D010030000.Updated&nttlId=12018>

[L4] Korean E-Commerce Act Articles 17-18 - withdrawal and refunds. <https://law.go.kr/LSW/lsLinkCommonInfo.do?chrClsCd=010202&lsJoLnkSeq=1013449821>

[L5] Korean E-Commerce Act Enforcement Decree Article 6 - transaction-record retention. <https://www.law.go.kr/LSW/lsInfoP.do?lsiSeq=288143>

[L6] Korean Civil Act Articles 4-5 - majority and minors. <https://www.law.go.kr/LSW/lsInfoP.do?lsiSeq=284415>

[L7] Korea AI Basic Act Article 31 - generative-AI transparency. <https://www.law.go.kr/LSW/lsLinkCommonInfo.do?lsJoLnkSeq=1031809549>

[L8] Korea AI Basic Act Enforcement Decree Article 23 - disclosure/marketing methods. <https://www.law.go.kr/lsLinkCommonInfo.do?lspttninfSeq=198075>

[L9] PIPA Enforcement Decree Articles 39-40 - 72-hour breach notice/reporting. <https://www.law.go.kr/LSW/lsLawLinkInfo.do?chrClsCd=010202&lsJoLnkSeq=1000089686>

[V1] xAI API Security FAQ - Zero Data Retention. <https://docs.x.ai/developers/faq/security>

[V2] xAI Enterprise Terms. <https://x.ai/legal/terms-of-service-enterprise>

[V3] xAI DPA. <https://x.ai/legal/data-processing-addendum>

[V4] xAI Subprocessor List. <https://x.ai/legal/subprocessor-list>

[V5] Render Regions. <https://render.com/docs/regions>

[V6] Render Logs. <https://render.com/docs/logging>

[V7] Render Postgres Recovery and Backups. <https://render.com/docs/postgresql-backups>

[V8] Clerk DPA. <https://clerk.com/legal/dpa>

[V9] Clerk deleteUser API. <https://clerk.com/docs/reference/backend/user/delete-user>

[V10] Whop Seller Terms - incorporates Seller Data Sharing Addendum. <https://whop.com/seller-terms/>

[V11] Whop legal-document upload and acceptance controls. <https://docs.whop.com/manage-your-business/manage-business/legal-documents>

[V12] Whop Payment API. <https://docs.whop.com/api-reference/payments/retrieve-payment>

[V13] **Whop Membership API.** <https://docs.whop.com/api-reference/memberships/retrieve-membership>

[V14] **Whop Privacy Policy.** <https://whop.com/privacy/>

[V15] **Google Workspace Data Regions.** <https://support.google.com/a/answer/14310028>

[V16] **Google Workspace Gmail Auto-Delete.** <https://support.google.com/a/answer/151128>

[V17] **Google Workspace 2-Step Verification.** <https://support.google.com/a/answer/175197>

[V18] **Google Workspace Subprocessors.** <https://workspace.google.com/terms/subprocessors/>

[V19] **Hosting.kr / Megazone Privacy Policy.** <https://www.hosting.kr/policies/privacy>

[V20] **Hosting.kr Linux webhosting - AWS-based hosting environment.** <https://www.hosting.kr/webhosting>

[V21] **Hosting.kr Raw Access log controls.** <https://help.hosting.kr/hc/ko/articles/900005240146>

[V22] **Hosting.kr Metrics Editor - Webalizer / Analog / AWStats controls.** <https://help.hosting.kr/hc/ko/articles/900006193483>

[V23] **Hosting.kr cancellation / deletion and long-backup behavior.** <https://help.hosting.kr/hc/ko/articles/4408216133529>

[V24] **Whop Seller Data Sharing Addendum - incorporated by reference in Seller Terms; public Seller Terms provide the controlling incorporation point.**
<https://whop.com/seller-terms/>