

CONSOLIDATION-EVIDENCE.md — Step 2R: the contracts frozen, everything re-run

Date: 2026-08-01. Exit: tag `v0.3.0-contracts` . Prerequisite discharged: `v0.2.0-g2` tagged with `G2-EVIDENCE.md` accepted (2026-07-31).

1. Every contract version

Contract	File	Version	Frozen by
WorldSpec	<code>schemas/worldspec-v1.2.schema.json</code>	1.2.0 (active; v1.0 stays vendored)	WP2R.7
Sleeve/vehicle state	<code>schemas/sleeve-vehicle-state-v1.0.schema.json</code>	1.0.0	WP2R.3
Portfolio/institution state	<code>schemas/portfolio-institution-state-v1.0.schema.json</code>	1.0.0	WP2R.6
Generator output	<code>schemas/generator-output-v1.0.schema.json</code>	1.0.0	WP2R.4
Sleeve taxonomy + vendor mapping	<code>taxonomy/sleeves.yaml</code> , <code>taxonomy/albourne_mapping.yaml</code>	taxonomy-v1.1	WP2R.1, bumped WP2R.2
Pre-registration seal	<code>pre-registration.lock</code>	<code>sha256:99ab3f772be6...</code> , 33 files	unchanged all of 2R — no judged source was touched

Every contract has a pydantic mirror with jsonschema-first dual validation and an agreement test; the three seal guards (`tests/test_seal_guard.py`) run on every suite invocation.

2. The full-stack regression, in plan order

- **Step 0 (Go):** `ah world build --preset stagflation` (a migrated **v1.2**

`preset`) → `ah run --paths 1000` → `ah replay prints MATCH ( sha256:d18a36fba9f4... )` → `ah verify True` → `ah battery 0 enforce failures` → `chronicle intact (birth + run entries)` → `python -m ah.battery.report 0 enforce failures`.

- **Step 1:** full data-layer test suites green in the gate run;

ah data status current at `2026-08-01.2` (the first real manual delivery, WP2R.2); ah data episode 2022 builds. The de-smoothing layer now covers all 21 delivered HF series (`DESMOOTHING.md` , acceptance asserted by its generating script).

- **Step 2:** the battery on the promoted and benchmark systems was re-run

end-to-end by WP2R.5's frozen-vintage reproduction — **bit-identical to the campaign across all six cells including retrained neural checkpoints** (`governance/evidence/WP2R5-VINTAGE-HANDOFF.md`). Not repeated here; that document is the evidence.

- **WP2R.4's deferred clause, discharged:** `hier-flow-v1` resolved from the registry (pinned checkpoint `b1fe26e100678a26...` , hash-verified at load), sampled, and its generator-output document **validates against the contract with every tensor digest re-derived** (`build_document` + `verify_arrays`). Regime layer `semimarkov` , slow-state layer `simulated` , joinery diagnostics present — nothing absent, nothing silent.

3. Re-baselined digests

None. No engine-consumed numeric path changed in Step 2R: the golden snapshot, replay digests, sealed fixtures, and the seal itself are byte-stable (the suite's digest tests passed unmodified in every WP gate, and §2's replay MATCH is the live confirmation). The WorldSpec migration was deliberately zero-mutation: the widened contract accepts sealed 1.0.x bytes rather than rewriting them.

4. Retrofit absorption — zero open items assigned to 2R

R1 (taxonomy) → WP2R.1. R2 (HF de-smoothing) → WP2R.2. R3 (vehicle types) + R14 (recycling/recallable) → WP2R.3. R4 (generator-output schema) → WP2R.4. R5 (FX) → closed CLOSED-deferred at WP2.1b, folded into the next campaign's retrain by `S2R-FX-NEXT-CAMPAIGN` . R6/R7 (portfolio/institution variables) → WP2R.6. R13 (secondaries as own sleeve) → WP2R.1.

Register rows opened during 2R and deliberately **not** owned by it: RFR-86 (French SLA cadence — owner decision), RFR-87 (`temporal_delivery` — Step 4 authors it against its own plan), RFR-88's PM half (intake code/id mismatch — bites at first PM delivery, fix then or at 3R). None is 2R work; each has a named owner or trigger.

5. Deviations from the 2R plan, already recorded where they happened

- WP2R.8 added the three seal guards (justified: closes the RFR-76..84 class

before G3-pre is minted).

- WP2R.5's "monthly cron re-enable" was vacuous (it never stopped); the local

refresh quarantined correctly on RFR-86's cadence collision.

- WP2R.2's "re-file existing intakes" was vacuous (no intake ever existed);

the plan's group-level HF series were replaced by sub-strategy granularity on the owner's decision (option b).

- WP2R.7's `temporal_delivery` block was never defined anywhere → RFR-87.
- The plan's §WP2R.8 D-ids mismatch the decision register's → closed by

content per the owner (see the register's WP2R.8 note).

6. Exit

Full suite green at every merge (final gate exit 0 unpiped, coverage $\geq 97\%$ against the 90% gate throughout); ruff + pyright clean; seal verifies at `sha256:99ab3f772be6...` with 33 files, untouched by 2R.

No Step 3 work is blocked by an unfrozen interface. Tag: `v0.3.0-contracts` .