Personal Software Process

The Changing World of Software

- Software now controls most business, government, and military systems.
  - Factories are managed by software
  - Most advanced products are controlled by software
  - Finance, administrative, and business operations are largely run by software
- The cost, schedule, and quality of software is now a critical business concern.

Big Software Projects Usually Fail

- With increased size, projects are more troubled.

Project Size	People	Time (Months)	Success Rate
Less than $750K	6	6	55%
$750K to $1.5M	12	9	33%
$1.5M to $3M	25	12	25%
$3M to $6M	40	18	15%
$6M to $10M	+250	+24	8%
Over $10M	+500	+36	0%

This is a problem of scale: current software practices do not scale up.

Standish: Chaos Reports, 1999

Why Projects Fail -1

- Large and small software projects fail for four reasons.
  - Project commitments are often unrealistic
  - The larger the project, the less influence we have
  - If we don't have anything to say, nobody will listen
  - Larger projects are harder to control
- Today, few developers have personal plans
- Without a plan, you cannot know job status
- If you don't know where you are, management can't understand job status
- If management doesn't understand job status, they can't manage projects

Why Projects Fail -2

- Quality problems get worse with project size
- In software systems, if any part has quality problems, the system will have quality problems
- If the developers do not manage quality, their teams cannot manage quality
- When unmanaged, quality will always be poor
- To be effective, teams need leadership and coaching
- Leaders build team motivation and commitment
- Coaching develops team cohesion
- Cohesive, motivated, and committed teams do the best work

The Need for Change

- Many lives and businesses now depend on software.
- We now need larger, more complex, and safer software systems on predictable schedules.
- Without different software practices, this will not happen.
- The Team Software Process (TSP) addresses this need.
- The PSP provides the knowledge and skill that developers need to work on TSP teams.

PSP Principles - 1

- The quality of a software system is determined by the *quality of its worst components*
- The quality of a software component is governed by the *individual* who developed it
- The quality of a software component is governed by the *quality of the process* used to develop it
- The key to quality is the individual developer's skill, commitment, and personal process discipline

PSP Principles - 2

- As a software professional, you are responsible for your personal process
- You should *measure*, *track*, and *analyze* your work
- You should *learn* from your performance variations
- You should *incorporate lessons learned* into your personal practices

What Does PSP Provide?

- A stable, mature PSP allows you to
  - estimate and plan your work
  - meet your commitments
  - resist unreasonable commitment pressures
- You will also
  - understand your current performance
  - be better equipped to improve your capability

What Does PSP Provide?

- The PSP provides
  - a proven basis for developing and using an industrial-strength personal process
  - a discipline that shows you how to improve your personal process
  - the data to continually improve the productivity, quality, and predictability of your work

What is the PSP?

- The PSP is a personal process for developing software or for doing any other defined activity. The PSP includes
  - defined steps
  - forms
  - standards
- It provides a measurement and analysis framework for characterizing and managing your personal work.
- It is also a defined procedure that helps you to improve your personal performance.

The PSP Process Flow



Learning the PSP - 1

- The PSP is introduced in six upward-compatible steps
- You write one or more module-sized programs at each step
- You gather and analyze data on your work
- You use the results to improve your personal performance

Learning the PSP - 2



Learning the PSP - 3

- PSP0: You establish a measured performance baseline.
- PSP1: You make size, resource, and schedule plans.
- PSP2: You practice defect and yield management.

Phase Order

- The PSP looks like a waterfall process but it's not
- The phase order is determined by the dependencies between phases
  - You can't test the code before it's compiled
  - You can't compile the code before it's written
  - You can't use the design if it's produced after the code is written
  - There's no reason to make a plan after you're done
- Conclusion…start here with a plan



Process Flow

- When programs are small or well understood, you can execute the phases in order
- Produce a plan
- Design all modules
- Code all modules
- Compile the coded program
- Summarize the project data during the postmortem



Cyclic Process Flow -1

- Large programs or those that are not well understood may require an iterative approach
- In this example the design is completed in one step
- Two modules are identified during the design, modules A and B
- Then each module is separately coded, compiled, and tested
- This example uses the PSP0 phases and two cycles of code-compile-test



Cyclic Process Flow -2

- There can be more than two cycles and cycles can also include the design phase as in this example.
- Note that each cycle is focused on producing part of the program, e.g. Module A, Module B, Module C.
- Part size is a key factor for determining cycles.
  - a line of code is too small
  - a program may be too large
- One or more classes, methods, procedures, or functions are probably the right size.
- You need to determine what works for you.



Process Scripts

- Process scripts provide “expert-level” guidance on how to use the process
  - They are one or two pages long.
  - They describe the
    - Purpose
    - Entry criteria
    - General guidelines
    - Steps
    - Exit criteria

PSP0 Process Script	
Purpose	To guide the development of module-level programs
Entry Criteria	- Problem description - PSP0 Project Plan Summary form - Time and Defect Recording logs - Defect Type standard - Stopwatch (optional)

Step	Activities	Description
1	Planning	- Produce or obtain a requirements statement. - Estimate the required development time. - Enter the plan data in the Project Plan Summary form. - Complete the Time Recording log.
2	Development	- Design the program - Implement the design. - Compile the program, and fix and log all defects found. - Test the program, and fix and log all defects found. - Complete the Time Recording Log.
3	Postmortem	Complete the Project Plan Summary form with actual time, defect, and size data.

Exit Criteria	- A thoroughly tested program - Completed Project Plan Summary form with estimated and actual data - Completed Time and Defect Recording logs

The PSP Scripts - 1

- Planning: Estimate the development time
- Development: Develop the product using your current methods
- Postmortem: Complete the project plan summary with the time spent and defects found and injected in each phase.

The PSP Scripts -2

- Design: Design the program using your current design methods
- Coding: Implement the program
- Compile: Compile until defect-free
- Test: Test the program and fix all defects
- Record defects in the defect log and time per phase in the time log

Using Process Scripts

- Process scripts guide you through the process.
- You should
  - check the entry criteria before starting a phase
  - record the phase start time
  - perform the phase steps and instructions
  - record defects as they are found and corrected
  - check the exit criteria before ending a phase
  - record the phase end time
  - go to the next phase
- Force yourself to use this paradigm until it becomes a habit.

PSP Measures and Forms

- PSP measures
  - Time – track time in phase
  - Defects – record defects as they are found and fixed
- PSP has four forms
  - PSP Project Plan Summary – summarizes planned and actual time and defects by phase
  - PSP Time Recording Log – used to record time
  - PSP Defect Recording Log – used to record defects
  - PSP Defect Type Standard – used to define standard defect types